Trade, Exchange, and, Sociopolitical Development in Iron Age

(500 BC – AD 500) Mainland Southeast Asia:

An Examination of Stone and Glass Beads from Cambodia and Thailand

by

Alison Kyra Carter

A dissertation submitted in partial fulfillment of the requirements for the degree of

Doctor of Philosophy

(Anthropology)

at the

UNIVERSITY OF WISCONSIN-MADISON

2013

Date of the final oral examination: 11/30/12

This dissertation is approved by the following members of the Final Oral Exam Committee:
Jonathan Mark Kenoyer, Professor, Anthropology
Sissel Schroeder, Professor, Anthropology
Sarah Clayton, Assistant Professor, Anthropology
Nam Kim, Assistant Professor, Anthropology
Anna Gade, Associate Professor, Languages and Cultures of Asia
Miriam Stark, Professor, Anthropology, University of Hawai'i-Mānoa

© Copyright by Alison Kyra Carter 2013 All Rights Reserved Trade, Exchange, and Sociopolitical Development in Iron Age (500 BC – AD 500)

Mainland Southeast Asia: An Examination of Stone and Glass Beads from Cambodia and

Thailand.

By Alison Kyra Carter

Abstract

This dissertation is an examination of trade and socio-political development in Iron Age (500 BC –AD 500) mainland Southeast Asia through the analysis and comparison of stone and glass beads from sites in Cambodia and Thailand. The primary research objective is to identify trade and interaction networks in mainland Southeast Asia during the Iron Age and understand how these trade networks were associated with emerging socio-political complexity in the Mekong Delta during this period. This topic was addressed through morphological, contextual, and compositional analysis of agate/carnelian, garnet, and glass beads. Using these objects I identified distinct patterns in the distribution of stone and glass beads on two different scales: within individual sites in Cambodia and Thailand and over time and across the region of mainland Southeast Asia. I then linked these bead distribution patterns to changing patterns of socio-political and economic organization in the Mekong Delta.

The results of this research indicate that the types of agate/carnelian and glass beads and the mechanics of trade and exchange changed over time. During the early Iron Age in the late centuries BC "Period 1 Type" agate and carnelian beads and potash glass beads appear to have been exchanged through a pre-existing coastal exchange networks between specific settlements. However, some communities, specifically people living at Angkor Borei and sites in the Mekong

Delta do not appear to have been participating in this network. Instead, the analysis of glass and stone bead data reveal that the Mekong Delta and other communities were not entering into long-distance bead exchange networks until the early centuries AD, as trade with South Asia was intensifying. New types of beads, including "Period 2 Type" agate and carnelian beads and high-alumina soda glass beads eventually came to be traded in these networks. I argue that the distribution patterns of these new stone and glass bead types can be seen as proxies for expanding socio-political and economic influence between elites in the Mekong Delta and communities further inland.

Table of Contents

Abstract	i
Table of Contents	iii
List of Figures	ix
Figures in Appendices	xiv
List of Tables	xvi
Tables in Appendices	xviii
Dedications	xix
Acknowledgements	XX
Chapter 1: Introduction and Research Questions	
Definitions and theoretical orientation	
Mainland Southeast Asia	4
South Asia	4
Prestige goods	6
Trade and Exchange	8
Sites and Communities	9
Complexity and Trade	10
Angkor Borei, the Mekong Delta, and "Funan"	15
Cambodian perspectives	
Research questions addressed in this dissertation	25
Chapter 2: Archaeological Background of Southeast Asia	31
Geography and ecology of mainland Southeast Asia	
Cambodia	
Thailand	
Natural resources important for trade	
Chronological Frameworks	
Hunter-Gatherers	
Neolithic period and introduction of rice agriculture	43
The Bronze Age	44
The Iron Age	46
Cultural Traditions Framework	47
The Iron Age Cultures of Mainland Southeast Asia	50
The Dongson Culture	50
The Sa Huynh Culture	53
The Memotian Culture	
The Moated sites of Northeast Thailand and northwest Cambodia	55
The Chao Phraya River Valley/Central Thailand	
The Mekong Delta/Oc Eo/Funan Culture	
Peninsular Thai-Malay Sites	
Other cultures in Myanmar and Laos	
The archaeological sites considered in this study	61

	iv
Angkor Borei, Cambodia	66
Phnom Borei, Cambodia	
Prohear, Cambodia	67
Bit Meas, Cambodia	
Village 10.8, Cambodia	
Krek 52/62, Cambodia	
Prei Khmeng, Cambodia	
Phum Snay, Cambodia	
Noen U-Loke, Thailand	
Ban Non Wat, Thailand	
Promtin Tai, Thailand	
Khao Sam Kaeo, Thailand	
Conclusion	
Conclusion	
Chapter 3: The Emergence of Complexity in Southeast Asia and the Role of Tra	de and
Exchange	80
Exchange in Southeast Asia prior to the Iron Age	81
Prestige good trade in Southeast Asia in the late Bronze and early Iron Age periods	85
Nephrite ear ornaments	
Changing phases of trade with South Asia during the Iron Age	89
Socio-political development and exchange in the Iron Age	
The historical perspective: Indianization.	
The archaeological perspective	
Emergence of complexity and states in coastal areas	
Alternative models for the emergence of complexity in mainland Southeast Asia	
Emergent complexity in Northeast Thailand	
The Dongson culture	
Trading with Southeast Asia: The view from India	106
The role of beads in early trade	110
Conclusion	115
Chapter 4: Research Methodology	110
Recording glass and stone beads	
Identifying stone bead types	
Bead ShapeRaw material and stone color	121
Type of drill	
Overall quality and complexity of agate and carnelian beads	
Measurements	
Methods of recording glass beads	
Bead Shape	
Glass Color and opacity	
Manufacturing method	
Angle bead was cut from the tube and the roundness factor	
Compositional Analysis	
Assigning stone beads to regional geological source areas	
Determining the heterogeneity of the elements with in a sample	
Differentiating between the geologic sources	
Assigning stone bead artifacts to a geologic source	
Determining glass types	138
Determining the drilling methods of garnet beads	139

Conclusion	142
Chapter 5: Agate and Carnelian Beads- Contextual and Morphological Analysis	144
Agate and Carnelian: Definitions	145
Agate and Carnelian Bead Production	146
Agate and Carnelian Beads in Southeast Asia	
Previous research on agate and carnelian beads in Southeast Asia	
Determining the value of agate and carnelian beads	
Local production of agate and carnelian beads in Southeast Asia	
Kuala Selinsing, Malaysia	
Oc Eo, Vietnam	
Khlong Thom/Khuan Lukpad, Thailand	159
Giong Ca Vo, Vietnam	160
Khao Sam Kaeo, Thailand	160
Buni Region, Java	161
Myanmar	161
Other sites with unfinished beads or raw materials	162
Agate and Carnelian Beads: Results from Contextual and Morphological Analyses	163
Context and Chronology for the Agate and Carnelian Beads	164
Angkor Borei	166
Phnom Borei	168
Prohear	170
Village 10.8	172
Phum Snay	
Promtin Tai	
Ban Non Wat	
Conclusions regarding the distribution of agate/carnelian beads in burials	
Sites with beads from non-burial contexts	
The distribution of bead shapes and types	186
Notable bead shapes	186
The distribution of agate and carnelian beads.	
Comparing morphological characteristics	202
Simple vs. Complex bead shapes	
Overall bead quality	
Bead perforation size	
Interpretation from metric and morphological analyses	
Conclusion: Implications for agate and carnelian bead trade networks	
Based on morphological analysis, is there a pattern in the type of beads being traded over t space?	
Does evidence from trade patterns suggest that sites in the Mekong Delta were influencing	trade of
these objects?	218
Chapter 6: Agate and Carnelian Beads- Geochemical Analysis	220
Previous compositional studies of agate and carnelian	222
Agate and Carnelian Geologic Sources	
South and Central Asian agate and carnelian sources	
Khandek	
Mardak Bet	
Ratanpur	
Mahurjhari	
Paithan	230
Undhari	231

Shahr-i-Sokhta	
· · · · · · · · · · · · · · · · · · ·	233
Ban Khao Mogul, Lopburi Province, Thailand	
Kon Tom and Gia Lai, Vietnam	235
Dong Nai, Vietnam	237
Pacitan, East Java, Indonesia	238
Agate and Carnelian Artifacts analyzed	239
LA-ICP-MS analysis of the geologic sources	239
Heat-treatment of agate and carnelian	
Assigning agate and carnelian artifacts to geologic sources	
Agate and carnelian beads assigned to the Deccan Trap sources	
Agate and carnelian beads assigned to Southeast Asian geologic sources	
Summary of conclusions from the agate and carnelian bead composition data	
Other potential sources for raw materials and finished beads	
Conclusion	
Were different stone sources used to produce Period 1 and Period 2 Type beads?	
Is there evidence that certain bead types were being made from specific geologic sources?	
Is there geochemical evidence for the use of agate and carnelian from Southeast Asian source	
local bead production?	269
Chapter 7: The Glass Beads	272
What is glass?	
Indo-Pacific beads	
Glass bead research in Southeast Asia	
Glass bead production in Southeast Asia	
Khlong Thom/Khuan Lukpad, Thailand	
Khao Sam Kaeo, Thailand	
Ban Don Ta Phet, Thailand	
Giong Ca Vo, Vietnam	
Oc Eo, Vietnam	
Ban Chiang Culture	
The organization of glass production in Southeast Asia	
Common glass types found in Southeast Asia	
Potash Glass	
High alumina Soda Glass	
Mineral soda glass with variable amounts of alumina and lime (m-Na-Ca-Al)	
Mixed Alkali Glass	
Arika GlassLead Glass	
Lead Glass Changing glass types over time	
Glass beads in Cambodia and Thailand	
Glass beads in context	
Angkor Borei	
Phnom Borei	
Prohear and Bit Meas	
Village 10.8	
Phum Snay	
Prei Khmeng	
Promtin Tai, Thailand	
Ban Non Wat and Noen U-Loke	
Glass beads in context: A summary	323

	V
Compositional analysis of glass beads from Cambodia and Thailand	
Results from LA-ICP-MS analysis of glass artifacts	
Angkor Borei	
Phnom Borei	
Village 10.8	
Prohear	
Bit Meas	
Phum Snay	
Prei Khmeng	
Promtin Tai	
Ban Non Wat	
Noen U-Loke	
Ban Non Wat and Noen U-Loke: Change over time	
Conclusion: The distribution of glass types within Cambodia and Thailand	
How does the distribution of glass beads and artifacts change over time and space?	
Potash glass as the earliest glass type in Southeast Asia	
Potash glass and coastal exchange networks	
Potash glass and high alumina glass: Evidence for shifting trade networks?	
The distribution of less common glass types	
The importance of regional exchange networks	
Does evidence from glass bead trade patterns suggest increased participation in trade by elites sites in the Mekong Delta?	
Chapter 8: The Garnet Beads	
Garnet: Definitions	
Garnet Beads in Southeast Asia	
Garnet beads from Cambodia	
Garnet beads from southeast Cambodia	36
Garnet beads from Village 10.8	37
Garnet beads from Prohear and Bit Meas	37
Garnet beads from Angkor Borei	37
Examining the bead perforations	
Garnet bead perforations from Angkor Borei	
Garnet bead perforations from sites in southeast Cambodia	
LA-ICP-MS Analysis of garnet beads	
Previous compositional studies of garnet artifacts	
Garnet Geologic Sources	
Analysis and results: Distinguishing between the geologic sources	
Assigning garnet artifacts to geologic sources	
Other potential sources	
Conclusion	
What are the morphological and manufacturing differences between the Angkor Borei garnets	and
garnet beads from Village 10.8, Prohear, and Bit Meas?	39
Are there geochemical differences between beads from Angkor Borei and beads from Prohear	, Bit
Meas, and Village 10.8, and is there geochemical evidence for production of garnet beads using	ıg
Southeast Asian stone sources?	39
What can these beads tell us about trade and exchange networks during this period?	
Chapter 9: Discussion and Conclusion Bead trade and exchange patterns over time and space	
Connections to early coastal exchange networks	

	viii
Regional exchange: Southeast Cambodia	
Regional exchange: Northeast Thailand	
The importance of regional exchange networks during the early Iron Age	
Promtin Tai: Participation in multiple exchange networks?	
Changing patterns of socio-political organization in the Mekong Delta	
The Mekong Delta and Prohear	
The local production of beads	
Who was involved in the trade of stone and glass beads?	
Conclusion	428
References	434
Appendix 5.1: Agate and Carnelian beads in this study	476
Appendix 6.1: The agate and carnelian artifacts analyzed using	523
LA-ICP-MS	523
Appendix 6.2: LA-ICP-MS data for agate and carnelian geologic samples	and artifacts
527	
Appendix 6.3: Standardized Canonical Discriminant Function Coefficients in Chapter 6 generated using Canonical Discriminant Analysis	-
Appendix 6.4: Determining elements to use in data analysis	582
Appendix 6.5: Distinguishing between Agate and Carnelian Geologic Source	es 585
Appendix 7.1: Glass bead data recorded as a part of this study	593
Appendix 7.1a: Glass Beads from Angkor Borei	595
Appendix 7.1b: Glass beads from Phnom Borei	
Appendix 7.1c: Glass Beads from Prei Khmeng	
Appendix 7.1d: Glass beads from Prohear and Bit Meas	
Appendix 7.1e: Glass beads from Phum Snay	
Appendix 7.11. Glass beads from Village 10.8 Appendix 7.12: Glass Beads from Promtin Tai	
Appendix 7.1h: Glass beads from Noen U-Loke at the Phimai Museum	777
Appendix 7.1i: Glass beads from Ban Non Wat	
Appendix 7.1j: Glass beads from Ban Non Wat and Noen U-Loke analyzed using	LA-ICP-MS 806
Appendix 7.2: LA-ICP-MS data for glass artifacts	818
Appendix 7.3: PCA scores for Figure 7.30	07/
Appendix 8.1: Garnet Zoning and Heterogenity	8 / 4
Appendix 8.2: Garnet beads recorded in this study	
Tippenum oizi Guinet seuds recorded in time seudy	875
Appendix 8.3: LA-ICP-MS data for garnet geologic sources and artifacts	875 878

List of Figures

Figure 1.1: Map listing countries in mainland Southeast Asia.	5
Figure 1.2: Map listing countries in South Asia.	6
Figure 1.3: A map of the supposed territory of Funan based on historical documents and the	
locations of Angkor Borei and Oc Eo. There is little archaeological evidence that Funan	
<u> </u>	20
Figure 1.4: Google earth image of Angkor Borei. The red line highlights the wall and moats	
around the city	21
Figure 1.5: Map of canals around Angkor Borei in red. Adapted from Sanderson et al. 2007,	
Figure 1.	22
Figure 2.1: Map of Cambodia noting important physical features. Digital Elevation Model data	ì
taken from ASTER GDEM [http://www.gdem.aster.ersdac.or.jp/index.jsp]. ASTER GDE	
is a product of METI and NASA. Map inset adapted from Wikipedia Commons	
[https://en.wikipedia.org/wiki/File:Location Cambodia ASEAN.svg]	34
Figure 2.2:Map of Thailand noting important physical features. Map created using publically	
released GLOBE data [http://www.ngdc.noaa.gov/mgg/topo/globe.html]. Map inset taken	1
from Wikipedia Commons	
[https://en.wikipedia.org/wiki/File:Thailand_%28orthographic_projection%29.svg]	36
Figure 2.3: Map of Iron Age archaeological cultures and sites mentioned in this chapter	52
Figure 2.4: Iron Age sites in Cambodia. Those included in this study are marked in red	63
Figure 2.5: Sites in Thailand examined as a part of this study.	64
Figure 3.1:Map of sites discussed in this chapter	82
Figure 3.2: Example of a T-section bangle excavated at Ban Non Wat in February 2007	84
Figure 3.3: Example of lingling-o ear ornaments. Image courtesy of Andreas Reinecke	87
Figure 3.4: Example of a bi-cephalous double animal headed ear ornament, scale in cm. Image	;
on the left courtesy of Andreas Reinecke. Drawing on the right of a similar pendant from	
Hung and Bellwood 2010:234. Drawing by P. Madavi.	87
Figure 4.1: Examples of black and white banded agate (left), carnelian (middle), and garnet	
(right) beads. Scale in cm. 1	22
Figure 4.2: Digital microscope image of a bag-polished bead (left) and a bead with grinding	
striae (right)	
Figure 4.3: Different drill types identified in the study.	24
Figure 4.4:Major measurements taken on stone beads (left) and glass beads (right) 1	26
Figure 4.5: From left to right- Example of an Indo-Pacific drawn bead with longitudinal	
striations from the drawing technique, a coiled bead, and a wrapped bead	28
Figure 4.6: Roundness factor for glass beads.	29
Figure 4.7: A. Taking impressions of stone bead perforations using dental impression gun. B.	
The beads with impression material while it is setting. C. The impressions after removal	
from the beads showing the different shapes of the interior perforations. D. The impression	ns
mounted on a slide for SEM	41
Figure 5.1 Agate and carnelian raw material acquisition and manufacturing stages. Image	
courtesy of J. Mark Kenoyer from Kenoyer, Vidale, and Bhan 1991: Figure 2 1	
Figure 5.2: Map of Southeast Asian sites with evidence for bead production	58

Figure 5.3: Image of agate and carnelian fragments from the surface of Dong Marum, Thailand	l.
Collected by the Thai-Italian Lopburi Regional Archaeological Project during the 1993	
survey in the Lopburi region. Photo courtesy of Fiorella Rispoli	62
Figure 5.4: Map of sites with agate and carnelian beads analyzed as part of this study	66
Figure 5.5: Angkor Borei contour map. Excavation units are listed as AB1-8. AB7 denotes the	
Vat Komnou cemetery excavation. Constructed by John Shearer, Anne Dunlop and Jane Drummond; first published in Bishop et al. 2003	67
Figure 5.6: Angkor Borei and Phnom Borei as viewed from Google Earth	
Figure 5.7: A group burials found at Phnom Borei. Photo by Phon Kaseka	
Figure 5.8: Heng Sophady restores a bronze Dongson drum from Burial 4 with the skull of an	U9
older female still inside	71
	71
Figure 5.10: Looted beads from Phum Snay currently stored at Wat Bo in Siem Reap, Cambod	
Scale in cm. 1	/4
Figure 5.11: A short truncated bicone carnelian bead from Prei Khmeng on display at the	0.4
National Museum, Phnom Penh.	
Figure 5.12: Front and back views of a carnelian nodule found at Prei Khmeng. Scale in cm. 1	
Figure 5.13: Spherical carnelian bead from Krek 52/62. Scale in cm. 1	
Figure 5.14: Map of Khao Sam Kaeo with general locations where beads were found. Adapted	
from map provided by Bérénice Bellina.	
Figure 5.15: Finished and unfinished beads from Khao Sam Kaeo analyzed in the current study	
Scale in cm	
Figure 5.16: List of bead shapes recorded in the current study (continued below)	
Figure 5.17: Examples of notched and unnotched pendants from Promtin Tai, Ban NonWat, and	1
Khao Sam Kaeo. Additional examples of pendants from Ban Non Wat can be seen in	
Higham et al. 2009:240. Scale in cm.	
Figure 5.18: Example of a leech bead from Khao Sam Kaeo. Scale in cm	
Figure 5.19: A long hexagonal barrel bead from Promtin Tai. Scale in cm	
Figure 5.20: Hexagonal flattened bicone beads from Khao Sam Kaeo, Prohear, and Promtin Ta	
	96
Figure 5.21: Sites with hexagonal flattened bicone beads. Adapted from Theunissen 2003: 124.	
1	
Figure 5.22: Hexagonal faceted bicone beads from Phum Snay. Scale in cm	
Figure 5.23: Examples of Bicone-Barrel beads from Village 10.8 Scale in cm	
Figure 5.24: The distribution of agate and carnelian beads by site. Sites in Cambodia are market by a [C] and sites in Thailand by a [T].	
Figure 5.25: A black and white banded agate bead from Village 10.8. Scale in cm	
Figure 5.26: Bead shapes typically found in Period 1 (more complex) and Period 2 (less complex) from Bellina 2003. Image courtesy of Bérénice Bellina	
Figure 5.27: The quantity of different simple and complex bead shapes at each site. Sites in	0.5
Cambodia are marked by a [C] and sites in Thailand by a [T]	06
Figure 5.28: The total number of beads classified as either simple or complex by site. Sites in	50
Cambodia are marked by a [C] and sites in Thailand by a [T]	07
Figure 5.29: Quantity of high quality, low quality, and unfinished agate/carnelian beads by site	
	.08

Figure 5.30: Diamond mean comparison plot for perforation size. The horizontal dashed line refers to the overall mean for all of the sites. The line in the middle of the center of the diamond denotes the group mean, with the top and bottom reflecting the 95% confidence limits. The width of the diamonds corresponds to the sample size at each site	
Figure 5.31: Based on results from the Scheffé test, this figure visualizes the similarity in bear perforation measurement by site.	ıd
Figure 6.1: Map of Central and South Asian geologic sources and sites mentioned in the text. Figure 6.2: Map of the approximate location of the Deccan Traps. Adapted from Mahoney 19	. 226
Figure 6.3: Geologic agate samples from Khandek, Gujarat Province, India. Photo courtesy o Randall Law. Scale in cm.	
Figure 6.4: Geologic agate samples from Mardak Bet, Gujarat Province, India. Scale in cm	
Figure 6.5: Map of notable agate mine locations around the village of Ratanpur. Map provide by Randall Law.	
Figure 6.6: Geologic agate samples from Ratanpur, Gujarat Province, India. Photo courtesy of	
Randall Law. Scale in cm.	
Figure 6.7: Samples from Mahurjhari, Maharashtra Province, India. Scale in cm	
Figure 6.8: Left-Agate nodules in the Godavari River near Paithan, Maharashtra Province, In-Right-Detail of agate nodules at Paithan. Photos courtesy of Randall Law	dia.
Figure 6.9: Left- Agate-filled agricultural fields at Undhari, Maharashtra province, India. Rig	
A large agate nodule from Undhari. Photos courtesy of Randall Law.	_
Figure 6.10: Archaeological agate samples from Shahr-i-Sokhta. Photo courtesy of Randall L	
Scale in cm.	
Figure 6.11: Agate an carnelian samples from Ban Khao Mogul, Lopburi Province, Thailand	
	. 234
Scale in cm	234
current study	235
Figure 6.13: Carnelian samples from Kon Tum province, Vietnam. Scale in cm.	
Figure 6.14: Agate samples from Gia Lai province, Vietnam. Scale in cm.	
Figure 6.15: Carnelian carved figures from Dong Nai province, Vietnam.	
Figure 6.16:Back side of carnelian figures, showing their unworked "natural" appearance	
Figure 6.17: Carnelian samples from Pacitan, East Java, Indonesia. Scale in cm	239
Figure 6.18: Heated and unheated geologic samples from the Ratanpur source. Only one of the samples in the "heated anea" group was analyzed using LA ICP MS.	
samples in the "heated once" group was analyzed using LA-ICP-MS.	
Figure 6.19: The Deccan Trap agate sources plotted by their first, second, and third discriming from Potentials. Three complete from Potentials (valley) triangles) were plotted as ungrouped as	
functions. Three samples from Ratanpur (yellow triangles) were plotted as ungrouped of	. 243
Figure 6.20: Geologic sources and artifacts plotted by their first and second discriminant sco	res.
Figure 6.21: Geologic sources and artifacts plotted by their first and second discriminant score	244
All of the Deccan Trap sources have been combined into a single group. The Mahurjhan source was omitted for visual clarity.	
Figure 6.22: Southeast Asian geologic source and the 10 artifacts that were assigned to these	243
sources plotted by their first and second discriminant scores	246
SOURCES PROGRAM OF MINITERING MICH DANCING MIDALININGING DANLAND,	

Figure 6.23: Deccan Traps sources and 69 agate and carnelian artifacts plotted by their first a second discriminant scores. AKC03035 is the only artifact assigned to the Mahurjhari	
Source.	. 247
Figure 6.24: Spherical carnelian bead from Angkor Borei (AKC03035) assigned to the	0.5.1
Mahurjhari source. Scale in cm.	. 251
Figure 6.25: Deccan Traps sources and 69 archaeological artifacts plotted by their first and second discriminant scores from the third CDA. The labeled artifacts are those that plot away from the Deccan Trap sources group. The Mahyriberi source has been emitted for	
away from the Deccan Trap sources group. The Mahurjhari source has been omitted for visual clarity.	252
Figure 6.26: Geologic sources and artifacts from the fourth CDA plotted by their first, second	-
and third discriminant function. Labeled artifacts are those that appear to plot away from in between the sources to which they were assigned.	n or
Figure 6.27: Geologic sources and artifacts from the fourth CDA plotted by their first, second	
and third discriminant scores. The two artifacts noted in the scatterplot are those that app	pear
to plot closely with the Ratanpur source.	. 236
Figure 6.28: Artifacts consistently assigned to Southeast Asian sources plotted by their first,	. 257
second, and third discriminant scores. Figure 6.29:AKC02061 a long carnelian barrel bead from Ban Non Wat that may derive from	
geologic source in Myanmar	
Figure 6.30: AKC00344, a short bicone bead from Village 10.8 with low polish.	
Figure 6.31: Agate beads assigned to the Kon Tum geologic source (top row) and Indonesian	
source (bottom row).	
Figure 7.1: Map of sites with glass artifacts analyzed as part of this study	
Figure 7.2:Example of Indo-Pacific beads in a variety of colors and size from Angkor Borei	
Figure 7.3:An Indo-Pacific bead shown at 65x magnification. Note the linear striations from the strict of the stri	
glass drawing process.	
Figure 7.4: Map of sites with evidence for glass production	. 279
Figure 7.5: The distribution of glass bead colors at Angkor Borei (n=1268). Quantities for co	lors
with less than 20 beads are listed in parentheses.	. 298
Figure 7.6: Distribution of glass bead colors at Phnom Borei (n=48).	. 299
Figure 7.7: Examples of ring/earring/bangle fragments from Prohear.	. 303
Figure 7.8: Example of the dark blue glass beads common at Prohear.	. 303
Figure 7.9: Distribution of glass colors at Prohear (n= 550). Quantities for colors with less that	
15 beads are listed in parentheses.	. 304
Figure 7.10: Example of a glass ring from Village 10.8.	
Figure 7.11: The distribution of glass bead colors at Village 10.8 (n=209).	
Figure 7.12:Glass ring or earring fragments from Phum Snay.	
Figure 7.13: Example of orange opaque glass microbeads from Phum Snay Scale in mm	. 310
Figure 7.14: Orange-red mixed glass bead from Phum Snay. Taken using a Dino-Lite digital	
microscope at 50x magnification.	
Figure 7.15: Distribution of glass colors at Phum Snay (n=285).	
Figure 7.16: Black glass short bicone bead with a red stripe from Prei Khmeng. The image of	
the right is a close-up of the red stripe at 60x magnification.	
Figure 7.17: Glass bead color distribution at Prei Khmeng (n=2056)	. 313

Figure 7.18: Glass bead color distribution at Promtin Tai (n=960). Glass colors with a small	l
number of beads are listed in parenthesis.	315
Figure 7.19: Example of the two types of orange opaque wrapped glass beads found at Noer	n U-
Loke and Ban Non Wat	317
Figure 7.20: The distribution of glass colors at Ban Non Wat and Noen U-Loke.	323
Figure 7.21: Glass beads analyzed from Angkor Borei. AKC02585 not pictured as bead was	s too
fragmentary.	330
Figure 7.22: From left to right: A yellow lead glass bead, several Arika red glass beads, and	blue
m-Na-Ca-Al glass found at Prohear.	333
Figure 7.23: Example of the v-Na-Ca glass from Phum Snay (left) and Prei Khmeng (right).	
Figure 7.24: Examples of some of the unusual beads found at Promtin Tai.	337
Figure 7.25: Example of m-Na-Ca-Al beads (left) and potash glass beads (right) from Promi	tin
Tai.	338
Figure 7.27: Examples of some of the more unusual glass beads and artifacts from Ban Non	
Photos of AKC02033 and AKC02044 taken by James Lankton.	
Figure 7.28: Example of the m-Na-Ca-Al bead (circled) from Burial 266 at Ban Non Wat	
Figure 7.29: An estimate of the distribution of major glass types through time at Ban NonW	'at.
	348
Figure 7.30: A 3D PCA scatterplot of the compositions of opaque orange mixed alkali bead	
from various sites in South and Southeast Asia Beads from sites in Thailand are blue, b	beads
from sites in India are green, and a bead from a site in Vietnam is orange. Data for the	
scatterplot taken from Dussubieux 2001 and from unpublished data courtesy of Laure	2.50
Dussubieux and Bernard Gratuze.	352
Figure 7.31: An estimate of the quantity of different glass types at Ban Non Wat and Noen	
Loke through time.	
Figure 8.1: Photo of garnet beads from Go O Chua, courtesy of Andreas Reinecke	
Figure 8.2: Map of sites discussed in this chapter. Sites in italic are those with artifacts analysis of sites discussed in this chapter.	-
in this study.	
Figure 8.3: Map of site in Cambodia with beads analyzed in this study.	
Figure 8.4: The 18 beads from southeast Cambodia recorded in this study.	
Figure 8.5: Garnet beads from Angkor Borei.	
Figure 8.6: Drawing showing the difference between the cylindrical Angkor Borei perforation of the best of the state of th	
(left) and the bi-conical (middle) and irregular (right) perforations on garnet beads from	
southeast Cambodia.	
Figure 8.7: SEM images of bead perforations from Angkor Borei.	
Figure 8.8: SEM images of perforations from AKC00333.	
Figure 8.9: SEM images of perforations from AKC00334	
Figure 8.10: SEM SEM images of perforations from AKC00606	
Figure 8.11: SEM images of perforations from AKC00336	
Figure 8.12: SEM images of perforations from AKC00338	
Figure 8.13: Garnet artifacts from Porunthal, India (left) and Phu Khao Thong, Thailand (rig	_
E' 014 C d A '	
Figure 8.14: South Asian garnet sources and sites discussed in this chapter.	
Figure 8.15: Southeast Asian garnet sources and potential source areas discussed in this chap	-
	388

Figure 8.16: Ternary diagram of sum-normalized Fe, Mn, and Mg noting three different groups of garnets: group 1 (almandine rich), group 2 (almandine-pyrope), and group 3 (Lam Dong
garnet)
Figure 8.17: Principal component analysis of the Group 1 almandine garnets and artifacts from
Angkor Borei and Porunthal. The first component summarizes 59% of the variance and the
second component accounts for 32%
from southeast Cambodia and Phu Khao Thong. The first component summarizes 44% of
the variance and the second component accounts for 22%
Figure 8.19: Bivariate plot of Ca vs Ti (logged). The Southeast Cambodia garnets (circled) have a high concentration of Ti in comparison with the other sources and artifacts
Figure 9.1: Map showing locations of sites with Phase 1 agate/carnelian beads and potash glass
based on previous studies by Bellina (2007) and Lankton and Dussubieux (2013). Note the
similarity in the distribution of these objects with the distribution of nephrite ear ornaments
in mainland Southeast Asia noted by the blue and yellow stars in Figure 9.2 (below) 403
Figure 9.2: Map of the distribution of Taiwan nephrite artifacts in Southeast Asia from Hung et
al. 2007 (Figure 3). The green shaded area represents the currently known distribution of
Taiwan nephrite artifacts. The Fengtian nephrite deposit is noted by the green triangle.
Yellow stars represent sites outside Taiwan with positively identified Fengtian nephrite
artifacts and blue stars represent sites with jade artifacts of possible Fengtian origin. Black
circles denote sites that have identified nephrite of non-Fengtian origin
Figure 9.3: Map of sites in this study with potash glass beads and Phase 1 agate/carnelian beads.
Figure 9.4: Sites in this study with high alumina soda glass beads and Phase 2 agate/carnelian beads
Figure 9.5: Map showing location of Ba Phnom in relation to Angkor Borei, Prohear and Oc Eo.
Figure 9.6: Greenstone beads with carnelian and glass beads from Promtin Tai
Figures in Appendices
Figure 6.5.1: Bivariate scatterplot of Mg vs. Sn, showing the high levels of Sn in the Mahurjhari
samples. Values in both axes have been \log_{10} transformed. 585
Figure 6.5.2:Bivariate scatterplot of Mg vs. Ni showing the high levels of both elements in the
Gia Lai samples. Values in both axes have been \log_{10} transformed
Figure 6.5.3:Bivariate scatterplot of B vs. U showing the high levels of both elements in the
Shahr-i-Sokhta samples. Values in both axes have been \log_{10} transformed
Figure 6.5.4: Bivariate scatterplot of B vs. Sb showing the high levels Sb and slightly lower
levels of B in the Ban Khao Mogul samples. Values in both axes have been \log_{10}
transformed. 587
Figure 6.5.5: Geologic sources from South and Southeast Asia plotted by their first and second
discriminant functions
Figure 6.5.6: Results from a second CDA in which the Deccan Trap agate sources were treated
as a single source. Sources are plotted by their first and second discriminant functions 589
Figure 6.5.7: The Deccan Trap agate sources plotted by their first and second discriminant
functions

Figure 7.1.1: Millimeter size chart used to record Indo-Pacific beads of different sizes. Taken	
from http://ww.kmversteeg.com/edtec541/final/size.htm	94
Figure 8.4.1: Principal component analysis of the Group 1 almandine garnets. The first	
component summarizes 59% of the variance and the second component accounts for 32%	
8	399
Figure 8.4.2: A bivariate plot of Cu vs. Dy highlighting the high concentration of Dy in the Sri	
Lanka Group 1 garnet group and the low concentration of Cu in the South India garnet	
group	399
Figure 8.4.3:Principal component analysis of the group 2 almandine-pyrope garnets. The first	
component summarizes 44% of the variance and the second component accounts for 22%	
9	02
Figure 8.4.4:A 3D scatterplot showing the high levels of In, Ti, and Zn (all PPM) in the Lam	
Dong garnets as compared to the other garnet sources	03

List of Tables

Table 1.1: Some of the major developments in the Mekong Delta as identified through	10
archaeological investigations. All dates are approximate	
Table 2.1: Chronological periods discussed in this dissertation.	
Table 2.2: List of stone and glass beads recorded at each site. The bead collections at Ban Wat and Noen U-Loke were briefly examined but not recorded in as much detail as ot sites in this study. The glass bead numbers refer to those that were examined briefly, a agate/carnelian number refers only to those beads from Ban Non Wat that were analyzusing LA-ICP-MS.	her and the zed
Table 2.3: Number of stone and glass beads from each site that were analyzed using LA-IC	CP-MS
	62
Table 2.4: Summary of the sites in this study, their dates, locations, and culture groups to we they belong.	hich
Table 4.1: List of bead attributes recorded.	121
Table 4.2: Glass bead attributes recorded.	
Table 5.1: List of the quantity of agate and carnelian beads from each site discussed in this	3
chapter	
Table 5.3: A list of burials with agate and carnelian beads from Village 10.8 and their associated in this study	
grave goods. Age and sex are unknown	173
Table 5.4: Burials with agate and carnelian beads from Promtin Tai	176
Table 5.5: Burials at Ban Non Wat with agate and carnelian beads	
Table 5.6: The quantity and percentage of burials with agate and carnelian beads amongst t	he
sites studied.	
Table 5.7: Table of burials with large quantities of beads.	181
Table 5.8: Table denoting the number of male and female burials with and without agate ar carnelian beads	
Table 5.9: The most common bead shapes and the quantity recorded at each site as part of t	this
study.	
Table 5.10: Less frequently encountered bead shapes and their quantities	192
Table 5.11: Bead shapes found exclusively at one site. Unless otherwise noted, only a single	
version of each shape was recorded.	193
Table 5.12: Morphological differences between earlier and later period beads found in Sour	theast
Asia. Adapted from Bellina 2007:32.	202
Table 5.13: The number of simple and complex bead shapes and number of beads classified	las
either simple or complex at each site.	
Table 5.14: Mean and standard deviation of perforation hole sizes for all the agate and carn	elian
beads at each site.	
Table 5.15: Results of ANOVA test showing significant difference between the mean performance.	
Table 5.16: Results of Scheffé test.	
Table 5.17: Period 1 and Period 2 beads as determined by morphological characteristics. Si	
italic are those that have been tentatively classified as belonging to either Period 1 or l	Period
Table 6.1:Names and quantity of geologic source samples analyzed using LA-ICP-MS	

Table 6.2:First and second predicted group membership (PGM) for the heat-treated Ratanpur	
	242
Table 6.3: Table of first predicted group memberships (PGM) for the agate and carnelian	
artifacts. BKM= Ban Khao Mogul, DT=Deccan Traps, MB=Mardak Bet	248
Table 6.4: List of first predicted group measurements for the 20 artifacts that grouped with the	
Southeast Asian geologic sources. Artifacts in italics denote those that were consistently	
assigned to the same source during all four discriminant function analyses.	
Table 6.5: Preliminary geologic source provenience assignment for the 79 agate and carnelian	
artifacts analyzed using LA-ICP-MS.	
Table 6.6: The total number of beads assigned to Deccan Trap and non-Deccan Traps sources	
	268
Table 6.7: The total number of beads assigned to Deccan Trap and non-Deccan Traps sources	;
	268
Table.7.1: Table of glass types identified by Dussubieux and discussed in this chapter. Lead	
glass is not listed in this table but has been found in Southeast Asia. Adapted from	
Dussubieux 2001 and Dussubieux and Gratuze 2003.	286
Table 7.2 Number of glass beads examined by site.	294
Table 7.3: Burials with glass beads at Angkor Borei	297
Table 7.4: Glass bead and burial data from Prohear.	302
Table 7.5: Glass artifacts from burial or possible burial contexts from Village 10.8	305
Table 7.6: Glass beads from burial contexts at Phum Snay. Beads from Burial 9 (2001) were r	not
included in the current study.	309
Table 7.7: Glass beads from burial and possible burial contexts at Prei Khmeng. Burial data fr	rom
Baty 2003, Demeter 2004ab, and Pottier 2001.	313
Table 7.8: Glass beads from burial contexts at Promtin Tai.	316
Table 7.9: Iron Age phases at Ban Non Wat and Noen U-Loke (from Higham et al. 2007;	
Higham et. al 2012; Higham 2011b)	
Table 7.10: Glass beads from burial contexts at Ban Non Wat.	319
Table 7.11: List of beads from Noen U-Loke that were analyzed using LA-ICP-MS	
Table 7.12: The number of burials with glass artifacts by site.	
Table 7.13: Table noting burials at each site that contained a large quantity of glass beads	326
Table 7.14: Quantity of glass beads from each site analyzed using LA-ICP-MS.	327
Table. 7.15: The distribution of different glass types at Angkor Borei. All of the yellow bead	
were placed in the other category is compositional analysis is needed to confirm if they	
belong to the lead glass or another category.	
Table 7.16: The distribution of different glass types at Phnom Borei.	
Table 7.17: The distribution of different glass types at Village 10.8.	
Table 7.18: The distribution of glass types from Prohear	
Table 7.19: The distribution of glass types from Bit Meas	
Table 7.20: The distribution of glass types at Phum Snay	
Table 7.7.21: The distribution of glass types at Prei Khmeng.	
Table 7.22: The distribution of glass types at Promtin Tai.	
Table 7.23: The different glass types identified at Ban Non Wat	
Table 7.24: The different glass types identified at Noen U-Loke and their quantities.	351

xviii
Table 7.25:Table of ring/earring/bangle artifacts made from Potash glass
Table 8.1: Chemical formulas for the different varieties of major garnet species (from Deer et al.
1982: 468)
Table 8.2: Beads from Bit Meas, Prohear, and Village 10.8 examined as a part of this study 368
Table 8.3: A list of burials with garnet beads from Village 10.8 and their associated grave goods.
Table 8.4: A list of garnet beads found at Angkor Borei
Table 8.5: Beads from southeast Cambodia whose perforations were examined using SEM 376
Table 8.6: Geologic sources analyzed in the current study
Table 8.7: Garnet artifacts analyzed in this study and their sum-normalized major elements 392
Table 9.1: Table noting burials with large numbers of stone and glass beads encountered in this
study
<u>Tables in Appendices</u>
Table 6.4.1: Number of geologic samples for which the RSD of each element was 0-10.99%, 11-
20.99%, 21-30.99%, 31-40.99%, 41-50.99%, and over 50%
Table 6.4.2: A list of the less variable, variable, and most variable elements identified during
LA-ICP-MS of agate and carnelian geologic samples. Based on the data in Table 6.4.1
above
Table 6.5.1: Standardized canonical discriminant function coefficients generated using canonical
discriminant analysis for Figure 6.5.5
Table 6.5.2: Standardized canonical discriminant function coefficients generated using canonical
discriminant analysis for Figure 6.5.6
Table 6.5.3 Standardized canonical discriminant function coefficients generated using canonical
discriminant analysis for Figure 6.5.7
Table 8.1.1: Thirteen elements with relative standard deviation (RSD) under ten percent in at
least 75% of the geologic samples analyzed in this study. The column on the right lists the
samples with RSD of 10% or higher
Table 8.4.1: PCA scores for the almandine-rich sources and artifacts
Table 8.4.2: PCA scores for the almandine-pyrope garnet sources and artifacts
Table 8.4.3: PCA scores for the almandine-pyrope artifacts discussed in Chapter 8

Dedications

To my parents, Paul, and James.

Acknowledgements

This dissertation could not have been undertaken without the help of numerous people. However, I must first begin with my advisor and mentor Dr. Jonathan Mark Kenoyer. Without his guidance and advice I would not be the scholar I am today and I know I will continue to learn from him throughout my career. I must also thank Dr. Miriam Stark, who kindly agreed to take me into the field after only exchanging a handful of emails. The opportunity to work with her on the Lower Mekong Archaeological Project in Cambodia set the course for my scholarly career and I have enjoyed the long discussions, advice, and inspiration our time in the field has provided. I must also thank her for providing access to the bead collection from Angkor Borei.

I am also grateful to the other members of my dissertation committee and their willingness to read my thesis. Dr. Sissel Schroeder has provided calm support at times when I've felt overwhelmed as well as careful and critical reading of everything I've written. This feedback has been so helpful to my growth as a scholar. Dr. Anna Gade introduced me to Southeast Asia when I was an undergraduate at Oberlin College. Her seminar on religion in Southeast Asia planted a seed and I am grateful that the fates have brought her to UW-Madison so she could help oversee the culmination of this work. I am also thankful for the recent addition of Drs. Nam Kim and Sarah Clayton and their enthusiasm and support of my research. Although not on my committee, I also wish to acknowledge Dr. James Burton for answering many questions on geochemical analysis of stone and statistical analyses. Discussions with him were always stimulating.

Thanks to my wonderful UW-Madison colleagues, past and present. Of special note is Dr. Randall Law, who was partly to blame for taking on geochemical analysis of agate and carnelian in this dissertation. He provided many of the agate and carnelian samples used in this dissertation

and fielded many questions from me about how to do this research. Dr. Brad Chase has provided much advice on completing the dissertation and kindly gave me his desk when I first started in the program. I also wish to thank my friends and fellow grad students, including Laura Brodie, Bernadette Cap, Krista Coulson, Christina Dykstra, Kurt Gron, Dr. Carolyn Freiwald, Kate Hiester, Brett Hoffman, Gwen Kelly, Marc Kissel, Katie Lindstrom, Tegan McGillivray, Dr. David Meiggs, Heather O'Connor, Susan Rottmann, Ken Seligson, Heather Walder, Abby Work, and others who have provided advice, friendship, and support. Katie Lindstrom also kindly picked up garnet samples for me while in Sri Lanka. I am so thankful that Gregg Jamison and I were in the same cohort. His quality of work and scholarship has provided a bar I always tried to reach and he has read more versions of this dissertation than any person really should. The Department of Anthropology staff also merits recognition for their support including Jill Capps, Lori Ushman, Clara Pfefferkorn, Jan Holmes, Kris Schultz, Tammy Garcia, Maggie Brandenburg, and Peg Erdman.

I will always be indebted to James Lankton for taking me under his wing. After meeting him at Ban Non Wat in 2007, he immediately introduced me to several colleagues and all but handed over several research projects in Cambodia that became important components of my dissertation. I am still grateful for his generosity, as I may not have had such success without his introductions. Since this fortuitous meeting he has continued to provide advice, assist with reports and publications, and encouraged me to pursue additional research.

Dr. Laure Dussubieux, manager of the Elemental Analysis Facility at the Field Museum, is among the colleagues Jim Lankton introduced me to and I am also grateful to have her has a colleague and mentor. Her encouragement allowed me to undertake LA-ICP-MS research of agate, carnelian, and garnet, which proved to be a major component of my dissertation research.

Her expertise on glass analysis has also been an important resource and I appreciate her willingness to provide advice and feedback on my own work. I also wish to thank Dr. Mark Golitko also at the EAF who assisted me while Dr. Dussubieux was away.

This work would not have been possible without the assistance of numerous colleagues in Cambodia and Thailand. Without their collaboration, I could not even have begun to undertake this research. Of note are, Pheng Sytha at the Royal University of Fine Arts (RUFA), Phnom Penh who gave me permission to examine their collections. His Excellencies Veng Sereyvuth and Him Chhem as well as Him Kimson in the Ministry of Culture and Fine Arts, Cambodia provided permission for me to bring beads back to the US for analysis. I would also like to thank the APSARA Authority for providing permission to examine and analyze beads from the École française d'Extrême-Orient (EFEO) collections. At RUFA, Mr. Tep Sokha provided advice and camaraderie while I recorded materials from Phum Snay. Mr. Phon Kaseka has been a good friend and colleague and provided access to his materials from Phnom Borei. Ms. Seng Sonetra, Mr. Vin Laychour and Heng Sophady, provided access to materials from the Memot Centre for Archaeology. Mr. Heng Sophady deserves special thanks for his support of my work, without his help I would not have been able to receive permission to export materials from Cambodia and I am grateful that advocated on my behalf. Dr. Christophe Pottier at the EFEO was kind enough to let me look at the bead collections from all of the EFEO projects and I also thank him for the opportunity to provide material for his museum exhibit on "Angkor's Ancestors." Dr. Andreas Reinecke also provided access to materials from his Prohear excavations and kindly took me to meet a Vietnamese colleague who gave me several samples of Vietnamese agate and carnelian. I was also pleased to have been given an opportunity to provide text for a museum exhibit on Prohear as well as to read and edit an early version of his publication on Prohear. Dr. Kyle

Latinis showed me the ropes in Cambodia and introduced me to several Cambodian colleagues. Dr. Dougald O'Reilly has also been an excellent source of information and support while in Cambodia and I am pleased to be able to continue to work with him on his Paddy to Pura project. I would also like to thank the many members of the Greater Angkor Project (GAP) whose company I have enjoyed while undertaking my own research in Cambodia including Drs. Mitch Hendrickson, Georgie Lloyd, Martin Polkinghorne, and Damian Evans who let me tag along on trips to Banteay Meanchey and Preah Vihear. Dr. Roland Fletcher has provided more recent opportunities to join this project, for which I am grateful.

In Thailand I must acknowledge the National Research Council of Thailand for granting permission for me to undertake research in Thailand as well as the Fine Arts Department for granting permission for me to export beads to the US. Dr. Thanik Lertcharnrit kindly provided access to his massive collection of beads from Promtin Tai and I've enjoyed our collaborations on this material. Dr. Amphan Kijngam assisted with permission to export materials from Ban Non Wat and Promtin Tai for analysis in the US. Dr. Bunchar Pongpanich and the Suthiratana foundation provided access to materials from Khao Sam Kaeo. Dr. Pongpanich was enthusiastic about discussing beads and allowed me to photograph a small portion of his extensive collection in Bangkok. Dr. Charles Higham was so kind to allow me to work on his (almost) final season at Ban Non Wat and re-analyze materials from Noen U-Loke. I am appreciative to him and Dr. Rachanie Thosarat for allowing me to look at the materials from Ban Non Wat. The staff at the Phimai National Museum allowed me to look at and record materials from Noen U-Loke in their collection. Dr. Fiorella Rispoli kindly provided information on possible agate and carnelian bead production at the site of Dong Marum, Thailand. Dr. Nigel Chang provided several opportunities to work at Ban Non Wat and assisted with visiting the agate source at Ban Khao Mogul. I met

several great colleagues while working at Ban Non Wat, many of whom have provided advice or support for my research in one way or another including: Hayden Cawte, Helen Cekalovic, Belinda Duke, Ally Halliwell, Allison Isepy, Sheryl McPherson, Carmen Sarjeant, Christina Sewall, Andrea Yankowski, and of course the villagers at Ban Non Wat.

Several other colleagues have provided inspiration for my work. I had pored over articles by Ian Glover, Bérénice Bellina-Pryce, and Robert Theunissen, many times before finally having a chance to meet all of them in person. I am grateful that they all have been kind enough to humor my questions and provide advice, and their work continues to inspire and challenge me. Dr. Bellina also kindly introduced me to Dr. Pongpanich and his collection of materials from southern Thailand. My colleagues Shawn Fehrenbach and Piphal Heng have provided hours of discussion on Iron Age and Early Historic Cambodia over beers or on motorcycles and I am thankful for their ideas and feedback on my own work.

Other colleagues and friends I must acknowledge include Alberto Perez-Pereiro, the best friend a girl could have in Phnom Penh, Sophavy Pho, my Khmer teacher who became a dear friend, and Lokkru Frank Smith my first Khmer teacher whose SEASSI projects gave me the confidence to give PowerPoint presentations in Khmer. Somongkol Teng, Sophat Soeung and Dr. Erik Davis have provided help and interesting discussions on Cambodian culture and history. Sergey Lapteff has kindly shared some of his insights on work on the Phum Snay bead collection and Karsten Brabander has shared some of his work on glass bead analysis in Vietnam as well. Song Sophy has provided helpful discussions on her work on Iron Age glass beads in Cambodia. Wes Clarke, Phoebe France, and Rachel Hoerman have all provided camaraderie and insightful discussions on Southeast Asian archaeology. Andy Roberts has been a dear friend and shared many insights on living in Cambodia, learning Khmer, and being a tough-as-nails field

researcher. I will always be thankful that I met Kathy Liu in the halls of Silpakorn University and appreciate both her friendship and insights into the skeletal collection at Promtin Tai. Prakirati "Biek" Satasut and his family kindly hosted me in Bangkok in July 2011. David Bernstein from IndoGemstone helped with agate from Indonesia and garnet from Vietnam. Joe Heintz provided assistance with the SEM at the BBPIC. I would also like to Juliana Johnson for her assistance in helping me record the Angkor Borei beads into a FileMaker database and hope this experience has inspired her to pursue archaeology further.

Several institutions and organizations have provided valuable funding support for all stages of this research project. The Oberlin Alumni Fund provided initial financial support for my first trip to Cambodia. The Center for Southeast Asian Studies at UW-Madison has provided support for both my first trip, two summers of FLAS language funding, and a semester of dissertation research and writing through their Center fellowship. I would like to especially acknowledge "Dr. Mike" Cullinane for his interest and support of Southeast Asian archaeology. Many agate/carnelian geologic samples were analyzed in the Elemental Analysis Facility at the Field Museum as part of their NSF grant (grant number 0818401). The UW-Madison chapter of the Graduate Women in Science and their Ruth Dickie Grants-in-Aid as well as the Geological Society of America has provided funding for analysis of materials in the United States. My fieldwork in Cambodia was supported by a Center for Khmer Studies Fellowship as well as a Fulbright-IIE fellowship. The US Embassy in Phnom Penh assisted with getting research permissions in Cambodia as well as providing a letter of support for the export of materials. The Bead Society of Greater Chicago (BSGC), the Bead Society of Los Angeles, the Portland Bead Society, and the Bead Study Trust have all provided funds and analysis for my dissertation. The late Scott Bartky of the BSGC deserves a special mention for his support of my work from the

earliest stages. Large portions of my dissertation analysis and writing could not have been undertaken without a dissertation fellowship from the Henry Luce Foundation and ACLS as part of their initiative to fund Individuals in East and Southeast Asian Archaeology and Early History. The opportunity to meet fellow scholars through their Early Career Seminar was stimulating.

Last, but not least, I must thank my family and friends for their support. My parents, Russ and Diane Carter, encouraged my interests in archaeology as a small child. Getting me books for my birthday, a job at a bead store (which became instrumental to my scholarly trajectory) and even arranging a meeting with an Egyptologist in high school. They never, ever discouraged me from what is really a ridiculous profession and have always been proud of even my smallest successes. Thank you so much Mom and Dad. I should also thank my extended family and friends who put up with missed holidays, weddings, birthdays, and mind-numbing conversations on my work. This especially includes my parents-in-law Elly and Mark Madavi, who have always been supportive and enthusiastic. Doris Weinbaum gave me my first real job at Bead in Hand in Oak Park, Illinois. It was here that my love of beads began. Ruth Aschaffenburg employed me at Bead Paradise in Oberlin, Ohio during college and passed along her love of ancient beads. I will never forget when I realized I could turn my love of beads into a career. Thank you Ruth and Doris for giving me that initial spark. And of course, I must thank my husband Paul, who has endured a stressed and distracted wife, extended periods apart due to fieldwork, correcting grammar on drafts of papers, and sat through numerous practice-runs of conference papers and never once complained or discouraged me. I would have given up graduate school after the first month without his support and this dissertation is as much a reflection of his hard work as it is mine.

If you would like to contact me about this dissertation please email: alisonkyra@gmail.com

• •	
XXV11	

"A proper understanding of South-east Asian beads will certainly throw much light both on the chronology of many archaeological sites in the region and on the patterns of ancient trade. The quest for such understanding needs no justification."

-- Alastair Lamb, 1965a: 90

Chapter 1: Introduction and Research Questions

This dissertation is an examination of trade and socio-political development in Iron Age (500 BC –AD 500) mainland Southeast Asia through morphological, contextual, and geochemical analyses and comparisons of stone and glass beads from sites in Cambodia and Thailand. The primary research objective is focused on identifying trade and interaction networks in mainland Southeast Asia during the Iron Age and understanding how these trade networks were associated with emerging socio-political complexity in the Mekong Delta during this period. Three specific questions are explored:

- Are there distinctive patterns in the distribution of agate/carnelian, garnet, and glass beads over 1) time and 2) across mainland Southeast Asia, specifically Cambodia and Thailand?
- 3) Can these patterns of distribution be linked to changing patterns of socio-political and economic organization in the Mekong Delta?

By exploring these three questions it has been possible to develop a better understanding of the role of trade during the Iron Age period, to define the regions of mainland Southeast Asia that were interacting with one another through the exchange of these ornaments, and better determine the role of the Mekong Delta in trade and interaction networks within the larger region of Southeast Asia. In this dissertation I argue that stone and glass bead data provide evidence for two distinct bead trade networks that varied somewhat over time and space. An earlier bead exchange network was established in coastal communities, but based on data presented in this dissertation I suggest that smaller regional exchange networks, especially in southeast Cambodia

and Northeast Thailand, were present. However, communities living at sites in the Mekong Delta were not participating in these early exchange networks. Instead, I argue that stone and glass bead data show an expansion of exchange networks during the early centuries AD, in which elites in the Mekong Delta appear to have been interacting more heavily with sites further inland. Also of note is the irregular distribution of beads within burial contexts, indicating that beads were not available to all members of a community and that some people had more access to beads than others.

The Iron Age period of mainland Southeast Asia was a time of a great social change that brought about the emergence of some of the first complex state-level societies in Southeast Asia. Interaction with South Asia and the introduction of new goods and ideas from this region is believed to have been a key factor in the emergence of sustained social and political hierarchy (e.g. Bronson 1977; Christie 1990, 1995; Coedès 1968; Glover 1989; Hall 1985; Higham 2002; Kulke 1990; Mabbett 1977ab, 1997; Wheatley 1979, 1982, 1983; Van Leur 1955, see Chapter 3 for more discussion). Several scholars have more specifically argued that the presence of new prestige objects, such as beads from South Asia, provided an opportunity for Southeast Asian elites to expand their power by controlling the trade and exchange of these goods (e.g. Bellina 2003; Bellina and Glover 2004; Bronson 1977; Christie 1995, 1996; Francis 1996). More recent studies have focused on identifying regional changes in the nature of trade with South Asia over time (Bellina 2003; Bellina and Glover 2004; Lankton and Dussubieux 2006, 2013), while compositional analysis of materials has helped to better define long-distance networks trade in insular and mainland Southeast Asia in the periods leading up to and during Iron Age (Hung et al. 2007; Dussubieux 2001). In addition, a regional study by Dr. Robert Theunissen (2003) based on sites in Northeast Thailand, proposed specific bead trade networks between that region and

elsewhere in Southeast Asia. These previous studies have resulted in models of trade and socioeconomic and political complexity that are partly supported by my new evidence, however these data also allow me to suggest new ways of explaining the regional patterns that will be discussed in more detail in subsequent chapters.

Unfortunately due to political conflicts and a lack of archaeological research from approximately the late 1960s-1990s, data from Cambodia have largely been omitted from these previous examinations of trade during the Iron Age period. This oversight is problematic since the Mekong Delta region of Cambodia and Vietnam is home to what some have argued may be the earliest or one of the earliest complex polities in mainland Southeast Asia (Hall 1982, 1985; Higham 2002; Stark 2004). Therefore, previous models regarding trade, exchange, and sociopolitical development have been unable to incorporate data from a region that was likely heavily involved in trade during the Iron Age period. My study has been able to correct this situation by incorporating data not just from the site of Angkor Borei, but also from other regions in Cambodia and Thailand. This has allowed me to undertake a more comprehensive examination of trade networks over time and space and to specifically address questions regarding the growth of the Mekong Delta as a center during the Iron Age and the involvement of elites in the trade of stone and glass beads.

This introduction chapter provides a background to my theoretical orientation and definitions of key terms used in this text. A brief overview of the major sites and regions, i.e., Angkor Borei, the Mekong Delta, and "Funan," is also presented to contextualize their importance during the Iron Age period. A detailed discussion of the theoretical framework, research questions, and the methods used to answer these questions is presented below, followed by an outline for the remaining chapters in this thesis.

Definitions and theoretical orientation

Mainland Southeast Asia

Southeast Asia is made up of countries on both the mainland and surrounding islands (see discussion in Chapter 2). This dissertation focuses primarily on mainland Southeast Asia, which is made up of the countries of Cambodia, Laos, Peninsular Malaysia, Myanmar (Burma), Thailand, and Vietnam (Figure 1.1).

South Asia

In this dissertation I rely on the United Nations classification scheme for South Asia (United Nations Statistics Division 2011), which includes Afghanistan, Bangladesh, Bhutan, India, Iran, Maldives, Nepal, Pakistan, and Sri Lanka (Figure 1.2). However, the areas that were primarily interacting with Southeast Asia during the Iron Age period were those countries with access to the Indian Ocean: India, Bangladesh, and Sri Lanka (Ray 2003). Similarities in material culture found at Southeast Asian sites and sites in Pakistan, such as Taxila, also suggest that this region was interacting with Southeast Asia either directly or indirectly (e.g. Glover 1989; Pryce et al. 2008).



Figure 1.1: Map listing countries in mainland Southeast Asia.




Figure 1.2: Map listing countries in South Asia.

Prestige goods

In archaeological research there generally has been a dichotomy been utilitarian or subsistence objects and wealth or prestige objects (e.g. Brumfiel and Earle 1987; D'Altroy and Earle 1985). Utilitarian goods are those objects related to subsistence production or other practical household needs. Prestige goods, in contrast, are more strongly related to ideology. In this dissertation, I define prestige or wealth objects as artifacts or symbols of wealth or status "used in display, ritual, and exchange" (Brumfiel and Earle 1987: 4). These objects can be used to attract followers (Hayden 1998), whether they are displayed for the broader population or for a smaller group of elites (Kenoyer 2000). Prestige goods are generally made from raw materials that are rare or exotic and often employ specialized technological processes and skilled labor

(Kenoyer 2000). As important symbols of wealth and status, elites often control the distribution of the finished products, as well as access to the raw materials and labor used to create these products (Kenoyer 1989; Vidale and Miller 2000). Some scholars have noted that the definition between utilitarian goods and prestige objects can be fluid, depending on "culturally specific values," (Flad and Hruby 2007: 10). Certain types of artifacts can carry different meanings in different contexts. For example, glass beads may not be considered high-value or prestige objects at their place of manufacture, but by traveling a long-distance to they become exotic and increase in value and prestige (Helms 1993: 48). In this dissertation I argue that stone (agate, carnelian, and garnet) as well as glass beads were important prestige objects for Southeast Asian people in that they were made from exotic raw materials, were strung and worn for display, and were produced or modified utilizing complex technological skills. Additionally, my analysis of the data show that beads were not evenly distributed in burials within sites.

In many ancient societies, exotic prestige goods from distant locations are perceived to be valuable due to their association with far-off locales that are regarded as "places where ancestors or culture heroes may have originally come to earth" (Helms1993: 47). The scholar Mary Helms (1993:49) argues that finished and unfinished products from these geographically distant locations are associated with skilled crafters who are "the once and future ancestors themselves." As will be discussed later in this chapter, one origin myth popular in Cambodia and Vietnam described Cambodians as having been descended from a foreigner, perhaps a Brahman.

Inscriptions and texts from at least the 6th century AD describe this story, indicating that ancient people in parts of mainland Southeast Asia have long considered themselves to hold mythical and exotic ancestry. Not only did objects like stone and glass beads have value objects themselves, but also I believe they could have been considered important because of their

connections with a powerful and geographically distant civilization. Connection with this distant power allowed local elites to emphasize their authority and status within their own communities. Stone and glass beads, as objects made from new materials, complex technologies, and associated with significant geographically and culturally distinct communities were widely acknowledged as being important prestige goods in Southeast Asia (Bellina 2003; Francis 1996; Theunissen et al. 2000).

Trade and Exchange

Trade and exchange have often been used to describe the same activity (e.g. Dillian and White 2010; Renfrew 1975). Renfrew (1969: 152) provides a broad definition of trade and exchange as "the reciprocal traffic, exchange, or movement of materials or goods through peaceful human agency." Renfrew (1975) has also identified and defined several different types of trade and their spatial distribution, ranging from reciprocity, to down-the-line exchange, to central place market exchange. Other scholars have emphasized the social aspects of trade, and "the relationships before, during, and after exchange," (Oka and Kusimba 2008: 340). However, some scholars have related trade and exchange more specifically with market trade, calling redistribution and reciprocity "forms of integration" (Polanyi 1957: 250).

In this dissertation, I follow Renfrew's definition and use trade and exchange broadly and interchangeably. I choose this broad definition because archaeological data in mainland Southeast Asia is still too thin to make more specific assessments about the types of trade and exchange happening during the Iron Age period. Scholars have argued that there was reciprocal or down-the-line exchange during the Neolithic (2500-1500/1000 BC) and Bronze Age (1500/1000- 500 BC) periods, with some kind of prestige goods network emerging during the last few centuries BC (e.g. Bellina and Glover 2004; Chang 2001; Higham 2002; Wheatley

1975). It is this emerging prestige goods network that I explore in more depth by tracking the distribution of stone and glass beads, and using them as symbols of socio-political and economic networks that connected elites in different communities to one another.

There are two different scales of exchange addressed in this dissertation. On one level I explored long-distance exchange of stone and glass beads between South Asia, primarily India and Sri Lanka, and people at sites in Cambodia and Thailand. However, I have also looked at smaller regional scales of exchange between sites in Cambodia and Thailand, and how people at these sites may have also been connected to other regional networks in mainland Southeast Asia. Lastly, I have examined the distribution of stone and glass beads within sites, in order to address questions regarding access to these objects within sites.

Sites and Communities

In this study I examined stone and glass beads from 12 archaeological sites in Cambodia and Thailand. Of these 12 sites, ten were cemetery sites and two were occupation sites. While I primarily call these sites or archaeological sites, I also refer to them as communities.

Archaeologists have often described archaeological sites or settlements as communities (for example see studies mentioned in Kolb and Snead 1997:612 or Parsons 1972: 137), however it is recognized that larger and more complex sites may actually have been made up of multiple distinct groups of people that could be described as discrete communities (Kolb and Snead 1997). Although a single settlement may have used more than one cemetery location (Chapman and Randsborg 1981: 15), these ten cemetery sites were repeatedly used by a group of people to bury their dead. For this reason, I feel that it is appropriate to refer to these cemetery sites as representative of communities. One of the two occupation sites, Krek 52/62, was a circular earthwork site believed to have been the location of a single settlement. As this site appears to

represent a single group of people that regularly interacted with one another, I also feel comfortable referring to this site as a community (Kolb and Snead 1997). The second occupation site, Khao Sam Kaeo, is larger (54 hectares) and appears to have been a cosmopolitan urban settlement with people from both South and Southeast Asia living at the site (Bellina and Silapanth 2008). Although this site was likely made up of multiple groups of people, the site was heavily looted and the beads analyzed were from looted contexts. Without more specific information on the contexts of these beads I refer to them as coming from this single settlement, which will be broadly referred to as a community. However, it is acknowledged that with further study the beads could be argued to have belonged to different communities within this settlement.

Complexity and Trade

This dissertation is concerned with questions regarding emerging socio-political complexity in mainland Southeast Asia. In this context, I use the concept of emerging sociopolitical complexity specifically to refer to the appearance of ranked societies or societies with social inequality or hierarchy, such as chiefdoms or states, in mainland Southeast Asia. Unfortunately, due to limited archaeological research, Stark (2006:408) has noted that distinguishing between the chiefdoms, city-states, and kingdoms of the early first-millennium AD polities of Southeast Asia "remains unclear." Recent research in Northeast Thailand has highlighted the complex process of emerging social inequality, as there is evidence for a brief period of social stratification in burials during the Bronze Age before a second sustained emergence of social hierarchy during the Iron Age (Higham 2011a, 2011b). However, we do know that during the Iron Age and Early Historic periods (500 BC-AD 500) communities in Southeast Asia began to develop a centralized authority, some of which could control massive labor projects, the emergence of large settlements, and hierarchical social stratification as

evidenced in burials (Higham 2002: 224-227). Recent archaeological research at the site of Co Loa in Vietnam, combined with earlier archaeological and historical data, has caused some scholars to argue that there was "a local and indigenous state-like polity had emerged in the Bac Bo region during the Dongson period" (Kim et al. 2010:1025; Kim 2010). Kim argues that Co Loa was the center of an urbanized state from approximately 300-150 BC due to the presence of political centralization required to plan and organize large-scale monumental fortifications, a military force, high-population density, social inequality, the agricultural potential of the Red River Delta to support a large population, and "reciprocal complexity" caused by interaction with peer-polities in southern China, central Vietnam, and elsewhere in mainland Southeast Asia (Kim et al. 2010: 1025-6; Kim 2010: 306-7).

As Kim is focusing on a civilization roughly contemporary with the polities in the Mekong Delta being examined as part of this study, it is worth considering the criteria he uses for identifying the presence of a state-level society. Kim (2010:51-60) argues that a state-level society should have most of the following markers: a high population, agricultural intensification to support a large population, monumental architecture, the presence of a hierarchy or social ranking, the presence of an urban center, settlement size hierarchy at the regional scale, attached craft specialization, centralized control over important resources, and a monopoly on physical power.

These benchmarks are not so different from four pre-conditions for state-level society noted by Kenoyer (1998) in the Indus Valley. His first precondition is a diverse subsistence base to produce enough surplus to feed a large population in city or urban center as well as access to raw materials to construct settlements and make both utilitarian and prestige goods. Secondly, Kenoyer argues that the rise of states and urban centers require the establishment of trade and

communication networks that "link settlements to each other and their agricultural hinterlands" (1998:40). New specialized technologies are also needed to support a complex urban settlement as well as to produce goods to "differentiate the many different classes of people who live in cities" (Kenoyer 1998:41). Lastly, emerging states require status and power to control "access to essential resources, which include both food items and material goods that define status and power" (Kenoyer 1998: 43).

Based on archaeological and historic data from the first millennium AD, detailed later in this chapter, it appears that sites in the Mekong Delta were fulfilling many of these requirements. Monumental construction was taking place to build walls around the cities of Angkor Borei and Oc Eo and dig moats and canals. These canals may have been used as both transportation and communication networks, as well as for agriculture. The agricultural land around Angkor Borei could have supported up to 120,000 people (Fox and Ledgerwood 1999: 47). Site survey in the region around Angkor Borei has identified numerous mounds and site localities, indicating a populated landscape around Angkor Borei (Stark 2006a). Angkor Borei and Oc Eo are clearly the largest sites in their region, also indicating a regional settlement size hierarchy was in place. Chinese historical documents from the third century AD describe kings living in palaces and written texts (Coedès 1968). Excavations at Oc Eo in the 1940s point toward long-distance trade contacts and evidence for manufacture of jewelry and prestige goods (Malleret 1959-1962). However, we know that people were living in the Mekong Delta from at least the 4th or 5th century BC (Stark 2004) and by the mid-first millennium Khmer and Sanskrit inscriptions describe a process of local rulers increasingly adapting Indian titles (Vickery 1998). Based on these data and using Kim's criteria, I would argue that communities in the Mekong Delta were also state-level societies. However, what is not clear is exactly when all of these changes were

taking place i.e., at what point in their development were communities in the Mekong Delta becoming state-level societies. Additionally, although trade appears to have been an important part of the economic base of the Mekong Delta communities, the exact nature of this trade and how people at sites in the Mekong Delta were interacting with other sites in mainland Southeast Asia is not well understood. In this dissertation I will use stone and glass bead data to understand both when people at sites in the Mekong Delta began participating in long-distance trade with South Asia, as well as how emerging elites in the Mekong Delta were involved with trade networks within mainland Southeast Asia.

The role of trade and exchange, specifically of prestige goods, in the emergence of complex societies has been discussed extensively in the archaeological literature (e.g. Brumfiel and Earle 1987; Dillian and White 2010; Renfrew and Shennan 1982; Sabloff and Lamberg-Karlovsky 1975; Schortman and Urban 1992). The emergence of prestige goods and control over their manufacture and distribution is a key component of emerging complexity and maintenance of power in chiefdoms and states (Blanton et al. 1996; Brumfiel and Earle 1987; D'Altroy and Earle 1985; Helms 1992, 1993; Kipp and Schortman 1989). Elites could use prestige goods to create bonds or loyalties with members of the community and maximize their networks of alliances, allowing for expanding power and centralization of control (Blanton et al. 1996; Frankenstein and Rowlands 1978). Increasing control over trade can also lead to the development of increased coercive power (Kipp and Schortman 1989). The exchange of prestige goods played important socio-political roles in displaying status and creating and reinforcing hierarchical networks (Kenoyer 2000).

For this reason, I argue that examining the distribution of prestige goods like stone and glass beads can assist us in understanding emerging socio-political and economic power by elites

at communities in the Mekong Delta. As Angkor Borei and the Mekong Delta were growing in political and economic power, they were also likely increasing their control over the distribution of prestige good objects such as stone and glass beads. The presence of walls at both Oc Eo and Angkor Borei is one indicator of control over trade (e.g. Kenoyer 1998). I argue that by examining the distribution of stone and glass beads at sites in Cambodia and Thailand, I should be able to see evidence for increasing participation in trade by people at sites in the Mekong Delta and that this increased participation in the trade of stone and glass beads can be seen as a proxy for increasing socio-political and economic networks based in the Mekong Delta.

One additional measurement of increasing control over prestige goods is the shift from the trade of finished products, to the manufacture of prestige goods under elite control. The scholars Vidale and Miller (2000: 223) have argued that in chiefdom-level societies, elites will "employ status markers based on the procurement of rare, exotic, raw materials," but that in state-level societies and empires elites will "favor the use of status markers produces by more elaborate technologies... but exploiting local, cheap, base materials." This shift from importing exotic materials or finished products to producing prestige objects using local materials would be one way to determine if elites in the Mekong Delta had achieved a higher level of socio-political complexity. Both Bellina (2007) and Theunissen (2003; Theunissen et al. 2000) have argued that elites in Southeast Asia may have begun to make their own stone beads by copying the higher-quality Indian imports. If this shift was really taking place, it should be testable through compositional analysis of raw materials in order to determine if local stone sources were being used to produce beads. This analysis is discussed in Chapter 6, however I argue that it is not clear that local stone sources are being used, although additional analyses of Southeast Asian geologic sources for beads is needed.

Based on the stone and glass distribution patterns observed and discussed in this dissertation, I conclude during the last few centuries BC, stone and glass beads were entering into preexisting bead exchange networks and that people at sites in the Mekong Delta were not participating in these networks. However, during the first few centuries AD trade with South Asia begins to intensify and it appears that elites in the Mekong Delta were heavily participating in newly established and expand trade networks with inland communities. Stone and glass beads can be seen as symbols of these expanding socio-political and economic networks.

Angkor Borei, the Mekong Delta, and "Funan"

In the third century AD, two Chinese emissaries from the Wu kingdom traveled to Southeast Asia to visit a kingdom they called Funan, located in the Mekong Delta region of Cambodia and Vietnam. They described a king named Fanzhan, who had sailing vessels that facilitated his control of a large region from the Thai-Malay peninsula, perhaps up to the coast of Burma (Figure 1.3). These documents also describe a kingdom involved in trade with India, going so far as to develop a relationship with the Murunda dynasty in India, and sending their own emissaries, including a group of musicians, to China (Coedès 1968; Ishizawa 1995). The Chinese emissaries provided the following description of life in Funan:

"There are walled villages, palaces, and dwellings. The men are all ugly and black, their hair frizzy; they go about naked and barefoot. Their nature is simple and they are not at all inclined toward thievery. They devote themselves to agriculture. They sow one year and harvest for three. More over, they like to engrave ornaments and to chisel. Many of their eating utensils are silver. Taxes are paid in gold, silver, pearls, and perfumes. There are books and depositories of archives and other things. Their characters for writing resemble those of the Hu [a people of Central Asia using a script of Indian origin]," (Coedès 1968: 42).

Excavations at the 450 hectare walled and moated site of Oc Eo by the French archaeologist Louis Malleret in the 1940s uncovered a wide range of artifacts including stone and glass beads,

silver and gold jewelry, intaglios, coins, and ceramics, largely from India, but also from Rome and the Sassanian empire (Malleret 1959-63). This varied collection of objects highlighted that the people of Oc Eo were involvement in international trade, and Malleret argued that it was the trading port for the Funan kingdom.

Angkor Borei in Cambodia, approximately 70 kilometers from Oc Eo, also was believed to have been an important center of Funan. As with Oc Eo, Angkor Borei was surrounded by a brick wall and double moats, enclosing an area of approximately 300 hectares (Figure 1.4). Numerous artifacts testify to this region's importance during the mid-first millennium AD. The oldest dated Khmer language inscription was found within Angkor Borei, dated to AD 611, and numerous other inscriptions have been found in the Mekong Delta region describing the activities of local rulers and elites (Jacob 1979; Vickery 1998). The French geographer Pierre Paris identified a series of canal networks linking Angkor Borei with other sites in the region, including Oc Eo (Paris 1931, 1941a, 1941b)(Figure 1.5). At the site of Phnom Da, a small hill located just a few kilometers south of Angkor Borei, are some of the earliest examples of Khmer sculpture (Dowling 1999; Jacques and Lafond 2007). Recent archaeological research at Angkor Borei has also identified numerous collapsed brick structures within the city walls as well a cemetery dating from 200 BC- AD 200 (Stark et al. 1999; Stark and Sovath 2001; Stark 2001, 2006. Excavations have also determined that people were living at Angkor Borei perhaps as early as the 5th or 4th century BC (Stark 2004).

Additional archaeological work in Vietnam since reunification has uncovered over 90 contemporary "Oc Eo Culture" sites, including burial, ritual, and residential sites (Vo Si Khai 2003). However, only two sites, Oc Eo and Go Thap, have been thoroughly excavated and thus far it appears that the Oc Eo culture sites, with the exception of Go Thap, post-date Angkor Borei

(Manguin 2009). In fact, scholars have noted that there is not yet archaeological evidence for a clear transition from the prehistoric period and that "the Oc Eo culture per se started developing in the lower reaches of the Mekong in a somewhat sudden manner, around the first century A.D." (Manguin 2009:108).

The landscape surrounding Angkor Borei also was filled with mounds and water control features as well as site clusters, some of which were connected to Angkor Borei through canal systems (Sanderson et al. 2007; Stark 2006a). Although these sites have not been excavated, similarities in surface ceramics suggest they were contemporary with Angkor Borei Luminescence dating of collapsed brick structures at some of these sites date to the 7th-10th centuries AD, and suggested continued occupation at Angkor Borei after the decline of Funan (Stark et al. 2006).

While Angkor Borei was connected to the coast via Oc Eo and the canal linking the two sites, its inland position and connection to inland sites also suggest the importance agriculture must have had on the emergence of this site as an important center (Fox and Ledgerwood 1999; Manguin 2009). During the rainy season, the Mekong Delta environment is wet, with much of the landscape covered in water. This has led some scholars to argue that the Mekong Delta is "an uncomfortable environment for human survival" (Fox and Ledgerwood 1999: 37). Nevertheless, this region is also favorable to dry-season flood-recession rice, a productive rice farming technique in which floodwaters were contained in bunded areas and then used to irrigate fields during the dry season. Dry-season flood-recession rice also requires the use of specialized agricultural technology to move water from the low-lying areas into the fields. Although there is not yet direct archaeological evidence for this kind of technology in use during the Angkor Borei period, Fox and Ledgerwood (1999: 48) have speculated that the development of this agricultural

Mekong basin, including Angkor." Using LANDSAT data, Fox and Ledgerwood (1999:47) have estimated that the agricultural land within a 10km radius of Angkor Borei could have provided enough food for up to 120,000 people, but would have needed the labor of approximately 80,000 people to work then land. This would have provided enough food for a fairly large non-farming population, perhaps made of full-time craft specialists, bureaucrats, or warriors, although more archaeological work is needed to determine the farming methods used and the extent of the agricultural land exploited around Angkor Borei. Conversely, Oc Eo's proximity to the coast and the richness and diversity of the goods found there emphasize its importance as a coastal trading center (Manguin 2004, 2009).

Table 1.1 presents a summary of some of the major developments in the Mekong Delta from the mid-first millennium BC to the mid-first millennium AD. Although we still know little about how these sites emerged, historical and archaeological data support the interpretation that by the early centuries AD this region was a powerful polity. As Manguin states (2009: 110), it was during this period that Funan "achieved a socio-economic maturity that allowed it to build, all over the lower Mekong Delta, a multiplicity of urbanized centers in varied environments, and to generate enough revenue through agricultural and trade economic surplus to be able to build this extensive canal system, with enough control of its population to require from it the construction of such an imposing public works assignment." This archaeological evidence supports the Chinese historical documents describing an important and powerful polity in the Mekong Delta region.

Dates	Development
500 – 300 BC	Evidence for habitation in the Mekong Delta at Angkor
	Borei, Cambodia (Stark 2004) and Go Thap, Vietnam
	(Manguin 2009).
200 BC – AD 200	Vat Komnou cemetery in use at Angkor Borei (Stark 2001)
0 BC/AD	Construction of some of the major canals around Angkor
	Borei. A brick in the canal linking Angkor Borei with Oc
	Eo was found to date from AD 160-200 (Stark et al. 2006:
	117).
0 – 600 AD	Construction of the brick wall around Angkor Borei (Stark
	2006)
200 – 300 AD	Construction of moats around Oc Eo (Manguin 2009)
500 – 700 AD	Funan begins to decline (Stark 2004)

Table 1.1: Some of the major developments in the Mekong Delta as identified through archaeological investigations. All dates are approximate.

By the 6th or 7th century AD, Funan appears to have declined in power as trade networks shifted further south to insular Southeast Asia (Manguin 2004; Stark 2006c). However, Chinese historical texts indicate that Funan fell to the Chenla (sometimes spelled Zhenla) kingdom, believed to be located further inland. Stark has noted that this may not have been a disintegration of Funan, but "a geographic shift by Funan rulers to the north in response to declining trade returns" (2006c: 153). However, Khmer inscriptions also indicate some competition between rulers during this period (Stark 2006c, Vickery 1998). Regardless, it appears that people continued to live in this area well into the Angkorian period. Angkor Borei might have been continuously inhabited from the 5th century BC until present day (Stark 2004).




Figure 1.3: A map of the supposed territory of Funan based on historical documents and the locations of Angkor Borei and Oc Eo. There is little archaeological evidence that Funan controlled such a vast territory.



Figure 1.4: Google earth image of Angkor Borei. The red line highlights the wall and moats around the city.




Figure 1.5: Map of canals around Angkor Borei in red. Adapted from Sanderson et al. 2007, Figure 1.

Cambodian perspectives

In addition to archaeological data and historic texts, there is also a rich indigenous history about the Mekong Delta region (see Sovath 2003: 37-42 for a brief review). Sixth century Chinese historical texts recorded a legend regarding the foundation of the Funan kingdom by a prince named Kaundinya (in Chinese Hun-tian) and a princess Soma (Liu-ye). The story was

also referenced in a Cham inscription and Kaundinya and Soma are mentioned as founders of the first ruling dynasty in later pre-Angkorian and Angkorian inscriptions (Gaudes 1993). Scholars of the 19th and early 20th century recorded additional variations of this story and an agglomerated version was widely taught in Cambodian textbooks as a legend for the foundation of Cambodia (Gaudes 1993). The basic version of the legend involves a foreigner from a far-off land, sometimes described as a Brahman, who arrives in Cambodia by ship. He is met by the local princess, sometimes described as a *naga* or magical water serpent, and in some versions of the story he shoots an arrow into her boat, scaring her into submission. She is also sometimes described as being naked and Kaundinya offers her cloth to wear. They are married and as a wedding present the *naga* princess' father drinks up the water, offering the newly drained land to the newlywed couple on which to found their kingdom, called Kambuja (Gaudes 1993). The exact location to which the legend refers is not clear, however many consider it to be related to the kingdom of Funan (Gaudes 1993).

I discovered an additional folktale or origin story for what may be the Funan kingdom in a children's book telling the story of Phnom Borei and Phnom Da, two small hills located near Angkor Borei (Keo Rathana 2010). In this story, a princess is exiled from her kingdom for taking up with a handsome but dim-witted commoner. Together they travel on a raft downstream from her palace in Champasak, and eventually settled at Phnom Borei. One night, the princess has a dream in which a holy man appears to her and tells her she will live a happy and prosperous life. Shortly thereafter, her husband finds valuable materials including gold and wood while out in the forest. Although he does not recognize their value, his wife does and she asks him to continue collecting them. Once a stockpile had been accumulated, the princess raised a flag so that passing ships could see they were "open for business." Ships began arriving and bartering for

the goods, however before trading away her gold she asked for them to bring 100 goldsmiths and additional men and women to settle at Phnom Borei. Once the new laborers had arrived, they assisted with the mining and production of gold objects, and this in turn attracted more traders and more residents. Over time, the princess and her husband became king and queen and built a wall around their town. Following their great success, they constructed a small temple on the Phnom Da mountain in honor of the holy man who came to the princess in her dream. In the illustration, they appear to be referring to Ashram Maha Rosei, a small basalt temple on Phnom Da that dates to the 7th century AD (Jacques and Lafond 2007).

This story was initially published by in 1967 (Commission des Moeurs et Coutumes du Cambodge 1967); however there does not appear to have been any additional scholarly work investigating the tale. I believe that this folktale provides a fruitful comparison for the archaeological data, as well as another perspective on the establishment of a state-level society in the Mekong Delta. The story relates the growth of Angkor Borei to the formation of longdistance maritime trade networks. As discussed earlier, existing archaeological evidence suggest that Angkor Borei and especially Oc Eo were important trading centers. (However, it should be noted that Phnom Borei and Phnom Da are located too far inland to have been seen by passing ships). The ethnic identity of the foreign traders in the story is unclear, however it is notable that the city was settled by craftspeople brought to the site by these traders. This could be tested through isotopic analysis of skeletal remains found at burial sites in Angkor Borei and throughout the Mekong Delta. Furthermore, the story tells of increasing sociopolitical complexity as the princess and her husband transition from savvy business people to becoming the king and queen. This increased socio-political complexity is largely achieved over their control of raw materials (gold) and the production of prestige objects (gold ornaments). Malleret

(1959-1962) believed that jewelry production was taking place at Oc Eo, however further excavations are needed to find similar workshops at Angkor Borei. Lastly, the story notes that the construction of the massive wall around the city was commissioned by the king and queen, indicating their considerable power over the labor of large numbers of people.

The archaeological, historical, and mythological evidence all point toward communities in the Mekong Delta, and specifically at the site of Angkor Borei, as being part of a complex polity during the first millennium AD. Unfortunately, as discussed above, the earliest stages for the emergence of Funan are poorly understood. However, one would expect that if trade was an important factor in the emergence of the Mekong Delta/Funan as a complex polity, we would be able to see evidence for expanding socio-political and economic networks between sites in the Mekong Delta and sites further inland in the distribution of important prestige objects like stone and glass beads. By better understanding the trade and interaction networks at play during the Iron Age period, we can begin to better understand the emergence of Funan.

Research questions addressed in this dissertation

This research project was designed to better understand Iron Age trade and exchange networks in Southeast Asia through an examination of stone and glass beads. By identifying the different types of beads found at sites across Cambodia and Thailand and tracking their distribution I have been able to determine that there were two phases of trade, an earlier phase that focused on coastal exchange networks and a later phase, in which elites in the Mekong Delta appear to have been expanding their influence through the exchange of certain types of stone and glass beads to sites further inland. I have been able to come to this conclusion by developing specific research questions that were tested through systematic data collection and combined with scientific analysis.

As there had not yet been a comprehensive examination of Iron Age trade networks using data from multiple Cambodian archaeological sites, the first task involved addressing the question: are there distinct patterns in the distribution of agate/carnelian, garnet, and glass beads over time and across mainland Southeast Asia? These data were supplemented with stone and glass bead data from four sites in Thailand. Data from these sites allowed for a broader view of possible interaction networks between sites in Cambodia and sites in Northeast, central, and peninsular Thailand.

In order to address this question, agate/carnelian, glass, and garnet beads were recorded, with a focus on morphological characteristics, bead shape, and markings on the beads that were related to their production methods. This was supplemented with compositional analysis on a selection of the beads using laser ablation-inductively coupled plasma-mass spectrometry (LA-ICP-MS). Compositional analysis was used on glass beads in order to determine what glass recipe was used produce the beads, as glass beads may look similar to one another but have been produced using different recipes from different workshops. These data were compared with known glass types in circulation during the Iron Age (Lankton and Dussubieux 2006) as a means of determining the quantity of different glass types at each site.

Agate, carnelian, and garnet beads also underwent geochemical analysis using (LA-ICP-MS) and were compared with geologic source samples from South and Southeast Asia in order to determine the geologic source used to produce these stone beads. One goal of this analysis was to determine if stone beads from specific stone sources could be traced over time and space, and in some cases was it possible to define some general source areas, although further studies are needed (see Chapters 5, 6, and 8). The various bead shapes and bead perforations were also

carefully noted in order to determine similarities and differences in stone bead types between sites.

Results from my examination of agate, carnelian, garnet, and glass beads have produced several surprising conclusions. My work confirms that there are differences in both the stone and glass beads found during the early Iron Age period and the later Iron Age period, a pattern that has been identified but not quantified by earlier scholars (Bellina 2003; Bellina and Glover 2004; Lankton and Dussubieux 2006, 2013). During the early Iron Age period, trade in stone and glass beads from external sources appears to have been focused along coastal exchange networks. People at coastal sites were exchanging potash glass beads and higher quality stone beads. Patterns in the spatial distribution of specific types of glass and stone beads highlight the importance of regional networks during the early Iron Age. While glass and stone beads may have originated outside of the localized exchange networks, they served to connect sites in these regions with one another. These patterns are especially clear at sites in southeast Cambodia and Northeast Thailand.

The burial contexts in which stone and glass beads were found also were carefully recorded in order to identify and determine if there were patterns of restricted distribution within each of the ten cemetery sites. Although beads may have been incorporated into burials in different ways in different communities, my research shows that not all members of a community had equal access to beads. Within a community there were several people who appear to have had larger numbers of beads than others in their community.

Recent hypotheses arguing that Southeast Asian craftsmen may have produced agate and carnelian beads themselves, perhaps using a local stone source, (Bellina 2003, 2007; Theunissen 2003; Theunissen et al. 2000) raise the issue of changing socio-political expansion. If agate and

carnelian beads were being made in Southeast Asia using Southeast Asian stone sources then, as discussed earlier, one could argue that Southeast Asian elites might have reached an even greater level of socio-political complexity than previously expected. LA-ICP-MS analysis of agate and carnelian beads was used to test the hypothesis regarding local Southeast Asian bead production and the and results indicate that the majority of the agate and carnelian beads found in Southeast Asia were produced using raw materials derived from the Deccan Traps geologic formation in western India. It is still possible that there was some local production, but clearly the raw material was being imported from elsewhere.

The patterns observed in the glass and stone beads were then used to address my second question: can these patterns of distribution be linked to changing patterns of socio-political and economic organization in the Mekong Delta? As noted above, results from the analysis of stone and glass beads show evidence for two distinct trade networks in which higher quality agate and carnelian beads and potash glass beads were traded in an earlier coastal exchange network. However, glass and stone bead data from Angkor Borei and previous studies from Oc Eo indicate that these sites were not active participants in the bead trade until the later Iron Age. During this later period, trade with South Asia appears to intensify, with greater numbers of goods being imported to Southeast Asia (Bellina and Glover 2004) including high-alumina soda glass beads and lower quality agate and carnelian beads. It is also in this period that we see increased numbers of stone and glass beads at inland sites. I argue that with these shifting trade networks and increased availability of stone and glass beads, elites would have been able to expand their power by trading these objects with inland communities that did not have access to beads through the earlier coastal exchange network. In this way, we can view beads as a symbol of the expanding power and influence of elites in the Mekong Delta. As objects that were meant

to be worn and displayed, beads can be seen as public exhibitions of this economic and sociopolitical power.

Archaeological evidence has shown that sites in the Mekong Delta, specifically Oc Eo, were important trading centers. Both Angkor Borei and Oc Eo were walled sites that could control the movement of goods into and out of these settlements. Furthermore, Angkor Borei's was located in an area with rich agricultural land that could support a growing population. This population growth is perhaps something that earlier coastal settlements could not have sustained. I argue that the Mekong Delta acted as a conduit for the trade of exotic objects, including stone and glass beads, to interior sites. The distribution of stone and glass beads can be seen as a representation of these expanding exchange and interaction networks.

Conclusion and dissertation outline

In this introductory chapter I have provided an introduction to my research questions, a discussion of my theoretical orientation and a definition of important terms, a background on the Funan and the Mekong Delta polities, and a review of my research questions and results. In Chapter 2, I introduce mainland Southeast Asia more broadly through a discussion of the geography, ecology, and natural resources in this region, focusing especially on Cambodia and Thailand. I follow this discussion with a background on the chronological framework used in Southeast Asia, as well as an introduction to the major archaeological cultures that have been identified in Southeast Asia. I conclude with a description and background on the Thai and Cambodian sites that will be the focus of this dissertation. In Chapter 3, I discuss the emergence of complexity in Southeast Asia and the role of trade and exchange in this process. Both historical and archaeological perspectives on the emergence of socio-political complexity are reviewed. In Chapter 4, I present the methods used to record and analyze stone and glass beads.

Chapters 5-8, focus on the results from the analyses of glass and stone beads. In Chapter 5 I discuss the results of both contextual and morphological analysis of agate and carnelian beads, with the results of the compositional analysis being discussed in Chapter 6. In Chapter 7, I discuss the distribution of glass beads and results of LA-ICP-MS analysis, identifying the different glass types in circulation in Cambodia and Thailand during the Iron Age. In Chapter 8, I discuss the results of morphological and compositional analysis of a small group of garnet beads. Lastly, in Chapter 9, I return to my primary research questions and evaluate them in light of the evidence discussed in earlier chapters. I have also included appendices that list the beads recorded in this study, the compositional and geochemical data, as well as additional details on the geologic sources and the statistical techniques and methods used to differentiate the geologic sources and artifacts.

Chapter 2: Archaeological Background of Southeast Asia

This chapter serves as an introduction and background to Southeast Asia and the sites in this study in order to situate and contextualize the data presented in later chapters. I begin with a brief background on the geography of Southeast Asia, focusing on Cambodia and Thailand. I will then discuss the chronological framework used to describe the different periods in Southeast Asian history and prehistory. Following this, I will provide a brief overview of the major Iron Age cultures in Southeast Asia and the cultural milieu in which Iron Age sites in Cambodia and Thailand were operating. Finally, I conclude with a summary of the archaeological sites that are the focus of this study.

The sites in this study are located in Cambodia and Thailand in mainland Southeast Asia, but the boundaries and definition of mainland Southeast Asia (SEA) are not always clear. The current non-island members of ASEAN (Association of Southeast Asian Nations) include Cambodia, Laos, Peninsular Malaysia, Myanmar, Thailand, and Vietnam. However, others may consider parts of southern China, specifically Yunnan, Guanxi, and Guangdong provinces, to be a part of the cultural sphere of mainland Southeast Asia (Higham 2002). There also are strong cultural and genetic links tying communities in northeast India with Southeast Asia (Reddy et al. 2007). For the purposes of this dissertation, I follow the divisions set out by Bellwood and Glover (2004: 7) with mainland Southeast Asia being made up of the countries of Cambodia, Laos, peninsular Malaysia, Myanmar, Thailand and Vietnam, and insular Southeast Asia being made up of the countries of Taiwan, the Philippines, East Malaysia, Indonesia, and Brunei. However, it is recognized that the people in these locations interacted regularly with one another and with people areas of southern China, northeast India, and the Pacific Islands.

Geography and ecology of mainland Southeast Asia

The current landmass of mainland Southeast Asia has seen significant changes in its coastline since the Pleistocene epoch. During the Ice Age period as sea levels fell, a massive swath of land, known as Sundaland, was exposed that connected mainland Southeast Asia to Sumatra, Java, Borneo, and Bali (Bellwood and Glover 2004). Even as recently as 10,000 BP sea levels were 40-60 meters lower than present, which exposed low-lying coastal areas that have since been inundated. The coastline did not begin to stabilize into its current form until approximately 4000 years ago. The current geography of Southeast Asia can be divided into two categories: first, the major river systems, their flood plains and river valleys and deltas, and second, the upland areas (Higham 2002). Overwhelmingly, the focus of this dissertation will be on Iron Age sites located in the river valleys, deltas, and flood plains of mainland Southeast Asia.

Life in Southeast Asia is heavily affected by the availability and management of water, be it from the seasonality of the river systems to the monsoonal weather patterns. Mainland Southeast Asia falls into a subtropical monsoon climate, although the climate and especially rainfall are locally variable (Higham 2002). During October through April a northeast wind dominates the landscape, bringing on the dry season. During May through October, the winds shift and move in from the southwest bringing a rainy season. However, there are several areas that fall into a rain shadow during this period such as the Chao Phraya and Tonle Sap plains and the Khorat Plateau. The results of these rain shadows affect the production of rice in these regions and farmers must rely on the flooding of rivers and silt deposits (Higham 2002).

Cambodia

Cambodia is primarily dominated by low, flat plains, although the western coastline is marked by the Damrei (Elephant) and Cardamom Mountains, and portions of the northeast and

southeast fall within the Annamite Chain (Figure 2.1). Perhaps the most important ecological zones within the country are the Tonle Sap Lake and the Mekong River and Mekong Delta regions. The Tonle Sap Lake in central Cambodia is one of the world's largest and most important inland fisheries. During the rainy season the Mekong River floods, brought on primarily by the spring snowmelt in the Himalayas. The flooding of the Mekong is so great that when the Mekong and Tonle Sap Rivers meet in Phnom Penh, the Tonle Sap River reverses direction and floods into the Tonle Sap Lake in central Cambodia. During this period the Tonle Sap Lake can increase its size to approximately 25,000 square kilometers (Nesbitt 1997). An assortment of rice farming techniques and varieties of rice are utilized in Cambodia. Deepwater rice can be grown in the regions adjacent to the rivers and Tonle Sap Lake, although this practice is declining (Nesbitt and Phaloeun 1997). Rain fed lowland rice is grown in every province of Cambodia today (Javier 1997). However, some scholars have suggested that dry-season flood recession rice was important for the growth of Angkor Borei and the Mekong Delta polities (Fox and Ledgerwood 1999).

Thailand

The geography and ecology of Thailand is quite diverse, but the sites discussed in this dissertation lie in three distinct regions: central Thailand, a region dominated by the Chao Phraya River and its tributaries, the Khorat Plateau in Northeast Thailand, and the Thai-Malay peninsula (Figure 2.2). The Chao Phraya River basin and the Central Plain of Thailand is approximately 500 km long running north-south through the center of Thailand. The Chao Phraya derives from four rivers, which drain from the mountainous region of northern Thailand. The Chao Phraya has a seasonal flow, with low levels during the dry season (April-May) and higher levels during the rainy season (May-September) (Gupta 2005b).




Figure 2.1: Map of Cambodia noting important physical features. Digital Elevation Model data taken from ASTER GDEM [http://www.gdem.aster.ersdac.or.jp/index.jsp]. ASTER GDEM is a product of METI and NASA. Map inset adapted from Wikipedia Commons [https://en.wikipedia.org/wiki/File:Location_Cambodia_ASEAN.svg]

Alluvial sediments are deposited in the lowland regions, and communities in this area currently practice rain-fed rice agriculture (Lertcharnrit 2010). However, recent research in the Khao Wong Prachan valley in central Thailand suggest that millet may have been an important crop and was grown prior to the emergence of rice agriculture in the first millennium BC (Weber et al. 2010).

The Chao Phraya Valley is also well known for it's ideal location in relation to trade networks. The western portion of this valley is linked to the Three Pagodas Pass (Figure 2.2), a fault in the Tenasserim Hills, which linked communities in Thailand to the area of modern-day Myanmar and India further west. Along the eastern portion of the Chao Phraya Valley are links

to northern Cambodia and the Tonle Sap region, while the Gulf of Siam connected this region to coastal communities in South and Southeast Asia (Higham 2002).

Northeast Thailand, regionally referred to as Isan, is a unique region, with strong influences from both Laos and Cambodia (see McCargo and Hongladarom 2004). As Northeast Thailand refers to a specific socio-cultural location, I follow other scholars in capitalizing Northeast. This territory is dominated by the landmass known as the Khorat plateau, an upland area approximately 150,000 square kilometers. Portions of the plateau reach 1000m in elevation, however most of the area is approximately 50-200m above sea level, with a downward slope towards the southeast. The Plateau is separated from the Chao Phraya valley by the Petchabun Mountains, and the Mekong River Valley in the south by the Dangrek (sometimes spelled Dong Rek or Dang Raek) Mountain range (Gupta 2005a). Two important rivers, the Mun and Chi, flow through the Khorat Plateau and numerous ancient settlements have been found along the flood plains of these rivers (Higham 2002). As with the Chao Phraya, these rivers have seasonal flows, with the Chi River dropping 10-12 below the flood plain during the dry season. As noted above, this region falls within a rain shadow and some of the soils have a high salinity. Saltproduction has been an important part of the economy in this region since prehistoric times (see Nitta 1991, 1997, 1999).




Figure 2.2:Map of Thailand noting important physical features. Map created using publically released GLOBE data [http://www.ngdc.noaa.gov/mgg/topo/globe.html]. Map inset taken from Wikipedia Commons [https://en.wikipedia.org/wiki/File:Thailand_%28orthographic_projection%29.svg]

The geography and climate of the Thai-Malay Peninsula is slightly different from the rest of mainland Southeast Asia. The peninsula is a long and narrow landmass, with the widest portion being not more than 300 kilometers across and the interior sections being not more than 150 kilometers from the sea. A series of nine mountain ranges stretch along the peninsula (Jacq-Hergoualc'h 2002), with coastal plains on the east and west sides of the peninsula. Although these areas are currently used for wet rice cultivation, research suggests that they did not exist until well into the historic period (14th century AD) and were brought on by erosion from the inland hills. This suggests that Iron Age communities in the Thai-Malay peninsula focused on inland, hill slopes and rain-fed agriculture, such as dryland rice or millet (Allen 1991). Several of the rivers on the peninsula flow from east to west and connect the coasts to one another. As with the rest of mainland Southeast Asia, the monsoon winds also heavily influence the climate and rainfall in the peninsula. Perhaps most importantly, is that the monsoon winds affected the process of commercial exchange in the peninsula and mainland Southeast Asia by extension. During the southwest Monsoon, maritime traders were able to use the favorable winds to easily cross from India to Southeast Asia across the Bay of Bengal, while in the other half of the year the southeast winds carry traders made travel from the east to the peninsula more favorable (Ray 2003; Tripati 2006).

These seasonal Monsoon winds likely affected trade across mainland Southeast Asia, as goods were potentially only available part of the year when traders were able to arrive in Southeast Asia with their cargo (Ray 2003: 20). Furthermore, monsoon winds and flooding would have made overland travel on road networks difficult during the rainy season, and rivers too dangerous to use due to swelling water levels (Hendrickson 2007). Trade was a seasonal

activity centered on the monsoon winds and affected by the rainy season impact on the environment.

Natural resources important for trade

Southeast Asia is also a source for numerous natural resources that were exploited by Iron Age communities and were important commodities in long-distance trade. Foreign traders came to Southeast Asia to gather a variety of resources, including forest products, spices, and precious metals (Bronson 1992; Glover 1989; Glover and Bellina 2011; Fuller et al. 2011; see also Smith 1999). Gemstones also may have been important trade objects. A recent study indicates rubies from Burma were traded as far as Mesopotamia during the 2nd century BC- 2nd century AD (Calligaro 2005). However, gemstones were not mined in large quantities until more recently (e.g. Aranyakanon 1983; Van Long 2004). During the "Age of Commerce" in the 15th-17th centuries AD, Southeast Asia was known for cotton and cloth production as well as, spices, rice, metals, and ceramics (Reid 1988). Similar items may have been traded during earlier periods, however the organic objects are not well preserved in the archaeological record. For this reason, the metal trade is perhaps the best known and studied of the natural resources traded by early Southeast Asians.

Metals were an important resource exploited by Iron Age communities and were likely important resources traded with foreign traders. In the first century AD the Roman emperor Vespasian forbid the export of gold coins, leaving Indian merchants in search of another source of gold (Higham 2002). (Although it should be noted that gold continued to leave the Roman Empire due to the presence of Roman gold coins in India from later periods). Indian myths discussed the fabled land of gold, or *Suvarnabhumi*, which is believed to be located in modern-day Southeast Asia, perhaps Myanmar (Moore and Win 2007), but gold is sporadically

encountered in deposits across Southeast Asia and other regions may have been lumped under this general term. There are currently numerous gold mines at various locations in Cambodia, as well as gold deposits in Laos, central Vietnam, northwest Thailand, and in alluvial sediments in the Mekong Delta (Reinecke et al. 2009). There is also evidence for gold working at the site of Oc Eo and the nearby site of Go Thap in southern Vietnam (Figure 2.3, Sites 14 and 15)(Li Thi Lien 2005), but it is unlikely that the alluvial deposits in the Mekong Delta were able to produce enough gold to supply this region (Reinecke et al. 2009). Tin also appears to have been an important part of the earliest periods of exchange between South and Southeast Asia. The Thai-Malay peninsula contains nearly 95% of the world's tin reserves and has been described as "Southeast Asia's premier metal in terms of economic importance," (Bronson 1992: 83). Recent research from the peninsular site of Khao Sam Kaeo suggests that tin may have been exploited to produce high-tin bronze as early as the late first millennium BC (Glover and Bellina 2011; Murillo-Barroso et al. 2010; Pryce et al. 2008).

Other precious metals are present in Southeast Asia, although in smaller qualities. Large silver deposits have been found in Myanmar and were exploited during the historic period, although it is unclear if they were exploited earlier (Bronson 1992). There is extensive evidence for copper production and smelting in the Khao Wong Prachan Valley in central Thailand (Pigott et al. 1997; Pryce et al. 2011) and exploitation of the northeast Thai copper mine of Phu Lon (Figure 2.3, Site 7) as early as the mid 2nd millennium BC (Pigott and Weisgerber 1998). Copper is currently mined in large quantities in Laos and may have also been exploited in the past (Cawte 2009). There are also extensive iron deposits across Southeast Asia, although they are distributed unevenly. Areas of southern Vietnam have no iron deposits whereas the Thai-Malay peninsula, northern Thailand, Laos, and northern Vietnam all have plentiful iron ores (Bronson

1992). Iron smelting has been identified at Iron Age sites in Thailand such as Ban Dong Phlong in Northeast Thailand (Figure 2.3, Site 1)(Nitta 1997). During the Angkorian period a large iron production workshop was located at the site of Preah Khan of Kampong Svay in eastern Cambodia (Figure 2.3, Site 21)(Jacques and Lafond 2007).

While Southeast Asia was home to numerous natural resources, they were not evenly distributed across the landscape. In some regions, the patchy distribution of various resources encouraged intraregional exchange (e.g. Christie 1995; Welch 1989). These resources were appealing not only to foreign traders but to communities within Southeast Asia as well. Scholars have also argued that important centers emerged when they could facilitate the trade of long-distance goods arriving through maritime trade with important resources found further inland (e.g. Bronson 1977; Christie 1995, 1996). Beads may have been used by coastal communities in exchange for some of these items and traveled over the same networks discussed above. Historic documents from the mid-17th century describe upland minority communities exchanging forest products, gold, slaves, elephants and other objects with lowland communities for metal objects, Chinese ceramics and glass beads (Richter 2000: 116-117). We can assume that glass and stone beads were traded and used by Iron Age communities in a similar way as these other materials, since beads were part of the larger trade of this region.

Chronological Frameworks

In this dissertation, I draw primarily on the chronological framework most recently described by Charles Higham (2002). This framework largely grew out of archaeological research in Thailand, but has been applied to Southeast Asia as a whole. However, a chronological framework used in South Asia (Kenoyer 2000) may eventually prove to be better fit in describing the cultural developments happening in Southeast Asia. The currently used

modified Three-Age system is broad and perhaps overly technologically focused. In this section I review the major chronological developments using Higham's framework and will use this framework in my dissertation to allow easy comparison with the current literature. However, I will also present the alternative chronological framework that may be beneficial to future studies. Following this discussion, I present a brief summary of the major Iron Age archaeological cultures that have been identified in mainland Southeast Asia and their relationship with sites in Cambodia and Thailand.

As recently as the 1980s and 1990s, Southeast Asia lacked a widely used cultural chronology or framework. During the 1980s several scholars proposed chronologies for Northeast Thailand (e.g. Bayard 1984, 1987; Higham 1986; Bayard 1987; Welch 1985). In one widely used framework, Southeast Asian history and prehistory were divided into a series of general periods, associated with the emergence of rice-farming, bronze, iron, and state-level societies (Bayard 1984; Higham 1989: xv-xvi). More recently, scholars producing major regional syntheses on the prehistory of Southeast Asia have relied on a modified version of the Three Age system (Bellwood and Glover 2004; Higham 1996, 2002; O'Reilly 2007). In this dissertation, I follow this framework (Table 2.1).

Current Framework	Cultural Traditions	Dates
	Framework	
Angkorian Empire	Integration Era?	Approx. 800-1400 AD
Iron Age		500 BC- AD 500
Bronze Age	Regionalization Era	1500/1000 – 500 BC
Neolithic	Early Food Producing Era	2500 – 1500/1000 BC
Hunter-Gatherers		Approximately 40,000 BP to 2500
		BC

Table 2.1: Chronological periods discussed in this dissertation.

Hunter-Gatherers

The first modern human occupants of Southeast Asia were hunter-gatherers, with some of the earliest sites dating to approximately 40,000 BP (Bellwood and Glover 2004; Higham 2002) or possibly 63,000 BP (Demeter et al. 2012). Hunter-gatherer sites have been broadly divided into two different classes: those located in the uplands, primarily in rock shelters, and sites located in coastal settlements. However, it is generally accepted that these archaeological sites represent just a portion of the diverse lifeways of prehistoric hunter-gatherer groups. Generally, upland sites have been better studied and preserved as coastal sites have largely been destroyed or are submerged due to changes in sea-level over time (Higham 2002; Higham et. al 2011). One of the best-known hunter-gatherer archaeological cultures is the Hoabinhian, whose earliest sites may date to 20,000 BP (Yi et. al 2008) and have been identified in rock shelters and caves in Vietnam, Cambodia, and Thailand. The French researcher Madeleine Colani was the first to identify and name the Hoabinhian culture and specifically the unifacially worked stone tools made from river cobbles known as sumatraliths (Matthews 1966). In the 1970s, research at the Hoabinhian site of Spirit Cave (Figure 2.3, Site 9) uncovered plant remains that were believed to be early domesticates (Solheim 1972). However, it is now realized that Hoabinhian huntergatherers had a broad-spectrum subsistence strategy, but were not involved in the local domestication of plants. Later Hoabinhian sites are believed to extend into the middle Holocene, a period Vietnamese archaeologists refer to as the Middle Neolithic, which is noted for the first appearance of pottery and the evidence for possible vegetable cultivation (Nguyen Khac Su 2004).

Neolithic period and introduction of rice agriculture

By approximately 2500-2000 BC, Neolithic rice-farming communities and technology began to move into mainland Southeast Asia from China. Rice is believed to have been domesticated in the middle Yangzi River Valley, however the process and timing of this event is still under debate. For example, recent research has argued that rice was domesticated in a single process somewhere in Asia (Molina et. al 2011) while other scholars have argued that there is evidence for rice cultivation as early as 9000 BP (Liu et. al 2007). Nevertheless, it appears to have taken perhaps up to 7000 years for this technology to reach southern China and Southeast Asia (Bellwood 2005; Chi and Hung 2008; Higham 2004). These dates are similar across broad stretches of southern China and mainland Southeast Asia suggesting that there were "related expansionary movements southwards, following the courses of the major rivers," (Higham 2004: 51). Many of these early Neolithic communities shared pottery styles and mortuary rituals (Higham 2004; Rispoli 1997). However it is important to note, the shift to rice farming was not uniform across mainland Southeast Asia. Recent DNA evidence suggests that many huntergatherer groups persisted despite the influx of agriculturalists, although in isolated locations (Higham et. al 2011). The site of Khok Phanom Di (Figure 2.3, Site 5) in coastal central Thailand is one example of a community interacting with or transitioning to rice agriculturalists (Higham and Thosarat 1994). Early layers at the site suggest a dependence on fishing and wild resources. However upper layers contained human feces with the remains of domesticated rice, although the environment immediately surrounding Khok Phanom Di was not conducive to rice farming (Higham 2002). Strontium isotope data on skeletons at the inland site of Ban Chiang, Thailand (Figure 2.3, Site 8) show evidence for the appearance of non-local men during the late Neolithic-early Bronze Age period. It is believed that early agriculturalists practiced

matrilocality, which may be linked to the spread of agriculture in mainland Southeast Asia (Bentley et. al 2005). Continued genetic and isotopic research along with archaeological data should lead to a better appreciation of the complexity of the spread of agriculture in the future (Higham et. al 2011).

The Bronze Age

Around 1500-1000 BC we see the first evidence for the appearance of bronze and bronze technology in mainland Southeast Asia, although the timing of this process has been the object of some debate. In the 1960s and 70s excavations at the sites of Ban Chiang of Non Nok Tha in Thailand (Figure 2.3, Sites 6 and 8) both produced very early dates for bronze (Gorman and Charoenwongsa 1976; Solheim 1968). However, these dates were found to be in error and the generally accepted dates for the beginning of the Bronze Age were shifted to 1500-1000 BC (Higham 2002). Recent research at the site of Ban Non Wat in Northeast Thailand (Figure 2.3) has pushed the Neolithic-Bronze Age transition in that region to 1000 BC (Higham and Higham 2009). Conversely, Joyce White, using recent rice chaff dates from pottery found at Ban Chiang notes that the appearance of bronze dates from 2100-1700 BC, the earliest evidence for bronze in Southeast Asia (White 2008; White and Hamilton 2009). Many scholars have argued that Southeast Asian bronze technology originated in China (for a review see White and Hamilton 2009). However, as White and Hamilton (2009: 375) note "proponents of Sinocentric models must either dispute or ignore evidence for early second millennium BC bronze in Southeast Asia." In this vein, Higham (Higham and Higham 2010; Higham et. al 2010) has recently questioned the accuracy of the rice chaff dates from Ban Chiang. Evaluating these arguments is beyond the scope of the current work. For this reason, I will maintain the predominant currently accepted view that the Bronze Age begins in Southeast Asia around 1500-1000 BC.

Once bronze technology entered mainland Southeast Asia, it was used to produce a variety of objects from personal ornaments to weapons. Copper resources were also exploited and copper was smelted and worked by indigenous craftspeople (Higham 2002: 117-8). However, unlike other parts of the ancient world the introduction and use of bronze technology did not result in the emergence of complex polities in Southeast Asia (Muhly 1988). Several scholars have argued that Bronze Age communities in Southeast Asia were arranged heterarchically, which prevented the emergence of hierarchically based chiefdoms or states (Eyre 2011; O'Reilly 2000, 2003; White 1995; White and Piggott 1996). However, research at Ban Non Wat has again complicated this view. Portions of the Bronze Age cemetery show evidence for "outstandingly wealthy men, women, infants and children," (Higham 2011a: 380). This appearance of wealth and social stratification was short-lived however, and after 150-200 years there was a decline in the mortuary wealth at the site. Higham argues that the wealthy burials reflect the appearance of aggrandizers, whose power eventually declined. He notes:

"Social organization from the eleventh to the fifth centuries BC in the upper Mun Valley was, it is held, transegalitarian. The eruption of social display and ostentation that took place with the initial Bronze Age reflects social inequalities that gave differential access to the ownership of resources and access to prestige goods. In the nature of transegalitarian societies, social success achieved by aggrandizers was impermanent, and there was no embedded political control from one centre over its contemporaries," (Higham 2011a: 388).

While these data are immediately applicable to the Mun River Valley region, Higham also argues that similar patterns may be found at other Bronze Age sites in Southeast Asia (2011a: 386). It should be noted that the majority of Bronze Age sites in Southeast Asia have been excavated in Thailand. There is limited information in English about Vietnamese Bronze Age sites and very incomplete research on Bronze Age sites in Cambodia, and Laos. As excavation

in these countries continues we will develop a more balanced and detailed understanding about the Southeast Asian Bronze Age.

The Iron Age

The first appearance of iron in mainland Southeast Asia occurs approximately 300-500 BC (Higham 2002). In addition to the appearance of iron, the Iron Age is notable for the first evidence for contact with South Asia, and increasing socio-political complexity (Higham 2002). As with bronze, the origin of iron technology in Southeast Asia is still debated, as it could have been developed indigenously or introduced from China or India (Higham 2002: 169-70). At the site of Noen U-Loke in Northeast Thailand, the earliest iron artifacts are personal ornaments such as bangles and it is not until later phases that iron is used for utilitarian goods (Chang 2001; Connelly 2007).

The Iron Age was a period of great change spanning approximately 1000 years, however we do not yet have a clear understanding of the different phases within this period. In Cambodia, some scholars also refer to the late Iron Age as the "Early Historic period," as it is during this phase that Chinese historians began visiting and writing about polities in the Mekong Delta region (Stark 2004). In one Chinese document, they describe the presence of libraries and written documents at sites in the Mekong Delta around the 3rd century AD (Stark 1998). Excavations at specific sites have provided information on the transformations happening at the site or regional level (e.g. Higham and Higham 2009; Higham 2011b). The emergence of socio-political complexity and influence from South Asia did not happen uniformly across mainland Southeast Asia, therefore site or regional-level analyses may be the best way to understand these changes.

By the mid-first millennium AD several complex polities, often identified as states, emerged in parts of mainland Southeast Asia (Higham 2002). As discussed in Chapter 1, I and

other scholars have argued that polities in the Red Rive Delta in northern Vietnam and in the Mekong Delta of Cambodia and Vietnam may have been states. Sites in the Mekong Delta are notable for their use of writing, influence from India, especially in the practice of Hinduism and/or Buddhism, and the emergence of sculpture and brick and stone architecture. In Cambodia, the 6th-8th centuries are known as the Pre-Angkor period and historical documents describe the emergence of several competing kingdoms (Stark 2004). By the 7th century the Dvaravati kingdom developed in the Chao Phraya river valley (Indrawooth 2004). In coastal Vietnam around AD 600 there are a series of kingdoms known as Champa (Higham 2002; Southworth 2004). These states had their origin in the Iron Age communities found across Southeast Asia.

Cultural Traditions Framework

As an alternative to the technology-based chronological framework currently used by scholars in Southeast Asia, a framework used by scholars of ancient South Asia (Kenoyer 1991; Shaffer 1992) would allow for a more detailed description of cultural developments in this region. Unfortunately, the limited archaeological evidence in Southeast Asia makes defining this framework complicated. For this reason, I rely on the current chronological framework in this dissertation. However, it is valuable to begin outlining this alternative framework in the hopes that it can be refined with additional research. I will also return to this alternative framework in the final chapter.

In this framework, a cultural *tradition* is identified, which is divided into four *eras*, and from this further sub-divided into *phases*. A tradition is defined as a "persistent configuration of technologies and cultural systems within a context of temporal and geographic continuity" (Shaffer 1992: 442). In the context of the current study, it may be difficult to define a single tradition, as multiple communities and culture groups interacted with one another with power

shifting between regions and cultural groups over time. With future studies, we may wish to identify an Angkorian Tradition, Champa Tradition, or Dvaravati Tradition and use the eras and phases below to outline the long cultural trajectory of these Traditions. However, for the moment I will refrain from assigning the eras and phases below to a specific cultural tradition.

In contrast to traditions, eras and phases are descriptive, "non-evolutionary and do not have set temporal or geographic boundaries," making them more applicable to the Southeast Asian archaeological record (Law 2008: 97). The first era is the Early Food Producing Era (EFPE). Following Kenoyer, this era is defined by a subsistence economy based on domestic plants and animals by semi-sedentary or sedentary communities. This era would correspond with the Neolithic period in the current chronological framework (Table 2.1).

Following the EFPE is the Regionalization Era, which has been described elsewhere as "a period of cultural development on a regional scale with the emergence of distinctive artifact styles, burial practices, and settlement organization," (Kenoyer 2000: 90). In Southeast Asia, I argue that the Regionalization Era applies to the Metal Age periods, combining both the Bronze and Iron Ages. Traditionally these two periods have been divided by both differing metal technologies, as well as evidence for contact with South Asia and increasing socio-political complexity during the Iron Age (Higham 2002). However, it is not unprecedented to consider these two periods together. For example, recent research at Ban Non Wat in Northeast Thailand has demonstrated the continuity between both periods and provided evidence for a brief period of social stratification during the Bronze Age (Higham 2011a, 2011b). Researchers in other parts of Southeast Asia have also identified continuities between Bronze and Iron Age communities (e.g. Gutman and Hudson 2004; Moore 2007; Nguyen et al. 2004; Reinecke 2009). By combining the Bronze and Iron Age periods together in a single Regionalization Era, we are able

to better appreciate the connections between these periods as well as acknowledge the different cultural trajectories present in mainland Southeast Asia during this time.

Within eras are phases, which "are defined on the basis of a set of distinctive material culture traits (frequently this is a diagnostic assemblage of ceramics) present in a specific place and time," (Law 2008: 97-8). Recent work by White and Eyre (2011) has identified 13 ceramic sub-regions in Thailand that could be classified as phases within this chronological framework. It is also acknowledged that chronologies within a site may overlap with phases, eras, and traditions. With further archaeological research and the identification of a variety of regional subcultures and phases, the Regionalization Era should become clearer.

Following the Regionalization Era is the Integration Era, a period defined by increased homogeneity in material culture, as well as economic, socio-political, and ideological integration of previously disparate regions (Kenoyer 1991, 2000). This is followed by the Localization Era, a period in which there is a "breakdown in integration and the reemergence of regional cultures that reflect localized trade networks and stylistic features of material culture," (Kenoyer 2000: 90). The transition from the Regionalization to Integration Era in mainland Southeast Asia is thus far difficult to determine. As noted in the introduction chapter, some scholars have suggested that the polity of Funan integrated a large region of southern Cambodia and Vietnam as well as possibly portions of the Thai-Malay peninsula. However, archaeological evidence has not yet borne out this hypothesis. On the other hand historical documents dating from the midfirst millennium AD discuss a series of increasingly powerful leaders vying for control of large territories (Stark 2006c). It may be possible that over the period of several centuries, portions of Cambodia may have been integrated for brief periods, followed by periods of localization. It is not until the 9th century AD that a large region of Cambodia, and later portions of Vietnam,

Thailand, and Laos were more clearly integrated under the Angkor Empire. Much archaeological work needs to be done in order to better understand the transition from the Regionalization to Integration Era in Southeast Asia.

While much work still needs to be done to flesh out this alternative chronology. I believe that it provides another framework for understanding cultural and chronological development in mainland Southeast Asia in more depth. With additional research it is expected that we may be able to build on and expand this framework to better incorporate and describe the cultural developments in mainland Southeast Asia. In the following section, I discuss some of the cultural groups present in Southeast Asia during the Iron Age, a period that with additional work might also be described as the Regionalization Era.

The Iron Age Cultures of Mainland Southeast Asia

Numerous Iron Age archaeological cultures have been identified across mainland Southeast Asia (Figure 2.3). As this dissertation focuses on 12 sites from Cambodia and Thailand, an overview of the different cultures is important for both contextualizing the broader cultural groups in which these communities were found as well as identifying the different groups with whom these communities interacted. In this section I will provide a brief background of several different Iron Age cultures and discuss how they may have been interacting with sites discussed in this study, focusing on the glass and stone beads that may have been traded.

The Dongson Culture

The Dongson culture was based in the Red River delta of northern Vietnam. This archaeological culture was first identified at the Dongson site (Figure 2.3, Site 24), excavated by Pajot and Janse in the 1950s, although the Dongson people are also mentioned in Chinese

historical documents, as they were contemporary with Chinese expansion into northern Vietnam (Higham 2002). The earliest Dongson sites date to approximately 600 BC, slightly earlier than Iron Age in other parts of mainland Southeast Asia.

The Dongson is perhaps most famous for its bronze work, especially the large Dongson drums that were widely traded across mainland and island Southeast Asia. Dongson people were also familiar with iron technology, although iron casting techniques may have been introduced to the region by the Chinese (Higham 2002: 169-70).

Since the excavation at the initial Dongson site, there have been at least 70 additional sites found including stone ornament workshop sites, a limited number of settlement sites such as Co Loa (Figure 2.3, Site 25) (Kim et al. 2010), and cemeteries, which are the most numerous (Pham Minh Huyen 2004). Most material culture, including personal ornaments, has come from burial contexts. Unlike some other Iron Age archaeological cultures in mainland Southeast Asia which eventually evolved into states, the Dongson culture is considered to have ended in AD 43, when northern Vietnam came under Han control (Pham Minh Huyen 2004).

Dongson bronze drums have been found at several of the sites in this study: Village 10.8 and Prohear in Cambodia (Figure 2.3, Site 17) and Khao Sam Kaeo in Peninsular Thailand. Although they may not have been directly trading with this region, it suggests that sites in Cambodia and peninsular Thailand were part of a broader Dongson drum interaction sphere (Nitta 2007). The Dongson region is also one of the areas where potash glass beads may have been produced, perhaps low CaO potash glass, although direct evidence is still lacking (Lankton and Dussubieux 2006, 2013). Little work has been done exploring the agate and carnelian beads at Dongson sites.




Figure 2.3: Map of Iron Age archaeological cultures and sites mentioned in this chapter.

The Sa Huynh Culture

Sa Huynh culture sites have been found in central coastal Vietnam, dating from approximately 500 BC- AD 100 (Southworth 2004). The Sa Huynh culture is believed to be a precursor to the later Cham kingdoms, although direct links between these two cultures has not yet been identified (Reinecke 2010; Southworth 2004). This culture was first identified by their jar burials, a relatively unique practice in Southeast Asia (Higham 2002). Since the first excavations in the early 20th century, over 60 jar burial sites have been excavated in Vietnam. Among the objects found in these jar burials are distinctive personal ornaments made of glass and stone including a double-headed animal earring and an earring with three protrusions known as a ling ling-o (see Chapter 3). Although rare, these objects were traded across island and mainland Southeast Asia and seem to reflect the long-distance connections Sa Huynh people had with other Southeast Asian communities (Reinecke 2009). During the later phases of these sites, large numbers of glass and stone beads have been found with the burial goods, indicating contact with South Asia. At the site of Lai Nghi (Figure 2.3, Site 22) over 10,000 carnelian, agate, nephrite, and glass beads have been found as burial goods, including one burial with more than three thousand beads made of glass, agate, carnelian, and nephrite, as well as bronze and iron objects. There is also evidence for contact with Chinese communities; one late burial contained Han style bronzes (Reinecke 2009).

Evidence discussed later in this dissertation suggests that sites in Southeast Cambodia may have been interacting with Sa Huynh people in southern Vietnam. Similarities between garnet beads found at Village 10.8, Bit Meas, Prohear, and sites in southern Vietnam suggest a regional trade network in this area. As will be discussed in Chapter 7, there is evidence for possible primary glass production at the Sa Huynh site of Giong Ca Vo (Figure 2.3, Site 23) and

potash glass was widely traded at both Sa Huynh sites and sites in southeast Cambodia. There is also evidence for connections between the site of Khao Sam Kaeo (Figure 2.3, Site 10), an important craft production site in peninsular Thailand considered as part of this dissertation, and Sa Huynh culture sites. Glass ornaments that may have been produced at Khao Sam Kaeo have been identified at Giong Ca Vo (Lankton et al. 2008). Some of the agate and carnelian bead at Khao Sam Kaeo also share similarities with those found at Giong Ca Vo and other Sa Huynh sites (Bellina and Silapanth 2006). In all, the Sa Huynh culture was an important trading partner for several of the communities examined as part of this study.

The Memotian Culture

The Memot culture is the name given to the community that produced a series of circular earthwork sites in the Red Soil region of southern Cambodia and Vietnam. The earthworks were initially identified by the French scholars Louis Malleret (1959b) and B.P. Groliser (1966a, 1966b). Unlike the moated sites found in northeast Thailand (below), the moats and embankments around the Memot earthworks do not appear to be related to water management, although their function is not clear. However, the sites are believed to be settlement and habitation areas of an agricultural community (Dega 2002). Based on the limited material culture found at these sites, these early scholars believed the earthworks dated to the Neolithic period. However, during more recent excavations glass was found in the upper layers, suggesting these sites might extend into the Iron Age period (Haidle and Neumann 2004). Radiocarbon dates and ceramic seriation have produced a dates of occupation from 2300 BC to 300/200 BC. Although the earthworks fall within the Neolithic through Iron Age periods, they do not appear to have used any metals. Unfortunately, the acidic soil is not favorable to bone preservation and so burial data from these sites is lacking.

One carnelian bead from the Memotian culture site of Krek 52/62 (Figure 2.3), Site 18) was included in this study. However, previously studied glass artifacts from Krek suggest connections with sites in Vietnam (Haidle and Neumann 2004) and Khao Sam Kaeo, Thailand (Lankton et al. 2008). Although there is little comparative data with other circular earthwork sites in this region, this preliminary evidence does suggest that these sites were connected to broader regional trade networks.

The Moated sites of Northeast Thailand and northwest Cambodia.

A series of sites enclosed by circular moats or earthworks have also been identified in parts of Northeast Thailand, especially around the Mun and Chi River Valleys, as well parts of northwest Cambodia. As noted above, these moated, circular earthwork sites are believed to be distinct from the Memotian circular earthworks in southern Cambodia. Two moated sites located in the Mun River Valley of Northeast Thailand were included in this study: Ban Non Wat and Noen U-Loke (Figure 2.3, Site 2). While some sites, such as Ban Non Wat, were occupied as early as the Neolithic period (Higham and Kijngam 2010), it appears that there was an expansion of new settlements in the Mun River valley and many sites were not occupied until the Bronze or Iron Ages (Higham 2002, 2004). However, excavations on the moats around several sites indicate they were not constructed until the late Iron Age, several hundred years after many of the sites were initially occupied (McGrath and Boyd 2001). The moats appear to have been constructed in reaction to environmental changes in the region, in order to provide access to a more reliable water supply (Boyd 2007:44). Some scholars have argued that the construction of moats and a demarcation of the landscape may have "affected how the inhabitants saw themselves and their relationships with both neighbouring communities and the wider landscape," (Boyd and Chang 2010: 291). The moats appear to reflect a shared response to environmental pressure by the communities in this region.

Previous research on sites in this region has emphasized similarities in their mortuary ritual and material culture, including ceramics and personal ornaments (Higham 2002, 2011b). Furthermore, Prestige goods, primarily found in burial contexts, also appear to tie elites in this region to one another as well as connecting them to broader trade networks. This has led some scholars to compare sites in these regions to the Hopewell Interaction Sphere in the United States (McNeill and Welch 1991; Welch 1989). Previous work on agate and carnelian beads from sites in this region has suggested that there may have been local production of these materials (see Chapter 5)(Theunissen et al. 2000; Theunissen 2003). As will be discussed in Chapter 7, there also appears to have been a unique mixed alkali wrapped glass that was exchanged amongst communities in this area.

The Chao Phraya River Valley/Central Thailand

A large number of moated sites, over 65, have been identified in the Chao Phraya River valley region in Central Thailand, including one site examined in this study: Promtin Tai (Figure 2.3, Site 3). Many sites have both late prehistoric and historic period occupations dating to the Dvaravati kingdoms (mid-first millennium AD) and the Lopburi period (11th century AD) (Vallibhotama 1992; Indrawooth 2004). During the historic period, many of these sites appear to have been important urban centers, and archaeological evidence suggests that during the late first millennium BC there was emerging centralization (Higham 2002:223).

Grave goods found at these sites also highlight the long-distance connections between this region, South Asia and the Sa Huynh and Dongson communities in Vietnam (Glover 1989; Higham 2002). At Ban Don Ta Phet (Figure 2.3, Site 4), an "elite burial enclave" with an

increased number of grave goods including exotic objects from South Asia, points toward emerging socio-political stratification (Higham 2002: 218). This area not only had rich agricultural and mineral resources but also was ideally located at a central point on exchange routes connecting to India on the west, northern Cambodia on the east, and the Gulf of Siam (Higham 2002). Unfortunately, the relationship between long-distance exchange and increasing socio-political complexity, eventually leading to the Dvaravati kingdoms is still poorly understood (Higham 2002). However, recent research suggests that "proto-Dvaravati" sites in Central Thailand, which show signs of Indian influence, linked the Iron Age polities in this region with the later Dvaravati sites (Barram and Glover 2008; Glover 2011).

The Mekong Delta/Oc Eo/Funan Culture

An introduction to Angkor Borei, Oc Eo, and Funan has already been presented in chapter 1 and so I will not repeat this discussion here. However, in this dissertation I include the bead collections from two sites in this region: Angkor Borei and Phnom Borei (Figure 2.3, Site 16). While extensive survey in the area around Angkor Borei has identified a large number of contemporary sites (Stark 2006a), only one other Cambodian Mekong Delta site contemporary with Angkor Borei has been excavated, Phnom Borei. The site of Phnom Borei is located just a few kilometers from Angkor Borei and contained a small number of burials with few grave goods, but similar to those found at Angkor Borei (Phon 2004).

The large amount of material culture uncovered at Oc Eo (Figure 2.3, Site 14), especially stone and glass beads, has provided important comparative material for not only Angkor Borei and the Mekong Delta but archaeologists working at other sites in Southeast Asia (Manguin 2004). Based on the similarities seen between artifacts archaeologists have identified connections between Oc Eo and the Mekong Delta and Khao Sam Kaeo and peninsular Thailand (Bellina and

Silapanth 2006; Lankton et al. 2008), Peninsular Malaysia (Manguin 2004), Northeast Thailand (Theunissen 2003), Central Thailand (Glover 2011), Pyu and Mon sites in Myanmar (Moore 2007), and a broader South China Sea exchange network (Dalsheimer and Manguin 1998; Stark 2006a).

Peninsular Thai-Malay Sites

A series of important Iron Age sites have also been discovered on the Thai-Malay peninsula. Several of the most well known sites, including Khuan Lukpad (also called Khlong Thom) (Figure 2.3, Site 12) and Khao Sam Kaeo in Thailand (Figure 2.3, Site 10) and Kuala Selinsing, Malaysia (Figure 2.3, Site 13), have unfortunately suffered from serious looting, which limits our understanding of these communities. However, remaining evidence points towards the growing importance of trade with South Asia and emerging socio-political complexity related to this interaction. Many of sites were located on both sides of the peninsula in areas idea for accessing trade and exchange networks, as these communities became a meeting point between South Asia and sites farther east.

Several sites have evidence for long-distance contacts with both South and East Asia. Excavations at Khao Sam Kaeo suggest that South Asian craftsmen have been living at the site producing objects for Southeast Asian elites (Bellina 2001, 2007, Murillo-Barroso et. al 2010). At the nearby site of Phu Khao Thong (Figure 2.3, Site 11) unique glass vessels have been found that were also identified in Han tombs (Lankton et al. 2009). As noted earlier, sites in this region also appear to have been interacting with sites in the Mekong Delta, Sa Huynh sites in Vietnam, as well as sites in central Thailand (Bellina and Glover 2011). This region is believed to have been an important area for craft production of prestige objects. Some of the best evidence for this is found at the site of Khao Sam Kaeo (Bellina 2007, Lankton et. al 2008) but evidence for bead

production is also suspected at Khuan Lukpad (Bronson 1990; Veraprasert 1992), and Kuala Selinsing (Evans 1928, see Chapter 5). It is important to note that communities in the peninsular region were not just traders, consumers, and producers of goods, but also a source for important raw materials including forest products, gold, and tin (Murillo-Barroso et. al 2010; Noonsuk 2005).

Other cultures in Myanmar and Laos

There are several additional cultures in Myanmar and Laos that should be discussed, however there is currently little direct evidence that they were interacting with sites examined as a part of this study. Nevertheless, it is expected that future research may find connections between communities in these areas and communities in Cambodia and Thailand.

In the Samon Valley, south of Mandalay, Myanmar, a series of burial and cemetery sites were identified in the 1980s. These sites are now known as belonging to the Samon culture, which has been dated from 700 BC- AD 400. Unfortunately, many sites have been looted in the search for semi-precious beads, and the relationship between habitation and cemetery sites for this region is not well known. A similarity in bronze artifacts links the Samon culture sites with Dian culture sites in Yunnan, however there are also many unique artifacts as well (Moore 2007: 105-110).

Samon culture sites are especially known for their semi-precious stone beads, and most likely produced large numbers of carnelian and green chalcedony beads (Moore 2007:114). Line-decorated beads known as pumtek are distinctive of the Samon culture, but many of these bead types are also shared with the Pyu culture. The Samon culture's relationship to the Pyu culture is still being debated, with some scholars arguing that it was the "homeland" for the later

Pyu (Hudson 2005) with others noting that sites appear to overlap and be contemporaneous (Moore 2007).

Pyu and Mon culture sites are generally identified as walled, urban sites located in Upper Myanmar (Pyu) and Lower Myanmar (Mon). However it is important to note that these names are not related to specific ethnic or cultural groups. Instead, the archaeologist Elizabeth Moore argues that differences between the two groups were more strongly influenced by the different environmental zones in each part of the country (2007). Both Pyu and Mon sites have been dated to the first Millennium AD (approximately 200-900 AD). Generally the Pyu sites of Upper Myanmar have been better studied, due to a lack of excavation and access to sites in Lower Myanmar. However, both sites in Upper and Lower Myanmar share a use of brick to construct walls, religious, and ritual architecture and Hindu-Buddhist influence.

There are also important distinctions between the two cultures. Burial urns, sometimes containing beads, have been found both inside and outside city walls and other structures at Pyu sites in Upper Myanmar (Moore 2007: 136-139). Mon sites were located in a laterite-rich environmental zone and often used laterite in their construction. Some scholars have argued that there is "little or no evidence of the Mon in Lower Burma much before the eleven century," (Gutman and Hudson 2004: 165). However, Moore argues that several earlier sites, contemporary with the Pyu, belong to the Mon culture and may have even been a part of the legendary *Suvarnabhumi* or "land of gold" described in Indian texts (Moore 2007; Moore and Win 2007).

The Plain of Jars is located in upload Laos and consists of over 40 of sites with large stone burial jars; with some sites having just a few and the largest up to 250 (Sayavongkhamdy and Bellwood 2000). The jars contained cremated remains along with grave goods, including

bronze jewelry, iron tools and weapons, carnelian and glass beads, and cowry shells. Excavations at a jar site, Phon Savan, have also turned up additional burials in the ground around the stone jars. The excavators currently hypothesize that these may be family members buried in secondary burials around their family member's stone burial jar (Sayavongkhamdy and Bellwood 2000). Little is known about the people who produced these burial urns, however material culture appears to link them with the Khorat Plateau and their mortuary patterns may be related to the Sa Huynh culture (Higham 2002: 183-4).

The 11 cultures and regions described in this section highlight the diversity of cultures present in mainland Southeast Asia during the Iron Age period. As the 12 sites that are part of this study are discussed in depth below and in later chapters, it is important to remember that they were a part of a broader cultural group that was interacting with communities both within and outside of their own cultural groups. I will return to discuss many of these cultural groups and regional areas in later chapters, and especially in the final chapter when I argue for the importance of regional exchange networks during the early Iron Age period.

The archaeological sites considered in this study

Glass and stone bead collections from eight archaeological sites in Cambodia (Figure 2. 4) and four archaeological sites in Thailand (Figure 2.5) were examined as a part of this dissertation. Almost 10,000 glass and stone beads were examined (Table 2.2) of which 346 were analyzed using LA-ICP-MS (Table 2.3).

Site Name	Country	Dates	Glass	Agate/	Garnet	Total
				Carnelian		
Angkor Borei	Cambodia	200 BC – AD 200	1368	12	5	1578
Bit Meas	Cambodia	Contemp. with Proher?	6	2	5	13
Krek 52/62	Cambodia	Approx. 500 BC	0	1	0	1
Phnom Borei	Cambodia	Approx. 200 BC – AD	48	2	0	50
		200				
Phum Snay	Cambodia	350 BC – AD 200	285	50	0	335
Prei Khmeng	Cambodia	1 st -6 th centuries AD	2056	1	0	2057
Prohear	Cambodia	200 BC – AD 100	550	6	2	558
Village 10.8	Cambodia	400 BC – AD 50	209	53	11	273
Ban NonWat	Thailand	400 BC – AD 500	746	12	0	758
Khao Sam	Thailand	4 th – 2 nd Century BC	0	18	0	18
Kaeo						
Noen U-Loke	Thailand	400 BC – AD 500	3531	0	0	3531
Promtin Tai	Thailand	500 BC – AD 500	960	43	0	1003
Total			9759	200	23	9982

Table 2.2: List of stone and glass beads recorded at each site. The bead collections at Ban Non Wat and Noen U-Loke were briefly examined but not recorded in as much detail as other sites in this study. The glass bead numbers refer to those that were examined briefly, and the agate/carnelian number refers only to those beads from Ban Non Wat that were analyzed using LA-ICP-MS.

Site Name	Country	Glass	Agate/Carnelian	Garnet	Total
Angkor Borei	Cambodia	15	12	5	32
Bit Meas	Cambodia	5	2	2	9
Krek 52/62	Cambodia	0	1	0	1
Phnom Borei	Cambodia	6	2	0	8
Phum Snay	Cambodia	30	9	0	39
Prei Khmeng	Cambodia	42	1	0	43
Prohear	Cambodia	59	3	2	64
Village 10.8	Cambodia	14	7	4	25
Ban NonWat	Thailand	29	12	0	41
Khao Sam Kaeo	Thailand	0	18	0	18
Noen U-Loke	Thailand	29	0	0	29
Promtin Tai	Thailand	24	13	0	37
Total		253	80	13	346

Table 2.3: Number of stone and glass beads from each site that were analyzed using LA-ICP-MS.




Figure 2.4: Iron Age sites in Cambodia. Those included in this study are marked in red.



Figure 2.5: Sites in Thailand examined as a part of this study.

The eight Cambodian sites in this study make up the most comprehensive examination of Cambodian Iron Age sites thus far undertaken; all eight sites were excavated in the last 20 years. While archaeological research began in Cambodia under French colonial rule during the period of the French Protectorate (1863-1953), only a handful of prehistoric sites were examined, as the

primary focus of research was on Angkorian period temples (Stark 2004: 91). While some Iron Age sites were noted in systematic surveys, the focus of archaeological excavation during this early period was primarily on Neolithic and Bronze Age sites. Archaeological research in Cambodia ceased during the Khmer Rouge period, with only three Cambodian archaeologists in Cambodia surviving the bloodshed (Griffin et al. 1999). The Iron Age sites examined in this dissertation were all excavated in the last twenty years as part of largely international collaborative projects (see Carter et al. 2013). To the best of my knowledge, only three Cambodian Iron Age sites were not included in this study. I was unable to contact the primary investigator of Krosaing Thmei (Figure 2.4), a small site just a few kilometers from the site of Phum Snay (discussed below). However, I was able to obtain an excavation report on the site, which included photographs of the artifacts including stone and glass beads for comparison (Sok Keo 2005). Recently two new projects at the site of Phum Sophy (Figure 2.4), also located near Phum Snay, and Lovea, Siem Reap province (Figure 2.4), have been undertaken. I have been able to examine the bead collections from these sites, however there was not enough time to include these data in my dissertation.

As with Cambodia and other regions of Southeast Asia, early archaeological research in Thailand was largely concerned with documenting architecture and recording art history. Early scholars were aware of prehistoric sites across Thailand; the moated sites of central and Northeast Thailand were first recognized in aerial photographs in the mid 20th century (Williams-Hunt 1950). However, it was not until the 1960s that foreign archaeologists, influenced by the "New Archaeology" movement, began systematically excavating prehistoric sites (Glover 1993; Higham 1989). As Ian Glover notes, "until about 1980 most sustained work in Thai prehistory was carried out by overseas researchers and was published in English, usually in international

journals or monographs published overseas," (1993: 47). Despite this, many Thai archaeologists were trained as a part of these projects and they continued to study and teach archaeology, primarily at Silpakorn University in Bangkok, lead their own excavations, and collaborate with Western researchers. Currently there are hundreds of known Iron Age sites in Thailand and dozens that have been excavated and studied (see Higham 2002; Higham and Thosarat 2012). Unlike Cambodia, archaeological research has been practiced in Thailand continuously and was not dramatically affected by the political conflicts in Southeast Asia during the 1960s and 1970s. The sites included in the current project were all excavated in the last fifteen years (Figure 2.5).

Angkor Borei, Cambodia

Angkor Borei is a walled and moated site measuring over 300 hectares and believed to be the capital of an ancient civilization known to the Chinese as Funan (see discussion in Chapter 1) (Stark 1998). Located in the Mekong Delta, in the province of Takeo, Angkor Borei was well known to early French researchers, however serious archaeological research at Angkor Borei was not undertaken until 1995 by the Lower Mekong Archaeological Project (Griffin et. al 1996; Stark 1998, 2001, 2006a; 2006b; Stark et al. 1999; Stark et al. 2006). Over the course of multiple field seasons several features were excavated or cleared, a 16m trench was dug to examine a portion of the brick wall around the site, three 1x2m units were dug in order to better understand the stratigraphy and a large 2x3m unit was opened to examine a portion of a cemetery (Stark et al. 1999; Stark 2001). A coring program was also undertaken in order to better understand the construction and dating of the canals and paleoenvironment (Bishop et al. 2003, 2004; Sanderson et al. 2003, 2007).

The glass and stone beads from Angkor Borei came entirely from the cemetery excavations, called the Vat Komnou cemetery as they were excavated on the grounds of the local

Buddhist temple called Vat Komnou. Over 1500, beads were recovered primarily from the cemetery matrix with a small proportion of these beads found in burial contexts. Compositional analysis was previously performed on 97 glass beads as part of Laure Dussubieux's doctoral dissertation (Dussubieux 2001). Additionally, a small number of carnelian beads were studied by Robert Theunissen, but not published (Robert Theunissen, personal communication 2010). As part of this dissertation I performed compositional analysis on an additional 15 glass beads that appeared to be unusual or distinct from the types analyzed previously by Dussubieux. Additionally I analyzed the entire collection of stone beads from the site: five garnet beads and 12 agate and carnelian beads.

Phnom Borei, Cambodia

Phnom Borei is a small site located about five kilometers south of Angkor Borei and may have been related to the larger Angkor Borei settlement (Miriam Stark, personal communication 2010). A Cambodian archaeologist, Kaseka Phon, led a survey and excavation of a small 2x4m trench plus a 140x120cm extension, which uncovered nine burials, numerous pottery fragments, iron slag, bronze fragments, animal bones and beads. Ceramics at the site are quite similar to those found at Angkor Borei and radiocarbon dates place Phnom Borei in the last few centuries BC (Phon 2004). A total of 48 glass beads and two stone beads were found during excavations and recorded as part of this study. Both stone beads and six glass beads that represented the range of glass beads found at the site were selected for analysis.

Prohear, Cambodia

The site of Prohear is located in Prey Veng province in southeastern Cambodia. The site is approximately 85 km northeast from Angkor Borei, but still in the Mekong Delta flood plain. In early 2007 villagers found ancient artifacts and began looting the site. Several Cambodian

archaeologists discovered the looting and tried to stop it, but it was not until 2008 that salvage excavations could take place. A joint German-Cambodian team excavated 116.4 square meters in one of the few places that had not yet been destroyed by looting: the main road. From these small excavations 52 burials were uncovered, although only 32 contained human remains (Krais 2010). Additional excavations have increased the total number of burials to 76, however only materials from the initial 52 burials were considered from this site. Included in these burials was an impressive array of grave goods including pottery, approximately 2700 stone and glass beads, and gold, silver, bronze and iron artifacts (Reinecke et al 2009). The cemetery has been dated from 200 BC to AD 100 (Reinecke et al. 2009:100).

Glass beads were common artifacts; of the 52 burials at the site only six partially disturbed burials did not have glass beads (Reinecke et al 2009:118). As part of the current study 550 glass beads held at the Memot Centre for Archaeology were recorded, this represented only apportion of the total number of glass beads found. Of these, 59 glass beads and artifacts including rings, earrings, and bangle fragments were selected for further LA-ICP-MS analysis. There were smaller amounts of agate, carnelian, and garnet beads found at Prohear. Only six carnelian/agate beads and two garnet beads were recorded, although 200 additional garnet beads and many more agate/carnelian beads were reported from later excavations (Andreas Reinecke, personal communication, 2011) and numerous stone beads were found by looters prior to excavation (Reinecke et al. 2009). From this collection, three agate/carnelian beads and both garnet beads were brought to the US for analysis. Based on published descriptions of the additional materials found at the site, I believe the portion of the glass and stone bead collection I recorded and analyzed represented the broad range of beads found at Prohear.

Bit Meas, Cambodia

Bit Meas is a cemetery site located in a small village located eight kilometers southwest of Prohear in the Mekong Delta flood plain. Unfortunately it was almost completely looted by villagers in 2006. The Royal University of Fine Arts undertook a small salvage excavation and recovered few artifacts, but no additional burials were found (Reinecke et al 2009:19-21). Cambodian archaeologists also collected several glass and stone beads from the site. Thirteen beads were recorded and five glass beads, two garnet beads, one agate bead, and one carnelian bead were brought to the United States for LA-ICP-MS analysis. Based on some of the reported finds, including Dongson drums and gold jewelry, as well as the artifact similarity with Prohear, archaeologists believe this site dates to the Iron Age (Reinecke et al. 2009).

Village 10.8, Cambodia

Village 10.8 is a cemetery site located in the red soil region of Cambodia, Kampong Cham province. This is an upland region of Cambodia, approximately 100m above sea level. Village 10.8 is located in a valley in between two streams (Heng 2005). The site was first identified in 2000, and several excavation campaigns in 2001, 2002, and 2004-6 were undertaken by a joint German- Cambodian archaeological team, including the Memot Centre for Archaeology (Heng 2004, 2005). A total of 63 square meters in five locations have been excavated (Heng 2005). Decorations on a Dongson drum found at the site are similar to other designs from the 3rd-1st centuries BC and radiocarbon dates range from 400 BC to AD 50 (Heng 2005). More than 40 burials have been uncovered and 209 glass beads and 64 stone beads held in the collections at the Memot Centre for Archaeology in Phnom Penh were recorded for this study. Eleven of these beads were garnet, eight were agate, and 45 were carnelian. Fourteen glass beads, four garnet beads, and seven agate/carnelian artifacts were selected for compositional analysis.

The objects were selected for compositional analysis as they reflected the diversity of bead types found at the site.

Krek 52/62, Cambodia

Krek is a circular earthwork site located in Kampong Cham province, belonging to the Memotian culture. The site was excavated in 1996 as part of a joint German-Cambodian archaeological project, which excavated over 57 square meters (Albrecht et al. 2001). However, it was within the 9 square meters of Unit II, which sectioned the inner wall and ditch of the earthwork, that a few glass beads and bangle fragments were identified as part of these excavations. Compositional analysis was performed on the glass artifacts by Miriam Haidle and Udo Neumann (2004; Haidle 2001). A garnet bead was also reportedly found at this site (Albrecht et. al 2001; Haidle 2001). While at the Memot Centre in 2008, a single carnelian bead from Krek 52/62 was also located amongst the collections from Village 10.8 and this is the only bead from this site included in the study, however published data on the other materials will be referenced. Dating of earthwork sites has been difficult due to the acidic nature of the soil and the poor preservation of organic remains that could be used in dating. The presence of glass in the upper layers indicates that this portion of the site dates from at least 500 BC.

Prei Khmeng, Cambodia

The site of Prei Khmeng is located in the Angkor plain, just outside of the Tonle Sap Lake flood zone and near the Khmer capital from the 9th to 15th centuries AD. The site is home to a small pre-Angkorian brick tower and lintel, one of the oldest in the Angkor area. Three excavations by the MAFKATA mission (EFEO and Apsara Authority) led by Dr. Christophe Pottier uncovered several prehistoric burials and an occupation area that dates from the 1st-6th centuries AD (Christophe Pottier, personal communication, 2009; Zoppi et al. 2004). A total of

almost 115 square meters was excavated, however the beads came from Units 15/16 (a 5.8x1m trench with a 1.7x1m extension) and Unit 21 (3x3m). Interestingly, nearly all of the beads from this site are glass (n=2056) and it had the highest number of glass beads found at any site in the study, with one burial having over 1700 beads. Of the over 2000 beads recorded from burial contexts, 42 glass beads and artifacts from four different burials were analyzed using LA-ICP-MS in order to reflect the diversity of glass bead types found at this site. A single carnelian bead found in a burial was not examined as it was on display in a museum exhibit. However a small agate manuport was recorded and brought to the US for geochemical analysis.

Phum Snay, Cambodia

Phum Snay is a cemetery site located in a village on the edge of a natural mound and near a small tributary to the Tonle Sap Lake in Banteay Meanchey province in northwest Cambodia. The site was discovered during road construction in 2000 and subsequently looted. Salvage excavations were undertaken in 2001 (5x5m unit) and 2003 (100 square meters excavated), which uncovered numerous burials and grave goods radiocarbon dated to 350 BC- AD 200 (Domett and O'Reilly 2009; O'Reilly and Pheng 2001; O'Reilly et al. 2004; O'Reilly 2004). Phum Snay is perhaps the best-studied Iron Age site in Cambodia and several scholars have examined beads from this site (Gratuze 2005; Lapeteff 2006, 2007, 2009; Sophy 2008; Vanna 2007). Recently, additional excavations have been undertaken by a joint Japanese-Khmer archaeological team (Yasuda et al 2008; Yasuda 2009). Only beads from the 2001 and 2003 excavation collections were analyzed as a part of this study. 285 glass beads, 16 agate, and 34 carnelian beads were recorded. A small number of glass beads from these excavations were not available for study as another researcher was examining them. From this group 30 glass artifacts

and nine agate/carnelian beads were selected for further analysis using LA- ICP-MS in order to reflect the different glass and stone beads types found at the site.

Noen U-Loke, Thailand

Noen U-Loke is a circular moated earthwork site located in the Mun River Valley in the Khorat Plateasu, Nakhon Ratchasima province, Northeast Thailand. Circular, moated earthwork sites are well known in this region and Noen U-Loke is notable for it's multiple moats. The site was initially excavated by a Thai archaeologist who found numerous Iron Age burials with unique grave goods (Higham et al. 2007). Drs. Charles Higham and Rachanie Thosarat led a new excavation campaign over two field seasons (1996-1998), excavating an area of 220 square meters. They found a light Bronze Age deposit and thick Iron Age deposit with five mortuary phases. The numerous agate and carnelian beads from these mortuary contexts have already the focus of previous studies by Robert Theunissen (Theunissen et. al 2000; Theunissen 1997; 1998; 2003; 2007). In addition to the agate and carnelian beads, over 7000 glass beads and artifacts were uncovered from Noen U-Loke (Talbot 2007). Compositional analysis on approximately 50 glass beads and objects were undertaken by Saitowitz and Reid (2001). While their report was admirable, Saitowitz and Reid did not provide a context for the beads they analyzed. Furthermore, compositional analysis of glass artifacts has greatly improved since their initial report, therefore I analyzed an additional 29 glass beads from both burial and non-burial contexts using LA-ICP-MS. In 2010 I also recorded the entire available collection of glass beads and objects from the 1996-1998 excavations, which are now stored at the Phimai National Museum (n=3531). This allowed me to observe some of the glass artifacts that were not described in detail in the Noen U-Loke excavation volume. Although not all of the objects were available for study, this provided a more balanced view of the entire glass collection from Noen U-Loke and

allowed me to make broader hypotheses about the character of the entire glass bead collection from Noen U-Loke.

Ban Non Wat, Thailand

Ban Non Wat is a circular moated earthwork site located just 2 kilometers northeast of Noen U-Loke. 878 square meters were excavated by the Origins of Angkor project directed by Drs. Charles Higham and Rachanie Thosarat from 2000-2008. Ban Non Wat contains both occupation and burial contexts dating from the Neolithic through late Iron Age/Early Historic periods. The extensive excavations have produced a large number of radiocarbon dates, making Ban Non Wat one of the best-dated sites in Southeast Asia (Higham and Higham 2009). Ban Non Wat is also notable for its large number of over 700 burials, which are the focus of several ongoing studies. In 2010 all available glass (n=746) and some of the stone beads from Ban Non Wat were briefly recorded in order to make comparisons within the collection. Twenty-nine glass beads and artifacts and 12 agate and carnelian beads were brought to the US to be analyzed as part of this study. The artifacts came from multiple burial and non-burial contexts from Iron Age layers across the site and were chosen as they characterized the diversity of different bead types found at the site.

Promtin Tai, Thailand

Promtin Tai is an Iron Age- Early Historic period site located in the undulating terrain of Lopburi province, central Thailand (Lertcharnrit 2006). This region lies in the eastern Chao Phraya River Valley and close to the prehistoric copper mining sites of the Khao Wan Prachan Valley. This region contains a variety of environmental zones, from terraces to plains to swamps, and soil types, which has resulted in a diversity of land use practices and cultivation (Eyre 2011). Promtin Tai was initially excavated in 1991 by the Thai Fine Arts Department who focused on

the on a later Ayutthaya period structure (14th- 17th century AD) (Lertcharnrit 2006). However, Iron Age burials and artifacts were also found during this project and so additional excavations were planned by Silpakorn University, led by Dr. Thanik Lertcharnrit in 2004. Since 2004 there have been several field seasons at this site. As part of the current study, approximately 1000 glass and stone artifacts from burials uncovered in the 2007 field season were photographed and recorded. Although there are not yet radiocarbon dates for this site, the beads provided for study were from the lower layers of the site believed to belong to the Iron Age period (Thanik Lertcharnrit, personal communication 2008). Twenty-four glass artifacts and 13 agate and carnelian beads largely from burial contexts were analyzed using LA-ICP-MS. Beads were chosen to reflect the diverse stone and glass bead types found at Promtin Tai.

Khao Sam Kaeo, Thailand

Khao Sam Kaeo is an Iron Age archaeological site located on the Kra Isthmus in the Thai-Malay peninsula. The Kra Isthmus is the narrowest point in the peninsula and was strategically located along an overland route between the Bay of Bengal and the Gulf of Siam (Bellina and Silapanth 2008). The site itself is on four hills along the banks of the Tha Thapao River. Khao Sam Kaeo has been heavily looted, however excavations totally 324 square meters by a Thai-French archaeological team from 2002-2005 have turned up evidence for metallurgy as well as waste material from the manufacture of both stone beads and glass objects (Bellina and Silapanth 2008). The presence of stone waste material and unfinished agate and carnelian beads has led researchers to hypothesize that there were South Asian craftsmen living and working at the site (Bellina 2007, 2001; Glover and Bellina 2011). Additionally, analysis of the glass artifacts from the site may indicate some connections with northern India, although this is still under debate (see Lankton et. al 2008). Unfortunately, artifacts from the recent excavations

have been acquisitioned by the local museum, making them unavailable for study. However, a Thai bead collector, Dr. Bunchar Pongpanich, obtained many beads and artifacts from the local villagers, which currently belong to the Suthiratana Foundation. Dr. Berenice Bellina brought several of these artifacts to the site of Khao Sam Kaeo and had villagers identify the locations from where the beads came, providing some context for a few of these materials. The locations largely appear to be occupation or manufacturing areas. Eighteen of these agate and carnelian beads, some of which were unfinished brought to the US for LA-ICP-MS analysis. These beads were selected by Bellina from the Suthiratana Foundation collection as they represented some of the different finished and unfinished types from the site, but were not among the more valuable objects in the collection.

Conclusion

In this chapter I have provided a background to the Southeast Asia, including the environmental zones and important natural resources used in trade. This was followed by a discussion of the chronological framework and an introduction to the different cultural groups present in Iron Age Southeast in which sites in this study were members or with whom they interacted. These data are summarized in Table 2.4. Several sites, such as the sites in southeast Cambodia, Phum Snay and Prei Khmeng have not yet been assigned to a specific regional culture group, however in the final chapter I discuss possible cultural groups they may belong to or were interacting with in more detail.

This study is the most comprehensive analysis of Iron Age sites in Cambodia thus far undertaken. In contrast, the four Thai sites were included opportunistically and while they are not a representative sample of all Thai Iron Age sites these four sites contained important stone and glass bead collections that allowed me to test the extent of the Mekong Delta's influence in the

long-distance trade of stone and glass beads as well as providing evidence for the influence of other stone and glass bead trade networks outside of the Mekong Delta. Khao Sam Kaeo in peninsular Thailand was already known for being an important trading center and bead production center. By examining the stone beads from this site, I am specifically testing questions regarding stone sources used in the local production of beads and how and where these finished products may have been traded. Promtin Tai, in central Thailand, was included as later mid-first millennium AD archaeological evidence suggests interaction between communities in this area and those in the Mekong Delta (Indrawooth 2004). An examination of glass and stone beads from Promtin Tai allows for a study of the time depth of these interaction networks and an examination of the role other overland trade networks from the west may have played at this site. In Northeast Thailand, Ban Non Wat and Noen U-Loke also have evidence for interaction with the Mekong Delta that I wanted to explore further. Additionally, these sites have undergone intensive and careful excavations with carefully seriated burials that span the entire Iron Age. This unique dataset provides for a more careful consideration of the changing trade networks over time. Combined with previously published data on other Thai Iron Age sites, these dataset provides a comprehensive analysis of Iron Age stone and glass bead trade networks

Site Name	Dates	Location	Cultural Group	Notes
Angkor	200 BC- AD 200	Mekong Delta	Mekong	
Borei,	(Vat Komnou	Flood Plain	Delta/Funan	
Cambodia	cemetery)			
Phnom	Approx.	Mekong Delta	Mekong	
Borei,	200 BC – 0 AD	Flood Plain	Delta/Funan	
Cambodia				
Prohear,	200 BC – AD 200	Mekong Delta		Southeast
Cambodia		Flood Plain		Cambodia
				group
Bit Meas,	Contemporary	Mekong Delta		Southeast
Cambodia	with Prohear?	Flood Plain		Cambodia
				group
Village	400 BC – AD 50	Red soil region		Southeast
10.8,		Upland region		Cambodia
Cambodia				group
Krek 52/62	Approx. 500 BC	Red soil region		Southeast
				Cambodia
				group
Prei	1 st -6 th centuries	Angkor plain, just		See Chapter 9
Khmeng,	AD	outside of Tonle		for more on
Cambodia		Sap flood zone		cultural group
Phum Snay,	350 BC – AD 200	Natural hill near		Possible
Cambodia		tributary to Tonle		connection with
		Sap Lake		Mun/Chi
		_		moated sites
Noen U-	400 BC – AD 500	Khorat	Moated sites in	
Loke,		Plateau/Mun River	Mun/Chi River	
Thailand		Valley	Valleys	
Ban	400 BC – AD 500	Khorat	Moated sites in	
NonWat,		Plateau/Mun River	Mun/Chi River	
Thailand		Valley	Valleys	
Promtin Tai,	500 BC – 500 AD	Undulating terrain	Chao	
Thailand		of the east Chau	Phraya/Central	
		Phraya River	Thailand	
		Valley		
Khao Sam	4 th – 2 nd century	Hills in inner	Thai/Malay	
Kaeo,	BC	portion of	Peninsula	
Thailand		Thai/Malay		
		peninsula		
		(Kra Isthmus)		

Table 2.4: Summary of the sites in this study, their dates, locations, and culture groups to which they belong.

At each site, I aimed to examine as many stone and glass beads as possible. At six of the 12 sites (Angkor Borei, Phnom Borei, Village 10.8, Prei Khmeng, Phum Snay, and Promtin Tai) I was able to record in detail the entire excavated collection of stone and glass beads. The entire collection of stone and glass beads from Prohear was not available for study, however I was able to examine a large number of materials from this site and have supplemented my analyses with published data and discussions with the excavators. I believe my conclusions about the stone and glass beads from Prohear do reflect the overall bead collection excavated from this site. Bit Meas was heavily looted and so the beads from this site are not believed to represent what might have been found had the site not been destroyed. Nevertheless, I believe the few beads analyzed give a preliminary understanding as to how the beads from Bit Meas fit into broader bead exchange patterns. Khao Sam Kaeo was also heavily looted and although I was able to see and photograph many beads from this site, the stone beads analyzed in this study likely only represent a small fraction of the bead types and diversity found at this site. Only one stone bead was analyzed from Krek 52/62 making it difficult to make conclusions about the stone beads at this site. However I also relied on published data on the glass artifacts in order to fit this site into broader patterns of stone and glass bead exchange. Stone and glass beads from Ban Non Wat were not recorded in as much depth as other sites in the study due to time limitations, however I was able to examine the entire collection from this site. Stone beads were not examined from Noen U-Loke as they had been previously studied by another researcher (Theunissen 2003) and Charles Higham initially chose the glass beads that underwent compositional analysis. However, I was able to examine most of the remaining glass bead collection held in the Phimai National Museum, and from that gained a better understanding of the overall glass bead collection at the site. At all sites, the stone and glass beads selected for LA-ICP-MS analyses were chosen to reflect the

diversity of bead types found at a particular site (discussed further in Chapters 6-8). As archaeologists were are always dealing with an incomplete record, nevertheless I made every effort to undertake as comprehensive analyses on the stone and glass bead collections as possible and I believe the conclusions drawn in this study are representative of these collections.

This study is not a complete examination of Iron Age trade networks and there are several gaps that still need to be filled. Myanmar was likely an important crossroads for stone and glass beads from India as well as a likely source of agate and carnelian beads. While there have been some preliminary studies on these material for Myanmar (e.g. Cambell Cole 2003; Moore and Tan 2008) it is not yet clear how widespread these artifacts were traded. Additionally, archaeological research on Iron Age sites in Laos is in its infancy and little is known about beads found at sites in this adjacent region. Lastly, while there has been extensive archaeological research on Iron Age sites in Vietnam, there have been few studies published in English and Vietnamese publications often lack adequate photographs of the stone and glass beads found at these sites. While some compositional research has been done on glass beads in Vietnam (Brabander 2008), additional research is needed on many of the important coastal trading and possible bead production sites. However, I believe that my current dissertation research provides a strong foundation for future studies that will eventually include these data from other regions. In the next chapter, I shift my focus to discussing trade, exchange, and interaction networks in Southeast Asia and how these changing networks may have facilitated the emergence of complexity and early states.

Chapter 3: The Emergence of Complexity in Southeast Asia and the Role of Trade and Exchange

The role of trade has been central to theories regarding the emergence of socio-political complexity in Southeast Asia. This chapter provides a review of these theories, beginning with a discussion of the prestige goods exchange networks of the late Bronze and early Iron Age periods, dating to approximately 600 BC. During this period, objects such as nephrite ear ornaments were traded in a widespread network that appears to have connected elites across a broad area. These networks are important as they demonstrate emerging hierarchies and the presence of advanced craft production technology in certain regions of Southeast Asia. Evidence presented later in this dissertation demonstrates that during the early Iron Age glass and stone beads were entering into these preexisting exchange networks. This discussion is followed by a review of recent work by Bellina and Glover (2004) showing evidence for two phases of trade with South Asia during the Iron Age. Stone and glass bead data presented in later chapters provides additional evidence for these changing trade networks, and this process in turn has implications for the emergence of socio-political complexity in the Mekong Delta.

Following this review, I examine how previous scholars, both historical and archaeological, have described the processes of emerging complexity in Southeast Asia and the role that long-distance trade, specifically with South Asia, had in this process. Evidence for emerging complexity in regions of Southeast Asia that did not have direct contact with South Asia is also discussed. Lastly, I focus on the role that beads played within these interaction networks and how the current study builds and expands on earlier research.

Exchange in Southeast Asia prior to the Iron Age

Southeast Asian people were participating in widespread exchange networks long before contact with South Asia. The presence of specific archaeological artifacts at sites across island and mainland Southeast Asia suggests widespread interaction between these regions for several thousand years. During the Upper Paleolithic period (30,000-20,000 BP) stone artifacts, classified as Hoabinhian type or Hoabinhian culture, were widespread across Southeast Asia until approximately 5000 BP. Hoabinhian artifacts have been found as far as Australia from approximately 15,000 BP (Bowdler 2006). While scholars acknowledge Hoabinhian artifacts were locally made, some scholars have suggested that the widespread distribution of Hoabinhian artifacts across Southeast Asia and Australia could be evidence for an early "chain of connection, through which ideas and ideologies circulated along with other, probably perishable, material goods," (Bowdler 2006: 357). By 1500-1000 BC Southeast Asian people were regularly traveling great distances across the open ocean and beginning to populate the remote Polynesian islands (Bellwood 2004).




Figure 3.1:Map of sites discussed in this chapter

Regional interaction networks within mainland Southeast Asia continued during the Neolithic (2500-1500/1000 BC) and Bronze Age (1500/1000-500 BC) periods, especially in the trade and exchange of prestige goods and personal ornaments. Shell was an important early trade item. The site of Khok Phanom Di, Thailand, which dates to from 2000-1500 BC, marks the transition from hunter-gatherers to early Neolithic farming communities. Shell objects, especially beads, were found in large numbers in many burials, and one exceptional burial had over 120,000 shell disc beads interred with the dead (Higham and Thosarat 1994). However the Conus and Tridacna shell from which they were made most likely traded-in from the Thai peninsula (Chang 2001; Pilditch 1993). During the Bronze Age period, marine shell objects, especially bangles, were popular at inland sites in Northeast Thailand. Some items such as Trochus shell bangles may have been transported via down-the-line exchange from the Mekong Delta, up the Mekong River, and to Northeast Thailand via the Mun River (Chang 2001:121). However, not all sites had access to this trade network, as the coastal sites of Khok Phanom Di and the nearby coastal site of Nong Nor had no Trochus shell bangles. This difference may be evidence of "separate marine catchments being exploited by the Central and Northeast Thai communities," (Chang 2001: 86). This evidence suggests that distinct regional interaction networks were already in play by the Bronze Age period.



Figure 3.2: Example of a T-section bangle excavated at Ban Non Wat in February 2007.

The distribution of certain bangle styles also indicates the widespread knowledge and popularity of a type of personal ornament. Numerous T-section bangles, made from a variety of materials, including glass, stone, and bronze, have been found at Bronze Age sites across mainland Southeast Asia, and may have originated in China (Figure 3.2)(Chang 2001). T-section bangles made from clay have been found at Non Mak La and Ban Lum Khao, Thailand (Chang and Voelker 2003). At Nong Nor, stone T-section bangles were made from serpentine, marble, and talc (Chang 2001). The serpentine bangles may have been imported from northern Vietnam, as a nephrite bangle workshop has been discovered there (Chang 2001: 89; Nguyen 1996). These bangles indicate the broad connections and communication networks between regions across East and Southeast Asia. During the next phase, exchange patterns continued to connect broad regions of Southeast Asia, however the introduction of more elaborate prestige goods appears to connect *elites* in different communities to one another.

Prestige good trade in Southeast Asia in the late Bronze and early Iron Age periods

During the late Bronze and early Iron Age periods we see the emergence of several types of prestige good objects that connect communities and groups of elites across mainland and insular Southeast Asia. These trade networks roughly coincided with early, but not yet intensive, contact with South Asia and especially connected coastal sites bordering the South China Sea. Objects in these trade networks traveled over great distances, likely through a series of "interconnected local networks," as opposed to direct long-distance exchange between coastal polities (Manguin 2004: 283). I argue that during the early Iron Age, glass and stone beads entered into these same prestige goods exchange networks. In this section, I discuss one example of a type of prestige object traded during this period: nephrite ear ornaments. This discussion highlights the nature of early coastal exchange networks that connected coastal sites in mainland

and island Southeast Asia and provides a foundation for understanding the early exchange of stone and glass beads from South Asia.

Nephrite ear ornaments

As archaeological research in Southeast Asia expanded, scholars began to notice the widespread distribution of several types of nephrite ear ornaments: the lingling-o and the double-headed or bi-cephalous earring (Loofs-Wissowa 1982; Solheim 1984). While most lingling-o and bi-cephalous earrings were made from nephrite, there have also been examples found made from glass, carnelian, and clay (Loofs-Wissowa 1982; Reinecke 1996). The lingling-o earring is a round shape with three protrusions, two on the side and one on the bottom, and a slit on the top to place in the ear (Figure 3.3). The lingling-o in particular has been described as "the most widespread form of jade ornament in Southeast Asia," (Hung et al. 2007). The bi-cephalous earrings are H-shaped, with the animal heads on each end of the earring and a long stem in the center used to place in the ear (Figure 3.4). Scholars have noted that the despite being found across Southeast Asia, the earrings appear to be fairly standardized in their size, style, and manufacturing methods (Hung and Bellwood 2010).

Both ornament types have been found at sites across the South China Sea, especially in Vietnam and the Philippines. Some nephrite ornaments have been found as far inland as Samrong Sen, Cambodia (Loofs-Wissowa 1982). Scholars have suggested that these earrings were important prestige objects for Southeast Asian communities, especially due to their relative rarity (Bellina 2007). Reinecke notes that bi-cephalous ear ornaments have been found with rich burials at sites in Vietnam, indicating, "earrings were worn by men who held outstanding positions or performed special activities (1996: 8). The ear ornaments are most commonly found in jar burials in Sa Huynh cultural contexts (Reinecke 1996; Southworth 2004). As discussed in

the previous chapter, the Sa Huynh culture is primarily known from jar burial sites found on the coasts of central and southern Vietnam from approximately 500 BC- AD 100 (Southworth 2004). The similarities between the nephrite objects found in Vietnam and the Philippines reinforced connections first identified based on similar pottery assemblages that Solheim called the Sa-Huynh-Kalanay pottery tradition (1964). Similar pottery and nephrite ear ornaments have also been reported in Indonesia, and peninsular Thailand (Hung and Bellwood 2010). The Sa Huynh people appear to have been extremely active in maritime trade across the South China Sea network.



Figure 3.3: Example of lingling-o ear ornaments. Image courtesy of Andreas Reinecke.




Figure 3.4: Example of a bi-cephalous double animal headed ear ornament, scale in cm. Image on the left courtesy of Andreas Reinecke. Drawing on the right of a similar pendant from Hung and Bellwood 2010:234.

Drawing by P. Madavi.

Recent compositional studies have indicated that most of the raw materials for these objects were coming from Taiwan, specifically from the Fengtian nephrite source (Hung et al. 2007). In fact, a recent study by Hsia-Chun Hung and others (2007) suggested that nephrite artifacts were traded between Taiwan and the Philippines as far back as the Neolithic period (approximately 3000 BC). It is interesting to note that there is no evidence for the manufacture of these items in Taiwan, leading the researchers to suggest raw material blanks were exported to regions "where artisans manufactured artifacts to local taste," (Hung et al. 2007: 19746). While other local nephrite sources in Vietnam and the Philippines may have been used to make similar objects, the overwhelming majority appears to derive from this Taiwanese source.

Craft production workshops for the nephrite ear ornaments have been found on islands off the coast of Taiwan, the Philippines, Vietnam, and possibly peninsular Thailand (Hung et al. 2007: 19749). It appears that blanks were being exported from the nephrite source in Taiwan to these manufacturing centers. Hung and others (2007: 19749) have proposed that these earrings were being produced by "itinerant jade craftsmen" who acquired jade from the source either directly or indirectly, and then "traveled to and/or resided along the shorelines of the South China Sea to produce extremely uniform jade ornaments to suit the demands of local elites." The predominant use of jade from a single source as well as the standardization of the products indicates a high-level of specialization, however it should be remembered that this is not necessarily reflective of the presence of a complex society (Kenoyer et al. 1991). The itinerant nature of the craftsmen also indicates that they were not attached to an elite patron who controlled the production of these objects. However, the rarity of these objects and their association with high-status individuals points toward some amount of control over their distribution. It appears that there were more formalized trade networks connecting the coastal

manufacturing centers with the raw material source, while the distribution of finished products, especially to sites further inland may have been through down-the-line exchange networks.

The Vietnamese scholar Lam Thi My Dzung (2011: 11) has argued that the exotic long-distance exchange goods from India (and China in the case of many Vietnamese sites) were incorporated into the "pre-existing infrastructure of Southeast Asian networks." Furthermore, that these networks were evidence for emerging social stratification and growth of trade networks prior to contact with South or East Asia (Dzung 2011). I agree with Dzung's statements and argue that evidence presented in this dissertation indicates that particular types of stone and glass beads were a part of these early Iron Age exchange networks. However, by the later Iron Age period both trade networks and the type of beads available appear to change. Additionally, sites that had not been previously a part of these early coastal exchange networks begin to participate in these newly expanded bead trade networks. It is during this period that interaction with South Asia also appears to intensify.

Changing phases of trade with South Asia during the Iron Age

Some of the most important recent archaeological research on the nature of trade between South and Southeast Asia has identified two distinct phases of contact (Bellina and Glover 2004). Based on the examination of imported artifacts from numerous Southeast Asian archaeological sites, Bellina and Glover (2004) noted that during the earlier phase, Phase 1 (fourth century BC to second century AD), exchange with South Asia was less intense, with diverse artifacts but in small quantities, including pottery, bronze containers, stone and glass beads, and coins and intaglios. These objects frequently are found in what have been called "non-Indianized" contexts, such as burials (Bellina and Glover 2004:73). During Phase 2 (second-fourth centuries AD), exchange between the two regions as well as within Southeast Asia increased dramatically.

During this period there was greater quantities of Indian objects found at sites in Southeast Asia, but less diversity in the types of objects, and in the case of stone beads, decreased quality (Bellina 2003). Stark has also proposed a third phase of interaction with South Asia after the fourth century AD, consisting of "intensified ideological contact," (2006: 411).

Bellina (2003,2007) specifically identified morphological and technological differences in the agate and carnelian beads between the two phases (discussed further in Chapter 5). Recent research on the chemical composition of glass artifact has also identified a shift in the type of glass beads being traded over time (Lankton and Dussubieux 2006, 2013)(discussed further in Chapter 7). The archaeological identification of these phases of interaction is significant as it highlights the evolving and changing nature of trade and interaction with South Asia over time. Stone and glass beads are especially important artifacts for identifying these changing trade networks. I argue that bead collections from Cambodia and Thailand examined as part of this study clearly demonstrate a sites participation in either Phase 1 or Phase 2 trade networks. Furthermore, I argue that it is the shift to Phase 2 trade that allows elites in the Mekong Delta to begin expanding their power. I will return to the discussion of these changing trade networks following a review of earlier theories regarding the emergence of socio-political development and exchange in the Iron Age and the impact and influence of South Asia on these processes.

Socio-political development and exchange in the Iron Age

Although recent research by Higham (2011) suggests that there was a brief florescence of social inequality during the Bronze Age period, there was no sustained socio-political hierarchy and the emergence of early states likely did not occur until the Iron Age period in the first millennium AD. For many years, these early polities were known only from Chinese historical documents and inscriptions found in both Sanskrit and local languages. For this reason, some of

the earliest hypotheses regarding the emergence of complex societies were proposed by historians and only later amended by archaeologists. The polity known as Funan was frequently discussed as a case study for the emergence of states, with some scholars arguing it was the first true state in Southeast Asia (Hall 1982, 1985). This was largely due to the availability of Chinese historical documents, inscriptions, and archaeological evidence from the site of Oc Eo. These excavations confirmed the presence of an important trading center in the Mekong Delta, which allowed historians to use written evidence to speculate on the appearance and organization of this early complex polity. In the section below, models proposed by historians for the emergence of socio-political complexity in early Southeast Asia are reviewed. It should be noted that most scholars have focused on the role of trade and long-distance contact in the emergence of socio-political complexity, especially in the Mekong Delta. However, it is acknowledged that other factors, such as peer-polity interaction or warfare, can also be considered causal factors in the emergence of complex societies. These alternative influences appear to have been at play in other regions of Southeast Asia and will be discussed later in this chapter.

The historical perspective: Indianization

Due to a relative lack of archaeological evidence from Iron Age and prehistoric sites and abundant literary evidence of states and empires that had been influenced by India, early scholars such as the French scholar George Coedès (1968) assumed that Southeast Asia had not reached socio-political complexity until coming into contact with South Asia. Many historians (Kulke 1990; Mabbett 1997; Van Leur 1955, Wheatley 1879, 1983) have generally tried to explain this process by arguing that the adaptation of Indian ideas of kingship and religion allowed for the expansion and consolidation of political power by elites in Southeast Asian communities. These states were described as having been "Indianized" (Coedès 1968). The so-called "Indianized"

states of Southeast Asia were first regionally synthesized and examined in 1944 by Coedès (1968), who hypothesized that the earliest visitors to Southeast Asia may have been merchants who came "without a preconceived plan" (Coedès 1968:23). These were soon followed by members of Indian society who had a greater knowledge and understanding of religion and Sanskrit. He argued (Coedès 1968:24) that the establishment of a kingdom or state happened in one of two ways. Either an Indian declared himself king and ruled over the native peoples, or an indigenous chief "adopted the civilization of the foreigners, strengthening his power by becoming Indianized." Coedès claimed that merchants, ritual specialists or Brahmans, and other travelers from India had a civilizing influence on the peoples of Southeast Asia and were responsible for the emergence of states and cities in this area. However, he acknowledges that the native peoples retained much of their own indigenous culture giving each "Indianized" state a "certain measure of originality," (Coedès 1968: 13, 35).

Scholars like J.C. Van Leur have rejected Coedès assertions that Southeast Asians had little agency and were merely vessels for Indian ideas about politics and culture.

Van Leur (1955: 99) observed that most early contact with Southeast Asia was from South Asian traders, who would not have been familiar with or qualified to transmit ritual and religious ideology or ritually legitimate early rulers. Only Brahmans would have been qualified to do this and Southeast Asian rulers specifically invited Brahmans "for the magical, sacral legitimation of dynastic interests and the domestication of subjects, and probably for the organization of the ruler's territory into a state," (Van Leur 1955:104). In Van Leur's model, Brahmanical Indian religion and conceptions of kingship were needed to transform a chiefdom into a state, but this process was entirely initiated and controlled by Southeast Asians who were active participants in the process.

The historian and geographer Paul Wheatley (1979,1982, 1983) argued for a similar process in his studies on the origins of urbanism in Southeast Asia. For Wheatley (1979, 1983), the process of urbanization began when local Southeast Asian village chiefs adopted Indian concepts of kingship in order to expand their political power. These concepts of kingship were almost always associated with the Hindu god Siva. As Wheatley (1979: 295) succinctly stated, the Indian conception of kingship would have been "a political device especially attractive to village chieftains in situations in which the egalitarian solidarity of tribal society was proving incapable of extending authority to validate the power required for the institutionalization of supra-village rule." The adoption of this new type of leadership would have instituted a suite of organizational changes, including the presence of craftsmen to make royal prestige goods, a military to guard the royal court, the building of defensive structures, and a farming class that provided a surplus to the royal court. These changes resulted in what Wheatley called a *nagara*, or ceremonial city, that was a focal point on a landscape (1979; 1983). Wheatley acknowledged that local chiefs could have begun a process of social differentiation through a control of involvement in trade or improvement of agricultural technology, but it was the Indian concept of kingship that had the biggest impact on sociopolitical development in Southeast Asia and the origins of urbanism. However, it should be noted that Wheatley (1983:11) was reluctant to call these early polities states and adopted Service's view that chiefdoms are differentiated from states by their "lack of a formal legal apparatus of forceful repression."

The historian O.W. Wolters (1999: 110) has also argued that indigenous peoples of Southeast Asia selectively adopted traits of Indian culture, a process he calls "self-Hinduization." Wolters argues that the *bhakti* movement in India made Hinduism especially appealing to Southeast Asian peoples, specifically with regard to the god Siva. Drawing on ethnographic data,

Wolters suggests that the bilateral kinship network of Southeast Asian peoples meant that they did not emphasize ancestry and lineage. Instead, achieved status was considered to be more important. "All people were believed to be endowed with an innate spiritual property but in greatly varying degrees, and personal achievement and leadership clearly signified a superior and potent spiritual influence," (Wolters1999: 112). These people have been termed "men of prowess" by Wolters. According to Wolters the *bhakti* movement with its emphasis on the spiritual power of Siva, made it easy for local leaders to come to be seen as powerful and Sivalike. Chiefs maintained power through alliances and coercive power, as well as communicating their status as a person of prowess via the written and spoken word (Wolters 1999:118).

Although Wolters does not specifically discuss how this process relates to the formation of the first cities, his model for the emergence of powerful local chiefs has been influential in discussions of state formation (Bayard 1992; Reynolds 1995). Wolters' model provides an alternative view for how indigenous Southeast Asians may have been incorporating aspects of Indian culture into their lives, and how this was changing preexisting social organization.

The scholar Ian Mabbett (1977a, 1877b) synthesized the available historical and archaeological data in a pair of essays on the "Indianization" of Southeast Asia. He made a salient point that all of the historical sources describe polities after they had been "Indianized," but do not describe the process of "Indianization" itself. For this reason, he argued, "the various theories that have been offered are speculation," (Mabbett 1977b: 155). Instead Mabbett believes that the actual process may have been a mix of all the proposed theories. He also reminded scholars that India was not a monolith and itself was undergoing a process of "Sanskritization," in which parts of southern India were being influenced by the Hindu and Buddhist ideologies of the North. It may be that the Indian people in Southeast Asia may have "consisted very largely

of the people from communities being Sanskritized rather than the agents of Sanskritization," (Mabbett 1977b: 161). Mabbett (1977a: 13) also argued that when these early trading center polities were flourishing, "the greater part of the population of the region continued its ways of life with little change." Interaction with South Asia was not uniform and the consequences of this contact were not uniform as well. This is an important point to remember as we review the archaeological evidence; so little archaeological work has been done in the region that research undertaken at only a handful of locations often becomes a proxy for what is happening across Mainland Southeast Asia.

More recently, Ian Mabbett has attempted to address why the adoption and adaptation of Indian culture would be so appealing to Southeast Asian people. Mabbett (1997: 350) notes, "a plausible speculation yet has to be advanced to describe the cultural mechanism that gave importance to Indian culture in Southeast Asian kingdoms." In order to answer this question, Mabbett proposed a loose hypothesis that contended that as rulers gained power and expanded their control over territories; the new communities needed a way to become a part of the larger community. These small communities needed to redefine their identities and Mabbett (1997: 351) argued, "Indian culture... furnished a rich storehouse of legend and cosmology permanently capable of supplying new variations upon existing traditions and could supply the vocabulary for the process of self-redefinition." This process had happened at multiple times and places across India, and then spread into Southeast Asia. In this way he proposed that the process of "Indianization" was responding to a need, not an imposition.

Mabbett's hypothesis drew from an earlier work by Hermann Kulke (1990), who argued for "cultural convergence" between South and Southeast Asia. Kulke reflects on earlier models by both archaeologists and historians, but highlights two early inscriptions to illustrate his point.

These inscriptions describe early Southeast Asian leaders whose family lineages had risen to power and who had begun to expand their territory over neighboring communities. Kulke (1990: 20) argued that emergence of these chiefdoms was not related to Indian influence, however he noted, "at a certain stage of this development Brahmins 'came hither' in order to legitimize the new status and wealth of these chiefs." Kulke argued that this same process was happening in eastern and southern India, as states from north India moved into these regions. However, it was not the north Indian polities who were moving in to Southeast Asia, but these emerging polities in eastern and southern India who were making the primary contact with their Southeast Asian neighbors. The Brahmins who came from these India communities were from "princely courts whose rulers were still facing quite similar problems of establishing their authority and 'domesticating' their people," (Kulke 1990:28). In this way, Southeast Asians adapted Indian concepts of kingship and religion easily. Not because their societies were so different, but because of a "social nearness" and similarity in social change with the South Asian communities with which they were interacting (Kulke 1990: 28).

The historian Kenneth Hall (1985) also discussed a similarity between the process of "Sanskritization" in southern India and the Indianization of Southeast Asia. However, Hall is also one of the few historians to look more closely at the economic aspects of the emergence of complex polities, and has drawn on archaeological evidence from excavations at Oc Eo, Vietnam to supplement his argument. In his model for the growth of Funan, Hall argued that it was the influence of traders who brought about the process of Indianization. Funan's leaders attracted traders to dock at their port by providing an agricultural base with which to feed traders and a safe port where they would not be threatened. Hall (1982: 88) argued that it was an ability to control both an agricultural base as well as a seaport that "allowed this ruler to use revenues

derived from these two income sources to establish supremacy over his fellow chiefs." These leaders had control over human resources that could construct hydraulic systems for greater irrigation and could be mobilized as an army. As part of having a successful port, leaders were able to collect profits both in the material goods being traded as well as being exposed to new ideas and "new perceptions of the world" (Hall 1982:86). These material goods could be used as status markers over other competing elites. However, as leaders attempted to expand their power they found that "society's norms restricted [their] ambition" leaving him to turn towards Indian models of kingship (Hall 1982:86).

These historical models draw heavily from Chinese historical documents, oral histories, and analogy with southern India. Many scholars have reviewed and critiqued these models recognizing they were incomplete, but without providing any new models of their own (e.g. Bayard 1992; Bentley 1986; Reynolds 1995; Winzeler 1976). Although some scholars took into account some of the limited archaeological evidence from the Iron Age period, historical hypotheses have focused largely on the intangible process of adopting Indian ideas about religion and kingship, which is not well represented in the archaeological record. As Stark has noted, it is important for archaeologists to consider these historical models, not in order to *prove* them, but as hypotheses to be tested using the archaeological record (1998). However, by the 1980s, the emerging archaeological evidence coming out of Southeast Asia could not be ignored (Bentley 1986). In the next section I discuss in more detail the archaeological perspectives on the emergence of complexity in Southeast Asia.

The archaeological perspective

Material evidence for contact between South and Southeast Asia has resulted in archaeological models that have focused on the role of trade and exchange in the emergence of

states. Several archaeologists have critiqued our ability to accurately understand what was happening in Southeast Asia based solely on archaeological evidence (Bayard 1992; Manguin 2000), however this has not prevented scholars from proposing models based on existing evidence. Nevertheless, archaeologists have generally been more cautious in describing the socio-political complexity of Iron Age communities they are studying, in contrast to historians who have discussed early polities such as Funan as a state (e.g. Hall 1982, 1985). Additionally based on research in Northeast Thailand, archaeologists have proposed that the process of emerging complexity was happening differently in the inland versus coastal areas.

Emergence of complexity and states in coastal areas

Bennet Bronson (1977:39) was amongst the first archaeologists to propose a model for state development, focusing on coastal Southeast Asia. At that time he considered his model to be "speculative" and noted that "hard data through which it can be tested do not yet exist." The model was based on the observation that regions in insular and peninsula Southeast Asia were different from the mainland in that there coastlines were not well populated and the inland areas were not ideal agricultural zones. The states that developed in these regions were economically dependent on trade, primarily through water networks. A center would develop at the mouth of a major river system as it drains into the sea. Goods from secondary centers and other more remote communities would move down the river system and out to an overseas center, the primary consumer of these products. The primary center at the mouth of the river basin would control the movement of overseas goods upstream to the secondary centers as well as the goods that moved downstream and out to the overseas consumers. As new archaeological data has come to light, Bronson's hypothesis has been expanded by several archaeologists working in peninsular and island Southeast Asia (see Christie 1990; Junker 1994; Manguin 2000).

Although Bronson's model was provisional, ongoing research during the 1980s were highlighting the early and consistent contact with South Asia, and these data needed to be taken into account. Ian Glover was one of the first archaeologists to synthesize a great deal of the archaeological evidence for contact with South Asia in Southeast Asia (1989; 1996). In his work he argued that the great quantity of materials from South Asia found at Southeast Asian sites indicated the presence of regular interaction and exchange during the late first millennium BC, centuries earlier than previous scholars had speculated (Glover 1989: 4). These long-distance trade networks connected Southeast Asia to Rome via India and in the other direction to China, which Glover (1989: 12) argued was the first World System. In this model the pre-existing, localized, down-the-line exchange networks in place in Southeast Asia since the late third millennium BC were replaced by new long-distance trade networks with India. Glover (1989: 3) describes these new networks as being "approximate to Renfrew's 'Middleman Trading', and 'Port of Trade' modes." Additionally, the identification of several artifacts specific to Indian Buddhism, including a carved carnelian lion bead and bronze knobbed ware bowls, pointed toward the presence of Buddhist missionaries in addition to traders (Glover 1989: 47). Unfortunately, Glover's model in this iteration was only loosely formulated. He did not provide a hypothesis on how Southeast Asians integrated this new system into their pre-existing localized exchange networks. Glover also did not discuss how participation in this network would have affected socio-political organization in Southeast Asia.

The archaeologist Jan Wisseman Christie (1990, 1995) has explored state formation in maritime Southeast Asia in more depth. Christie (1990: 42) argues that emerging complexity and processes leading to state formation in this region may have been beginning prior to Indianization. However, she also added that "long-distance sea trade itself played an key role in

stimulating political development which eventually led to the formation of states," (1995:244). As evidence for this, she points out that the Malacca Straits and the south Java Sea regions had the largest numbers of trade goods and trading activity in the maritime region during the late first millennium BC, and are also the location where the earliest maritime states emerged, although more recent work in the Mekong Delta suggests that state formation could have been happening contemporaneously in this region. In Christie's model these regions both began participating in external trade that brought in new and exotic luxury goods. The presence of these new good spurred a swift change in political organization. Elites in coastal areas could control the trade of these new luxury objects in exchange for products from inland regions. During the second stage of Christie's model (200 BC- AD 300), the maritime area's trading partners were undergoing their own changes as northern Vietnam was conquered by the Han Chinese and Indians began to trade more extensively with Rome. It was at this point that Southeast Asia became part of the expanding maritime trading system that reached from the Mediterranean to China. During the third stage, AD 300-600, several fully formed states had emerged in the maritime regions that were influenced by the spread of Hinduism and Buddhism. However differences between regions in the maritime area also began to emerge, as parts of Java and Bali began to diversify their economy through rice agriculture and the spice trade (Christie 1995: 278-9).

Despite the influence of exotic luxury goods and long-distance trade, Christie also emphasized the importance of peer-polity interaction within the maritime region. She argues that much of the early trade in the Bay of Bengal region may have been transported on Malay or Indonesian ships. She notes that the rapid transmission of new ideas and information across this region suggests, "the carriers of most of this trade were members of maritime Southeast Asian communities rather than outsiders," (Christie 1995:277). Christie (1995) argues that the early

centers of trade in the maritime region were likely the preexisting polities that were already controlling movement between the coasts and inland areas. However, data presented in this dissertation suggest that polities in the Mekong Delta were not part of these preexisting trading networks.

In a recent regional synthesis on the archaeology of mainland Southeast Asia, Charles Higham (1989, 2002) has proposed a model for the emergence of complexity in the Mekong Delta. Higham observes that around AD 1-400, trade relationships with long-distance trading partners began to emerge in the Mekong Delta (2002:292-4). New types of exotic goods were incorporated into a pre-existing system that emphasized the display of status through exotic objects, such as the nephrite ear ornaments discussed earlier. These new goods had effects on the development of cultural complexity in several ways. First, they were a limited resource and communities that were involved in trade of these commodities became more powerful, economically and socio-politically. Second, involvement in trade spurred the production of local products with which used to exchange for foreign goods, including those products that may have been available from farther inland. This new demand for goods from inland sites would have affected the developmental sequence as well. The agglomeration of craft specialists at specific sites would have had an impact on the intensification of agriculture and food production, leading to the construction of drainage canals. The construction of these canals may have also spurred a need for slave labor and allowed for water storage and irrigation, allowing for intensified production of rice (Higham 2002: 292-293).

Although the emergence of urbanism and statehood in the Mekong Delta was not due to a single variable, Higham argues that the introduction of exotic trade goods from India and China were important factors that induced changes in multiple areas of the local cultural system,

eventually leading to the emergence of states. Higham (2002: 294) emphasizes that the role of Indians during this early phase of emerging complexity was minimal; they were only in the region to supply exotic goods and practice trade. Therefore, the emergence of complexity took place within "a local cultural matrix."

The archaeological models discussed here have emphasized the control over trade as a key factor in the emergence of early states and complex polities in the coastal regions of Southeast Asia. Bronson's (1977) upstream-downstream model may best apply to the archaeological data presented in this dissertation, as I argue that elites in the Mekong Delta were expanding their socio-political and economic alliances with inland communities through the trade of stone and glass beads. There is not yet clear archaeological evidence for local production of crafts at sites in the Mekong Delta. However, archaeological evidence from looted contexts, as well as Chinese descriptions of craft production, and Cambodian folklore about the founding of Angkor Borei all point towards an agglomeration of craft specialists, as proposed by Higham (2002). I disagree with Christie's model (1990, 1995) that early states in Southeast Asia emerged from locations involved in pre-existing coastal exchange. Stone and glass bead data presented later in this dissertation do not suggest elites in the Mekong Delta were participating in these early networks. However, I do agree with her assessment that exotic objects from South Asia were likely first entering into these early trade networks (Christie 1995).

Alternative models for the emergence of complexity in mainland Southeast Asia

The focus of the discussion on socio-political development thus far has been on the importance of trade and long-distance contact with South Asia in the emergence of complexity in mainland Southeast Asia. However, there are multiple factors that may lead to the emergence of complex societies or states, including ecological models and warfare (Carneiro 1970), the actions

of aggrandizers (Clark and Blake 1994), and peer-polity interaction (Renfrew 1996) among others. There is archaeological evidence for emerging complexity and hierarchy happening in two regions of mainland Southeast Asia that were not directly involved in long-distance trade with South Asia. These include Northeast Thailand and the Dongson culture of northern Vietnam.

Emergent complexity in Northeast Thailand

In the mid 1980s, Charles Higham and his colleague Amphan Kijngam (1984) proposed a preliminary model for the emergence of centralized chiefdoms based on research in the Chi River Valley in Northeast Thailand. The evidence for the existence of centralized chiefdoms was largely based on the presence of large moated sites, much larger than others in the region, which may have indicated a two-tier settlement hierarchy. Higham and Kijngam argued that these sites might have grown in power based on a variety of factors. Sites where major river systems entered the flood plains could have controlled exchange of exotic prestige goods coming in from the Chao Phraya Valley in central Thailand. These same trade routes may have also brought iron technology, which could facilitate the expansion of agriculture. Rising population could have also spurred warfare and competition between different settlements. At the time Higham and Kijngam proposed this model, little archaeological work had been done in this region and other scholars disagreed with their assessment that these sites represented chiefdoms (Bayard 1992). More recent research done in the Mun River Valley of Northeast Thailand has added additional data. Excavations at sites such as Ban NonWat and Noen U-Loke have uncovered burials related to the entire Iron Age period. Within these burials one can see evolving mortuary rituals that shifted from mortuary feasting to burials with increasing amounts of personal wealth in the form of beads, gold, silver, and bronze ornaments, and ceramics (Higham 2011b; Theunissen 2003). Higham notes that control over these new exotic prestige objects could have increased social

status within a community. However people could also earn wealth by producing and exchanging salt, pigs, ceramics and other goods. Increasing competition over goods and resource may have then lead to the emergence of leaders (Higham 2011b). This research done at the site level shows the impact that exotic prestige goods had within a group of small communities. However, these changes were happening across the Khorat plateau in Northeast Thailand and seemingly without any direct contact from South Asia. Although, these changes can be seen as the result of a "ripple effect" from changes happening at coastal sites (Higham 2002: 292).

The Dongson culture

The Dongson culture is located in the Red River Delta in northern Vietnam. It is notable for elaborate bronze casting technology, stratified high-status burials, and large settlements such as Co Loa, which highlight the socio-political complexity developed by this culture (Bellwood 2007; Kim 2010; Kim et al. 2010; Pham 2004). Some scholars (Bellwood 2007; Higham 2002) have argued that the Dongson were centralized chiefdoms and at least partly urbanized, while others have argued that Co Loa was a state-level society (Kim et al. 2010; Kim 2010). As discussed in Chapter 2, I follow Kim's assessment that Co Loa was a state.

In his recent study, Kim (2010) identifies several factors for the emergence of Co Loa as an important urban center of a state-level society including both peer-polity interaction and coercive interaction. The Dongson people were excellent craftsmen making large Dongson bronze drums, that were exchanged across mainland and island Southeast Asia (see Calo 2009). The exchange of these prestige objects appears to have been important for emerging social hierarchy, connecting elites in different communities to one another (e.g. Loofs-Wissowa 1983). In addition to these contacts, the Dongson people appear to have been closely interacting with

the Dian culture in Yunnan province. Francis Allard has suggested that interaction between these two cultures "may have benefitted the almost simultaneous emergence of Bronze Age complex societies in eastern Yunnan and northern Vietnam," (1999: 83). Cultural interaction between these two regions may have increased agricultural production, population growth, and the emergence of social inequality and socio-political complexity (Kim 2010: 180).

In addition to this more friendly interaction, the Dongson and Dian polities were also experiencing pressure and eventual colonization by the Han Chinese. Bronze technology was used to make metal weapons that are found frequently in burials and iconography on Dongson drums and other artifacts depicts battles scenes and warriors. Earthworks at Co Loa were also believed to have been used as fortifications (Kim 2010). As Kim (2010: 191) argued, "the evidence in the form of weapons, warrior burials, and iconography all point to the role of warrior prestige in bringing about changes in societies and social status for individuals."

After the colonization of northern Vietnam by the Han, archaeological and historic evidence suggests that influence of Chinese culture on the local population appears to have been inconsistent, with "mutual influence" between the Han Chinese rulers and local population (Kim 2010: 297). Although communities in the Mekong Delta and elsewhere in mainland Southeast Asia were not colonized by South Asian polities, we can see a similarity between northern Vietnam and the Mekong Delta, in that local traditions persisted even with the introduction of new socio-political, economic, and ideological systems.

The current study builds on these previous models with new data gathered from the examination of stone and glass beads. These data support the conclusion, previously argued by Christie and Dzung, that stone and glass beads were initially incorporated into pre-existing long-distance exchange networks. However, it is does not appear that these elites were using the

availability of these new materials to expand their pre-existing trade networks. It is not until the later Iron Age (Phase 2) that trade networks appear to shift and the Mekong Delta becomes involved in the trade of stone and glass beads. I argue, as others have suggested, that elites in the Mekong Delta controlled the trade of these objects and used the exchange of these objects to expand their power and connections with inland communities (Bronson 1977; Higham 2002). However, there is not yet enough data to identify the specific aspects of growth suggested for Funan by Higham.

Data from Northeast Thailand and northern Vietnam highlight the importance of provincial peer-polity interaction networks in the emergence of social stratification and the presence of regionally specific response to expanding trade networks. I argue that data in this dissertation also shows similar evidence for the importance of regional peer-polity interaction networks, especially during the early Iron Age. The uneven distribution of agate/carnelian and glass beads within sites also points towards the emergence of social stratification at inland sites. Incorporate this above?

Trading with Southeast Asia: The view from India

Many scholars have noted that South Asia was not a monolith and that southern India was in a process of "Sanskritiziation," or influence from the Brahman, Hindu, and Buddhist polities in the north, at approximately the same time as Southeast Asia (Hall 1985; Kulke 1990; Mabbett 1997, 1977a, 1977b). In order to better understand how trade with South Asia was organized, several scholars have begun more closely examining questions regarding which regions and people were participating in trade with Southeast Asia, their motivations for participating in trade, and the directionality of interaction.

Recognizing that the emergence of states was not uniform across Southeast Asia, the Indian scholar H.P. Ray (1989: 42) has called for "the demarcation of micro-regions both within India and Southeast Asia where the earliest contacts developed." Ray notes that around the turn of the first millennium AD the east coast of India was becoming increasing linked together via trading networks. With the growth of Indo-Roman commerce, southern India was becoming increasingly focused on trade. Ray argues that Southeast Asia could have been an important source of mineral resources including tin, as well as aromatics, and wood. Preexisting trade networks linking peninsular Southeast Asia, which was high in tin, and mainland Southeast Asia could have been easily integrated into the long-distance trade networks from India (Ray 1989: 50). The identification of micro-regions of trade would allow archaeologist to better understand the nature of trade and how the two regions interacted more broadly. Although outside the scope of the current project, this could be achieved through continued compositional analysis of stone and glass beads in both South and Southeast Asia.

Ray has also proposed that the growth of Buddhism and its favorable views towards wealth accumulation and trade as an occupation may have had a major impact on the expansion of trade into Southeast Asia. South Asian artifacts with ties to Buddhism at sites in Southeast Asia were already well known (e.g., Glover 1989). However, Ray notes that the expansion of Buddhism into southern India and the subsequent restructuring of the economic base, which placed economic power in the hands of Buddhist monasteries, might have also been taking place in parts of Southeast Asia. However, Manguin suggests that in addition to Buddhism,

Vaisnavism also played an important role in the political, religious, and economic parts of life in Southeast Asia (2010). Unfortunately, it is not yet clear how Vaisnavite merchants in Southeast Asia may have influenced the organization of trade, although it is important to consider the

"consumption patterns of religious communities" when looking at the archaeological record of Southeast Asia (Manguin 2010: 177). However, it is not likely that these religious communities were having a major impact on the organization of trade during the period being discussed, as we do not see clear evidence for the practice of Hinduism and Buddhism until the mid-first millennium AD.

The scholar Sunil Gupta (2005) has suggested that the process of Indianization in Southeast Asia was the result of long-standing contact between eastern India and Southeast Asia in what he calls the Bay of Bengal Interaction Sphere (BBIS). Demand for spices such as cinnamon in Sri Lanka during the first millennium BC mark the earliest evidence for contact between these two regions, which continued to approximately 500 AD. Gupta argues that "Indianization" of Southeast Asia was not an event, but a cumulative process of reciprocal exchange between regions on either side of the Bay of Bengal; a process that may have even included Southeast Asian people traveling to India. It was this deep history of contact that allowed for quick appearance and spread of Hindu and Buddhist sculptures in Southeast Asia, as their adoption "implies prior knowledge of the symbolisms associated with their worship," (Gupta 2003: 395). Gupta relates his hypothesis to the popularity and spread of beads, which is discussed in more detail below.

The archaeologist Monica Smith (1999) as examined trade between South and Southeast Asia "from the Indian point of view," and is skeptical that Indians had the sea-faring vessels to initiate contact with Southeast Asia. She argues that Southeast Asians most likely initiated early trade and that Indians had little reason to actively trade with Southeast Asia as most goods were available on the sub-continent or via their preexisting trade routes with Africa, the Middle East, and the Mediterranean. For Smith, strong interaction between South and Southeast Asia did not

begin until the mid-first Millennium BC and coincides with the emergence of the Gupta dynasty. However, Smith also notes that China was also interacting with Southeast Asia during this period and wonders why they did not have more of a socio-political, economic, and religious influence. She concludes that the militaristic interactions between China and northern Vietnam were a warning to other communities in mainland Southeast Asia. "Presented with two models of state-operation, the Chinese and the "Indian," indigenous leaders in Southeast Asia chose to incorporate a model of bureaucratic organization that encompassed little threat of political intervention," (Smith 1999: 18). It was for this reason that Indian influence became so prevalent in Southeast Asia, but earlier interactions were initiated and directed by Southeast Asians.

Although Smith raises several important points regarding the agency of Southeast Asian elites in the process of Indianization, she overlooks much archaeological data indicating sporadic, though influential, contact between the two regions prior to the mid-first millennium AD. In the years since her article has been published this evidence has only increased, especially in Cambodia. Rispoli (2005) has argued that early Indian writings about Southeast Asia always discuss it as a place of opportunity and profit. While she agrees that interactions between the two regions were peaceful, her arguments counter Smith's by arguing that diplomatic trade was possible because of the great number trade goods Southeast Asia could supply to India (Rispoli 2005: 258). However, Rispoli's conclusion is in agreement with Smith, that Southeast Asians *chose* to interact with India.

Using compositional analysis of stone and glass beads I had hoped to be able to identify more specific trade networks between "micro-regions" of South Asia and Southeast Asia.

Unfortunately, the analysis of these materials was not fine-grained enough to develop this type of evidence. Nevertheless, recent work by other scholars has shown that exploring these questions

is fruitful and these studies have now led to the identification of long-standing relationships between specific areas of South and Southeast Asia (e.g., Manguin et al. 2011). I believe that future compositional research, especially on garnet beads, may provide more specific linkages between raw material resources areas in South Asia and the trade of finished products in Southeast Asia.

The role of beads in early trade

Many early scholars have recognized the importance of beads in Southeast Asian archaeology, especially for their role in elucidating trade patterns and examining questions of socio-political development. The archaeologist Alaistar Lamb (1956b: 87) specifically observed "in the South-east Asian context, beads have potentially a most important archaeological role to play." In this section I review some of the most influential studies that have used beads to elucidate trade and socio-political development in Southeast Asia, concluding with a discussion on how the current study builds and expands on these previous works.

One of the first scholars to tie research on beads with socio-political developments in Southeast Asia is Peter Francis Jr. In the course of his wide ranging studies of many different types of beads, Francis proposed several hypotheses regarding the production, trade, and use of beads in Southeast Asia and their relationship to state development that are still influential today (Francis 1996, 2002). Drawing on archaeological evidence for the production of stone and glass beads at some sites in Southeast Asia, Francis argued that the spread of beads, specifically a type of monochromatic, drawn glass bead called Indo-Pacific glass beads and the technology used to produce them was "a perfect metaphor for the spread of Indian influence in the region at this time," (Francis 1996:141)(see Chapter 7 for an in-depth discussion of Indo-Pacific beads).

Francis noted that many of the locations believed to have been manufacturing centers were also

among of the earliest urban sites in their regions and together they might have formed a league, which he calls the Arikamedu League. Beads were important trade objects in Southeast Asia, and the presence of a manufacturing location may have been "markers (not makers) of emerging core areas or states," (Francis 1996: 149).

Francis pointed out that several sites in the Arikamedu League produced both stone and glass beads, however his focus was primarily on the production of Indo-Pacific glass beads in these locations. In his model, Indian beadmakers traveled, perhaps unwillingly, to Southeast Asia to produce glass beads. He argued that Indo-Pacific beadmaking was a complex skill, and suggested that the Indian beadmakers probably did not teach this intricate technique to local apprentices who would have taken away their livelihood. During later periods, Indian craftsmen were organized in guilds and Francis speculates that the Arikamedu League beadmakers may have also been united under some sort of guild system, which facilitated their interactions with local leadership (2002: 38-39). As in contemporary India, Francis argued that the beadmakers in Southeast Asia probably had little control over the trade of these objects (2002).

In reality, there has not yet been enough clear archaeological evidence for glass and stone bead production in Southeast Asia to assume that a high degree of craft organization was present. Evidence for stone and glass bead production at the Southeast Asian sites he mentions is problematic as much of the data he used to build his theories was from looted contexts. This makes it difficult to determine if bead manufacturing was even taking place at many of the locations Francis mentions and if so, it is nearly impossible to evaluate how workshops were organized. However, research at the site of Khao Sam Kaeo in peninsular Thailand does indicate that it was a stone and glass bead production center. Although the site was heavily looted, preliminary excavation data support at least partially Francis' hypotheses. Excavators believe

that Khao Sam Kaeo was inhabited by Indian craftsmen, due to the finely made beads found there produced using Indian techniques (Bellina 2003, 2007; Glover and Bellina 2011), although there is no evidence they were organized in guilds or that they traveled to the site unwillingly. Bellina and colleagues (Bellina and Silapanth 2008) have also argued that Khao Sam Kaeo was an early urban center due to the earthwork construction, water management features, as well as seemingly restricted craft production areas in the site. Additionally, the assumed presence of Indian craftsmen would mark Khao Sam Kaeo as being fairly cosmopolitan. However there is no clear evidence that control over bead production and distribution at Khao Sam Kaeo corresponds to emergence of a state-level society. With additional work at potential workshop sites it is hoped that we will be able to clarify the roles of the beadmakers and the extent of involvement by local elites in the process of the production and distribution of glass and stone beads.

Although not concerned with the production of beads, the scholar Sunil Gupta shared Francis' belief that beads were markers of Indianization in Southeast Asia. In his model, beads, especially stone beads, were objects of ritual importance and related to aniconic aspects of Hinduism and Buddhism that existed in Southeast Asia prior to the adoption of iconic sculptural traditions (2003). Gupta points towards beads such as the leaping lion found at Ban Don Ta Phet, Thailand, that are believed to be related to Buddhist practices, as well as the numerous written and iconographic examples of beads used in ritual in India. Gupta does not deny that beads may have had more than one function, such as status markers. However he does argue that they also might have had a ritual importance, which has been overlooked. While Gupta's hypothesis is provocative it is difficult to test archaeologically. Most beads in Southeast Asia are found in local forms of burial contexts and without any associated Indian derived ritual artifacts, and any ritual associations associated with them are intangible.

Furthermore, Gupta has argued that bead production in Southeast Asia may have begun as a result of the preexisting Bay of Bengal Interaction Sphere (2003, 2005). He suggests that long-standing interaction between the two regions may have resulted in shared bead-production technology and not the introduction of new technology from India. However, as will be argued in Chapters 5-8, an examination of attributes on the stone beads, such as shape and drilling technology, as well as chemical signatures and techniques from glass bead production points toward Indian bead production techniques that have no predecessors in Southeast Asia (Bellina 2003; Lankton et al. 2008). While there may have been long-standing contact between cultures in the Bay of Bengal, evidence from stone and glass beads does not support this hypothesis.

However, innovative research on stone beads has allowed for a deeper understanding of the role that Southeast Asian people had in the bead trade. Research by Bellina (2003, 2007) and Bellina and Glover (2003,2004) have identified several stone bead shapes, such as notched agate pendants, that have been found in Southeast Asia but *not* in India. Bellina (2003: 292) argues that these beads may have been commissioned by Southeast Asians and suggest that "a Southeast Asian elite wanted what the best Indian manufacturers could produce but in a style corresponding to their own cultural values." Southeast Asians were taking an active role in the trading process by requesting the production of specific bead types. As noted earlier, Bellina also claims that foreign craftsmen may have been living and working in Southeast Asia, perhaps under the patronage of an elite, an interpretation that has been further refined and supported by her research at Khao Sam Kaeo (Bellina 2003, 2007). Although evidence from Khao Sam Kaeo does not yet indicate elites were controlling the production of agate and carnelian beads, Bellina's research suggests that Southeast Asian's were more socio-politically complex than previously thought, with elites who directed and participated in a prestige goods exchange

network that linked them with both foreign cultures and other Southeast Asian elites. The system used by Indian craftsmen and Southeast Asian elites may not have been very different from that believed to have been used by itinerant nephrite craftsmen at sites in coastal Vietnam. In this dissertation I will use the distribution of glass and stone beads to explore identify these prestige goods exchange networks more specifically.

Robert Theunissen has also argued for a greater recognition of the role of elites in the production and trade of stone beads, based on his research on agate and carnelian beads in Northeast Thailand (2003, Theunissen et al. 2000). Using geochemical analysis of stone beads from Noen U-Loke, Theunissen has suggested that some stone beads may have been made in Southeast Asia, under the control of local elites, and using a local stone source in Lopburi province, Thailand. Theunissen's work has also shown that people at Noen U-Loke placed a high value on stone beads as prestige objects (Theunissen 1998, 2003). Theunissen's study was only preliminary, but has been influential in challenging assumptions about the diffusion of Indian stone beads throughout Southeast Asia (see Bellina 2003). Despite this, no stone bead production workshops have yet been identified in Northeast Thailand. Additional methodological and interpretive problems with Theunissen's geochemical analysis and his conclusions are discussed in more detail in Chapter 6.

Bellina and Theunissen's arguments that Southeast Asian people were active agents in the bead trade process are compelling. However, their contention that elites may have been producing or controlling the production of agate and carnelian beads, perhaps for trade with inland communities, has not been well tested. As discussed in Chapter 1, studies on craft production in the Indus Valley have shown that the increasing complexity of craft technology is correlated with increasing socio-political complexity in a community (Kenoyer 1992; Vidale and

Miller 2000). If Southeast Asian communities were producing stone beads using local raw material sources we would expect them to have a higher level of socio-political organization, as they would be controlling both the technology used to produce the artifacts as well as the raw material used to make them. In contrast to other communities that may have focused purely on the trade of finished objects, or who may have had South Asian craftsmen working in their communities using imported raw materials. Through geochemical analysis of agate and carnelian beads, I will specifically test this hypothesis (see Chapter 6). My results show that there is not yet clear evidence to support Theunissen's hypothesis that Southeast Asian raw material sources were being used to produce beads. Instead, there is strong evidence that a majority of beads in Southeast Asia were made using raw materials from western India, although some beads may have been produced in Southeast Asia using this imported raw material.

The examinations of beads discussed above were concerned primarily with the organization of production of stone and glass beads. However, I believe addressing the production of beads in Southeast Asia is difficult with the currently available archaeological dataset, which has often been disturbed and looted. Instead, my dissertation is focused on using glass and stone beads to explore the trade and exchange networks in Cambodia and Thailand and how these expanding networks were related to the emerging socio-political complexity of elites in the Mekong Delta. By examining beads the morphology, context, and composition of stone and glass beads I am able to identify patterns in the distribution related to changing trade networks and control over trade.

Conclusion

In this chapter I reviewed a number of theories regarding the emergence of complex polities and states in Southeast Asia. The earliest theories were written by historians who largely

focused on the adaptation of Indian conceptions of kingship and religion as a means for Southeast Asian elites to expand and consolidate their power. On the other hand, archaeological theories have drawn largely on material evidence and specifically objects believed to have been prestige goods. For this reason, archaeological theories largely focused on the control over these early prestige good networks as a means of increasing and expanding power and complexity in early polities. However, instead of addressing South Asia as a monolith, archaeologists have also begun to question the motivations for trade between South and Southeast Asia, as well as develop a better understanding about from who and where early trade contacts were coming.

Archaeological research has also shed light on the periods just preceding and coinciding with the earliest contact from South Asia as well as in regions that did not have direct contact with this area. These studies have shown that the process of emerging complexity in Southeast Asia was multifaceted and did not necessarily require a direct connection with South Asia, as some historical models have suggested. In some areas, such as in northern Vietnam, Southeast Asian communities may have reached chiefdom-levels of complexity prior to contact with South Asia. Other inland regions saw emerging complexity arising after the introduction of goods from South Asia, but seemingly without the additional ideological influence seen at coastal centers. Archaeologists and scholars have also studied stone and glass beads to better understand the early phases of trade and emerging complexity. These studies have underlined the role that Southeast Asian elites played in the early period of contact with South Asia, and the presence of unique bead types in Southeast Asia has suggested to scholars like Bellina (2003, 2007) that elites were requesting specific beads types and then controlling their distribution, and possibly production.

In this dissertation I use the patterns identified by the distribution of distinct types of archaeological stone and glass beads in order to test the prevailing archaeological and historic models regarding the importance of trade and expansion of power in the Mekong Delta. I argue that the stone and glass bead data presented in this dissertation suggests that during the early Iron Age, beads appear to have been entering into pre-existing coastal exchange networks that were already trading prestige objects like nephrite ear ornaments. However, not all communities appear to have been participating in these trade networks, including sites in the Mekong Delta. Instead, I argue that glass and stone bead evidence suggests that the sites in the Mekong Delta did not emerge as important centers until the first few centuries AD, as trade with South Asia was believed to have been intensifying. Based on the identification of specific bead types found at the Mekong Delta and sites further inland, I argue that elites in the Mekong Delta were expanding their exchange and interaction networks with communities further inland. In this model, beads can be seen as a proxy for expanding socio-political and economic networks based in the Mekong Delta. In the remaining chapters of this dissertation I discuss this evidence in more depth, beginning with the next chapter, which provides an exploration of the various methods used to examine stone and glass beads and test these research questions.

Chapter 4: Research Methodology

As outlined in Chapter 1, this dissertation is concerned with using stone and glass bead data to address two research questions. First, are there patterns in the distribution of distinct types of stone and glass beads that can be identified over time and space? And second, are these patterns related to emerging socio-political complexity in the Mekong Delta? In order to address these questions, glass and stone beads from 12 sites in Cambodia and Thailand were carefully examined.

It was first necessary to define specific bead types to avoid overlap or misclassification that has resulted from earlier categories used in the literature and site reports. Bead attributes were recorded in the field in order to identify preliminary types and develop specific types that could be identified and related to chronological time periods. The contexts in which beads were found were noted in order to identify patterns of distribution. Many beads were from burial contexts, and so additional information was recorded including the sex, age, and additional grave goods found with the burial. This information was in order to determine if beads were common or rare and identify patterns in the distribution of beads that could be related to age or gender. Compositional analysis using laser ablation-inductively coupled plasma-mass spectrometry (LA-ICP-MS) was used to analyze the geochemical composition of the stone beads and the glass recipes used to make the glass beads. Compositional analysis of beads from Southeast Asia has never been undertaken systematically in the past and my research has established a relatively comprehensive database for future comparative studies. Stone beads were assigned to geographical sources areas using a variety of statistical techniques. Scanning Electron Microscope (SEM) analysis of impressions of stone bead perforations allowed for a better

understanding of the manufacturing methods used to make these objects. Lastly, these data were compared among sites and similarities and differences among sites were identified. It is with these data that I am able to address the research questions discussed above.

This chapter discusses in detail the methods used to examine and analyze stone and glass beads. The chapter begins with a brief introduction on the equipment and database software used as well as the data recorded for all beads. This is followed by a more in depth discussion of the attributes recorded for stone beads and following this, attributes recorded for glass beads. I then move to a discussion of compositional analysis of the stone and glass beads and the various statistical techniques used to interpret these data. Lastly, methods used to examine the drilling technique used to produce garnet beads are explained. By using these various lines of data, I am able to address my research questions and identify patterns in the distribution of specific types of beads over time and space.

Recording glass and stone beads

Prior to beginning fieldwork in Cambodia and Thailand in 2008 I created a database to facilitate the recording of glass and stone beads. I used the database software FileMaker Pro, beginning with FileMaker Pro 8 and later upgrading to FileMaker Pro 11. The database was modified multiple times over the course of the project to reflect improved and streamlined recording techniques. Each entry received a unique database ID to distinguish it from all of the other entries. Also recorded for each bead was data related to the context including the site name, catalogue number, material type (stone or glass), the condition of the bead (fresh, worn, slightly worn, heavily worn, chipped, or broken), and the bead shape. Photographs were also taken of every bead using a digital SLR and macro lens. Additionally, many beads were examined more

closely using a DinoLite AM313 digital microscope. Images from both the digital SLR and digital microscope were also included in the database for reference.

The context in which beads were found was also recorded, with special focus on those beads from burial contexts. This information was used to determine how beads were distributed within burials within a single community. Although the quantity of burials excavated differed between sites, patterns of uneven distribution were identified. Determining the relative wealth or status of the individuals with beads was not the primary focus of this dissertation. However, as beads are believed to have been exchanged between elites, one may assume that burials with large quantities of beads may have been important members of their community. Burials with agate and carnelian, glass, and garnet beads are discussed below within their individual chapters. The proportion of burials with these bead types out of the total number excavated were noted in order to identify generally how restricted the distribution of each artifact was within the community. It is recognized that the burials excavated may not be a representative sample of the whole site, but provide a preliminary understanding about the distribution of these artifacts based on the available evidence. In the final chapter, I address broader patterns regarding the distribution of beads in burials.

Identifying stone bead types

In order to identify patterns in the distribution of agate/carnelian and garnet beads, the different types of stone beads needed to be categorized. Previous work by Bellina (2001, 2003, 2007) identified a difference between earlier (Phase 1) Iron Age agate and carnelian beads and later (Phase 2) beads. These differences are visible in the bead shape and quality of production, raw material type and quality, the polishing technique used, and the perforation size.

Additionally, previous work by Theunissen (2003) has identified preliminary patterns in the

distribution of specific bead types across mainland Southeast Asia. In the current study, attributes from agate/carnelian and garnet beads were recorded in order to identify if they could be classified as either Phase 1 or Phase 2 beads. The bead shapes were also carefully recorded and compared with Theunissen's preliminary findings.

Attributes recorded for the stone beads are listed in (Table 4.1, see also Appendix 5.1). These attributes recorded are specifically related to the bead's appearance as well as noting scars or marks on the bead that would aid in determining what techniques may have been used to make the beads. Examining markings related to manufacture can aid in identifying where bead may have been produced, as certain techniques for bead production, such as drilling or polishing, can be temporally, regionally or culturally specific (e.g. Bellina 2003, 2007; Francis 2002; Kenoyer 1992a, 1992b). The attributes used in recording the stone beads is discussed below.

Variables recorded for stone beads

- -Raw material: agate, carnelian, garnet
- -Stone color
- -Drill hole type (drilled from one end, drilled from both ends etc)
- -Exterior surface: polish and wear
- -Number of facets
- -Measurements: Width, maximum length, minimum width, thickness, interior perforation

Table 4.1: List of bead attributes recorded.

Bead Shape

The bead shape was the first step in the stone bead recording process. Pre-existing bead shape classification systems by Beck (1928) and J. Mark Kenoyer's Harappan bead code system were used to categorize beads from sites in Cambodia and Thailand. However, there were also additional bead shapes identified that did not fall into either of these classification systems. In these cases, I assigned a name to these bead shapes that would accurately describe the bead. If a bead was faceted, the number of facets was also recorded. Approximately 35 bead shapes were

identified (see Chapter 5 for further discussion). As discussed above, bead shapes were critical for identifying initial patterns in the distribution of beads across the landscape. Bead shapes were also used, with other attributes, to determine if beads belonged to the Phase 1 or Phase 2 groups.

Raw material and stone color

The raw material of each bead was recorded, distinguishing between carnelian, agate, and garnet beads (Figure 4.1). In addition to the raw material type, the stone color was recorded to reflect if the bead was made from a black and white banded agate, or a light yellow, orange or red carnelian, or a dark purple garnet. Beadmakers in South Asia often enhance the color of natural stones, deepening the reds and browns (Kenoyer 2003). Recording the color also allowed for noting any unique imperfections or other distinguishing marks on the bead.



Figure 4.1: Examples of black and white banded agate (left), carnelian (middle), and garnet (right) beads. Scale in cm.

Exterior surface

The exterior surface of the bead was noted to determine if there were any nicks, chips, or imperfections, as well as information on the type of polish on the bead. This analysis was facilitated by the use of a digital microscope to inspect and record surface features in more detail. Bellina (2003) has identified a difference in polishing techniques between the earlier high-quality beads found in Southeast Asia that were polished using a rotary grinding technique, and later period beads that were mass-polished in a drum. Kenoyer has also done experimental work on bag polishing of beads and provided several examples for comparison (J. Mark Kenoyer,

personal communication 2008). As part of Bellina's (2003) study, she took molds and produced high-quality resin replicas that she examined under a microscope. Using a digital microscope in the field provided a more expedient technique for examining the surface, however the low-powered microscope did not provide the fine-grained detail of Bellina's technique. Additionally, determining the polish can be difficult and some surface-wear on the bead may be related to use-wear and not necessarily due to polish (Kenoyer, personal communication, 2012). For this reason, recording of the exterior surface was limited to determining the degree of polish (low-luster, medium polish, or high polish), the presence of any grinding striae, and wear patterns that my be related to a bag polish technique (Figure 4.2). However, in practice these latter two attributes were difficult to determine and not discussed in depth. Future studies may wish to investigate this aspect of the agate and carnelian beads in more detail.




Figure 4.2: Digital microscope image of a bag-polished bead (left) and a bead with grinding striae (right).

Type of drill

The shape of the drill perforation was also noted as a means of identifying the drill type. As with the bead shapes noted above, I referred to previous drill types noted by Beck (1928) and the Harappan Bead Code System to assist with my classifications. I recorded the shape of the

drill, and when possible how the bead was drilled. Determining the specific drill used to perforate the beads involved taking impressions of the drill hole and examining the impression with the SEM, or digital microscope (discussed below). Due to limited time and finances, SEM was not used extensively on the agate and carnelian beads. However, the garnet beads employed a diverse set of drilling techniques and SEM was used to examine these in more depth (see Chapter 8). The different drill types encountered are listed in Figure 4.3. With the exception of the Type 4 double conical drill, all the drill types involved straight cylindrical drills typical of the diamond-drilling technique.




Figure 4.3: Different drill types identified in the study.

In Bellina's study of agate and carnelian beads from South and Southeast Asia, she used multiple lines of evidence to determine the overall quality and complexity of a bead including the raw material type, polishing method, and shape (2001, 2003, 2007). A modified version of this method was used in the current study. Bead shapes were classified as simple or complex based on Bellina's assessment that geometric and spherical shapes were more simple to produce, while other beads types like faceted beads were more technically difficult and therefore complex. In order to determine the overall quality of the beads, I took into account the bead shape, raw material. For example, a group of hexagonal faceted bicones from Phum Snay had uneven facets and some beads were made from a raw material with dark or light inclusions; these beads were rated as low quality. Comparatively, a group of faceted bicone beads from Village 10.8 were more finely made with even facets and a higher quality stone; these beads were classified as high quality. These classifications were not made in the field, but instead based on photographs and notes from the field. For this reason, the assessments of bead quality may be considered to be preliminary. Nevertheless, I believe these quality assessments are broadly comparable between sites and will be discussed in more depth in Chapter 5.

Measurements

Measurements were taken on all the stone beads and selections of the glass beads. All measurements were taken with digital calipers and were recorded in millimeters. Length refers to the measurement across a bead from one hole to the other, reflecting the orientation of the bead if it were strung. Width denotes the measurement of the bead at its widest part perpendicular to the bead hole. For tabular beads, a thickness measurement was taken to reflect this dimension. For beads with tapered ends, such as bicones, I also took minimum measurements on the area around

the perforations at the narrowest part of the bead as well as a maximum measurement along the middle. Lastly, measurements were taken of the bead perforations on each side of the beads. The length, width, and perforation size was also collected for most glass beads.




Figure 4.4:Major measurements taken on stone beads (left) and glass beads (right).

Methods of recording glass beads

Most glass beads in this study are of a type known as Indo-Pacific beads (see discussion in Chapter 7). Due to the overwhelming similarity of the beads encountered, patterns in the distribution of the glass beads were initially limited to bead color. It was not until compositional analysis was undertaken that clearer patterns in the glass types could be determined (discussed below). However, there were also additional attributes identified related to the manufacturing technique of the glass beads (Table 4.2, see also Appendix 7.1). Identifying patterns related to the manufacturing method did assist in the identification of a unique glass type found in Northeast Thailand that appears to have been wrapped (Chapter 7).

Variables recorded for glass beads

- -Number of beads in entry (if recorded as a group).
- -Glass color
- -Opacity: opaque, translucent, transparent
- -Manufacturing method: drawn, wound/coiled/molded/other
- -Angle bead was cut from tube
- -Roundness factor

Table 4.2: Glass bead attributes recorded.

Bead Shape

As with stone beads, the shape of the glass beads was also recorded. The majority of the glass beads recorded were Indo-Pacific beads. These beads are generally spherical or oblate shaped and their shape was usually recorded as "Indo-Pacific bead." However, some Indo-Pacific beads were tubular, or longer than they are wide. Still others were very small, less than 2mm and were identified as "Indo-Pacific Micro Beads." Shapes of other non-Indo-Pacific beads were also recorded, including segmented beads, and collared beads (see Chapter 7 for a more detailed discussion).

Glass Color and opacity

Glass colors were recorded for each glass bead. As determining color can be subjective, broad color categories were used including: red, orange, yellow, green, black, grey, brown, violet, white, cream, and clear. There were several shades of blue and distinguishing between them could be difficult. A decision was made to simply distinguish between light blue and dark blue, which was often a cobalt blue color. It was also noted if beads were opaque, when no light passed through the bead, transparent, when light passed easily through the bead, or translucent, when diffused light could pass through a bead. However, these opacity determinations were not discussed in depth in the current study.

A preliminary assessment regarding the manufacturing method of the glass beads was also recorded. As noted above, most beads were Indo-Pacific beads that were cut from long, drawn tubes. Theses types of beads have unique identifiable longitudinal striations as a result of the drawing technique (discussed in Chapter 7). A small number of beads were made using other techniques such as winding, coiling, or wrapping (Figure 4.5).




Figure 4.5: From left to right- Example of an Indo-Pacific drawn bead with longitudinal striations from the drawing technique, a coiled bead, and a wrapped bead.

Angle bead was cut from the tube and the roundness factor

In his work on Indo-Pacific beads, Francis has suggested recording two aspects of the beads in order to help assess their shape (2002: 25-26). The first is noting the angle the bead was cut from the tube, if it was cut with two straight parallel angles, if it was cut with two converging angles, or if it was cut with one angle. The roundness factor (Figure 4.6) is related to how long the cut beads were reheated. Francis notes "a low temperature and a short period of the fire will just barely round off its edges. On the other hand, a high temperature and/or a lengthy time over the fire will result in a small oblate," (2002:26). In recording beads, I found that most Indo-Pacific beads had a roundness factor of R2 or R3. However this method was helpful for identifying several beads that had an R1 roundness factor that was unique. These beads were later found to have a less common glass bead composition. When analyzing a group of similar

Indo-Pacific beads as a single entry, these attributes were not recorded as a large group of beads may have multiple different attributes.




Figure 4.6: Roundness factor for glass beads.

Reprinted with permission from *Asia's Maritime Bead Trade* by Peter Francis, Jr. Published by the University of Hawai'i Press, Honolulu.

The attributes discussed above for the glass, agate/carnelian and garnet beads were used to describe the beads examined as part of this study and begin to determine where and when identifying preliminary characteristics related to their manufacture. By looking at the distribution of these characteristics with within a site and between sites one is able to begin identifying patterns in the distributions of certain types of beads over time and space. However, many of these beads may look similar to one other but may have been made using very different stone geologic sources or glass recipes. Additionally, I wanted to determine if local stone sources were being used to produce beads, if the Period 1 and Period 2 type agate and carnelian beads were being produced from different geologic sources, or if different colors of glass beads were related to differences in their glass recipes. For this reason, compositional analysis is needed in order to come to a deeper understanding of the different types of beads in circulation.

Compositional Analysis

Following analysis of the stone and glass beads in the field, a selection of the beads were for further compositional analysis. As discussed in Chapter 1, I selected glass and stone bead samples from most of the 12 sites in this study. Beads were selected to represent the range of bead diversity found at the site, but were not a statistically significant sample. Whenever possible, beads were selected from secure burial contexts, however some unique or unusual beads from non-burial contexts were also selected. Dr. Charles Higham selected glass beads from Noen U-Loke for LA-ICP-MS analysis as they represented samples that had already been exported from Thailand. Dr. Bérénice Bellina selected stone beads from Khao Sam Kaeo for LA-ICP-MS analysis as they represented beads for which she had relatively secure contextual data, but were not amongst the more unique and valuable beads in the collection of the Suthiratana Foundation.

The purpose of the compositional analysis was to determine which geologic sources were being used to produce the stone beads and which glass recipes were being used to produce the glass beads. With this additional information I would be better able to identify patterns in the distributions of specific bead types. Furthermore, identifying the presence of stone beads made using local Southeast Asian sources could indicate increasing control over the production of these materials by Southeast Asian elites. In order to identify the geologic sources used to produce the stone beads, numerous agate/carnelian and garnet geologic source samples from South and Southeast Asia were also analyzed.

LA-ICP-MS analysis was chosen as an ideal technique for analyzing archaeological artifacts as no sample preparation is required and it is virtually non destructive. A laser 50-100 microns in diameter is used on the materials, which produces a small pit barely visible to the naked eye. The analyses were performed at the Elemental Analysis Facility (EAF) at the Field

Museum in Chicago, Illinois, which is managed by Dr. Laure Dussubieux. The technique to analyze the glass and stone materials is roughly similar.

The equipment used includes a Varian (now Bruker) quadrupole ICP-MS connected to a New Wave UP213 laser unit. LA-ICP-MS is composed of three major components. The first is the laser sampling system. Samples were placed in a-chamber with continuous helium gas flowthrough and a laser beam focused on the sample. For glass beads and objects a laser 55 microns in diameter was used, while a laser 100 microns in diameter was used for garnet, agate, and carnelian samples. As the laser is ablating the sample, particles are transported via the helium gas to the second component, an argon plasma torch, which dissociates the particles into constituent ions. The final component is the quadrupole mass spectrometer. The quadrupole flight path through the spectrometer separates the ions by mass and charge before they are measured in the ion detector. Detection limits for most elements range from 10 parts per billion (ppb) to 1 part per million (ppm), with an accuracy of 5-10% depending on the elements and their concentrations. The ICP-MS was set to scan the mass range three times and average the resulting signal. This process was repeated three times, for a total of nine replicates. The nine replicates were then combined into a single average, and this process was repeated at different locations on the sample. For glass beads and objects this was repeated at four locations per sample, for garnet objects it was repeated at five locations per sample, and for agate and carnelian objects it was repeated at ten locations per sample. The locations for sampling were randomly selected from the portion of the sample that was clearly visible within the chamber. However, for samples that were visibly heterogeneous, such as banded agates, locations were selected to reflect the range of variation within the sample. The data from each of the four, five,

or ten point ablations were then averaged together to calculate elemental concentrations in each sample.

In order to obtain quantitative data, four glass standards with known compositions were also analyzed. National Institute of Standards and Technology Standard Reference Materials (NIST SRM) 610 and 612 are silica glasses made with sodium and calcium and doped with varying levels of trace elements, approximately 500 ppm for NIST SRM 610 and 50 ppm for NIST SRM 612. Corning glass standards B and D were also used for the analysis of major elements. Corning C, a lead glass, was used during analysis glass beads. During analysis, NIST SRM 610 and another glass standard were run every three to four samples in order to correct for possible instrumental drift. Silica (²⁹Si) was used as an internal standard. As part of the calibration procedure, the Si concentration was measured for each analysis location along with all other elements. These were averaged to produce a value for the sample as a whole. The analytical protocol and calculation methods used were adapted from Gratuze (1999).

Following analysis, the concentration of elements in each sample were calculated using an excel program designed by Dr. Dussubieux with the aid of Dr. Bernard Gratuze (a detailed account of the calculations involved in this process are described in Gratuze 1999:873-874). For each sample the blank was subtracted and average values were calculated. The data was then normalized using the silica signal of the standards and corrections were made for isotopic abundance ratios and interferences.

Assigning stone beads to regional geological source areas

Following analysis of the stone artifacts and geologic sources samples, exploratory data analysis using principal components analysis (PCA) and bivariate plotting of elements was used to distinguish between the geologic sources and identify differences between them. Canonical

discriminant analysis (CDA) was used to assign artifacts to the geologic sources. However, prior to beginning statistical analysis, I used my own method, described below, to determine which elements were more homogeneously distributed within a sample and were therefore more ideally suited to statistical analysis. Following this, the geologic sources needed to be differentiated from one another. In order to distinguish between the sources and identify differences between them exploratory data analysis was performed using bivariate plotting of elements and principal components analysis (PCA).

Determining the heterogeneity of the elements with in a sample

As noted above, agate samples were ablated at ten points per sample while garnet beads were ablated at five points per sample. However, I discovered that many of the 55 elements were heterogeneously dispersed within the sample. This resulted in a high relative standard deviation (RSD) for the average of the ten ablations. Relative standard deviation is a measure of the precision within data analysis and is calculated by taking the standard deviation of a series of a series of values, in this case the measurements for a single element across a series of ten ablations, dividing this number by the average of the series of values and multiplying by 100.

Scholars have noted that heterogeneous objects may be difficult to characterize using LA-ICP-MS (e.g. Roll et al. 2005:60). Therefore, having a method in which to identify those elements that were more homogeneous within a sample would allow me to rely on these elements for my calculations. For this reason, I randomly selected four to five samples from each source, for a total of 62 samples, and looked more closely at the relative standard deviation produced during the ten point ablations. For each element I counted how many of the selected samples had an RSD between 0-10.99%, 11-20.99%, 21-30.99%, 31-40.99%, 41-50.99%, and over 50%. Elements were then assigned to either the less variable category (60% of samples

with an RSD under 30.5%), variable (Samples with RSD between 30.5% and 50.5%) or most variable (50% of samples with an RSD over 50.5%). Once the elements were classified in this manner, I began my statistical analyses. While I tried to rely on elements that were considered to be less variable, occasionally the use of variable or more variable elements was necessary in order to discriminate between specific sources.

Differentiating between the geologic sources

Three exploratory data methods were used to differentiate the geologic sources from one another. First, Bivariate plotting used the values from two elements to plot a simple X-Y scatterplot using Excel. This technique provided a quick visual method for identifying obvious differences between the geologic sources. This was followed by PCA in order to determine additional elements important for distinguishing between geologic sources. Lastly, **ternary diagrams** were used when evaluating the garnet compositional data. There are several species of garnet, which differ based on the major elements. These species have been sub-divided into two series in which there is fairly continuous variation (see Chapter 8). Using ternary diagrams to plot three major elements allows for a way to visualize the variation represented in the samples. This method is not used to assign the unknown artifacts to a source, but to recognize similarities and differences between the species of garnets represented.

Principal Components Analysis (PCA) was employed as an exploratory data technique on the agate, carnelian, and garnet geologic samples. For the current study, PCA was performed using the SPSS 20.0 statistical software program. The major element concentrations were converted from weight percent to parts per million, and all the data were logged (base 10). This method is ideal for examining the results of compositional analysis as it reduces a large number of correlated variables, such as the dozens of elements measured in LA-ICP-MS analysis, into a

smaller number of uncorrelated components. By reducing this large dataset into smaller components, it is easier to characterize the variation between the different geologic groups (VanPool and Leonard 2011). The first component produced accounts for the most variation within the entire dataset. The second component condenses the remaining variation in the dataset, and so on with successive components until all the variation has been accounted for. For the current study, I used the Aabel 3.0 software program to produce bivariate and trivariate scatter plots of the various components (e.g. component 1, component 2, and component 3) as a way to visualize the data. As there were often 8-10 components produced in this analysis, there were multiple scatterplots produced. In some plots, it was clear that specific geologic groups from a single source were clustering together and away from the other sources. I then consulted the factor loadings table produced by SPSS, which indicates the correlation between each variable (element) and the component. In this way I was able to narrow down the elements that were most significant and that would be used in the next phase of data analysis used to assign the artifacts to a geologic source.

Assigning stone bead artifacts to a geologic source

In the next stage of statistical analysis, the artifacts were assigned to a geologic source group using a statistical technique called **canonical discriminant analysis** (CDA). In previous geochemical compositional studies of stone artifacts, CDA was found to be the most effective method for differentiating geological sources and assigning provenience to artifacts (Law 2008; Law et al., in press). CDA begins by assuming that within a single dataset there are distinct groups, and that all possible groups are represented in these dataset (Baxter 1994: 185-6). CDA then produces discriminant functions, or linear combinations of variables that display and maximize the difference between the assigned groups. The number of discriminant functions

produced is always one less than the number of groups in the dataset. The results of CDA can then be visualized by plotting the first and second functions on a bivariate scatter plot, as these two functions are often the most useful for demonstrating the difference between groups (Baxter 1994:188). The individual members (cases) of a group are plotted by their discriminant score, "which are the values that result when discriminant functions (unstandardized canonical discriminant function coefficients) are applied to each case," (Law 2008:80). In order to more accurately measure the discrimination success between the groups, I also performed crossvalidation using the "leave-one-out" function in SPSS. In this method, each sample is left out of its assigned group and compared to the entire dataset as an ungrouped case. A cross-validation success percentage is produced, which is related to the number of cases that are correctly assigned to the group to which they belong. This method allows for a more accurate measurement of group separation (Baxter 1994; Kovarovic et al. 2011; Law 2008). When the first and second discriminant functions are plotted in a scatter plot, ideally one should have clusters of distinct, discrete groups that correspond to the known groups with no misclassifications or overlap.

The second aspect of CDA involves classifying a group of unknown samples (the stone artifacts) to the defined groups that they most closely resemble (geologic sources). As with the "leave-one-out" classification described above, these samples are treated as ungrouped cases. The mean of the defined groups' discriminant scores is called the group centroid. The discriminant score of the ungrouped cases is compared to the group centroids and their similarity or dissimilarity is determined, producing a Mahalanobis distance value. The Mahalanobis distance between each unknown case and each defined group is determined, and the ungrouped cases are assigned to the group with whom they have the smallest Mahalanobis distance value.

However, it is important to note that this group assignment does *not* mean that the cases conclusively belong to their assigned groups. CDA assumes that all possible groups are present and will always assign an ungrouped case to a group. In reality, the group assignments could change as additional geologic sources are added to the dataset. As the current study was only able to analyze a limited number of geologic sources, we should consider the group assignments to merely reflect predicted group membership. Additionally, unknown cases can easily be misclassified due to similarities between the different defined groups (geologic sources) or because the case itself is an outlier of a group. The CDA in SPSS produces two possible group assignments and the second group was considered on a case-by-case basis (Law 2008).

It is important to note that while I have tried to gather samples from as many geologic sources as possible, the present study includes only a small segment of all the possible sources that could have been used to produce agate, carnelian, and garnet beads during the Iron Age period. For this reason, the predicted group membership for the stone beads discussed in Chapters 5, 6 and 8 should be taken as provisional.

A Fisher's Exact test was used in Chapter 6 to determine if there was a difference in the agate and carnelian sources used to produce Period 1 beads versus Period 2 beads. A Fisher's Exact test is an ideal method to use with smaller sample sizes that have been classified with categorical data. A 2x2 contingency table was used to calculate a p-value (see VanPool and Leonard 2011: 250-2 for a more detailed discussion of the mathematics used to produce this value). A p-value greater than .05 means that we cannot reject the null hypothesis that two groups are equal.

Using compositional data gathered from geochemical analysis using LA-ICP-MS, I was able to determine the probably general geologic source area for the majority of the

agate/carnelian beads in this study. The geologic source area for a small portion of the agate/carnelian beads as well as the garnet beads is still unknown. These data, combined with the attributes discussed above, allows me to identify patterns in the distribution of specific types of beads across time and space. In this way I have been able to test if Phase 1 and Phase 2 beads were produced using the same raw material source, if there is evidence for the use of Southeast Asian raw material sources to produce beads, and if certain bead shapes were made from the same or different geological sources areas. The resulting patterns were then used to interpret the role of the Mekong Delta sites in the distribution of specific bead types.

Determining glass types

Compositional analysis of glass beads was more straightforward than for the stone beads. There have been extensive compositional studies of the different types of glass in circulation in Southeast Asia during the Iron Age period (e.g., Dussubieux 2001; Dussubieux and Gratuze 2003; Lankton and Dussubieux 2006, 2013). A recent study by Lankton and Dussubieux (2006) has provided a detailed table of glass compositional groups and their reduced compositions that have been further refined in more recent publications (e.g. Dussubieux et al. 2010; Lankton and Dussubieux 2013; Lankton et al. 2008). LA-ICP-MS data from the glass artifacts in the current study were compared with these previously identified groups and then assigned to glass type based on the similarities in their compositions.

These glass types were made from three important components: silica, fluxing agents, and stabilizing agents. The primary component of glass is silica (SiO_2), the source of which was generally sand or quartz pebbles (Henderson 2000). Because silica has a high melting point, fluxing agents were added in order to facilitate the melting process. The two principal fluxing agents were potassium oxide (potash, K_2O) or sodium oxide (soda, Na_2O). These fluxing agents

were often derived from plant sources, however soda from mineral deposits was also used (Henderson 2000). The last important component of glass was the stabilizer, which prevented the glass from dissolving in water; the most common stabilizers were lime (calcium oxide, CaO) and Alumina (aluminum oxide, Al₂O₃) (Turner 1956). Other elements found in glass include intentionally added opacifiers or coloring agents, such as antimony, tin, cobalt, copper, lead and iron, along with naturally occurring impurities. Glass recipes can vary depending on the different types and amounts of silica, fluxing agents, and stabilizers used.

Some glass recipes are also identified with a specific time period, region, or workshop. However, this is not always clear as recipes can be used in multiple locations and over hundreds of years. Furthermore, a single glass production workshop may use several different recipes to make glass beads (Lankton and Dussubieux 2006). Nevertheless, LA-ICP-MS allows for the identification of the different glass recipes used to produce the glass artifacts examined in this study. Generally the assignment of the glass artifacts to different glass types was clear-cut. However, I occasionally used bi-variate scatterplots or PCA to distinguish between different glass types whose compositions were not immediately clear.

Compositional analysis of glass beads was especially effective for identifying patterns in the distribution of different glass types that were not immediately obvious by looking at the bead attributes alone. The identification of specific glass bead types at sites also allows for their placement into broader glass bead exchange networks linking areas within mainland Southeast Asia and between South Asia and Southeast Asia.

Determining the drilling methods of garnet beads

In addition to recording bead attributes and examining bead compositions, I also examined the drilling methods used on the garnet beads by taking impressions of the bead

perforations and examining these under a scanning electron microscope (SEM). Previous studies have found that drilling methods are culturally specific (Kenoyer 1992a), therefore identifying the drilling method used to produce a bead may give one clues as to when and where a bead may have been produced. Impressions also allow for a clearer view of the bead perforation size and shape (Figure 4.7c), which is useful for understanding the type of drill used to make the bead.

While I had initially intended to use this methodology on both agate/carnelian and garnet beads, I narrowed the focus to garnet beads alone due to time and financial restrictions.

Furthermore, visual inspection and preliminary examination using a digital microscope of the bead perforation impressions from the agate and carnelian bead showed that nearly all appeared to have been drilled using a double-diamond drill (see discussion in Chapter 8). However, the bead perforations on the garnet beads were unique and warranted further inspection.

Impressions of the bead perforations or holes were taken in the field using silicone dental impression material following a method pioneered by Gorelick and Gwinnett (1978) and further revised by Kenoyer and Vidale (1992). The impression material is forced through the bead hole and allowed to set, when removed it producing a perfect cast of the interior of the bead hole (Figure 4.7a-c). Impressions were brought back to the United States and a selection was chosen for SEM analysis in the Biological & Biomaterials Preparation, Imaging, and Characterization Laboratory (BBPIC) at the University of Wisconsin-Madison. The impressions were first mounted on a metal slide and glued in place using colloidal silver and left to dry over night (Figure 4.7d). Once at the BBPIC, the samples were placed in a SeeVac Auto conductavac IV sputter coater, and evenly coated with 10-20 nanometers of a 60/40 gold/palladium alloy. Without this metal coating, the electrons in the SEM could damage the sample and cause imaging problems.




Figure 4.7: A. Taking impressions of stone bead perforations using dental impression gun. B. The beads with impression material while it is setting. C. The impressions after removal from the beads showing the different shapes of the interior perforations. D. The impressions mounted on a slide for SEM.

Once coated, the samples were then placed in the SEM chamber and images of the impressions were taken at multiple magnifications from 25-35x magnification, approximately 50x magnification and approximately 100x magnification. Previous research has highlighted the effectiveness of SEM in determining the drilling method (see Gorelick and Gwinnett 1988; Gwinnett and Gorelick 1986, 1998; Gorelick et al. 1996). However more recent research has emphasized the importance of using high-resolution SEM images to determine the different drill types (Kenoyer and Vidale 1992; Kenoyer 1997). SEM images were compared with SEM images from earlier experimental studies that tested different drilling techniques on a variety of stone materials. These comparisons provided a preliminary hypothesis regarding how the garnet beads were drilled. However, these must be further tested using experimental studies on garnet. These studies are ongoing, however they are outside the scope of this dissertation.

Examining the drilling methods used to produce garnet beads allows for the identification of a two distinct garnet bead types that were manufactured using two different drilling methods and with two distinct distributions. Examination of the drilling method also allows me to address questions regarding the control over distribution, as the identification of a drilling method that may be related to local manufacture has implications for control over the production of beads by Southeast Asian elites.

Conclusion

In this chapter I have discussed the various methods used to identify patterns in the distribution of stone and glass beads over time and space. By recording visible attributes on stone and glass beads I am able to identify preliminary patterns regarding the distribution of Phase 1 and Phase 2 beads, the distribution of various agate/carnelian and garnet bead shapes, and the distribution of different Indo-Pacific bead glass colors. These preliminary patterns were then explored further by using compositional analysis on a selection of stone and glass beads. This type of analysis allows for an identification of the geologic sources used to produce the stone beads and the different glass recipes used to produce the glass beads. Using a variety of statistical methods, the geologic sources were distinguished from one another and stone artifacts were assigned to these sources. These data, when combined with the attribute data, allow for the identification of more specific bead types that share both a raw material or glass recipe, as well as a variety of other characteristics including shape, color, or manufacturing method. Examination of garnet bead perforations using dental impression material and SEM analysis provide another layer of information regarding the manufacturing methods used to produce these beads. By identifying these specific bead types over time and space, I have been able to detect patterns in their circulation. These patterns can then be related to the changing exchange

networks and increasing participation in trade by elites at sites in the Mekong Delta. In the next three chapters I will discuss the results of these analyses in more detail, beginning with the agate and carnelian beads.

Chapter 5: Agate and Carnelian Beads- Contextual and Morphological Analysis

Agate and carnelian beads make up only a small portion of the total bead collection examined as part of this study, however the information collected will fill the next two chapters. In this chapter I focus on contextual, morphological, and metric data from agate and carnelian beads to address the following questions:

- Based on morphological and metric analyses, is there a pattern in the types of beads being traded over time and space and can these patterns be linked to trade networks?
- Does evidence from trade patterns suggest increasing involvement in the trade of these objects by elites in the Mekong Delta?

I begin this chapter by discussing the identification and variations in rocks that are referred to as agate and carnelian. I also review the archaeological and ethnographic evidence on major production techniques used in the manufacture of agate and carnelian beads in Southeast Asia and South Asia. The complexity of the technology and knowledge required to produce these beads adds value to their status as prestige objects. I then review previous studies of agate and carnelian beads in Southeast Asia, explore how the study of agate and carnelian beads has changed over time, and discuss hypotheses raised by more recent studies about the production and trade of agate and carnelian beads. I also provide and overview of Southeast Asian sites believed to have been agate and carnelian bead manufacturing centers. Following this review, I begin my discussion of the agate and carnelian beads included in this study and their context. Nearly all of the beads were found in burial contexts and the beads appear to have had a restricted distribution within sites, with only a few people at a site having agate and carnelian

beads and an even smaller number having a large quantity of these beads. This evidence also indicates that certain sites had greater access to agate and carnelian beads, or even certain types of beads, than others.

Following the contextual discussion, I examine bead types, quality, and perforation in more detail, noting patterns in the distribution of certain types of beads across the region. Two scholars (Bellina 2007; Theunissen 2003) have already noted patterns in the types of beads being traded over time and space, which is believed to be related to different trade networks and possible local production of beads. By evaluating the bead shapes and perforation sizes of the agate and carnelian beads I aim to show that beads from different sites in Cambodia and Thailand appear to have been a part of different trading networks. These data is then used to inform the geochemical study of agate and carnelian beads, which I discuss in Chapter 6.

Agate and Carnelian: Definitions

Agate and carnelian are sedimentary rocks made largely of microcrystalline quartz, and fall into the same family as flint, chalcedony, jasper and chert (Luedtke 1992). The term agate has generally been used to describe banded translucent rocks that are usually shades of white, grey, and brown. These colors are sometimes enhanced by bead-makers using a dying process, resulting in darker browns and blacks that archaeologists have called onyx (Francis 2002; Kenoyer 2003). Carnelian refers to translucent rocks that range in color from yellow, orange, and deep red, which are naturally occurring or enhanced by heating the stone (Kenoyer 2003). The formation processes of agate, carnelian, and chert in general are not well understood. However it is believed that most agates form in small cavities of other rocks, growing from the outside in (Luedtke 1992). Microcrystalline quartz is made primarily of silica with very small amounts of other impurities; it is these trace elements that aid in geochemically identifying geological

sources and assigning provenience to agate and carnelian artifacts. Agate and carnelian can be found today in primary contexts as part of host rocks, including dolomite or limestone, although many of the more outstanding examples of agate and carnelian form in volcanic rocks, specifically basaltic lavas (Luedtke 1992:33). However, agate and carnelians can form in any rock or even organic substance where silica can accumulate. Many agate and carnelian samples are also found in large secondary gravel deposits after having eroded from their host rock. These widespread secondary deposits can sometimes contain materials from multiple source locations, which can make "fingerprinting" these sources difficult. Samples from the same source can also have a high degree of variability (Luedtke 1992: 51). For this reason, it is important to know the geological context of the source being analyzed.

In addition to agate and carnelian, a small number of clear quartz beads were also examined. Clear quartz is part of agate and carnelian family and can sometimes be found in the same deposits with carnelian and agate. Although, clear rock quartz from South India does not occur with agates and instead comes from other deposits, (J. Mark Kenoyer, personal communication, 2012), quartz beads appear to be worked at the same Indian beadmaking sites as agate and carnelian (Francis 2002). Based on these similarities, I included a single quartz crystal bead from Angkor Borei with the rest of the agate and carnelian materials.

Agate and Carnelian Bead Production

Several ethnographic studies of modern beadmaking in India allow for a detailed understanding of the process of beadmaking from raw material acquisition to the finished product (Kenoyer et al. 1991, 1994, Possehl 1981; Roux 2000; Vidale et al. 1992, 1993).

Recording the manufacturing waste and debris from the different stages of production can assist with identifying bead workshops in the archaeological record (Figure 5.1). The first stage

involves the acquisition of raw materials, which can be either found on the surface or mined. Currently in Gujarat, state contractors control the mining of high-quality carnelian nodules. The raw materials are then sold to middlemen or sent to bead workshops in Khambhat (Kenoyer et al. 1991). After mining, the agate and carnelian nodules must then be dried in the sun for several months to remove any remaining moisture. Following this process, the nodules are slowly heated to approximately 340° C to remove any remaining moisture and allow the nodules to be more easily flaked and shaped. Large nodules are often sawn into smaller pieces in order to maximize raw material. The nodule can then be flaked into bead roughouts. In India a specialized technique is used called inverse indirect percussion, in which the bead nodule is held against an iron stake in the ground and hit by a hammer made from water buffalo horn to remove flakes and shape the bead. A bead roughout can continue to be shaped by chipping off additional small flakes or being ground on a grinding stone (Kenoyer et al. 1991; Kenoyer 2003).




Figure 5.1 Agate and carnelian raw material acquisition and manufacturing stages. Image courtesy of J. Mark Kenoyer from Kenoyer, Vidale, and Bhan 1991: Figure 2.

The next steps in the process, perforation, heating, and polishing, can be performed in almost any order. Although, beadmakers often performed the polishing and heating stages after perforation, as many beads were broken during this process (Kenoyer 2003). In the perforation stage, the bead is drilled to create a hole. In India, a diamond tipped drill has been used to perforate beads since at least 600 BC (Kenoyer 2003). Modern Indian bead drillers use a special drill with two diamond chips mounted on the drill tip (Kenoyer and Vidale 1992). These two chips mounted on the side of the iron drill tip result in a straight cylindrical perforation, with distinctive spiraling striations from the drilling. The size of the drill hole depends on the size of the diamond chips and the overall mounting on the drill tip. This double-diamond technique appears to be limited to South Asian bead makers, specifically peninsular India and is still widely practiced in Khambhat, Gujarat (Kenoyer et al. 1991). Single diamond drills, in which a single diamond chip is inserted into the tip of a metal drill, were also used. However this drill type is more commonly found in the northern and western parts of Asia (Kenoyer 1992, 2003).

Most beads are currently polished using electrically powered abrasive wheels or tumbling barrels. However, in the past polishing was done by hand, for example by using abrasive wheels made from a mixture of insect resin (lac) and emery or corundum powder that were hand turned on a lathe (Kenoyer et al. 1991). Polishing could also be done using grinding stones or abrasive on a wooden or leather surface (Kenoyer 2003). These processes were time consuming, taking several hours or several days per bead. However, a mass polishing technique was introduced, perhaps as early as the third century BC (Kenoyer et al. 1991:54), in which a group of beads was put in a watertight leather bag with water, and abrasive powder or corundum. The bag was then rolled back and forth for 15 days, producing beads with a low-luster polish (Kenoyer 2003).

Agate and carnelian beads could also have their color enhanced by additional heating.

Brown and white agate beads can be soaked in a sugar solution, which saturates the stone (Kenoyer 2003). When heated, the sugar darkens the stone to a deep brown or black. Additional heating of carnelian beads can produce a deep red-orange color due to the iron present in the stone; heating a bead seven to ten times can produce a deep red color (Kenoyer et al. 1991).

As part of my research I recorded various aspects of the agate and carnelian beads that are related to different steps in their manufacturing process. Understanding the techniques used to make agate and carnelian beads is important for identifying similarities and differences in the production process that may be related to specific workshops or manufacturing locations. Furthermore, it is important to understand the technological complexity involved in manufacturing beads so that discussions of production in Southeast Asia can be critically evaluated.

Agate and Carnelian Beads in Southeast Asia

Agate and carnelian beads have been found across sites in Southeast Asia. Early scholars assumed that all these beads were made in South Asia and imported to Southeast Asia. However as early as the early 20th century, scholars suggested that beads might have also been locally produced in Southeast Asia. In this section, I will describe some of the previous research on agate and carnelian beads in Southeast Asian, concluding with a discussion on local production.

Previous research on agate and carnelian beads in Southeast Asia

Early scholars and researchers were aware of the importance of stone beads found at sites in Southeast Asia, with many immediately recognizing the connections with India or even Rome (e.g., Gardner 1937). This earliest phase of research focused on describing beads and classifying them based on size, shape, and raw material type. The primary purpose was to identify

similarities to beads found at other sites, in order to recognize trade contexts and loosely date sites to a specific time period (e.g., Beck 1930). Other scholars identified similarities between ancient beads they found and others being used and worn by modern populations (Evans 1928, 1932), indicating the potential for curation of ancient beads.

In the 1970s and 80s, looting and subsequent excavation at the sites of Ban Don Ta Phet (BDTP) and Khlong Thom (also called Khuan Luk Pad) turned up additional unusual and diagnostic types of beads. These beads highlighted the intensive trade between India and Southeast Asia (Glover 1989). A leaping lion bead found at BDTP showed a striking similarity to lion pendants found at Gandharan reliquaries in northern India. The presence of this type of bead at BDTP suggested the presence of both Indian goods and ideologies in Southeast Asia prior to the presence of sculpture and images (Gupta 2003).

Beads from BDTP were amongst the first to undergo comprehensive scientific study (Basa et al. 1991; Basa 1991; Gorelick et al. 1996; Williams 1984). Analysis of the drill holes on stone beads showed that they were made with a diamond tipped drill, analogous to those found in India. Furthermore the beads showed evidence for hand polishing (Gorelick et al. 1996). A unique bead type frequently called etched beads was also found at Ban Don Ta Phet, among other sites. Etched beads generally refer to a bead that has a design painted on the surface.

Recent scholars have sometimes used the term "alkaline-etched" to refer more specifically to the beads that have been painted with a sodium carbonate mixture (Glover and Bellina 2001). These beads may have also been referred to as Bleached Carnelian as the surface decoration does not in fact etch the surface as explained by Kenoyer (2003). I use the term etched as it is commonly used in Southeast Asia, although technically not accurate. Etched beads from BDTP were examined using an Energy Dispersive X-Ray Analyzer (EDAX) in order to identify the recipe

used to etch the bead (Glover 1989: 25-6). Unfortunately, it was difficult to determine the presence of sodium carbonate using this technique.

Etched beads were initially produced during the Harappan period during the 3rd millennium BC, but were also made during a middle period (300 BC- AD 200) and late period (AD 600-1000) in India (Beck 1933). Several scholars have classified these beads based on their surface designs and the period in which they were found (Beck 1933; Dikshit 1949). The majority of etched beads in Southeast Asia are either carnelian with a white design or a dark brown or black agate with a white design (Glover and Bellina 2001, 2003). A recent study (Glover and Bellina 2003) has examined the distribution of these beads and found that while many are similar to those found in India (Beck middle period Type 1 and 2), there are also numerous types of beads that are common in India but rarely found in Southeast Asia and vice versa.

Research on the different types of beads found in Southeast Asia and their distribution has been greatly expanded by Bérénice Bellina (2001, 2003, 2007; Bellina and Glover 2004). In her work, Bellina examined over 1400 beads from South and Southeast Asia (2001, 2003, 2007). Approximately one third of the beads were from protohistorical Indian sites, including Hastinapur and Ahichhatra in northern India, Mahurjhari, Ujjain, and Mahurjhari, in central India, Sisupalgarh in eastern India, and Brahmagiri, Arikamedu, Karaikadu, and Kodumanal in southern India. The remainder of the beads (n=860) were from 28 Southeast Asian sites in Bali, Java, Malaysia, Myanmar, the Philippines, Thailand, and Vietnam. Bellina examined the raw material, size, shape, perforations, and finishing techniques of all of these beads in order to identify patterns in the types of beads found at South Asian sites versus Southeast Asian sites, as well as beads from sites dating to different time periods in South and Southeast Asia. As she

was unable to take beads out of the country, she also had high-quality resin replicas produced for further microscopic examination in order to determine the finishing processes used to produce the beads. Her results show that beads can be divided into two periods that relate to the two phases of interaction with South Asia discussed in Chapter 3 (Bellina and Glover 2004). Period 1 type beads are primarily found during Phase 1 exchange with South Asia (approximately 4th century BC – 2nd century AD) and are predominantly finely made beads with complex shapes, such as faceted beads, etched beads, and animal shapes. Bellina has observed that some of these Period 1 beads found in Southeast Asia had no analog in India and yet they were produced with high-quality Indian manufacturing techniques. Bellina argues that these beads are reflective of beads "made-to-order" by Southeast Asian elites who preferred beads in a local style. Some of these unique shapes include octagonal faceted bicones or flattened elliptical collar beads. Bellina (2003: 293) contends that these beads are reflective of an "active role" that Southeast Asians took in their exchange relationships with Indian traders and craftsmen; "by giving direction to Indian production and supply, Southeast Asian elites also took part in shaping the inter-regional exchange network."

During the second phase of interaction with South Asia, Bellina observed a shift to Period 2 type beads that were generally of a lower quality beads but appearing in higher quantities. Although she notes that there continued to be smaller quantities of the high-quality Indian beads seen during the earlier period. Bellina (2003, 2007) notes that the mass-produced lower-quality beads coincide with the emergence of Southeast Asian manufacturing centers. For this reason, she argues that these lower-quality beads were local productions and that elites at important trading centers were keeping the higher-quality beads for themselves and trading the lower quality materials inland. While this hypothesis is one interpretation for the pattern of agate

and carnelian beads observed, the assumption that all lower quality beads were produced in Southeast Asian workshops is problematic as the evidence for local production of these materials is not clear. Lower quality beads could have been produced at workshops in South Asia and imported to Southeast Asia. The distribution of lower-quality and higher-quality beads could also reflect cultural choices regarding the types of beads being traded or deposited in burials. While I agree with Bellina's observations regarding the presence of Period 1 and Period 2 types beads, there is not yet enough archaeological evidence to support her interpretation regarding local production of lower-quality agate and carnelian beads.

In his dissertation research Robert Theunissen (2003) traced the movement of specific bead types, such as black and white banded agate beads, long faceted carnelian beads, and notched agate pendants among other shapes, over time and space identifying potential trade networks and changing trade over time. More details on these networks will be discussed at the end of this chapter. However it is important to note that like Bellina, Theunissen also observed a difference in the types of beads being traded and their distribution over time. During the early Iron Age, Theunissen argues that beads were likely exchanged between elites at a smaller scale, with little evidence that elites within a core area were controlling the trade. Evidence for this is largely due to a lack of evidence for direct Indian-controlled trade. As beads had to travel through diverse communities overland, by river, and along the coast Theunissen (2003: 141) argues that local elites "must have exercised some control." However, during the later Iron Age phase Theunissen notes that there are large quantities of beads at sites in the Thai-Malay peninsula that were on a direct route from India. Theunissen (2003: 143-6) contends that Indian traders might have controlled bead distribution at these sites. However inland areas of mainland Southeast Asia appear to have been exchanging beads through an "elaborated prestige goods

exchange" network, with three sites that could potentially control trade of both imported objects as well as local production of artifacts.

However, upon more critical examination, it is evident that the sites that he proposes were controlling trade, Oc Eo in Vietnam, sites in the southern Thai peninsula, and a site near the central Thai agate source of Ban Khao Mogul, have little archaeological evidence to support this conclusion. For example, proposed manufacturing sites at Oc Eo and on the Thai-Malay peninsula have been heavily looted. While some manufacturing debris, as well as unfinished and undrilled beads have been identified in these locations they do not come from clear workshop contexts. Furthermore, the proposed site near the Ban Khao Mogul agate sources has not been identified. Nevertheless, Theunissen and Bellina's work has done much to expand our understanding of the agate and carnelian bead trade in Southeast Asia. Their evidence shows that Southeast Asian people were directly involved in the consumption, distribution, and possibly the production of important prestige objects, in contrast to early views that assumed Southeast Asians had taken a more passive role in trade relations.

Determining the value of agate and carnelian beads

Several scholars have also discussed the value or symbolism of agate and carnelian beads found in Southeast Asia (Bellina 2007; Gupta 2003; Theunissen 1997, 1998, 2003, 2007; Theunissen et al. 2000). The scholar Sunil Gupta has suggested that beads were more than trade and status objects, but could in fact be interpreted as objects of "proto-Indianization," (Gupta 2003: 395). In his model, the etched and animal-shaped beads were specifically related to an aniconic religious tradition in circulation several centuries prior to the appearance of Indian religious sculptural traditions. Gupta (2003: 404) argued that this seemingly "sudden" appearance of Indian iconography "could only happen when the indigenous communities of

Southeast Asia had prior knowledge of the religious ideas underlying Buddhist/Brahmanical iconography." However, Gupta also notes that many Southeast Asian people most likely projected their own beliefs and ideologies on to the agate and carnelian beads as well.

On a smaller scale, Theunissen (1997, 1998, 2003, 2007; Theunissen et al. 2000) has examined the impact of agate and carnelian beads at sites in Northeast Thailand. Theunissen analyzed agate and carnelian beads found in Iron Age burials at Noen U-Loke. In order to assess the impact of the introduction of agate and carnelian beads on the Noen U-Loke community, Theunissen first had to identify the value of the beads in relation to other grave goods; evaluating them based on their physical traits, rarity of material, exoticness, the labor used to produce the object, and the skill/technology needed to produce the artifact. In his evaluation, agate and carnelian beads were the highest valued objects placed in graves, even more valuable than gold beads (Theunissen 2003: 199-203). The notched agate pendants may have been especially valued, as several were repaired after having been broken and continued to be used as ornaments prior to inclusion in the burial (Theunissen 1998).

Theunissen (2003: 211) also found that burials with agate and carnelian beads also had other high-value grave goods, making them amongst the wealthiest at the site. However, these beads were not highly restricted to only the most elite members of the community, as nearly one third of the burials contained these beads. Instead, Theunissen argues the inclusion of these beads signaled a shift in mortuary ritual at Noen U-Loke. During the earlier phases of the site communal feasting appears to have been associated with "the pursuit of prestige and power;" however with the appearance of agate and carnelian beads "there is a shift to the storage of wealth as durable and wearable personal ornaments used for the acquisition and expression of prestige, social status, and power" (Theunissen 2003: 220).

Bellina (2007) also supports the idea that in the earliest period of exchange with India, agate and carnelian beads were important symbolic status markers for elites. However, she points out that we know very little about the nature of exchange and the relationships in which prestige goods were exchanged. Despite this, a preexisting network that circulated Dongson drums, and nephrite earrings indicate the presence of a shared prestige good value system in place prior to contact with South Asia (Bellina 2007). During the later period of interaction, an increasing number of lower-quality beads appear at sites in Southeast Asia, which Bellina assumes are local products. In this case, Bellina (2007: 72) argues that the higher-quality Indian beads may have been perceived as more valuable than local productions that "have been stripped of any Indian cultural aspect." These lower quality beads were traded inland to communities that did not have direct access to the higher-quality imports. I will return to these ideas below, however it is important to note that Noen U-Loke, which was peripheral to the major prestige good networks, still received high-quality agate pendants (Theunissen 2003).

Although we may never know how Southeast Asian people perceived these artifacts, agate and carnelian beads were important prestige objects and appear to have been used to mark status within a community. The current study adds to this evidence by showing specific evidence for the unequal distribution of artifacts both within individual cemeteries and between sites. At sites like Prohear and Noen U-Loke, agate and carnelian beads appear to have been more highly valued than gold (Theunissen 2003; Reinecke et al. 2009). Furthermore, previous research has highlighted that morphological and metric analysis of beads can tell us about different trade networks, control over trade, and phases of trade. In the next section I will test these ideas against the agate and carnelian dataset that I collected in Cambodia and Thailand.

Local production of agate and carnelian beads in Southeast Asia

Several scholars have argued for local production of agate and carnelian beads in Southeast Asia, however most of the evidence for production has been found in disturbed contexts and excavations at workshop sites have not produced enough data to allow us understand how production was organized. Nevertheless, most scholars agree that some form of bead manufacture was taking place in Southeast Asia (Figure 5.2). Several of these sites also have evidence for glass beads production, which will be discussed in more detail in Chapter 7.

Several scholars have hypothesized about how bead manufacturing came to be practiced in Southeast Asia. Bellina (2007: 73) has suggested that the Indian craftsmen living and working at Khao Sam Kaeo may have been invited there by Southeast Asian elites, due to the fact that many beads found at the site were unusual types produced for a "local elite" but using high-quality Indian techniques. Later historic documents also discuss the presence of Indian trade guilds within Southeast Asia (Bellina 2007:53; Francis 2002). The technological complexity of bead production and the long apprenticeship required to make beads likely prohibited Southeast Asians from learning this craft. However, it has been noted that if some beadmakers had settled in Southeast Asia they may have been able to pass on these skills to local craftsmen (Glover and Bellina 2011:40-1).



Figure 5.2: Map of Southeast Asian sites with evidence for bead production.

Kuala Selinsing, Malaysia

Kuala Selinsing, located in peninsular Malaysia, was one of the first sites where evidence of local production was found. Ivor Evans (1932) reports that carnelian beads were the most

common type found at the site. In addition to finished pieces, there were also unfinished beads that were polished but had no perforation or had a perforation but were not yet polished. However, he did not find any raw material and so hypothesized that semi-finished beads were sent to the site and finished there (Evans 1932:91). Francis reports that agate and carnelian waste material have been found at the site more recently, in addition to possible grinding stones used to shape or polish beads (2002: 142).

Oc Eo, Vietnam

Louis Malleret reported over 10,000 beads from Oc Eo, unfortunately less than 1000 of them came from his excavations while the rest were from looted contexts. Malleret also found evidence for local production of stone beads, predominantly quartz and amethyst but also agate/carnelian and garnet (see Chapter 8 for a discussion of garnet bead production at Oc Eo). Evidence for this is found in unfinished and undrilled beads. Malleret (1962: 147) also notes the presence of flakes that may have been from the drilling process.

Khlong Thom/Khuan Lukpad, Thailand

The site of Khlong Thom or Khuan Lukpad is located in Krabi province on the Thai-Malay peninsula. The site is known for its large number of stone and glass beads, primarily from a looted context (Veraprasert 1992). During excavation at the site numerous undrilled stone beads were found, indicating some type of manufacture at this location. Veraprasert (1992: 156) also reports a large "rectangular core stone" (10cm x 3cm) found amongst looted materials stored at the local Wat, from which pieces may have been flaked off to make beads. The large and diverse sets of artifacts from this site have lead several scholars to describe it as an important trade center or entrepôt. There have been no radiocarbon dates, however based on similarities of

artifacts it is believed to have been inhabited from the late centuries BC to the early centuries AD (Veraprasert 1992: 159). More recent work on glass production at this site (see Chapter 7) points towards dates ranging from the 1st/2nd century-7th century AD (Lankton and Dussubieux 2013).

Giong Ca Vo, Vietnam

Giong Ca Vo is a Sa Huynh culture burial site located near the Mekong Delta and Ho Chi Minh City, dated to approximately 400 BC (Higham 2002). A very large quantity of jewelry, and especially carnelian and jade beads and objects, has been found at this site. Bellina (2007: 54-5) reports that a small number of knapping flakes found near the burials could indicate the presence of itinerant Indian craftsmen producing beads. Also notable is a carnelian earring with projections, known as a ling ling-o ear ornament, a local Sa Huynh artifact made in a non-local material, which may also suggest some kind of local production (Nguyen Kim Dung 2001). Nephrite blocks indicate that there may have been local production of nephrite ear ornaments and other objects at Giong Ca Vo as well (Hung et al. 2007).

Khao Sam Kaeo, Thailand

Khao Sam Kaeo is located on the Kra Isthmus in the Thai-Malay peninsula. As noted in earlier chapters, Khao Sam Kaeo is believed to have been an important urban trading center, dating to the 4th-2nd centuries BC. As with other sites discussed in this section, Khao Sam Kaeo was heavily looted. However numerous undrilled and unpolished, but shaped beads have been discovered from this site. Also present are chunks of agate and carnelian raw material, as well as very roughly shaped beads (Bellina 2007; Glover and Bellina 2011). Finished products show high-quality Indian manufacturing techniques, such as diamond drilling and hand-polishing and traditionally Indian bead styles. This has led Bellina to argue that Khao Sam Kaeo was a

manufacturing center likely inhabited by Indian craftsmen (Bellina 2003, 2007; Glover and Bellina 2011). It should be noted that Bellina has not ruled out the presence of local Southeast Asian beadmakers, but suggests they likely would have had to undergo a lengthy apprenticeship with Indian beadmakers (Glover and Bellina 2011).

Buni Region, Java

The Buni cultural complex is found in western Java, and consists of a series of looted graves with carnelian and gold beads, a few fragments of Indian Rouletted ware, and other objects (Bellwood 2007). Bellina (2003: 289, 2007) has also mentioned the presence of unfinished beads at this site, which she suggests could have been made from local agate and carnelian sources located further inland.

Myanmar

Myanmar is home to numerous semi-precious stone sources suitable for use in bead manufacture, including agate and carnelian (Campbell Cole 2003). Beadmakers in the Samon Valley region may have exploited local carnelian, chalcedony, and fossil wood sources to make beads found in burial sites in this area and bead roughouts and unfinished beads have been found at sites throughout this region (Campbell Cole 2003; Moore 2007). Additionally, Bead roughouts and raw material have been found near the Pyu sites of Thaton and at Sriksetra in Lower Myanmar (Campbell Cole 2003). Ancient beadmakers also etched or line-decorated agate, carnelian, and especially fossil wood beads, which is still practiced in Myanmar today, and believed to have been introduced to this region via influence from South Asia (Moore 2008).

Other sites with unfinished beads or raw materials

There are several other sites that have been briefly referenced as having evidence for unfinished beads and therefore could potentially be locations of bead manufacture. These include Muang Thong (Ko Kho Khao) in peninsular Thailand (A. Srisuchat 1996:268), Bukit Maris in Sarawak, Malaysia (Francis 2002:147), and Phu Khao Tong in peninsular Thailand (Chaisuwan 2011:87; Chaisuwan and Naiyawat 2009:99). Glover (1987: 89) reports seeing unfinished beads while visiting the village of Ban Plai Nam that may have come from the nearby site of Don Pacha in west-central Thailand. Survey in the Lopburi province region of central Thailand also identified fragments of agate and carnelian on the surface of the site of Dong Marum (Fiorella Rispoli, personal communication 2012) (Figure 5.3). The site of Ban Khao Mogul, also located in Lopburi province has also been discussed as a possible raw material source of agate and carnelian (discussed further in Chapter 6).



Figure 5.3: Image of agate and carnelian fragments from the surface of Dong Marum, Thailand. Collected by the Thai-Italian Lopburi Regional Archaeological Project during the 1993 survey in the Lopburi region.

Photo courtesy of Fiorella Rispoli.

Although the sites above are suggestive of bead production, I feel we must evaluate the evidence more critically. Ethnographic studies of contemporary bead production workshops have highlighted the large quantity of waste material produced during bead manufacturing, which often results in multiple dumps of lithic debitage (Vidale et al. 1993). Ethnoarchaeological work has identified patterns in the dumps from agate and carnelian bead production that can be used to distinguish between different types of workshops (Kenoyer et al. 1991; Vidale et al. 1993). Some sites have been classified as possible bead production centers simply due to the presence of unfinished beads. We can imagine, for example, that some if beads were being exported and sold by weight, that some unfinished beads would be included as a means of increasing the price. There are still many questions about the type and extent of bead production taking place at these sites. Were partially finished beads brought to Southeast Asia to be finished or did all stages of manufacturing take place in Southeast Asia? Were workshops attached to elites or working independently? While many of these questions will remain unanswered without additional archaeological research, we can begin to understand the nature of bead production and exchange through compositional analysis of the beads themselves.

Agate and Carnelian Beads: Results from Contextual and Morphological Analyses

Over 200 agate and carnelian beads were examined as a part of my dissertation research. Appendix 5.1 lists all of the agate and carnelian beads in this study, their context, measurements, morphological information, and assessment of quality. Most of the beads in this study came from burial or cemetery contexts. In this section I argue that mortuary evidence points toward the differential distribution of agate and carnelian beads within burials. Burials with many beads could be markers of high status or an important member of a community. Furthermore, it appears that not all sites had equal access to agate and carnelian beads, indicating the presence of

multiple bead trade networks. I also argue that morphological and metric analysis points toward two groups of beads that may be related to different phases of trade with South Asia as defined by Bellina and Glover (Bellina 2003, 2007; Bellina and Glover 2004). The distribution of certain shapes or types of beads across space may also indicate specific trade networks or connections between different communities. Taken together, these data show that higher-quality beads appear to be more strongly associated with the earlier phase of trade, while lower-quality beads are more widespread and associated with intensified trade with South Asia during the later Iron Age.

Context and Chronology for the Agate and Carnelian Beads

In this section I will review the contextual data for agate and carnelian beads from mortuary contexts at seven sites: Angkor Borei, Phnom Borei, Prohear, Village 10.8, Phum Snay, Ban Non Wat, and Promtin Tai (Figure 5.4). I will then consider the beads from Khao Sam Kaeo, Bit Meas, and Krek 52/62, which came from non-burial contexts, as well as a carnelian nodule discovered at Prei Khmeng (Figure 5.4). Beads from two sites are not considered: stone beads from Noen U-Loke were not recorded and the only carnelian bead from Prei Khmeng was on display in a museum exhibit and unavailable for study. Table 5.1 lists the beads sites discussed in this chapter, their dates, and the quantity and context of beads from each site.

Site Name	Date	Beads from	Burials with agate and carnelian	Beads from Non-
		Burial	beads/Total	burial
	200 7 G + 7	contexts	number of burials	Contexts
Angkor Borei,	200 BC – AD	2	2/111	9
Cambodia	200			
Ban Non Wat,	420 BC – AD	38	12/125	19
Thailand	600			
Bit Meas, Cambodia	Contemporary	0	N/A	2
	with Prohear?			
Khao Sam Kaeo,	4 th -2 nd century	0	N/A	18
Thailand	BC			
Krek 52/62,	2 nd half of the 1 st	0	N/A	1
Cambodia	millennium BC			
Phnom Borei,	200 BC- 0	1	1/9	1
Cambodia	BC/AD			
Phum Snay,	350 BC – AD	37	2/23	13
Cambodia	200			
Prei Khmeng,	1 st -6 th centuries	0	1/*	1 (carnelian
Cambodia	AD			nodule)
Prohear, Cambodia	200 BC – AD	6	5/52	0
,	200			
Promtin Tai,	500 BC – AD	33	6/35	14
Thailand	500?			
Village 10.8,	400 BC – AD 50	50	10/50	3
Cambodia				

Table 5.1: List of the quantity of agate and carnelian beads from each site discussed in this chapter.

The bead from the Prei Khmeng burial was not available for study.




Figure 5.4: Map of sites with agate and carnelian beads analyzed as part of this study.

Angkor Borei

A portion of a densely packed cemetery was excavated at the site of Angkor Borei over the course of two field seasons. A 5x7 meter unit was opened in the central and most elevated part of the site, near the modern Wat Komnou pagoda (Figure 5.5). The stratigraphy in this area was quite deep, with some units extending almost 7 meters below the surface (Stark 2001). Radiocarbon dates for the cemetery range from 200 BC – AD 200 (Stark 2001). Unfortunately, the tightly packed cemetery, occasionally with burials cutting into one another, prevents a more detailed seriation within this 400-year time span (Miriam Stark, personal communication 2011). However, 111 primary inhumation and secondary burials were recovered from this excavation (Ikehara-Quebral 2010). Most burials included pig skulls and globular earthenware jars as grave

offerings (Stark 2001). Only two burials contained carnelian beads (n=2) that were directly associated with a skeleton. The remaining agate and carnelian beads (n=9) as well as one quartz bead, were found within the cemetery matrix, but not associated with a specific burial.




Figure 5.5: Angkor Borei contour map. Excavation units are listed as AB1-8. AB7 denotes the Vat Komnou cemetery excavation. Constructed by John Shearer, Anne Dunlop and Jane Drummond; first published in Bishop et al. 2003.

Burial 44 contained a female aged 35-44 and a portion of a young adult that was sorted in the lab (Ikehara-Quebral 2010). In addition to the rough spherical carnelian bead, animal bones, 13 gold beads, a garnet bead and glass beads in the pelvic and chest area (n=6) were found associated with this burial, making it one of the richer burials uncovered at Angkor Borei (Ikehara-Quebral 2010: 38). Furthermore, oxygen isotope analysis on the dental enamel from

Burial 44 indicates this person was non-local and may have immigrated from the north (Krigbaum et al. 2007 as discussed in Ikehara-Quebral 2010: 43-44). Burial 51 contained the burial of a small child, 1.5-2 years old. Four pottery vessels, animal bones, and a spherical carnelian bead were found associated with the body, as well as a possible bracelet on the right arm (Ikehara-Quebral 2010).

Angkor Borei is notable for the large number of skeletons recovered during excavation; nevertheless the quantity and quality of grave goods in these burials is low when compared with other contemporary sites. As only a small portion of the 300-hectare site has been excavated, it is possible that more richly equipped burials are located in a different portion of the site, however this can only be resolved with continued excavations.

Phnom Borei

Small excavations were undertaken at Phnom Borei, a small hill located seven km south of Angkor Borei (Figure 5.6). A 2x4 meter trench was opened, but extended to include a burial found during excavation. Additional burials were discovered in this extension, with nine total burials uncovered in Layer 5 (Phon 2004). As at Angkor Borei, the skeletons were buried close to one another and accompanied by few grave goods, primarily small pottery vessels, similar to those found at Angkor Borei (Figure 5.7). Two spherical carnelian beads were found during excavation, however only one bead was associated with a skeleton and found under the chin (Phon 2004). Radiocarbon dating from organic materials found in layers 3 and 4 are contemporary with Angkor Borei, dating from the last few centuries BC (Phon 2004). Unfortunately, detailed analyses of the skeletons have not yet been undertaken, however preliminary results indicate that males, females, and at least one child were buried in this small cemetery. As noted earlier, Miriam Stark has suggested that Phnom Borei may be part of the

larger Angkor Borei habitation sphere. If this is the case, the burials at Phnom Borei seem to have fewer beads than at the Wat Komnou cemetery at Angkor Borei. However, the samples size for the site is too small to make broad conclusions.



Figure 5.6: Angkor Borei and Phnom Borei as viewed from Google Earth.



Figure 5.7: A group burials found at Phnom Borei. Photo by Phon Kaseka.

Prohear

Although the Iron Age cemetery at Prohear was heavily looted, 52 burials were uncovered over two field seasons (2007-2008). Of these burials, five included agate and carnelian beads. Six beads from three burials were available for study. Two agate beads were found with Burial 2, the burial of a male dating from burial phase II (100/50 BC- AD 100). In addition to these agate beads and numerous other artifacts (Table 5.2), his burial also contained a unique phallic stone pestle that was placed between the legs (Reinecke et al. 2009). Burial 24 contained two carnelian beads, over 150 glass beads, iron bracelets on both arms, as well as gold and silver jewelry (Reinecke et al. 2009). As with Burial 2, this burial dates to burial phase II.

Prohear	Sex	Time Period	Beads found	Associated grave goods
Burial Number			in burial	
Burial 2	Male	Phase II	Two agate	Glass beads, Dongson drum
		100/50 BC – AD	beads	fragments, iron and bronze
		100		bangles and weapons/tools,
				gold jewelry ceramics, and a
				stone pestle.
Burial 4	Female	Phase II	Two agate	Dongson drum, bronze buffalo
		C14 dates: 44	beads	bracelet, ceramics, gold and
		BC – AD 51		silver jewelry, and glass beads.
				Additional carnelian beads.
Burial 24	N/A	Phase II	Two	Over 150 glass beads, iron
		100/50 BC – AD	carnelian	bracelets, and gold and silver
		100	beads	jewelry.

Table 5.2: Burials from Prohear with agate and carnelian beads recorded in this study.

Two agate beads were identified within Burial 4, perhaps the richest burial uncovered at Prohear. This burial of a female over 40 years old, perhaps the oldest person at the site, was found with her head resting inside a Dongson drum (Figure 5.8), a large bronze "buffalo bracelet" (Reinecke et al. 2009) (Figure 5.9). Carnelian beads were also reported from this burial, but they

were unavailable for study. Charcoal from inside the bronze drum has been radiocarbon dated to 44 BC – AD 51, placing this burial within the second burial phase.



Figure 5.8: Heng Sophady restores a bronze Dongson drum from Burial 4 with the skull of an older female still inside.



Figure 5.9: Bronze buffalo bracelet from Burial 4.

The burials at Prohear are amongst the richest discovered in Southeast Asia and many burials also contained gold beads and other artifacts (Reinecke et al. 2009). Agate and carnelian beads are found less frequently than gold objects and are strongly associated with extremely rich burials. Four of burials with agate and carnelian beads were described as among the "wealthiest" or amongst the highest status burials at the site (Reinecke et al. 2009: 59). Only three burials (Burials 3, 12, and 40) considered to be "wealthy" contained no beads at all. These results suggest that not everyone had equal access to agate and carnelian beads and that these objects were used as status symbols. Andreas Reinecke has also noted that in general, burials women contained more beads and jewelry than those of men (Reinecke et al. 2009: 52).

Village 10.8

The cemetery at Village 10.8 contained approximately 50 burials. However, determining the exact number of individuals is difficult due to the highly acidic lateritic soil, which led to poor bone preservation. Unfortunately, this also means that additional details regarding the age, sex, and health of the people from Village 10.8 are not available. Burials were identified by the layout of pottery and associated artifacts, as it appears that many people were buried in a wooden coffin or tree trunk. Thirteen jar burials are believed to contain the burials of children (Heng et al., In Press). Fragments of a Dongson drum were found on the surface of the site, but unlike at Prohear, none were found in burials. Radiocarbon dates from this cemetery range from 400 BC-AD 50; however there has not been a seriation of the burials within this time frame, so they are treated as a single unit. Of the 50 burials from Village 10.8, ten burials contained agate and carnelian beads (Table 5.3). Fifty-three beads total were examined, of which only three were not from a clear burial context.

Village 10.8	Beads found in burial	Associated grave goods
Burial		
Number		
Burial 1	Six carnelian beads	Six garnet bead, two glass beads, broken ceramics,
		iron tools and an iron bangle
Burial 3	14 carnelian beads	Two garnet beads, glass beads, iron bangle, and
		broken ceramics.
Burial 4	One carnelian bead	One garnet bead, an iron tool, broken ceramics.
Burial 15	Two carnelian beads	Glass beads, broken pottery
Burial 25	Two carnelian beads	One glass beads, broken pottery
Burial 26	One carnelian bead	Broken ceramics
Burial 28	Eight agate beads	Glass rings, broken ceramics, iron tools, one garnet
		bead.
Burial 34	Two carnelian beads	One garnet bead, glass beads, an iron bangle, an iron
		spade, broken ceramics.
Burial 37	Four carnelian beads	Broken ceramics, an iron spade?
Burial 48	10 carnelian beads	Iron dagger, knife, iron bangles, iron spade, and
		broken ceramics.

Table 5.3: A list of burials with agate and carnelian beads from Village 10.8 and their associated grave goods.

Age and sex are unknown.

Most of the burials with beads contained only one or two beads, however there were four burials with larger numbers of agate and carnelian beads. Burial 28 contained eight agate beads, the only agate beads thus far uncovered at Village 10.8. Burial 1 contained 6 carnelian beads, while Burial 48 contained 10 small, finely made carnelian beads. Burial 3 had 14 carnelian beads, the largest number found at the site. These burials also contained a larger number of grave goods than burials with smaller quantities of beads and may represent elite burials. Although a higher quantity of agate and carnelian beads were found at Village 10.8, these burials appear to be less richly equipped than those found at Prohear.

Phum Snay

As at Prohear, the cemetery at Phum Snay was also heavily looted. However, salvage excavations in 2001 and 2003 uncovered 23 burials and 50 agate (n=1) and carnelian (n=49)

beads. Thirteen beads were not directly associated with a burial and the remaining thirty-seven beads were found in two burials. Two carnelian beads were found as part of Burial 2, the burial of a middle-aged or older male. In addition to the beads this burial also contained a sun bear tooth, several iron weapons and unidentified iron objects, iron bangles, bronze bells, and several pottery vessels (O'Reilly et al. 2004). The remaining 35 beads all came from Burial 9, the burial of an adult woman that contained a large quantity of pottery vessels, glass beads, 35 carnelian beads around her chest, waist, and wrist, a gold bead, spindle whorls, bronze rings and bangles, iron tools, and a bronze bowl covering part of her face. A complete "Phimai Black" ceramic bowl, a unique pottery type found predominantly in Northeast Thailand, was also included amongst her offerings (O'Reilly et al. 2004; Domett and O'Reilly 2009).



Figure 5.10: Looted beads from Phum Snay currently stored at Wat Bo in Siem Reap, Cambodia. Scale in

While it seems that the distribution of agate and carnelian beads was extremely restricted at Phum Snay, it is important to take into account the small sample size and heavy looting that

has taken place at this site. Thousands of additional glass and stone beads have been identified from looted contexts (Lapteff 2006). Many of these looted objects were collected by a concerned monk in Siem Reap and stored at the Buddhist temple of Wat Bo in Siem Reap, Cambodia (Figure 5.10). Subsequent excavations at Phum Snay by a Japanese-Khmer team have uncovered additional burials with beads, including the burial of a female with 27 carnelian beads (Yoko Nijima, personal communication, 2012).

Promtin Tai

Thirty-six individuals in 35 burials have been uncovered in excavations at the site of Promtin Tai. Forty-seven agate and carnelian artifacts were identified in these excavations of which 14 were not associated with a specific burial. The remaining 33 beads belonged to six burials (Table 5.4). Unfortunately, there are no radiocarbon dates for this site and the burials are described simply as belonging to the Iron Age (500 BC- AD 500). However, the burials were divided into an earlier or later period based on burial depth (Liu 2012). All of the burials with agate and carnelian belonged to the earlier period.

Promtin Tai	Sex	Age	Beads found in	Associated grave goods
Burial Number Burial 9	Unknown	Adult, 20+	One agate bead	One greenstone bead and glass beads
Burial 16	Female	20-22	One agate bead	A bronze ring, bronze bell, animal bones, and shell.
Burial 18 (two individuals)	Unknown	Adult, 20+ and child, 3.5-4.5	One agate bead	Greenstone beads, glass beads, bronze bracelets, an iron spear, and ceramics.
Burial 19	Unknown	9.5-11	14 agate beads	Glass and greenstone beads, a bronze bracelet, 2 bronze rings, ceramics, two spindle whorls, and animal bones.
Burial 20	Female	20-25	Five agate beads and seven carnelian beads	Greenstone and glass beads, ceramics, and shell.
Burial 32	Unknown	Subadult	Four carnelian beads	Greenstone beads, glass beads, ceramics, a bronze bangle and an iron tool.

Table 5.4: Burials with agate and carnelian beads from Promtin Tai.

Four burials contained fewer than five agate or carnelian beads. However two burials contained a large number of beads and are considered to be amongst the richest at the site (Thanik Lertcharnrit, personal communication, 2012). Burial 19 was the burial of a child, age 9.5-11, who had linear enamel hypoplasia (LEH) on their teeth indicating some kind of childhood physiological stress (Kathy Liu, personal communication, 2012). Burial 20 was of an adult female, age 20-25 who also experienced LEH as a child. Despite their apparent status differences, isotope analysis indicates that their oxygen and carbon isotope signatures were "normal" compared to the rest of the population at Promtin Tai (Kathy Liu, personal communication, 2012). However, we must also consider that the burials at Promtin Tai may not be contemporary with one another and that the discrepancy in grave goods could be related to a

trend towards increasing wealth in burials, similar to what is seen at sites in Northeast Thailand (Higham 2011b). Additional seriation of burials as well as radiocarbon dates would assist with understanding the burials at Promtin Tai.

Ban Non Wat

At the site of Ban Non Wat the majority of burials (n=125) date to the Iron Age 1 period (420-100 BC). There were only 23 partial and complete burials from the later Iron Age periods, although these are better represented at the nearby site of Noen U-Loke (Higham 2011b). From 12 burials, 38 agate and carnelian beads were recovered, while 19 beads were uncovered from non-burial contexts (Table 5.5). Most burials were dated to Iron Age Period 1 (420-150 BC) although one burial dates to Iron Age Period 2 (150 BC- AD 200), and 4 to Iron Age Period 4 (AD 400-600).

Ban Non Wat Burial Number	Sex	Age	Beads found in burial	Associated grave goods
Burial 36	Female	Old adult? (female)	Five carnelian	Glass beads,
Iron Age	(1)	Mid-adult (male)	beads, two agate	ceramics, gold bead,
Period 4	Male (1)		pendants (one	spindle whorl,
			broken into two	bronze bangle
			pieces)	fragment
Burial 115	Unknown	Adult	One agate	Pottery vessel
Iron Age			pendant	
Period 4				
Burial 203	Unknown	Young adult	16 agate beads,	Bronze bangles,
Iron Age			two agate	earrings, and finger
Period 4			pendants	rings, and glass
				beads
Burial 259	Female	Young adult	Three carnelian	Ceramics, glass
Iron Age			beads	beads, water buffalo
Period 1				limb bone, red ochre
Burial 266	Unknown	Infant	One agate	Bronze bangles,
Iron Age			pendant	bronze ring, glass
Period 4				beads and ceramics

			T	1/
Burial 312 Iron Age	Female	Young adult	One agate bead	Ceramics, bronze bangles, bone
Period 1				earplug, spindle
1 Criod 1				whorl, pig limb
				bones
Burial 317	Unknown	Young-mid adult	One agate bead	Ceramics, tin bead,
Iron Age	Chikhowh	Toung inia addit	One agate bead	socketed iron tools,
Period 1				bivalve shell
Burial 321	Unknown	Adolescent/Adult?	One agate bead	Ceramics, shell
Iron Age		1100100011011100101	one again state	bangles, shell ring,
Period 1				red ochre, pig limb
				bones, and spindle
				whorls
Burial 322	Female	Young adult	One agate bead	Ceramics, iron
Iron Age				blade, red ochre,
Period 1				shell earplug,
				spindle whorl, and
				pig bones
Burial 343	Unknown	Infant (9 months)	One agate bead	7 ivory bangles,
Iron Age			_	glass beads,
Period 1				ceramics, shell
				pendant, bronze
				bangles, iron tool,
				iron artifact, red
				ochre, grey clay,
				pig limb bones
Burial 356	Female	Older adult	One agate bead	Glass beads, iron
Iron Age			and one	bangles, shell
Period 1			carnelian bead	bangle, spindle
				whorls, ceramic
				vessels, stone adze,
				and red ochre
Burial 471	Female	Young-mid adult	One agate bead	Ceramics, iron
Iron Age				knife, bronze
Period 2				bangle?, spindle
				whorl, and a golden
				earring

Table 5.5: Burials at Ban Non Wat with agate and carnelian beads.

Although most burials contained three or less beads, two burials are notable for their larger bead collections and both date to the Iron Age Period 4. Burial 36 was disturbed and contained both male and female adults, as well as two agate pendants and five faceted carnelian

burials. Burial 203 contained a partial burial of an adult with bronze bangles and finger rings, glass beads, two agate pendants, and a necklace of 16 agate barrel beads. Charles Higham has noted that during the very early Iron Age (Period 1) "[w]e have not found any evidence for hierarchic social distinctions," (2011b: 133). Therefore, it may be difficult to interpret the presence of beads with these burials as an indicator of social status. Mortuary wealth increased overtime at Ban Non Wat, so while Burials 36 and 203 appear impressive when compared to other burials with beads, they were not amongst those with the most grave goods at Ban Non Wat during Iron Age Period 4 (Higham and Kijngam 2012). However, agate and carnelian beads do appear to have been an important and high value object; at the nearby contemporary site of Noen U-Loke agate and carnelian beads are believed to have been high-value goods with the agate pendants perhaps acting as "symbols of status, or perhaps rank," (Theunissen 2007: 376). Therefore, I argue that while the people in Burial 36 and 203 may have not been amongst the wealthiest, they may have held important positions within their community.

Conclusions regarding the distribution of agate/carnelian beads in burials

Agate and carnelian beads are not evenly distributed within burials at sites in Cambodia and Thailand. At all of the sites, only a small portion of the total burials contained agate or carnelian beads. Table 5.6 summarizes the total number of burials uncovered from each site discussed above, and the number of burials with agate or carnelian beads found at each site.

Agate and carnelian bead were uncommon artifacts and only a few members of each community had access to these materials.

		Burials with
	Total Burials	agate/carnelian beads
Angkor Borei	111	2 (2%)
Ban Non Wat	160	12 (7.5%)
Phnom Borei	9	1 (11%)
Phum Snay	23	2 (9%)
Prohear	52	5 (10%)
Promtin Tai	35	6 (17%)
Village 10.8	50	10 (20%)

Table 5.6: The quantity and percentage of burials with agate and carnelian beads amongst the sites studied.

However, it should be kept in mind that there are numerous factors that could have influenced these counts. As noted above, evidence from sites in Northeast Thailand suggest that burials during the early Iron Age did not have clear status differences, but that mortuary wealth increased over time. It is not clear that this pattern is found elsewhere in Southeast Asia, however we must keep in mind the impact of changing mortuary rituals over time. At sites like Angkor Borei, the densely packed cemetery and intercutting of burials may have made it difficult to associate beads with specific burials. Furthermore, at sites like Prohear and Phum Snay, heavy looting of burials has left only a portion of burial contexts intact. Lastly, only small portions of all of these sites have been recovered. It is possible that additional burials with larger numbers of agate and carnelian bead exist, but they were not uncovered during excavation.

Despite these factors, less than one quarter of all burials at each site contained agate and carnelian beads. Furthermore, many of the burials with beads also had additional unique objects that highlighted them as high status individuals, such as Burial 4 from Prohear, the burial of an elderly female with her head inside a Dongson bronze drum.

Several burials had very high numbers of agate and carnelian beads in comparison to the other burials within their community (Table 5.7). Although the sex of all the burials is not known, it is striking that several of these burials are of women. Table 5.8 lists a table identifying

the number of male and female burials with and without agate/carnelian beads. While this table demonstrates the number greater quantity of female burials with beads, full interpretation of this pattern is hampered by a small samples size and 23 unsexed or subadult burials that also contained agate and carnelian beads. As noted above, during the more recent Japanese-Khmer excavations an additional female burial from Phum Snay was uncovered that contained over two-dozen beads. Additionally, in March 2012 I examined a collection of agate and carnelian beads from the site of Phum Sophy, located in Banteay Meanchey province near the site of Phum Snay, which contained the burial of a female with over 200 carnelian beads. Mortuary data from Prohear indicates that women's burials contained more beads and jewelry than men's burials. I am not yet sure how to interpret these data, however a similar pattern has been observed with the glass bead data, discussed further in Chapter 7. These burials will be considered together and discussed in more depth in Chapter 9.

Site Name	Burial Information	Total number of agate beads	Total number of carnelian	Sex
			beads	
Ban NonWat	Burial 36	2 agate	5 carnelian	Female and
		pendants	beads	male
Phum Snay	Burial 9	N/A	35 carnelian	Female
			beads	
Promtin Tai	Burial 19	14 agate beads		Female
Promtin Tai	Burial 20	5 agate beads	7 carnelian	Female
			beads	
Village 10.8	Burial 3	N/A	14 carnelian	Unknown
			beads	
Village 10.8	Burial 28	8 agate beads		Unknown
Village 10.8	Burial 48	N/A	10 carnelian	Unknown
			beads	

Table 5.7: Table of burials with large quantities of beads.

	With beads	Without beads
Male burials	3	156
Female burials	11	104

Table 5.8: Table denoting the number of male and female burials with and without agate and carnelian beads.

Beads were not evenly distributed among the sites studied. Some sites had higher numbers and seemingly greater access to agate and carnelian beads than others. Although this could be related to the extent of fieldwork or burials uncovered at each site there are obvious differences in the access to agate and carnelian beads across the region. For example, at Prei Khmeng a large number of glass beads have been found, however only one carnelian bead, not available for study, was uncovered. This disparity may be due to the small amount of fieldwork done at this site, however this may also reflect changing trade networks and access to beads by people at this site. Prei Khmeng is one of the later sites considered as part of this study, dating from the 1st-6th centuries AD. However, the upper layers at Noen U-Loke are contemporary with Prei Khmeng and contained a large amount and variety of agate and carnelian beads (Theunissen 2007). Other sites have had more extensive excavations, and yet the quantity of beads found at these sites is fewer than at sites with smaller excavations. For example, fieldwork at Angkor Borei and Ban Non Wat have uncovered over 100 burials at each site, and yet smaller numbers of agate and carnelian beads have been recovered from these burials than at Phum Snay, which has had less than a quarter of the burials excavated. For this reason, I argue that the differential distribution of agate and carnelian beads across Cambodia and Thailand is meaningful.

The distribution of beads in burials suggests that they were restricted objects to which not all communities or individuals in the communities had equal access. Furthermore, in many cases, burials with large numbers of beads appear to have been high-status individuals based on the presence of other high status goods. These individuals appear to have had additional goods such

as glass beads and metal objects that also connected them to long-distance exchange networks. At some sites, a few burials had high-quantities of similar looking beads that may have been produced in a single workshop and transmitted to the site in a single episode (discussed below). This suggests that beads may have been traded to a site for a specific person or event. In the next section I will discuss the bead shapes and types in more detail. The distribution of different bead types over time and space will allow for a more in depth understanding of trade networks and connections between different sites.

Sites with beads from non-burial contexts

In addition to the sites with beads from burial contexts discussed above. Three sites in this study also contained beads from non-burial contexts. The site of Prei Khmeng is located in the Angkor region, Siem Reap province, Cambodia (Figure 5.4) and is home to a small pre-Angkorian brick tower and lintel, one of the oldest in the Angkor area. Three excavations were undertaken by the Mission Archéologique Franco-Khmère sur l'Aménagement du Territoire Angkorien (MAFKATA), a joint project between the École Française d'Extrême-Orient and Apsara Authority led by Dr. Christophe Pottier. This project uncovered several prehistoric burials and an occupation area that dates from the 1st-6th centuries AD (Pottier, personal communication, 2009; Zoppi et al. 2004). A single short, truncated bicone carnelian bead was found in burial 12221 (Figure 5.11), but unavailable for study as it was on display in a museum exhibit. However, in addition to the bead there was also small carnelian nodule or manuport that was found in a layer that dates to sometime before 400 AD (Christophe Pottier, personal communication, 2008) (Figure 5.12). Despite the presence of this nodule, there is no evidence for stone bead manufacture at Prei Khmeng.



Figure 5.11: A short truncated bicone carnelian bead from Prei Khmeng on display at the National Museum, Phnom Penh.



Figure 5.12: Front and back views of a carnelian nodule found at Prei Khmeng. Scale in cm.

A single bead spherical carnelian bead from Krek 52/62 was opportunistically included in this study (Figure 5.13). Krek 52/62 is a circular earthwork site located in the Red Soil region of Kampong Cham province, Cambodia (Figure 5.4). The bead was excavated from a unit that sectioned the inner wall and ditch of the earthwork. Numerous artifacts were found in this unit including glass bangle fragments and garnet beads, pointing towards the Iron Age date of this context (Haidle 2009).



Figure 5.13: Spherical carnelian bead from Krek 52/62. Scale in cm.

Excavations at Khao Sam Kaeo (Figure 5.4), lead by Bérénice Bellina and Praon Silapanth have uncovered agate and carnelian beads as well as evidence for production (discussed above). However, the beads from this excavation have already been acquisitioned by the local museum and were unfortunately unavailable for study. Numerous beads have been looted from the site by local villagers and now belong to a collection owned by the Suthiratana Foundation, Thailand. In an effort to give a preliminary context to some of these looted beads, Bérénice Bellina asked villagers to show her where many of the specific beads were found and these locations were recorded using a GPS (Figure 5.14). Based on the archaeological excavations at the site, Bellina has identified different types of hard stone bead production at different portions of the site (Bérénice Bellina, personal communication, 2010). On Hills 1 and 2 were bead production areas using siliceous stone and skilled Indian techniques in a style found at sites connected via the South China Sea coastal trade networks. Another siliceous stone industry using skilled Indian techniques was found on Hill 3. Lastly, Hill 4 contained beads made with using "mass production Indian-adapted techniques," in styles associated with late

prehistoric sites such as Noen U-Loke or early historic sites in the Mekong Delta (Bérénice Bellina, personal communication, 2010). 18 finished and unfinished beads from the Suthirathana collection were selected by Dr. Bellina and kindly provided by Dr. Bunchar Pongpanich, director of the Suthirathana foundation, for LA-ICP-MS analysis in the United States. (Figure 5.15).

The distribution of bead shapes and types

Notable bead shapes

Thirty-five distinct bead shapes/types were identified and recorded, drawing heavily on Kenoyer's Harappan Bead Code (unpublished field manual) and H. Beck's bead classification system (1928). The Harappan Bead Code system was used for identifying many of the simpler bead shapes, however Beck's system allowed for a more specific identification of many of the faceted beads and other unusual shapes. Figure 5.16 lists the bead shapes recorded. Several bead shapes were identified that did not exist in either system, therefore these beads were given their own identifiers. Beck has defined measurements for short, standard, and long bead sizes (1928:4), however I found his definitions unsatisfactory for the purposes of my study. Instead, I determined that long beads were those whose length was more than twice their width, while short beads were those whose length was less than twice their width.




Figure 5.14: Map of Khao Sam Kaeo with general locations where beads were found. Adapted from map provided by Bérénice Bellina.




Figure 5.15: Finished and unfinished beads from Khao Sam Kaeo analyzed in the current study. Scale in cm.

Bead Shape	Bead Code System	Simple/ Complex	Notes	Bead Shape	Bead Code System	Simple/ Complex	Notes
Spherical •	HBCS: Type 22	Simple		Short Oblate	HBCS: Type 8	Simple	Found at Village 10.8
Rough Spherical	HBCS: Type 23	Simple		Flat Leech Bead	N/A	Complex	Found at Khao Sam Kaeo
Long Barrel	HBCS: Type 5	Simple		Crescent		Complex	Found at Khao Sam Kaeo
Short Barrel	HBCS: Type 4	Simple		Hexagonal Flattened Bicone	N/A	Complex	Bead shape name used by Theunissen (2003).
Long Bicone	HBCS: Type 7	Simple		Tabular Truncated Bicone	Beck: XVI D.2.f	Complex	Found at Khao Sam Kaeo
Short Bicone	HBCS: Type 6	Simple		Short Hexagonal Tabular Barrel	N/A	Complex	Found at Promtin Tai
Bicone Barrel	N/A	Simple	Transitional shape between bicone and barrel. Found at Village 10.8	Long Tabular Rectangle	Beck: IX D.2.b	Simple	Found at Ban Non Wat
Long Cylinder	HBCS: Type 2	Simple		Chamfered Square Disc	Beck: IX.A.2.b	Complex	Found at Khao Sam Kaeo
Short Cylinder	HBCS: Type 1	Simple		Rounded Square	N/A	Simple	Found at Ban Non Wat
Long Oblate	HBCS: Type 9	Simple	Found at Village 10.8	Short Square	HBCS: Type 24	Simple	Found at Promtin Tai

Figure 5.16: List of bead shapes recorded in the current study (continued below).

Bead Shape	Bead Code System	Simple/ Complex	Notes	Bead Shape	Bead Code System	Simple/ Complex	Notes
Long Triangular Faceted Barrel	Beck: VIII D.1.b	Complex	Found at Ban Non Wat	Broken Pendant, 1 notch	N/A	Complex	Found at Ban Non Wat
Long Hexagonal Bicone	Beck: XIII.C.2. e	Complex		Pendant, 1 notch	N/A	Complex	Found At Promtin Tai
Short Hexagonal Bicone	Beck: XIII.B.2. e	Complex	Found at Angkor Borei	Broken Pendant, notch?	N/A	Complex	Found at Promtin Tai
Short Hexagonal Bicone, Rough	N/A	Complex	Roughly made with uneven facets/shape. Found at Phum Snay and Angkor Borei (quartz)	Broken Pendant, no notch	N/A	Complex	Found at Promtin Tai
Long Octagonal Bicone	Beck XIVC.2. e	Complex	Found at Village 10.8	Long unfinished barrel	N/A	Unknown	Found at Khao Sam Kaeo
Short Polygonal Bicone	Beck: XV.C.2. e	Complex	7 facets. Found at Village 10.8	Short unfinished barrel (truncated?)	N/A	Unknown	Found at Khao Sam Kaeo
Long Hexagonal Faceted Barrel	Beck: XIII C.2.b	Complex		Unfinished tabular square	N/A	Unknown	Found at Khao Sam Kaeo
Broken Pendant, 2 notches	N/A	Complex	Found at Khao Sam Kaeo				

Figure 5.16: List of bead shapes recorded in the current study (continued from above). Drawings by P. Madavi

while several shapes were found exclusively at only one site (Table 5.11). Beads from Ban Non Wat were recorded in only a limited fashion and so there were several beads for which I do not have specific bead shape data recorded. For example, there are 15 black and white agate beads found with AKC02071 that could be classified as either short bicones or short barrels, but require closer examination before making a final determination. Three hexagonal faceted barrels were also noted, but it is not clear if they would be classified as either long or short barrels, as measurements were not taken. Additionally, agate pendants in a variety of shapes were also noted. The bead shapes from Ban Non Wat that are noted in the tables below were those that were recorded in more detail.

It is important to note that the distribution of different bead types is not complete, as difficulties with looting and sample size has affected the presence or absence of bead types at each site. Khao Sam Kaeo was heavily looted and many additional bead types and shapes exist outside of the small number I recorded (see examples in Pongpanich 2009). More recent excavations at Phum Snay have identified 99 additional carnelian beads, of which 77 were spherical (Yoko Nojima, personal communication 2011). Excavators report that looted beads from Prohear also came in additional shapes (Reinecke et al. 2009: 119). Nevertheless, from the limited information collected we can begin to discern patterns in the distribution of different beads at sites across the region. Several specific bead shapes are notable and deserve further discussion.

	Spherical	Rough Spherical	Long Barrel	Short Barrel	Long Bicone	Short Bicone
Angkor Borei	3	5	1	0	0	1
Phnom Borei	2	0	0	0	0	0
Prohear	0	0	0	1	1	0
Bit Meas	0	0	2	1	0	0
Village 10.8	1	0	9	8	8	0
Krek 52/62	1	0	0	0	0	8
Phum Snay	22	16	0	0	0	0
Ban Non Wat	3	0	0	24	4	1
Promtin Tai	3	8	6	1	0	5
Khao Sam Kaeo	1	0	0	1	2	0
Total	36	29	20	17	18	15

Table 5.9: The most common bead shapes and the quantity recorded at each site as part of this study.

	Long Hexagonal Bicone	Short Hexagonal Faceted Bicone, (Rough)	Long Hexagonal Barrel	Hexagonal Flattened Bicone	Long Cylindrical	Pendants (with and without notches)
Angkor						
Borei		1 (quartz)				
Prohear				2	1	
Bit Meas	1					
Village 10.8	4				1	
Phum Snay		10				
Ban Non						
Wat			1		1	1
Promtin Tai	1		2	1	1	3
Khao Sam Kaeo				1	1	1
Total	6	11	3	4	5	5

Table 5.10: Less frequently encountered bead shapes and their quantities.

Site	Bead Shape(s)
Angkor Borei	Hexagonal Short Bicone
Village 10.8	Long Octagonal Barrel (n=2), Short Polygonal Bicone, Bicone-Barrel
_	(n=15), Short Oblate, Long Oblate (n=2)
Ban Non Wat	Triangular Faceted Barrel, Rounded Square, Long TabularRectangle,
Promtin Tai	Short Hexagonal Tabular Barrel, Short Square, Short Cylinder (n=4)
Khao Sam Kaeo	Tabular Truncated Bicone, Chamfered Tabular Square, Crescent (n=2),
	Flat Leech Bead (n=2), Long Unfinished Barrel, Short Unfinished Barrel
	(truncated?), Unfinished Tabular Square

Table 5.11: Bead shapes found exclusively at one site. Unless otherwise noted, only a single version of each shape was recorded.

Perhaps the most unique bead shapes recorded in this study are the agate pendants (Figure 5.18) (Theunissen 2007). These pendants are somewhat similar to leech pendant beads (Figure 5.19) commonly found in South Asia (Beck 1941:7), but are a distinctly Southeast Asian bead shape. In the current study, these beads were found exclusively at sites in Thailand: Ban Non Wat, Promtin Tai, and Khao Sam Kaeo. There were several varieties of these pendants represented, including two broken fragments from Promtin Tai whose notches are missing or unclear. Previous studies have shown that these pendants are predominantly found in Northeast Thailand, especially at the sites of Noen U-Loke, Non Muang Kao, and central Thailand in the Lopburi, Saraburi, and Chonburi areas (Theunissen 2003:130). Therefore, it should not be surprising that additional pendants were found in these areas in the current study. However, the unfinished notched pendant at Khao Sam Kaeo is notable (Figure 5.18, lower right corner). The pendant was found on Hill 4, in an area producing beads similar to those found at late prehistoric and early historic period sites. The beads appear to have been mass-produced using "Indianadapted" techniques (Bellina, personal communication, 2010). Earlier studies have suggested that these beads may have been produced in Northeast Thailand or at Oc Eo in the Mekong Delta (Theunissen et al. 2000; Theunissen 2003, 2007). However, evidence for bead production at Oc

Eo is problematic and no beads of this type have been found in archaeological contexts at sites in Cambodia, although a notched agate pendant has been reported from Phum Snay from a looted context (Lapteff 2007). Evidence for stone bead production at Khao Sam Kaeo, including this broken pendant suggests this may be a more likely production center for these beads.




Figure 5.17:Examples of notched and unnotched pendants from Promtin Tai, Ban NonWat, and Khao Sam Kaeo. Additional examples of pendants from Ban Non Wat can be seen in Higham et al. 2009:240. Scale in cm.




Figure 5.18: Example of a leech bead from Khao Sam Kaeo. Scale in cm.



Figure 5.19: A long hexagonal barrel bead from Promtin Tai. Scale in cm.

Another notable type of bead is the long hexagonal barrel (Figure 5.20). Previous studies have noted that this bead type is also predominantly found in Northeast and Central Thailand (Theunissen 2003: 130). Following this pattern, hexagonal barrel beads were also recorded at Ban Non Wat and Promtin Tai. Theunissen notes that both the faceted barrels and notched pendants have also been reported from Oc Eo and that "there are likely other contemporary sites in southern Vietnam that also yield these," (2003: 131). However, like the agate pendants, no similar beads have been reported at sites in Cambodia. This could be explained by Oc Eo and sites in Northeast and central Thailand receiving similar beads from the same source, although it is notable that these beads were not widely traded to inland sites in Cambodia.

The hexagonal flattened bicone bead is another important bead that was found at Prohear, Promtin Tai, and Khao Sam Kaeo (Figure 5.21). This is a unique bead shape that seems to primarily be found at coastal sites (Giong Ca Vo. Giong Phet, and Sa Huynh, Vietnam; Muang Thong, peninsular Thailand) or inland sites located on important trade networks (Ban Don Ta Phet and Ban Chiang, Thailand) (Theunissen 2003:124) (Figure 5.22). Researchers have already

noted the similarities in the bead collections, including these beads, that have been found at Ban Don Ta Phet, Khao Sam Kaeo and coastal Sa Huynh culture sites (Glover and Bellina 2011). The presence of this bead type at Prohear and Promtin Tai highlight their connections to these early coastal exchange networks.




Figure 5.20: Hexagonal flattened bicone beads from Khao Sam Kaeo, Prohear, and Promtin Tai. Scale in cm.



Figure 5.21: Sites with hexagonal flattened bicone beads. Adapted from Theunissen 2003: 124.

Although several sites contained unique bead shapes in small quantities, two sites had unusual bead types in larger quantities. At Phum Snay, there were numerous short, hexagonal

beads found at Phum Snay (Figure 5.23). These are notable for their low quality manufacturing, as the facets were uneven and the beads were not well polished, with the surface also covered in nicks, scrapes, and small chips. Nine of the ten beads were found in Burial 9, a single bead from Burial 2 might also belong to this category. The similarity in shape and rough manufacturing style suggest that these beads were the product of a single workshop that were traded to Phum Snay together. Other beads from Phum Snay were of a similar low quality, most notably the Rough Spherical beads, which were drilled from one side, resulting in a pop out or depression on the opposing side of the bead. This is a less careful or more expedient method of drilling a bead, but the resulting beads have an uneven shape.



Figure 5.22: Hexagonal faceted bicone beads from Phum Snay. Scale in cm.

A group of beads I have classified as bicone-barrel were found at Village 10.8 (Figure 5.24). These beads represent a transitional bead type, with some slight tapering towards the ends as in a traditional bicone, but lacking the clear mid-point seen in traditional bicones making them

more similar to barrels. Unlike at Phum Snay, these beads were found in multiple burials. However, Village 10.8 is notable for its large numbers of bicones, barrels, and bicone-barrels, with larger numbers of this bead type than any other site (Table 5.16). While this may also suggest that people in Village 10.8 were receiving beads from a single location, it could also indicate that people at Village 10.8 were specifically choosing these bead types over others.




Figure 5.23: Examples of Bicone-Barrel beads from Village 10.8 Scale in cm.

The distribution of agate and carnelian beads

Figure 5.25 displays the quantity of agate versus carnelian beads found at these sites. As is clear from this figure, beads from the Thai sites of Promtin Tai and Ban Non Wat have higher quantities of agate beads than other sites. In fact, agate beads made up nearly 50% or more of the total bead collections at Ban Non Wat, Khao Sam Kaeo, Prohear, and Promtin Tai. Conversely, carnelian beads dominated Phum Snay and Angkor Borei.




Figure 5.24: The distribution of agate and carnelian beads by site. Sites in Cambodia are marked by a [C] and sites in Thailand by a [T].

Agate beads appear to have made in a limited number of shapes. In this study, agate beads were only found in rectangular or square shapes, barrels, bicones, cylinders, and as pendants or leech beads. The most numerous kind were small agate beads, generally barrel, bicone, or cylinder shape, with an opaque center and brown or black bands on either end (Figure 5.26). This particular type of bead was found at Khao Sam Kaeo, Ban Non Wat, Village 10.8, Prohear, Promtin Tai, and Bit Meas. Theunissen has noted that this bead type is common with a fairly even distribution across mainland Southeast Asia (2003: 122). Pendants, both notched and un-notched, were exclusively made in agate and not carnelian.



Figure 5.25: A black and white banded agate bead from Village 10.8. Scale in cm.

Other scholars have noted a difference in the distribution of agate and carnelian beads across Southeast Asia. For example, agate etched beads, or beads with a white design on the surface are more commonly found in Southeast Asia, while carnelian etched beads are more common in India (Bellina 2007: 31; Glover and Bellina 2003). Agate beads in general appear to be more predominant in the upper Mun River Valley, Northeast Thailand, while carnelian beads tend to dominate bead collections at other sites in mainland Southeast Asia (Theunissen 2003:112). This discrepancy could be related to a preference for agate beads versus carnelian beads at these sites. However, Theunissen has argued that the upper Mun River Valley appears to have a unique exchange sphere. Agate beads in Cambodia are primarily concentrated at sites in southeast Cambodia. It appears then, that agate beads had a fairly restricted distribution and were exchanged within two regions of mainland Southeast Asia that were separated geographically and possibly temporally. There are some important distinctions in the types of agate beads found in both regions, therefore it does not appear that the agate beads were coming from the same source, but rather multiple sources. Conversely, carnelian beads were exchanged more widely and in higher quantities.

The limited distribution of several bead types points towards the existence of specific bead trade networks connecting regions of Southeast Asia. As discussed earlier, previous research by Bellina and Glover (2004) have identified two phases or periods of interaction with South Asia based on the distribution and types of artifacts found in Southeast Asia. Bellina (2007) has specifically identified morphological differences in the agate and carnelian beads between these two periods (Table 5.12).

Earlier Southeast Asian beads	Later Southeast Asian beads
(Period 1 Type Beads)	(Period 2 Type Beads)
-Complex morphologies (faceted beads) and	-Simple morphologies (spherical or elliptical
geometric shaped beads (octahedrons,	beads etc.)
icosahedrons)	
-Smaller overall mean sizes	-Larger overall mean sizes
-Higher quality stone	-Middle quality stone
-Smaller perforation diameters	-Larger perforation diameters
-Polishing of beads generally performed using	-Polishing of beads generally in a drum
a rotary grinding stone	
-Higher standard of craftsmanship/higher	-Lower standards of craftsmanship/lower
quality beads	quality beads

Table 5.12: Morphological differences between earlier and later period beads found in Southeast Asia. Adapted from Bellina 2007:32.

Beads in the current study were classified as belonging to either the "Period 1 Type" or "Period 2 type" drawing from three of the characteristics described above: simple versus complex bead shapes, overall quality of beads, and perforation diameter. I was unable to carefully address other characteristics noted by Bellina as stone quality was not carefully recorded while in the field. Additionally, Bellina's determination of polish types relied on casts of the surface of beads that were examined using a scanning electron microscope, and I was precluded from taking similar impressions of the bead surface due to time and budget limitations.

Simple vs. Complex bead shapes

Following work by Bellina, agate and carnelian beads were first classified as simple or complex (Figure 5.16). Figure 5.27 below shows examples of simple and complex beads from Bellina's research. Simple shapes included beads that were spherical, barrel shaped, bicones, or cylindrical. Complex beads include pendants, faceted beads, and other complex geometric shapes. Table 5.13 lists the total number of simple and complex bead shapes at each site and the total number of beads classified as either simple or complex. Figure 5.28 visualizes the first 3 columns of Table 5.13.

			Unknown		# of simple	fo#	Unknown	
			or		shaped	complex	or	
		# of	unfinished		beads	shaped	unfinished	
	# of simple	complex	bead	Total # of		beads	shapes	Total # of
	shapes	shapes	shapes	bead shapes				beads
Angkor								
Borei	4	2	0	9	10	2	0	12
Ban Non								
Wat	7	6	0	91	38	19	0	57
Bit Meas	1	1	0	2	1	1	0	2
Khao Sam								
Kaeo	5	7	2	14	7	9	2	I8
Krek								
Earthwork								
52/62	1	0	0	I	1	0	0	I
Phnom								
Borei	1	0	0	I	2	0	0	2
Phum Snay	3	1	0	4	40	10	0	90
Prohear	4	1	0	5	3	3	0	9
Promtin								
Tai	6	∞	1	18	33	6	1	43
Village 10.8	10	3	0	13	46	7	0	53
)			,				T	

Table 5.13: The number of simple and complex bead shapes and number of beads classified as either simple or complex at each site.

PERIOD I		PERIO)D II
front view	profil view	front view	profil view
			•
		•	
			•
			9
\bigoplus			
	\bigoplus		
	•		
	•		

Figure 5.26: Bead shapes typically found in Period 1 (more complex) and Period 2 (less complex) from Bellina 2003. Image courtesy of Bérénice Bellina.




Figure 5.27: The quantity of different simple and complex bead shapes at each site. Sites in Cambodia are marked by a [C] and sites in Thailand by a [T].

If we look only at the number of bead shapes or types at each site we see that the Thai sites had a higher quantity of complex bead shapes than the Cambodian sites. Ban Non Wat contained nine different types of complex beads, Promtin Tai had eight different complex shapes, and Khao Sam Kaeo had seven different complex shapes. However, as noted previously, the number of bead shapes at Khao Sam Kaeo is low, as only a portion of the bead collection was available for study. The Cambodian sites generally did not have many different types of complex shaped beads, however Village 10.8 had the highest number of recorded bead shapes of any of the Cambodian sites (n=13). If we look at the quantity of beads classified by either simple or complex it is clear that there are generally higher numbers of simple shaped beads in circulation (Figure 5.29). I believe these differences are largely related to these bead types

circulating in two different bead trade networks, which is discussed more at the end of this chapter.




Figure 5.28: The total number of beads classified as either simple or complex by site. Sites in Cambodia are marked by a [C] and sites in Thailand by a [T].

Overall bead quality

The perceived quality of these beads was also assessed (see Appendix 5.1). Misshapen beads, those made from poor quality stone, or those with many chips and surface scratches were classified as low quality. Conversely, well-made beads with a smooth, high polished surface were labeled as high quality. Some seemingly well-made beads did have scratched or nicked surfaces, however this may have been from use or post-depositional activities, and were therefore still classified as high quality beads. Additionally, some well-made beads appear to have been broken or chipped during drilling, these were assessed on a case-by-case basis. The

entire collection of beads from Ban Non Wat were examined only briefly, therefore quality assessments were only made for those beads analyzed using LA-ICP-MS and 29 additional beads from burials for which notes and photographs were available. Sixteen beads from Ban Non Wat were not included. Figure 5.30 presents the number of high quality, low quality, and unfinished beads at each site. Village 10.8, Promtin Tai, and Khao Sam Kaeo are notable for their large numbers of high quality beads. Conversely, Phum Snay and Angkor Borei, and Ban Non Wat had larger numbers of low quality beads.




Figure 5.29: Quantity of high quality, low quality, and unfinished agate/carnelian beads by site.

Bead perforation size

Bead perforations for all stone beads were measured and the mean and standard deviation were calculated for each site (Table 5.14). Perforation sizes from both sides of a single bead were

included in this calculation. In some cases, beads had two different sized perforations, with one side of a bead having a larger hole than the other. Beads from Bit Meas, Phnom Borei, and Krek were omitted due to their small samples size. By looking at Table 5.14, we can see that Khao Sam Kaeo, Promtin Tai, and Village 10.8 all have smaller perforations (less than 1.5mm) while Prohear, Angkor Borei, and Ban Non Wat all have perforations above 1.5mm.

	Mean	Standard Deviation
Angkor Borei	1.63	0.26
Ban Non Wat	1.66	0.68
Khao Sam Kaeo	1.24	0.25
Phum Snay	1.72	0.30
Prohear	1.59	0.47
Promtin Tai	1.47	0.33
Village 10.8	1.33	0.27

Table 5.14: Mean and standard deviation of perforation hole sizes for all the agate and carnelian beads at each site.

In order to determine if the differences in perforation sizes were real, a single factor between-subjects analysis of variance test (ANOVA) was performed using the software program Aabel 3. ANOVA can be used to determine if there is a significant difference in the means of different groups, in this case it was used to determine if the difference in mean perforation sizes was significant. The results of the ANOVA test were significant (Table 5.15) indicating that there is a very small probability that the differences between the perforation sizes at each site these groups is related to the vagaries of sampling. Figure 5.31 presents the diamond mean comparison plot for the perforation sizes at each of the seven sites. From this figure it appears that Khao Sam Kaeo and Village 10.8 have much smaller perforations than the other sites.

Singl	e-Factor Betwee	n-Subjects AN	OVA (Independ	lent Samples)	
Source	Sum of Squares	df	Mean Square	F	р
Between Groups	8.98016	6	1.49669	13.2447	< 0.001
Within Groups (Error)	38.8731	344	0.113003		
Total	47.8532	350			

Table 5.15: Results of ANOVA test showing significant difference between the mean perforation sizes.




Figure 5.30: Diamond mean comparison plot for perforation size. The horizontal dashed line refers to the overall mean for all of the sites. The line in the middle of the center of the diamond denotes the group mean, with the top and bottom reflecting the 95% confidence limits. The width of the diamonds corresponds to the sample size at each site.

In order to better understand how the perforation sizes at the different sites a Scheffé test was performed. This test, which is included in the Aabel software package, can be used to determine which means or group of means is significantly different from one another. The Scheffé can be used when samples sizes are unequal, as in the current dataset. The results of this test are presented in Table 5.16; Figure 5.32 presents this table in visual form. The number in parentheses in Table 5.16 represents the number of beads measured; in most cases two perforations were measured per bead. The results show we can create several overlapping groups

of sites with similar bead perforation sizes. In the first group are Khao Sam Kaeo, Prohear, Promtin Tai, and Village 10.8, whose bead perforation sizes were determined not to be significantly different from one another, suggesting they could have been drawn from the same sample population. Bead perforation sizes from Prohear and Promtin Tai were also determined to be not significantly different from Angkor Borei and Ban Non Wat. However Phum Snay only shared similar bead perforation sizes with Angkor Borei, Ban Non Wat, and Prohear. That bead perforations from Prohear were not significantly different from any of the other sites may be due to the small sample size from this site.

Scheffé Test							
	$\alpha = 0.05$						
Groups	Difference	Statistic	Critical Value	Significant			
Khao Sam Kaeo (n=10) vs. Village 10.8 (n=53)	-0.077	0.902	3.571	No			
Khao Sam Kaeo (n=10) vs. Phum Snay (n=50)	-0.451	5.166	3.571	Yes			
Khao Sam Kaeo (n=10) vs. Ban Non Wat (n=12)	-0.418	3.987	3.571	Yes			
Khao Sam Kaeo (n=10) vs. Promtin Tai (n=43)	-0.231	2.648	3.571	No			
Khao Sam Kaeo (n=10) vs. Prohear (n=6)	-0.349	2.712	3.571	No			
Khao Sam Kaeo (n=10) vs. Angkor Borei (n=12)	-0.389	3.713	3.571	Yes			

Village 10.8 (n=53) vs. Phum Snay (n=50)	-0.373	7.627	3.571	Yes
Village 10.8 (n=53) vs. Ban Non Wat (n=12)	-0.341	4.482	3.571	Yes
Village 10.8 (n=53) vs. Promtin Tai (n=43)	-0.154	3.128	3.571	No
Village 10.8 (n=53) vs. Prohear (n=6)	-0.272	2.551	3.571	No
Village 10.8 (n=53) vs. Angkor Borei (n=12)	-0.312	4.104	3.571	Yes
Phum Snay (n=50) vs. Ban Non Wat (n=12)	0.033	0.421	3.571	No
Phum Snay (n=50) vs. Promtin Tai (n=43)	0.219	4.225	3.571	Yes
Phum Snay (n=50) vs. Prohear (n=6)	0.102	0.944	3.571	No
Phum Snay (n=50) vs. Angkor Borei (n=12)	0.061	0.791	3.571	No
Ban Non Wat (n=12) vs. Promtin Tai (n=43)	0.186	2.394	3.571	No
Ban Non Wat (n=12) vs. Prohear (n=43)	0.069	0.564	3.571	No
Ban Non Wat (n=12) vs. Angkor Borei (n=12)	0.029	0.296	3.571	No
Promtin Tai (n=43) vs. Prohear (n=6)	-0.118	1.089	3.571	No
Promtin Tai (n=43) vs. Angkor Borei (n=12)	-0.158	2.025	3.571	No
Prohear (n=6) vs. Angkor Borei (n=12)	-0.04	0.329	3.571	No

Table 5.16: Results of Scheffé test.




Figure 5.31: Based on results from the Scheffé test, this figure visualizes the similarity in bead perforation measurement by site.

Interpretation from metric and morphological analyses

If we examine all of the morphological data together, including the quantity and type of simple and complex bead shapes, the quality of beads, and their perforation sizes, I believe a pattern emerges in which some sites have beads that appear to belong to Bellina's "Period 1 Type beads", while other sites have beads that can be classified as belonging to Bellina's "Period 2 Type beads" (Table 5.16). I follow Bellina (2003, 2007) and Bellina and Glover (2004) in arguing that archaeological evidence suggests two different phases of contact with South Asia and that these differences are reflected in the different types of beads in circulation during each period. In Bellina and Glover's model Phase 1, dates from the fourth century BC through the second century AD and involves sporadic trade with South Asia. Phase 2 involves more intensive trade with South Asia and expanded trade contacts within Southeast Asia and dates to

the second through fourth centuries AD. However, it is likely that changing interaction and trade networks happened in different parts of Southeast Asia at different times, and as I argue below, there was likely a chronological overlap between these changing trade networks.

As noted earlier, Period 1 Type beads are generally of a higher quality, with more complex shapes, and smaller perforation sizes. The beads from Village 10.8 and Khao Sam Kaeo appear to fit in this category. This should not be surprising as both sites are amongst the earliest examined in the current study: the stone bead industry at Khao Sam Kaeo dates from the 4th- 2nd century BC while Village 10.8 has been radiocarbon dated from 400 BC- AD 50. Promtin Tai may also belong to the Period 1 group as the site had a fairly large number of complex bead shapes, small perforations, and numerous high quality beads. Furthermore, Promtin Tai and Khao Sam Kaeo share several additional characteristics including large numbers of agate beads in comparison with carnelian beads, agate pendants, and hexagonal flattened bicone beads.

Period 2 beads, in contrast, have more simple morphology, are generally of a lower quality, and have larger perforation sizes. In Bellina's model, beads with Period 2 Type beads generally date to the later Iron Age, or the first few centuries AD. Following these characteristics, I argue that beads from Angkor Borei and Phum Snay belong in this category. These sites also date slightly later than the Period 1 sites above, as the cemetery at Angkor Borei dates from 200 BC – AD 200 and Phum Snay has been radiocarbon dated from 350 BC- AD 200. Although the sample size was too small to consider in depth, I also argue that beads from Phnom Borei may belong to the Period 2 category, largely due to its proximity to Angkor Borei both temporally and geographically. However, this will need confirmation with additional fieldwork.

There are four sites for which determining the period in which the beads may belong is more difficult. The small sample size of beads from Prohear is problematic, however beads were generally of high quality with several complex shapes, including a hexagonal flattened bicone bead that links this site to both Khao Sam Kaeo and Promtin Tai. Furthermore, Prohear had several agate beads, a characteristic shared by all of the sites with Period 1 Type beads. For this reason, I believe that beads from Prohear can be classified as belonging to the Period 1 Type. Bit Meas is believed to be contemporary with Prohear and the beads from this site are reported to be similar to Prohear, for this reason I also classify Bit Meas as having Period 1 Type beads.

The difficulty of classifying the beads at Ban Non Wat as belonging to either the Period 1 or Period 2 category is likely due to the long occupation sequence. Although Ban Non Wat shares many characteristics with other sites that have Period 1 beads, including large numbers of agate beads and complex bead shapes, the unusual agate pendant beads found at Ban Non Wat are primarily from Iron Age 4 burials that date several hundred years after a similar notched pendant from Khao Sam Kaeo. For this reason, I cannot confidently assign Ban Non Wat to either Period 1 or Period 2 as it likely contains beads that belong to both periods. Lastly, the sample size from Krek 52/62, a single bead, was too small to assign to either period.

Period 1 Beads: Smaller perforation, more complex shape, higher-quality beads	Period 2: Larger perforation, simpler shapes, lower-quality beads	Unsure/Unknown
Khao Sam Kaeo	Angkor Borei	Ban Non Wat (both periods?)
Village 10.8	Phum Snay	Krek 52/62
Promtin Tai	Phnom Borei	
Prohear		
Bit Meas		

Table 5.17: Period 1 and Period 2 beads as determined by morphological characteristics. Sites in italic are those that have been tentatively classified as belonging to either Period 1 or Period 2.

Conclusion: Implications for agate and carnelian bead trade networks

In this chapter I presented contextual, morphological, and metric data on agate and carnelian artifacts from 11 sites in Cambodia and Thailand. I have aimed to demonstrate that agate and carnelian beads were important prestige objects that had a restricted distribution both at the site level and regionally. Classification of bead shapes allowed for the identification unique bead types that appear to link sites to one another or to a specific trade network. Furthermore, analysis of morphological and metric characteristics has allowed for the classification of beads from the sites in this study as belonging to either Bellina's Period 1 bead type, associated with trade networks dating to the mid-late centuries BC, or Period 2 Type beads associated with the later Iron Age period trade networks. Although Bellina and Glover have divided the phases of trade chronologically, the presence of Period 1 type beads at Prohear and Period 2 type beads at Angkor Borei – two sites that are contemporaneous with one another – suggests that these trade networks may have also overlapped briefly in time. In the introduction to this chapter I introduced two questions that I would now like to address in more detail.

Based on morphological analysis, is there a pattern in the type of beads being traded over time and space?

Based on the morphological analysis of bead shape, quality, and perforation size I suggest that beads can be classified into two broad categories that are related to different trade networks and phases of trade with South Asia. Period 1 Type beads found at Khao Sam Kaeo, Village 10.8, Promtin Tai, as well as Prohear and Bit Meas were generally of a higher quality and contained shapes that connected them to other sites in the region. In Bellina's (2007: 41) study, she argued that early Period 1 Type agate and carnelian beads were likely entering into a

pre-existing long-distance prestige goods exchange network that connected various communities to one another. The beads were important symbols that were recognized by all parties involved in the exchange as important signifiers of status or power within a community (Bellina 2007).

Based on the co-occurrence of Period 1 type agate and carnelian beads with nephrite ear ornaments (discussed in Chapter 9) I agree with both Bellina and other scholars (e.g. Christie 1990, 1995; Dzung 2011; Theunissen 2003) who have argued that during Phase 1 trade with South Asia, agate and carnelian beads were likely entering into pre-existing long-distance exchange networks. These pre-existing exchange networks appear to be largely tied to the Sa Huynh culture and their broad interaction sphere. Evidence from numerous Vietnamese Sa Huynh culture sites demonstrate that they were participating in both inter- and intra-regional trade networks that linked communities in Southeast Asia with both India and China (Lam Thi My Dzung 2009). I argue that sites I have classified as having Period 1 agate and carnelian beads, namely Khao Sam Kaeo, Village 10.8, Prohear, Bit Meas, and Promtin Tai, also had connections to these early coastal exchange networks. However, other sites including Angkor Borei, Phnom Borei, and Phum Snay have Period 2 Type beads, which are more strongly associated with the expanding trade networks with South Asia during the early centuries of the first millennium AD. I suggest, based on the data presented in this chapter, that elites at these sites were not heavily participating in early coastal exchange networks but instead connecting sites in the Mekong Delta with sites further inland in new trading networks.

Does evidence from trade patterns suggest that sites in the Mekong Delta were influencing trade of these objects?

Although contextual data demonstrates that agate and carnelian beads were not evenly distributed among the sites studied, the current morphological and metric study does not strongly suggest that trade of beads was tightly controlled by elites in the Mekong Delta. Certain types or styles of beads seem to have had a limited distribution in certain regions, such as notched agate pendants that were found predominantly in Northeast and central Thailand. These beads may have held certain significance for communities in this region and appear to be indicative of a strong regional trading network. However, it is not clear as Theunissen (2003) has suggested, that communities in Southeast Asia were controlling both the manufacture and distribution of these objects.

What is notable, however, is that communities in the Mekong Delta do not appear to have been participating in the earliest trade networks. Instead, I suggest that the bead distribution data at these sites and the inland site of Phum Snay show that they are not participating in trade until trade with South Asia began to expand and intensify in the early centuries AD. It is possible that Mekong Delta communities were taking advantage of expanding trade networks and greater numbers of agate and carnelian beads to expand their connections with elites at inland sites like Phum Snay. Data from glass beads supports this hypothesis and is discussed further in Chapter 7.

Bellina and Theunissen have both suggested that the higher quantities of beads available during the Phase 2 trading period were due in part to local manufacture of agate and carnelian in communities in Southeast Asia. In the next chapter, I will discuss my tess of this hypothesis

more thoroughly through geochemical examinations of a selection of the agate and carnelian artifacts.

Chapter 6: Agate and Carnelian Beads- Geochemical Analysis

This chapter is an extension of the work from the previous chapter in which morphological, contextual, and metric data were used to identify patterns in the distribution of agate and carnelian beads. In this chapter I present the results of geochemical compositional analysis using Laser Ablation-Inductively Coupled Plasma-Mass Spectrometry (LA-ICP-MS) on a group of 79 agate and carnelian beads as well as raw material samples from 12 geologic sources located in South and Southeast Asia. I use these data to address three questions:

- Were different stone sources being used to produce Period 1 Type beads versus Period 2
 Type beads?
- Is there evidence that certain bead types were being made from specific geologic sources?
- Is there geochemical evidence for the use of agate and carnelian from Southeast Asian sources for local bead production?

Ideally, compositional analysis should identify if different types of beads were being produced using a particular stone source, which may in turn allow for the identification of bead production workshops. Geochemical analysis will also assist in determining if raw material resource exploitation was changing over time. This is especially related to questions regarding the manufacture of agate and carnelian beads using Southeast Asian geologic sources. Previous studies have emphasized the use of Indian manufacturing techniques used to produce agate and carnelian beads found in Southeast Asia (Bellina 2001, 2003; Theunissen 2003). If both South and Southeast Asians were using the same methods to produce beads, it may be nearly

impossible to prove which group made the beads. However, the use of local raw material sources has implications regarding control over resources by Southeast Asian elites and could be a proxy for the presence of local Southeast Asian beadmakers. Additionally, control over local raw material sources to make agate and carnelian beads would indicate that local elites were controlling not just the production of beads, but also the raw material sources used to make these objects. Control over both the complex bead production technology and local raw material sources is an aspect of craft production most commonly seen in complex state-level societies (Vidale and Miller 2000).

I begin this chapter by reviewing previous geochemical provenience studies on agate and carnelian artifacts. This study represents an improvement over these previous studies due to the measurement of a greater number of elements and the use of a larger dataset. Following this review, I introduce the geologic sources and artifacts that underwent LA-ICP-MS analysis. A summary of the methods used to determine which elements were used in statistical analyses and their variability within the samples is also presented. Following this I present the results of my analysis and conclude that most of the beads found at sites in Southeast Asia were made from an Indian geologic source known as the Deccan Traps. As it was difficult to geochemically distinguish between the Deccan Traps sources, I was unable to determine more fine-grained resource exploitation patterns. One quarter of the beads (n=20) were from non-Deccan Traps sources. Although the exact geologic source used to produce these beads is thus far unknown, I present several suggestions. Some specific bead shapes do appear to be from unique non-Deccan Traps sources, however these conclusions are preliminary and require more research. Lastly, I return to the three questions presented above.

Previous compositional studies of agate and carnelian

There have been several small studies that have sourced agate and carnelian artifacts in order to better understand trade networks. Attempting to answer questions regarding the local manufacture of artifacts in Southeast Asia, Robert Theunissen and others (2000) used a nondestructive technique, PIXE/PIGME, to analyze beads from the Thai Iron Age sites of Noen U-Loke (n=9) and Ban Don Ta Phet (n=9). As comparative source material they analyzed carnelian fragments from Arikamedu, south India (n=10), bead rough-outs from the site of Limodra in Gujarat (n=5), carnelian beads from a production site in Orissa, northeast India (n=3), carnelian samples from the Sri Lankan bead production site of Anuradhapura (n=16), and samples from a Thai agate source in Lopburi province, central Thailand (n=2). Their study found that PIXE/PIGME could discriminate between the various geologic source and artifacts and they concluded that the beads from the Thai sites of Ban Don Ta Phet and Noen U-Loke were compositionally distinct from the Indian geologic sources they sampled. Also significant was that the beads from Ban Don Ta Phet and Noen U-Loke were compositionally distinct from one another. There was some overlap between the Sri Lankan sources and the beads from Thailand, suggesting a possible origin for beads from this location. However, they also argued that there was a compositional similarity between the two Thai agate sources and the carnelian and agate artifacts. Although it is difficult to make strong conclusions when only using two geologic source samples, they authors argue it was suggestive of local manufacture of beads using local raw materials and suggested additional research to further test this hypothesis (Theunissen et al. 2000:98).

Theunissen's study raised several important points including the importance of questioning the Indian origin for all the agate and carnelian beads in Southeast Asia, instead focusing on a more complex and multi-source origin for these materials. Theunissen also suggested that compositional analysis could aid in identifying and tracing the movement of specific bead types. However, as the authors concede, their study had an extremely small sample size, which limited the interpretations they were able to make with their data.

Timothy Insoll and others (2004) used UV-LA-ICP-MS in order to examine carnelian trade between India and Africa. However, as with the previous study, the geologic source samples were problematic. Thirteen artifacts from sites in western Africa were compared with 13 geologic samples from a single widespread deposit in Ratanpur in Gujarat state, India. Although the authors found some overlap between the two groups, there were also samples that were compositionally distinct from the Ratanpur source and the study was limited by the lack of comparative geologic samples.

More recent studies using larger numbers of geologic source samples and a destructive technique, Instrumental Neutron Activation Analysis (INAA), have been more successful at distinguishing between geologic sources and assigning artifacts to these sources (Law 2011; Law et al. 2012). However, the destructive nature of this technique is not ideal for analyzing archaeological artifacts. For this reason, I used the virtually non-destructive technique of LA-ICP-MS. Furthermore, I wished to expand on previous studies by analyzing a higher quantity of geologic source samples in order to more accurately characterize numerous sources.

Agate and Carnelian Geologic Sources

With increasing evidence that beads were produced in both South and Southeast Asia, there are numerous potential sources that could have been used to make beads. Although it would be ideal to analyze all potential sources, this was of course not possible due to limits in finances, time, and access. Nevertheless, a total of 12 potential sources were analyzed, making this the largest compositional study of agate in Southeast Asia yet undertaken (Table 6.1). I attempted to analyze at least 12 samples from each geologic source in order to accurately characterize the variation within that source. Unfortunately, the limited availability of samples from some sources required that I analyze smaller quantities.

Source Name	Number of specimens analyzed	
Khandek, Gujarat State, India	15	
Mardak Bet, Gujarat State, India	15	
Ratanpur, Gujarat State, India	15	
Mahurjhari, Maharashtra State, India	25	
Paithan, Maharashtra State, India	15	
Undhari, Maharashtra State, India	14	
Shahr-i-Sokhta, Iran	17	
Ban Khao Mogul, Lopburi Province, Thailand	17	
Kon Tum, Vietnam	9	
Gia Lai, Vietnam	4	
Dong Nai, Vietnam	6	
Pacitan, East Java, Indonesia	9	

Table 6.1: Names and quantity of geologic source samples analyzed using LA-ICP-MS

South and Central Asian agate and carnelian sources

Perhaps the most well known agate and carnelian sources are those that lie in the Indian state of Gujarat and have been exploited by beadmakers dating back more than 4000 years (Allchin 1979; Barbosa 1517; Foster 1906; Huntingford 1980; Khan 1756; Kenoyer et al. 1991, 1994; McCrindle 1885; Poessehl 1981; Roux 2000). The Gujarati city of Khambhat (Cambay) has been a major bead production center since at least the 16th century AD (Arkell 1936). Three

Gujarati agate/carnelian sources were analyzed as part of this study. Additionally samples from three sources located in the nearby Maharashtra state were also analyzed. Historic and archaeological data discuss bead production in this region. Lastly, samples from the Iranian site of Shahr-i-Sokhta (Law et al. In Press; Tosi 1968) were included.

The agate from Gujarat and Maharashtra part of a larger geologic formation known as the Deccan Traps, a large igneous province that consists of a series of flood basalt layers (Mahoney 1988) (Figure 6.1). The Deccan Traps are not a homogeneous formation, but were rather formed through a succession of volcanic events. Agate, carnelian, and other microcrystalline silicates formed within the vesicles and can be found in both their primary geologic context or in secondary geologic sources, in which the agate and carnelian nodules have eroded from their host rock and been carried to a secondary location (Merh 1995). The famous source of Ratanpur is located within a well-known secondary deposit known as the Babaguru Formation that contains materials from potentially a large geographic area brought to the site through fluvial processes (Gadekar 1977; Law 2011). Despite theses complications, previous geochemical studies on agate from Ratanpur have been able to differentiate it from other sources (Law 2011).




Figure 6.1: Map of Central and South Asian geologic sources and sites mentioned in the text.




Figure 6.2: Map of the approximate location of the Deccan Traps. Adapted from Mahoney 1988.

Khandek

The Khandek agate/carnelian source is located in Gujarat province about 5 km from the Indus site of Surkotada (Map Figure 6.2). The source is approximately 4 hectares in size with a variety of loose agates and other microcrystalline silicates on the surface (Law 2011). Dr. Randall Law collected samples from this source and kindly provided them for use in this study (Figure 6.3). Law (2011: 272-3) reports that it appears the source had been exploited in the past, although it was unclear when.



Figure 6.3: Geologic agate samples from Khandek, Gujarat Province, India. Photo courtesy of Randall Law.

Scale in cm.

Mardak Bet

Ratanpur

Mardak Bet is a small island located in the "Little Rann" of Kutch (Figure 6.2). The site was visited by Law (2011: 277), who observed are two primary agate beds with a range of microcrystalline silicates. Additionally there is evidence that there were "numerous agate and jasper flakes, some with a heavy patina suggesting great antiquity." Samples were taken from both beds and treated as a single source due to their geographic proximity to one another (Figure 6.4).



Figure 6.4: Geologic agate samples from Mardak Bet, Gujarat Province, India. Scale in cm.

There are numerous well-known agate mines around the village of Ratanpur (Figure 6.2 and Figure 6.5). The sources are all within a short distance of a hilltop shrine to Baba Ghor (or Gori Pir), an Islamic saint who is said to have initiated beadmaking in the region around the 15th century AD (Francis 1986; Kenoyer and Bahn 2004). As discussed above, this region belongs to

the Babaguru Formation, a secondary agate deposit. The agate mines at Ratanpur are a major source for the historic and modern bead-making industry in Khambhat (Law 2011: 268).

Samples were collected by Law from agate mining areas in a 3km area around the base of the Gori Pir hill (Figure 6.6).




Figure 6.5: Map of notable agate mine locations around the village of Ratanpur. Map provided by Randall Law.



Figure 6.6: Geologic agate samples from Ratanpur, Gujarat Province, India. Photo courtesy of Randall Law. Scale in cm.

Mahurjhari

Mahurjhari (Figure 6.2) located in Maharashtra state, is not a geologic source, but rather an archaeological site with evidence for bead manufacturing activities dating from the Megalithic through Early Historic periods (6-7th century BC- 4-5th century AD) (Mohanty 1999). Nodules, flakes, finished, and unfinished beads from surface collection were obtained by Dr. Mark Kenoyer and used as a proxy for an unknown nearby agate/carnelian source (Figure 6.7).




Figure 6.7: Samples from Mahurjhari, Maharashtra Province, India. Scale in cm.

Paithan

Paithan is located in interior Maharashtra (Figure 6.2) in central India and is a famous source of raw material that was mentioned in the Periplus of the Erythraean Sea (Francis 2002).

Dr. Randall Law collected samples (Figure 6.8) from the bed of the Godavari River south of

Paithan town and noted that there were high-quality banded agates found at this location (Randall Law, personal communication, 2012).




Figure 6.8: Left-Agate nodules in the Godavari River near Paithan, Maharashtra Province, India. Right-Detail of agate nodules at Paithan. Photos courtesy of Randall Law.

<u>Undhari</u>

Undhari is also located in interior Maharashtra province, India (Figure 6.2). Samples were collected by Dr. Randall Law, who reports fairly large nodules on the surface (Figure 6.9). Law (personal communication, 2012) was told that some of the nodules were being sent to Cambay for use in bead manufacture and he notes that they were visually similar to agate from Ratanpur. Two samples from Undhari were also contributed by Dr. J. Mark Kenoyer and had been collected by colleagues from an area approximately 2 km northeast of Undhari village.



Figure 6.9: Left- Agate-filled agricultural fields at Undhari, Maharashtra province, India. Right- A large agate nodule from Undhari. Photos courtesy of Randall Law.

Shahr-i-Sokhta

Also included in this study were flakes and nodule fragments from the prehistoric site of Shahr-i-Sokhta, Iran, that were provided to Randall Law by Dr. Maurizio Tosi (Figure 6.2). Several Iranian agate sources have been discussed in the literature (see Law 2011: 282), however the Shahr-i-Sokhta samples were treated as a proxy for an unknown agate source in eastern Iran (Figure 6.10). Although it is unlikely that this region was a major producer of beads being traded to Southeast Asia, there are known contacts between Persia and Southeast Asia during the first millennium AD (Ritter 2010).



Figure 6.10: Archaeological agate samples from Shahr-i-Sokhta. Photo courtesy of Randall Law. Scale in cm. Southeast Asian agate and carnelian sources

Agate and carnelian is present in Southeast Asia, although exploited in smaller quantities than in South Asia. Decorative pieces of agate, carnelian, and other microcrystalline quartz are exported from Indonesia (David Bernstein, personal communication 2010). In Vietnam, agate used in jewelry, has been reported from Loc Ninh in Binh Phuoc province (Pham Van Long et al. 2004; Reinecke et al. 2009: 163). As noted earlier, there is strong evidence for bead production using local carnelian, chalcedony, and fossil wood sources in Myanmar (Campbell Cole 2003; Moore 2007:100). An agate/carnelian source in Lopburi province near the town of Ban Khao Mogul has been suggested as a possible source for locally produced beads by several scholars (Glover 1989; Theunissen et al. 2000). On a recent trip to Thailand I saw replica beads being sold in the markets that sellers said were coming from an agate/carnelian source in Lopburi. Agate and carnelian from Java has also been suggested as a possible source for raw material

(Bellina 2007:68). However, scholars have also suggested it is likely that raw material may have also been imported to Southeast Asia from elsewhere (Bellina 2007:68). With the exception of Myanmar, there is little evidence for exploitation of Southeast Asian agate/carnelian sources in the past. If local sources were being used for bead production, their identity and location has not been passed down. However, some small-scale sources are currently being exploited and it is valuable to analyze these materials in case they were also being used by beadmakers in the past.

Ban Khao Mogul, Lopburi Province, Thailand

The Ban Khao Mogul agate source has been discussed multiple times as a possible source for Iron Age beadmakers in central Thailand (Figure 6.11). In February 2007, I traveled to this location to collect samples for analysis. The deposit consists of small nodules of agate and other microcrystalline materials eroding from a small limestone outcrop. The age of the quarry at this location is not known. As recently as 15 years ago, several villagers were producing polished stones and cabochons from the local agate to use as ring settings (Nigel Chang personal communication, 2007). However, during my visit only one villager was still practicing this craft. Many samples were collected (Figure 6.12) of which 17 were analyzed.



Figure 6.11: Agate an carnelian samples from Ban Khao Mogul, Lopburi Province, Thailand. Scale in cm.



Figure 6.12: Map of Southeast Asian agate and carnelian geologic sources analyzed in the current study.

Kon Tom and Gia Lai, Vietnam

In 2009 Dr. Andreas Reinecke, alerted me to several agate sources in Vietnam. Through assistance from a Vietnamese colleague I was able to obtain several small samples of agate/carnelian from sources in two provinces of the Central Highlands of Vietnam (Figure 6.11).

Figure 6.13 shows samples from Kon Tum province and Figure 6.14 the samples from Gia Lai province. These samples were broken into smaller fragments to facilitate LA-ICP-MS analysis. Kon Tum and Gia Lai are both located on the Kon Tum massif, a large area of exposed high-grade metamorphic rocks dating to the Precambrian period. Igneous rocks are also associated with this complex (Workman 1977). Diamonds have been found in Kon Tum along with other gemstones such as garnet, zircon, and tektites. Amethyst and peridot have been mined in Gia Lai. Unfortunately, the specific geologic context for these agate/carnelian samples is unknown.



Figure 6.13: Carnelian samples from Kon Tum province, Vietnam. Scale in cm.




Figure 6.14: Agate samples from Gia Lai province, Vietnam. Scale in cm.

Dong Nai, Vietnam

Samples from Dong Nai (Map Figure 6.11) were found by chance while checking online gemstone retailers for possible geologic samples from Southeast Asia. Several carved pieces of agate were listed for sale on eBay and eight were purchase for this study (Figure 6.15). The seller said that the raw materials came from Dong Nai province, and were carved in Da Nang.

Although it is impossible to be sure these samples came from Dong Nai province, they are treated as such for the purposes of this study. The pieces are approximately 3-6 cm in size and described as "natural" stone in that the backs of the pieces are uneven and appear unworked, although they are highly polished (Figure 6.16).



Figure 6.15: Carnelian carved figures from Dong Nai province, Vietnam.



Figure 6.16:Back side of carnelian figures, showing their unworked "natural" appearance.

Pacitan, East Java, Indonesia

Numerous agate sources in East Timor, Java, and Sumatra have been recently mined for jewelry and other decorative objects. I acquired several pieces of agate from David Bernstein, a wholesale gemstone and mineral exporter (Figure 6.17). The samples are from a source in Pacitan, East Java (Figure 6.11). This region of Indonesia is well known for its agate and there has recently been a push to recognize the Pacitan agate industry, with several hundred craftsmen producing numerous artifacts for souvenirs. As with Ban Khao Mogul, it appears that one popular product are cabochons for ring or jewelry settings (Bakti 2001).



Figure 6.17: Carnelian samples from Pacitan, East Java, Indonesia. Scale in cm.

Agate and Carnelian Artifacts analyzed

Seventy-nine agate and carnelian artifacts were analyzed using LA-ICP-MS. As permission was needed to take materials out of the country, only a portion of the beads from each site were selected. While I tried to choose beads from secure burial contexts, I also selected interesting or unusual samples from non-burial contexts. Beads were selected to represent the variety of beads from a site. All the stone beads from Angkor Borei were analyzed, as the entire collection was available for study. Appendix 6.1 summarizes the artifacts and their context.

LA-ICP-MS analysis of the geologic sources

The artifacts and geologic sources samples discussed above were analyzed using LA-ICP-MS using the method discussed in Chapter 4. Final measurements for all archaeological and geologic samples are listed in Appendix 6.2. 55 elements are included with major and minor elements listed as percent oxide and trace elements as parts per million (ppm). Appendix 6.3 lists the standardized canonical discriminant function coefficients for all CDA figures in this chapter.

Scholars have noted that the heterogeneous objects may be difficult to characterize using LA-ICP-MS (e.g. Roll et al. 2005:60). In order to understand the amount of variation within the agate and carnelian samples, I developed a methodology that determined which elements were "less variable," "variable," and "most variable." During statistical analysis an attempt was made to use elements that were "less variable" or "variable" in order to minimize this heterogeneity. This information is presented in detail in Appendix 6.4.

Appendix 6.5 presents a summary of the geochemical compositions of the different geologic sources and discusses how they differed from one another compositionally. What is important to note is that there was some overlap between the different geologic sources, and especially the Deccan Trap agate and carnelian sources. It is not surprising that the agate and carnelian source samples from the Deccan Traps appear to be compositionally similar to one another. As noted above, the Deccan Traps are a massive geological formation and the sources sampled may belong to secondary deposits. I believe that the overlap between Deccan Traps sources is not a limitation of LA-ICP-MS, but instead reflects the difficulty of distinguishing between the geochemically analogous Deccan Traps agate sources. I had hoped that the different sources would be compositionally distinct from one another, allowing for a more detailed analysis of agate exploitation over time and space. It is possible that analyses of additional samples from individual sources may increase the ability to distinguish between these sources. For the time being, assignments made to specific geologic sources within the Deccan Traps must be considered with caution.

As noted in the previous chapter, agate and carnelian beads are often modified through heat-treatment to change or deepen their color. However, the geologic samples used to characterize the sources are raw or unheated. We may wonder then about the affect of heattreatment on the geochemical composition of a sample or artifact. To address this question, three pieces of a single sample from Ratanpur were analyzed (Figure 6.18). The first was unheated, the second was heated once at approximately 400° C, and the third was heated multiple times at 400° C. Using the elements Ag, Al, Ba, Be, Bi, Ce, Cs, Cu, La, Li, Lu, Mg, Na, Ni, Sb, Sc, Si, Sm, Sn, Ta, Tb, Ti, U, V, W, Yb, and Zr, I performed Canonical Discriminant Analysis (CDA), using the method described in Chapter 4. 11 of the 12 Ratanpur source samples were successfully cross-validated to the Ratanpur group, one sample was misclassified as belonging to the Undhari group. The heat-treated samples were included as ungrouped cases and based on their discriminant scores, were assigned to a group whose group centroid they are nearest. This is the predicted group membership (PGM). However, a second highest PGM is given to the group with the next lowest Mahalanobis distance value to the group centroid (see Chapter 4 for further discussion). The first and second PGM for the heat-treated Ratanpur samples are listed in Table 6.2. Figure 6.19 displays the sources and heat-treated samples as plotted by their first, second, and third discriminant scores. Only one of the samples, RTP_Unheated was assigned to the Ratanpur source and the other two samples were assigned to the Mardak Bet source. However, looking at the second PGM for the other two samples shows that the RTP_HeatedOnce sample was assigned to Undhari, and the RTP_Heated sample was assigned to the Ratanpur source. As noted above and discussed in Appendix 6.5, the Deccan Traps sources

are geochemically analogous to one another resulting in a low cross-validation rate between the sources. As Randall Law has noted, geochemical similarities between deposits can "result in a degree of overlap among the individual cases making them up," (2011: 224). I believe that these misclassifications are most likely explained by the compositional similarities between the Deccan Trap sources, and not geochemical changes due to heat-treatment. I argue that this small experimental study indicates that heat-treatment of agate and carnelian does not dramatically change their geochemical composition.



Figure 6.18: Heated and unheated geologic samples from the Ratanpur source. Only one of the samples in the "heated once" group was analyzed using LA-ICP-MS.

Source sample	1st PGM	2nd PGM
RTP_Unheated	Ratanpur	Mardak Bet
RTP_HeatedOnce	Mardak Bet	Undhari
RTP HeatedManyTimes	Mardak Bet	Ratanpur

Table 6.2:First and second predicted group membership (PGM) for the heat-treated Ratanpur samples




Figure 6.19: The Deccan Trap agate sources plotted by their first, second, and third discriminant functions.

Three samples from Ratanpur (yellow triangles) were plotted as ungrouped cases.

Assigning agate and carnelian artifacts to geologic sources

After statistically distinguishing between the geologic sources, the next step was to examine the artifacts and determine which, if any, were geochemically analogous to the sources tested. As with the heat-treated samples discussed above, the artifacts were included as ungrouped cases, compared to the compositional groups, and then assigned to the source whose centroid they are nearest. In my initial CDA, I compared the artifacts to all 12 of the geologic

sources using the elements: Ag, Al, Au, B, Ba, Bi, Co, Cs, Dy, Eu, In, La, Li, Mg, Na, Nd, Ni, Pb, Sb, Sc, Si, Sn, Sr, Tb, Th, Ti, Y, Zn, and Zr. As was expected, the cross-validation rate was low with only 72% of the cross-validated cases classifying correctly (Figure 6.20). The majority of the misclassification was between Deccan Trap sources as well as between the Kon Tum and Dong Nai sources. A single Kon Tum sample was misclassified as belonging to the Undhari source. Table 6.3 below lists the primary PGM assignment for the 79 artifacts in this analysis. The majority of the artifacts were assigned to one of the Deccan Traps sources, however ten artifacts were assigned to one of the Southeast Asian sources. Due to the considerable overlap between the sources, I believe these initial artifact assignments must be treated with caution. As demonstrated above in the heat-treating example, the geochemical similarity between the Deccan Traps sources allows for artifacts to be misclassified between the different Deccan Traps sources. Therefore, I performed a second CDA with the Deccan Traps sources grouped together.




Figure 6.20: Geologic sources and artifacts plotted by their first and second discriminant scores.

In the second CDA, the artifacts were compared to the individual Southeast Asian sources, the Shahr-i-Sokhta source, and the grouped Deccan Traps source. Using the same elements as in the previous CDA a cross-validation rate of 93.8% was achieved. Figure 6.21 shows the artifacts, Deccan Traps, and Southeast Asian sources plotted by their first and second discriminant scores. The Mahurjhari source has been omitted from the scatterplot for clarity. A majority of the artifacts (n=59) were assigned to the Deccan Traps agate source group (Table 6.3 below). All ten of the artifacts that had been previously assigned to a Southeast Asian source were again assigned to the same Southeast Asian source (Figure 6.22). However, an additional ten artifacts that were assigned to one of the Deccan Traps sources in the previous analysis were assigned to a Southeast Asian source. I will return to these 20 artifacts below, however I will first discuss the artifacts assigned to the Deccan Traps sources in more depth.




Figure 6.21: Geologic sources and artifacts plotted by their first and second discriminant scores. All of the Deccan Trap sources have been combined into a single group. The Mahurjhari source was omitted for visual clarity.




Figure 6.22: Southeast Asian geologic source and the 10 artifacts that were assigned to these sources plotted by their first and second discriminant scores.

Agate and carnelian beads assigned to the Deccan Trap sources

The 69 artifacts initially assigned to the Deccan Trap sources were analyzed an additional time, but in this discriminant analysis were only compared to the Deccan Trap sources. Three geologic source samples with missing values were eliminated (Mardak Bet 12, Khandek 15, Paithan 11) in order to allow for the inclusion of the elements Cu and Tm, which assisted with the improving the discrimination between the sources. CDA was performed using the elements Ag, Al, Au, B, Ba, Bi, Ca, Cs, Co, Cu, Eu, In, La, Li, Mg, Na, Nd, Ni, Sc, Si, Sn, Sr, Th, Tm, and Zr. As with previous analyses focusing on the Deccan Traps, the cross-validation rate was low at 65.6% as only the Mahurjhari samples cross-validated correctly (Figure 6.23).




Figure 6.23: Deccan Traps sources and 69 agate and carnelian artifacts plotted by their first and second discriminant scores. AKC03035 is the only artifact assigned to the Mahurjhari source.

Table 6.3 lists the first PGM for all artifacts during their first (all geologic sources included), second (Deccan Traps sources grouped together), and third (only Deccan Traps sources) discriminant function analyses. When we focus just on those artifacts that were consistently assigned to the Deccan Traps sources, all but 13 classified with the same source during the first and third CDA. The majority of these samples (n=31) were assigned to the Ratanpur source, with eight artifacts each assigned to Undhari and Paithan, six artifacts assigned to Khandek, two to Mardak Bet, and one to Mahurjhari.

	Γ				ī	·	248
		2^{nd} CDA:	,			2^{nd} CDA:	,
	1 st CDA:	Grouped	3 rd CDA:		1 st CDA:	Grouped	3^{rd} CDA:
	All	DT	DT		All	DT	DT
	sources,	sources,	sources,		sources,	sources,	sources,
	all beads	all beads	69 beads		all beads	all beads	69 beads
Database				Database			
ID	1st PGM	1st PGM	1st PGM	ID	1st PGM	1st PGM	1st PGM
AKC00003	Indonesia	Indonesia	N/A	AKC02063	Paithan	DT	Paithan
AKC00016	Ratanpur	DT	Ratanpur	AKC02064	Ratanpur	DT	Ratanpur
AKC00020	BKM	BKM	N/A	AKC02065	Kon Tum	Kon Tum	N/A
AKC00025	Ratanpur	DT	Ratanpur	AKC02066	Kon Tum	Kon Tum	N/A
AKC00026	Ratanpur	DT	Ratanpur	AKC02067	Undhari	Kon Tum	Undhari
AKC00035	Ratanpur	DT	Ratanpur	AKC02068	Ratanpur	DT	Ratanpur
AKC00044	Ratanpur	Indonesia	Ratanpur	AKC02069	Khandek	DT	Khandek
AKC00053	Ratanpur	DT	Ratanpur	AKC02070	Paithan	DT	Paithan
AKC00056	Ratanpur	DT	Ratanpur	AKC02071	Khandek	DT	Khandek
AKC00303	Ratanpur	Indonesia	Ratanpur	AKC03035	Mahurjhari	Mahurjhari	Mahurjhari
AKC00308	Paithan	DT	Paithan	AKC03036	Paithan	DT	Paithan
AKC00344	BKM	BKM	N/A	AKC03037	Ratanpur	DT	Ratanpur
AKC00348	Ratanpur	DT	Ratanpur	AKC03038	Ratanpur	DT	Ratanpur
AKC00364	Ratanpur	DT	Ratanpur	AKC03039	Ratanpur	DT	Ratanpur
AKC00433	Ratanpur	DT	Ratanpur	AKC03040	Khandek	DT	Khandek
AKC00437	Ratanpur	Indonesia	Ratanpur	AKC03041	Ratanpur	Kon Tum	Ratanpur
AKC00643	Ratanpur	Indonesia	Ratanpur	AKC03042	Undhari	DT	Ratanpur
AKC00644	Indonesia	Indonesia	N/A	AKC03043	Undhari	DT	Undhari
AKC00646	Ratanpur	DT	Ratanpur	AKC03044	Undhari	DT	Undhari
AKC00647	Ratanpur	DT	Ratanpur	AKC03045	Undhari	DT	Undhari
AKC00730	Ratanpur	Indonesia	Ratanpur	AKC03046	Ratanpur	DT	Undhari
AKC00732	Ratanpur	DT	Ratanpur	AKC03500	Khandek	DT	Undhari
AKC00902	Paithan	DT	Paithan	AKC03501	Undhari	DT	Paithan
AKC00922	Ratanpur	DT	Ratanpur	AKC03502	Ratanpur	DT	Undhari
AKC00923	Kon Tum	Kon Tum	N/A	AKC03503	Ratanpur	DT	Ratanpur
AKC00932	Undhari	DT	Undhari	AKC03504	Paithan	DT	Paithan
AKC00980	Kon Tum	Kon Tum	N/A	AKC03505	Paithan	DT	Paithan
AKC00995	Undhari	DT	Ratanpur	AKC03506	Khandek	DT	Khandek
AKC00999	Undhari	DT	Ratanpur	AKC03507	Undhari	DT	Khandek
AKC01051	Undhari	DT	Undhari	AKC03508	Khandek	DT	Khandek
AKC01061	Undhari	DT	Undhari	AKC03509	Khandek	DT	Khandek
AKC01062	Undhari	DT	MB	AKC03510	MB	DT	Khandek
AKC01108	Ratanpur	Indonesia	MB	AKC03511	Ratanpur	DT	Ratanpur
AKC01111	Paithan	DT	MB	AKC03512	MB	DT	MB
AKC01721	BKM	BKM	N/A	AKC03513	Ratanpur	DT	Ratanpur
AKC01950	Ratanpur	DT	Ratanpur	AKC03514	Ratanpur	Dong Nai	Ratanpur
AKC01951	Ratanpur	DT	Paithan	AKC03515	Ratanpur	Dong Nai	Ratanpur
AKC02060	Paithan	DT	Paithan	AKC03516	MB	DT	MB
AKC02061	Gia Lai	Gia Lai	N/A	AKC03517	Ratanpur	DT	Ratanpur
AKC02062	Undhari	DT	Undhari				
TO 11 (2 TO	11 66 4	1. 4 1		ins (PGM) for t		1	DIZIA

Table 6.3: Table of first predicted group memberships (PGM) for the agate and carnelian artifacts. BKM=Ban Khao Mogul, DT=Deccan Traps, MB=Mardak Bet.

Due to the high overlap between the Deccan Trap geologic source samples I am cautious about accepting the PGM assignments without question. We can expect that the overall geochemical similarity between these sources will result in misclassifications amongst the artifacts. Furthermore, CDA will always assign an artifact to a group, even if they do not actually belong to that group. In a study with a limited number of sources there is always the possibility that the artifacts do not belong to any of the groups in the dataset. However, I do feel confident in making a regional assessment about the artifact assignments. Although one might not be able to say that the artifacts assigned to the Deccan Traps sources definitely derived form these sources, we can confidently state that the artifacts are <u>not</u> geochemically analogous to the

Despite these qualifications, I argue that at least 45 of the 79 agate and carnelian artifacts were made from raw material from the Deccan Traps. Although I am not comfortable assigning them to a specific source within this geologic formation, the large number of artifacts that were assigned to the Ratanpur source is not surprising based on historical and archaeological data indicating its importance in bead production. As discussed earlier, Ratanpur has been a major source of raw materials for bead production for hundreds of years (Arkell 1936; Francis 1986, 2002;) and was likely exploited as far back as the Harappan period (Law 2011). During the first or second century AD the Greek writer Ptolemy noted the export of onyx stones to Egypt from a region some have suggested may have been Ratanpur (McCrindle 1885: 77, 334).

Paithan is another important source used in bead production and also mentioned by Ptolemy as an exporter of onyx stones (Huntingford 1980: 49; Francis 2002: 104-5). The nearby

city of Ujjain (Map Figure 6.2) was also a well-known beadmaking center from approximately 500-200 BC (Banerjee 1959:190). The beadmaking center of Cambay (or Khambhat) (Map Figure 6.2) is also believed to have been in operation since the early first millennium AD (Arkell 1936:304). It is likely then, that this region could have been a source of both the raw materials and finished beads found in Southeast Asia. Little is known about the exploitation of the Undhari source and the Khandek and Mardak Bet sources were exploited during the Harappan period (Law 2011).

Only one bead was assigned to the Mahurjhari source group, a spherical carnelian bead from Angkor Borei (Figure 6.24). As discussed in Appendix 6.5, the Mahurjhari samples are notable for its high levels of tin (Sn). The Angkor Borei bead has higher levels than other artifacts analyzed (67 ppm), although not as high as the other materials from this site and therefore plots somewhat away from this source (Figure 6.23). The Angkor Borei bead may be an outlier of the geologic source used to make beads at Mahurjhari, or it could also derive from an untested source. Excavators believe the bead manufacturing began at Mahurjhari site around the 6 or 7th century BC and continued until the 4-5th century AD. Although Deccan Trap agates were thought to have been used by bead production centers throughout much of India, the scholar R.K. Mohanty has postulated that beadmakers at Mahurjhari might have been exploiting a central Indian raw material source (1999: 84). The distinctness of the Mahurjhari samples indicates they may in fact come from a non-Deccan Trap source, although this location is still unknown. Finished products from Mahurjhari are believed to have been traded to western and southern India as well as possibly Central Asia and Rome (Mohanty 1999: 84). However, Francis has argued that Mahurjhari likely did not "export its beads outside its neighborhood,"

(2002: 116). The single bead assigned to this source indicates that the large quantities of beads, if any, were likely not exported to Southeast Asia from this site.




Figure 6.24: Spherical carnelian bead from Angkor Borei (AKC03035) assigned to the Mahurjhari source. Scale in cm.

14 artifacts were consistently assigned to the Deccan Traps sources, but when plotted by their discriminant scores plot somewhat away from the Deccan Traps sources (Figure 6.25). Two of these beads are rough carnelian hexagonal faceted short bicones from Phum Snay (AKC00016 and AKC00025), as well as two faceted bicone beads from Angkor Borei: a rough hexagonal faceted quartz bead (AKC03046) and a more finely made hexagonal short bicone (AKC03037). Also included in this group are spherical beads from Phum Snay (AKC00035) and Krek 52/62 (AKC00647), a rough spherical bead from Angkor Borei (AKC03041) and a short bicone bead from Angkor Borei (AKC03044). One broken long cylindrical agate bead from Ban Non Wat (AKC02070) also plotted away from the Deccan Trap sources, as did the five unfinished, unpolished agate beads from Khao Sam Kaeo (AKC03502-4, AKC03512-3).




Figure 6.25: Deccan Traps sources and 69 archaeological artifacts plotted by their first and second discriminant scores from the third CDA. The labeled artifacts are those that plot away from the Deccan Trap sources group. The Mahurjhari source has been omitted for visual clarity.

All beads, except AKC03041, were assigned to the Deccan Traps sources in all three CDAs. Some of these beads may simply be outliers of the Deccan Traps sources. I believe this may especially be the case for the rough hexagonal faceted bicones from Phum Snay (AKC00016 and AKC00025), as a similar bead from the same burial (AKC00026) plotted more closely with the Deccan Traps sources. However, we must also consider that some of these beads derive form an as-of-yet untested source located in either South or Southeast Asia. Several of the beads discussed above are unique beads within the collections examined at the site. For example, the quartz bead and short carnelian faceted bicone from Angkor Borei are both the only examples of these types recorded in this study. The cylindrical bead from Ban Non Wat had one of the largest perforation sizes of any bead recorded, suggesting it may derive from different

workshop than beads with smaller perforations. Lastly, the five unpolished and undrilled agate beads from Khao Sam Kaeo (AKC03502-4 and AKC03512-3) found on Hill 3 and Hill 4 appear to belong to a distinct group. Analyses of additional geologic sources may help clarify the origins of these specific beads.

Agate and carnelian beads assigned to Southeast Asian geologic sources

Approximately one-quarter of the agate and carnelian beads were assigned to a Southeast Asian source, in either the first or second CDA (Table 6.3). In order to investigate these assignments more closely, these 20 artifacts were compared as ungrouped cases to the five Southeast Asian geologic sources and the Ratanpur source, which acted as a proxy for the Deccan Traps sources. Using the elements Ag, Au, B, Ba, Bi, Co, Mg, Mn, Pr, Rb, Si, Sr, Tm, Ti, and Y a cross-validation rate of 96.7% was achieved. A single Kon Tum sample misclassified with the Dong Nai source group and an Indonesian source sample classified with the Ratanpur source group. The PGMs for all four CDA analyses for these artifacts are listed in Table 6.4.

Only seven of these 20 artifacts were consistently assigned to the same Southeast Asian geologic source (marked in italic in Table 6.4), while the remaining thirteen artifacts were assigned to different Southeast and South Asian geologic sources throughout all four discriminant function analyses. Eight of these artifacts were reassigned to the Ratanpur source, despite having been assigned to a Southeast Asian source during at least one previous discriminant function analysis. Several of these artifacts appear to plot between two potential sources, and were assigned to either one or the other depending on elements used in the discriminant analyses.

	First CDA: All sources, all artifacts	Second CDA: Grouped Deccan Traps sources, all artifacts	Third CDA: Deccan Traps sources, 69 artifacts	Fourth CDA: SEA sources, Ratanpur, and 20 artifacts
AKC00003	Indonesia	Indonesia	N/A	Indonesia
AKC00020	BKM	BKM	N/A	Ratanpur
AKC00044	Ratanpur	Indonesia	Ratanpur	Indonesia
AKC00303	Ratanpur	Indonesia	Ratanpur	Ratanpur
AKC00344	BKM	BKM	N/A	BKM
AKC00437	Ratanpur	Indonesia	Ratanpur	Ratanpur
AKC00643	Ratanpur	Indonesia	Ratanpur	Ratanpur
AKC00644	Indonesia	Indonesia	N/A	Indonesia
AKC00730	Ratanpur	Indonesia	Ratanpur	Indonesia
AKC00923	Kon Tum	Kon Tum	N/A	Kon Tum
AKC00980	Kon Tum	Kon Tum	N/A	Kon Tum
AKC01108	Ratanpur	Indonesia	Mardak Bet	Ratanpur
AKC01721	BKM	BKM	N/A	Ratanpur
AKC02061	Gia Lai	Gia Lai	N/A	Gia Lai
AKC02065	Kon Tum	Kon Tum	N/A	Kon Tum
AKC02066	Kon Tum	Kon Tum	N/A	Ratanpur
AKC02067	Undhari	Kon Tum	Undhari	Kon Tum
AKC03041	Ratanpur	Kon Tum	Ratanpur	Indonesia
AKC03514	Ratanpur	Dong Nai	Ratanpur	Kon Tum
AKC03515	Ratanpur	Dong Nai	Ratanpur	Ratanpur

Table 6.4: List of first predicted group measurements for the 20 artifacts that grouped with the Southeast Asian geologic sources. Artifacts in italics denote those that were consistently assigned to the same source during all four discriminant function analyses.

Figure 6.26 shows 11 such artifacts that do not appear to plot closely to any sources, or plot between two sources. While many of these artifacts may be outliers of the sources to which they are assigned, it is also possible that they may belong to an untested geologic source. Of special note is AKC01721, the carnelian nodule found at Prei Khmeng. Due to the small quantity of carnelian artifacts found at this site and lack of evidence for bead production, it is highly unlikely that this nodule was transported over long-distance exchange networks from South Asia. Instead, it is more probable that this nodule derives from an unknown local stone source. Two artifacts, AKC00303 and AKC01108 plot more closely to the Ratanpur source (Figure 6.27), and were assigned to a Deccan Traps geologic source in three of the four discriminant function

analyses. Although these objects were assigned to the Indonesian source during the second CDA, I propose that both may in fact derive from the Deccan Traps sources. However, I cannot yet rule out that they may belong to an unidentified source.




Figure 6.26: Geologic sources and artifacts from the fourth CDA plotted by their first, second, and third discriminant function. Labeled artifacts are those that appear to plot away from or in between the sources to which they were assigned.




Figure 6.27: Geologic sources and artifacts from the fourth CDA plotted by their first, second, and third discriminant scores. The two artifacts noted in the scatterplot are those that appear to plot closely with the Ratanpur source.

The seven artifacts that were consistently assigned to the same Southeast Asian geologic source deserve a closer examination. These artifacts are shown in Figure 6.28, plotted by their first, second, and third discriminant scores. Two of these beads have characteristics that set them apart from other beads examined in this study. AKC02061 is a long carnelian barrel bead with the second largest drill hole size of all the beads examined, approximately 3mm (Figure 6.29). This bead was assigned to the Gia Lai source, but plots well away from it. However, the bead appears visually similar to carnelian beads found in the Samon Valley, Myanmar (see Moore 2007: 75); further investigation of raw materials from this region may confirm this hypothesis.

A short carnelian bicone from Village 10.8 (AKC00344) was assigned to the Ban Khao Mogul source. This bead was notable due to its low polish, with an almost matte finish (Figure 6.30). Although this bead does appear to plot near the source, the same cautions apply in regards to assigning the bead to this source. There is no evidence for bead production at Ban Khao Mogul, and no other beads from Village 10.8 were assigned to this source. Furthermore, it is unusual that no additional BKM beads were identified from geochemical analysis from sites closer to the source such as Promtin Tai or Ban Non Wat. That this bead was consistently assigned to the Ban Khao Mogul sources should be taken to mean that the bead is *not* geochemically analogous to the other sources tested, and not that the bead is geochemically comparable to the Ban Khao Mogul source. Therefore, I argue that this bead was likely made from an untested source, likely located somewhere in South or Southeast Asia.




Figure 6.28: Artifacts consistently assigned to Southeast Asian sources plotted by their first, second, and third discriminant scores.



Figure 6.29:AKC02061 a long carnelian barrel bead from Ban Non Wat that may derive from a geologic source in Myanmar.



Figure 6.30: AKC00344, a short bicone bead from Village 10.8 with low polish.

Four agate barrel and bicone beads from four different sites were also consistently assigned to either the Indonesian or Kon Tum sources (Figure 6.31). Two beads were assigned to the Indonesian source, one from Phum Snay (AKC00003) and one from Prohear (AKC00644). These beads look similar to agates from the Gangetic region, which were used to produce barrel beads during the pre-Mauryan period, although the source for these beads is unknown (J. Mark

Kenoyer, personal communication, 2013). Both beads are long agate barrels, with dark brown/black and opaque white coloring. A second set of long barrel beads from Promtin Tai (AKC00923) and Ban Non Wat (AKC02065) were assigned to the Kon Tum source. The bead from Ban Non Wat (AKC02065) appears to have been burned and whitened, and may have been originally been a different color, perhaps red and white banded agate (J. Mark Kenoyer, personal communication, 2013). The agate bead from Phum Snay was the only agate bead recorded from this site, however similar agate beads were found at Ban Non Wat, Promtin Tai, and Prohear that were assigned to the Deccan Traps sources. Without stronger evidence for agate bead production in Vietnam or Indonesia, I hesitate to confidently state that these beads derive from these sources. However, it does appear that these beads are distinct from other beads in this collection and their similarity to one another points toward the possibility that they may have been produced from a single unknown geologic source. A carnelian flattened hexagonal bicone from Promtin Tai (AKC00980) was also assigned to the Kon Tum source. As discussed earlier, this bead shape was also identified at Khao Sam Kaeo and Prohear, however this group of beads does not appear to be made using the same raw material source. This suggests that multiple workshops may have been making beads in this shape.




Figure 6.31: Agate beads assigned to the Kon Tum geologic source (top row) and Indonesian source (bottom row).

Summary of conclusions from the agate and carnelian bead composition data

To summarize the data presented above, geochemical analysis of agate and carnelian beads suggests that the majority (n=45) of the agate and carnelian artifacts were made from raw materials from the Deccan Traps. An additional 13 artifacts were consistently assigned to the Deccan Traps sources, however when plotted by their first and second discriminant scores, these beads appear to plot away from these sources. That these beads were consistently assigned to the Deccan Traps indicates that they are geochemically distinct from the Southeast Asian sources, however it is also possible that they do not belong to the Deccan Traps sources and were made from an untested raw material source. Several of these 13 beads are similar to beads assigned to the Deccan Traps sources and may in fact originate from sources, such as two short hexagonal faceted bicones from Phum Snay (AKC00016 and AKC00025) that are morphologically similar

to similar beads AKC00026 and AKC00053, which were assigned to the Deccan Traps. However, other beads are more unusual and could in fact represent beads that derive from an untested source. This includes the quartz bead (AKC03046) and the short hexagonal faceted bicone bead (AKC03044) from Angkor Borei, the broken agate cylinder bead with the larger perforation size from Ban Non Wat (AKC02070), and the group of unfinished agate beads from Khao Sam Kaeo (AKC03502-4, AKC03512-3). One carnelian bead from Angkor Borei (AKC03035) is fairly distinct due to high-levels of tin, however it is unclear if this bead is compositionally similar to the Mahurjhari source or if it belongs to a different untested source.

The remaining 20 beads were assigned to the Southeast Asian sources at least once during the course of statistical analysis of the compositional results, with seven beads consistently assigned to the same Southeast Asian source. While this compositional data supports the interpretation that these beads were not made from Deccan Traps agate sources, I do not believe that we can confidently assign them to a Southeast Asian source based on compositional data alone. There are still numerous potential untested sources in both South and Southeast Asia, and none of the sources included in this study have strong archaeological evidence for their involvement in ancient bead production. Despite these qualifications, there are still several beads in this group that do appear to be different from the larger collection and could be indicative of beads from a workshop not affiliated with the Deccan Traps sources. This includes the group of unfinished beads from Khao Sam Kaeo, the group of agate barrel beads from various sites discussed above, as well as the carnelian barrel bead with the large perforation from Ban Non Wat. Also of note are the two carnelian crescents from Khao Sam Kaeo (AKC03514-5) and two pendants, one from Ban Non Wat (AKC02066) and one from Promtin

Database ID	Site Name	Possible geologic source provenience	Database ID	Site Name	Possible geologic source provenience
AKC00003	Phum Snay	Assigned SEA, but likely from an untested source	AKC02063	Ban Non Wat	Deccan Traps
AKC00016	Phum Snay	Assigned to Deccan Traps, but plots away from group. Similar to ACK00026, could be an outlier of DT sources?	AKC02064	Ban Non Wat	Deccan Traps
AKC00020	Phum Snay	Assigned to both SEA/SA, but likely from an untested source	AKC02065	Ban Non Wat	Assigned SEA, more likely from an untested source
AKC00025	Phum Snay	Assigned to Deccan Traps, but plots away. Similar to ACK00026, so could be an outlier of DT sources?	AKC02066	Ban Non Wat	Assigned to both SEA/SA, more likely from an untested source
AKC00026	Phum Snay	Deccan Traps	AKC02067	Ban Non Wat	Assigned to both SEA/SA, more likely from an untested source
AKC00035	Phum Snay	Assigned to Deccan Traps, but plots away and could be from an untested source.	AKC02068	Ban Non Wat	Deccan Traps
AKC00044	Phum Snay	Assigned to both SEA/SA, more likely from an untested source	AKC02069	Ban Non Wat	Deccan Traps
AKC00053	Phum Snay	Deccan Traps	AKC02070	Ban Non Wat	Assigned to Deccan Traps, but plots away and could be from an untested source.
AKC00056	Phum Snay	Deccan Traps	AKC02071	Ban Non Wat	Deccan Traps

					203
AKC00303	Village 10.8	Assigned to both SEA/SA, but could belong to Deccan Traps.	AKC03035	Angkor Borei	Deccan Traps (Mahurjhari?)
AKC00308	Village 10.8	Deccan Traps	AKC03036	Angkor Borei	Deccan Traps
AKC00344	Village 10.8	Assigned SEA, more likely from an untested source	AKC03037	Angkor Borei	Assigned to Deccan Traps, but plots away and could be from an untested source.
AKC00348	Village 10.8	Deccan Traps	AKC03038	Angkor Borei	Deccan Traps
AKC00364	Village 10.8	Deccan Traps	AKC03039	Angkor Borei	Deccan Traps
AKC00433	Village 10.8	Deccan Traps	AKC03040	Angkor Borei	Deccan Traps
AKC00437	Village 10.8	Assigned to both SEA/SA, more likely from an untested source	AKC03041	Angkor Borei	Assigned to both SEA/SA, more likely from an untested source
AKC00643	Prohear	Assigned to both SEA/SA, more likely from an untested source	AKC03042	Angkor Borei	Deccan Traps
AKC00644	Prohear	Assigned SEA, more likely from an untested source	AKC03043	Angkor Borei	Deccan Traps
AKC00646	Prohear	Deccan Traps	AKC03044	Angkor Borei	Assigned to Deccan Traps, but plots away and could be from an untested source.
AKC00647	Krek 52/62	Assigned to Deccan Traps, but plots away and could be from an untested source.	AKC03045	Angkor Borei	Deccan Traps
AKC00730	Bit Meas	Assigned to both SEA/SA, more likely from an untested source	AKC03046	Angkor Borei	Assigned to Deccan Traps, but plots away and could be from an untested source.
AKC00732	Bit Meas	Deccan Traps	AKC03500	Khao Sam Kaeo	Deccan Traps
AKC00902	Promtin Tai	Deccan Traps	AKC03501	Khao Sam Kaeo	Deccan Traps
AKC00922	Promtin Tai	Deccan Traps	AKC03502	Khao Sam Kaeo	Assigned to Deccan Traps, but plots away and could be from an untested source.

	,			,	264
AKC00923	Promtin Tai	Assigned SEA, more likely from an untested source AKC03503 Khao Sam Kaeo		Assigned to Deccan Traps, but plots away and could be from an untested source.	
AKC00932	Promtin Tai	Deccan Traps AKC03504 Khao Sam Kaeo		Assigned to Deccan Traps, but plots away and could be from an untested source.	
AKC00980	Promtin Tai	Assigned SEA, more likely from an untested source	AKC03505	Khao Sam Kaeo	Deccan Traps
AKC00995	Promtin Tai	Deccan Traps	AKC03506	Khao Sam Kaeo	Deccan Traps
AKC00999	Promtin Tai	Deccan Traps	AKC03507	Khao Sam Kaeo	Deccan Traps
AKC01051	Promtin Tai	Deccan Traps	AKC03508	Khao Sam Kaeo	Deccan Traps
AKC01061	Promtin Tai	Deccan Traps	AKC03509	Khao Sam Kaeo	Deccan Traps
AKC01062	Promtin Tai	Deccan Traps	AKC03510	Khao Sam Kaeo	Deccan Traps
AKC01108	Promtin Tai	Assigned to both SEA/SA, but could belong to Deccan Traps.	AKC03511	Khao Sam Kaeo	Deccan Traps
AKC01111	Promtin Tai	Deccan Traps	AKC03512	Khao Sam Kaeo	Assigned to Deccan Traps, but plots away and could be from an untested source.
AKC01721	Prei Khmeng	Assigned to both SEA/SA, more likely from an untested source	AKC03513	Khao Sam Kaeo	Assigned to Deccan Traps, but plots away and could be from an untested source.
AKC01950	Phnom Borei	Deccan Traps	AKC03514	Khao Sam Kaeo	Assigned to both SEA/SA, more likely from an untested source
AKC01951	Phnom Borei	Deccan Traps	AKC03515	Khao Sam Kaeo	Assigned to both SEA/SA, more likely from an untested source
AKC02060	Ban Non Wat	Deccan Traps	AKC03516	Khao Sam Kaeo	Deccan Traps
AKC02061	Ban Non Wat	Assigned SEA, more likely from an untested source	AKC03517	Khao Sam Kaeo	Deccan Traps
AKC02062	Ban Non Wat	Deccan Traps			
Table 6.5: Preliminary geologic source provenience assignment for the 79 agate and carnelian artifacts					

Table 6.5: Preliminary geologic source provenience assignment for the 79 agate and carnelian artifacts analyzed using LA-ICP-MS.

As discussed above, it is likely that approximately 34 beads were made with raw material sources that have not yet been geochemically tested and identified. There are numerous potential sources in South and Southeast Asia that deserves future testing and evaluation. The South Indian bead production industry is well known, as numerous sites have evidence for stone bead manufacture, including the port site of Arikamedu (Figure 6.2) and Kodumanal (Francis 2002, 2004; Kelly 2009). Many of these South Indian bead production sites made beads using a variety of raw materials including quartz and amethyst, as well as carnelian and agate (Francis 2002). Unfortunately, it is unclear what sources were being used to produce beads. Some scholars have suggested that agate and carnelian were being imported from northern India (Rajan 1990:102; Francis 2002: 117), however there are other sources located within the region that may have also been exploited. Francis describes nodules from the Deccan Traps found in the Godavari and Krishna riverbeds (2002: 117), however if these nodules were used they may geochemically indistinguishable from the other Deccan Traps sources. Distinct veins of agate and carnelian may be located elsewhere in South India, Francis suggests a possible vein of banded agate near the site of Kotalingala (Figure 6.2) (2002: 117), although the exact location of these sources is currently unknown. Further examination of bead production debris may assist in at least identifying a proxy for local South Indian agate and carnelian sources.

Another important potential source location for the purposes of this study would be agate and carnelian deposits located in eastern India, bordering Southeast Asia, and specifically those in Orissa state. The unissen has noted that there may have been overland trade into Southeast Asia through east India and that bead production sources in this region should be considered as

potential sources for beads found in Southeast Asia (Theunissen et al. 2000; Theunissen 2003). Several scholars have reported evidence for bead production in Orissa (Mohanty and Mishra 1999 in Theunissen et al. 2000). As discussed above, there is also evidence for both raw materials and stone bead production in Myanmar. A single carnelian bead from Ban Non Wat shared a visual similarity with beads from the Samon Valley, indicating that further investigation within this region is needed. It is hoped that with continued research and analysis the raw material source for all the agate and carnelian beads will be identified.

Conclusion

This chapter has presented geochemical data on agate and carnelian artifacts from 11 sites in Cambodia and Thailand. By performing geochemical compositional analysis on a selection of agate and carnelian beads I was able to see clear patterns in the exploitation of stone sources, although these patterns were not as fine-grained as I had originally intended.

Nevertheless, the compositional data indicate that most (n=59) of the agate and carnelian beads in this study were made using Deccan Traps agate sources. Approximately one quarter, or 20 beads, appear to have been made using non-Deccan Traps sources, however the explicit use of a Southeast Asian raw material source to make beads is not yet clear. While I cannot yet clearly identify the sources used to make these beads, it is possible that sources in both South and Southeast Asia may have been used to make beads. In the beginning of this chapter I introduced several questions that I would now like to address in more detail.

Were different stone sources used to produce Period 1 and Period 2 Type beads?

Metric and morphological differences in agate and carnelians showed a distinction between Period 1 Type beads and Period 2 Type beads. However, results show that there did not

appear to be strong compositional differences between the Period 1 and Period 2 Type beads. These two types of beads also appear to be related to changing trade networks with South Asia and between sites in Southeast Asia. As the quality of beads was changing over time and there also appears to have been an increase in the quantity of beads during the later Iron Age, one could wonder if this required the participation of new bead production workshops that were exploiting different stone sources to produce their beads. While LA-ICP-MS has proven to be an ideal method for distinguishing between sources and assigning artifacts to those sources, similarities in the composition of the Deccan Traps sources and a limited dataset have prevented me from achieving the fine-grained analysis of the agate and carnelian artifacts that I had expected. However, the geochemical data can be used to make regional assessments about the provenience of the beads. Approximately two-thirds of the beads analyzed from sites with Period 1 Type beads and Period 2 Type beads appear to derive from Deccan Traps geologic sources (Tables 6.6 and 6.7). A Fisher's Exact test provided a p-value of .2134, indicating there are not statistically significant differences between the sources used to produce the Period 1 and Period 2 beads. These results indicate that there were not major changes in the geologic raw material source being used between the two Periods. I argue that this evidence suggests the Deccan Traps geologic sources were the primary suppliers of raw materials used to produce both the Period 1 and Period 2 bead types found in Southeast Asia. If a non-Deccan Trap sources was being used to produce more beads in either Periods 1 or 2, it is not yet clearly identifiable. It is possible that the sources for the beads believed to have been made from non-Deccan Traps sources changed over time. However these assessments should be confirmed with further research in order to better identify the sources used to produce these beads.

Site Name	Number of beads assigned to Deccan Traps sources	Number of bead assigned to Non- Deccan Traps sources
Village 10.8	5	2
Khao Sam Kaeo	11	7
Promtin Tai	10	2
Prohear	1	2
Bit Meas	1	1
Total	28	14

Table 6.6: The total number of beads assigned to Deccan Trap and non-Deccan Traps sources from sites with Period 1 Type beads.

Site Name	Number of beads assigned to Deccan Traps sources	Number of bead assigned to Non- Deccan Traps sources
Angkor Borei	8	4
Phnom Borei	2	0
Phum Snay	5	4
Total	15	8

Table 6.7: The total number of beads assigned to Deccan Trap and non-Deccan Traps sources from sites with Period 2 Type beads.

Is there evidence that certain bead types were being made from specific geologic sources?

Results show that a small number of beads do appear to be both morphologically and geochemically distinct and could represent the products of various different workshops that exploited a non-Deccan Traps source. Morphological analysis identified specific bead types, such as the flattened hexagonal bicones and notched agate pendants that appeared to be associated with specific trade networks or regions. I wondered if these unique bead types were made from distinct geologic sources indicating that perhaps they were the product of single workshops. Several bead types do appear to be geochemically distinct, including a group of unfinished beads from Khao Sam Kaeo, a group of agate barrel beads from Ban Non Wat, Phum Snay, Prohear, and Promtin Tai, and the carnelian bead from Ban Non Wat that may be from

Myanmar. In their earlier study, Theunissen and others also provided evidence for distinct bead types that may have been the product of specific workshops using a discrete stone source (2000: 102). I propose that these additional data indicate that continued geochemical analysis of bead shapes and raw materials sources from a variety of sites might be able to identify the products of specific workshops.

Is there geochemical evidence for the use of agate and carnelian from Southeast Asian source for local bead production?

In the current study I was unable to find clear evidence that beads were being made using Southeast Asian stone sources, As discussed in the previous chapter, Bellina (2001, 2003, 2007) and Theunissen (2003; Theunissen et al. 2000) have suggested that agate and carnelian beads may have been produced in Southeast Asia. According to Bellina's (2001, 2003, 2007) hypothesis, local production of beads increased during Period 2, when local bead manufacturers began mass-producing lower-quality beads for trade to inland sites. One would expect that if there were a change in how bead production was organized during Period 2, including the possible exploitation of local stone sources, that this would be identifiable geochemically. However, data from the current study suggests that there is not yet a clear geochemical difference between Period 1 and Period 2 sites. Furthermore, Theunissen (2003; Theunissen et al. 2000) has specifically suggested that craftsmen may have been exploiting local stone resources in central Thailand to produce beads during this period. I was unable to find evidence that beads were being produced using this raw material source. Although several beads were assigned to Southeast Asian sources, it was not clear that these beads originated from these sources. Combined with a lack of archaeological evidence for production in or around the source sites

examined, I argue that this evidence indicates that beads were not locally produced using Southeast Asian stone sources. Nevertheless, this does not mean that beads were not manufactured in Southeast Asia, as data from Khao Sam Kaeo provide evidence for local production of hard stone beads.

It should be noted that Bellina has mentioned that raw materials for beads were likely imported via maritime trade (2007: 68) and the current evidence supports this theory. In fact, it appears that raw materials from multiple different sources were being exploited at Khao Sam Kaeo in particular. Several finished beads from Khao Sam Kaeo as well as and polished but undrilled or partially drilled beads were assigned to the Deccan Traps sources. However, a small group of unpolished and undrilled beads appear to be from a non-Deccan Traps source.

More recent ethnographic research on the Khambhat bead industry highlights the tight control and protection over both raw materials and finished products by important merchant families (Kenoyer et al. 1991). We may hypothesize that both raw materials and the knowledge used to produce finished products would have been as tightly controlled in the past. If so, this would make it unlikely that South Asian beadmakers would be willing to teach their technology to Southeast Asian craftspeople. The long apprenticeship and technological knowledge required to make agate and carnelian beads did not lend itself towards being easily copied. The current evidence does not support the theory that some Southeast Asian elites were expanding their jurisdiction over bead production by exploiting local raw material sources they could directly control. Instead it appears that Indian beadmakers and/or importers of raw material played an important role in the production of beads in Southeast Asia. If Southeast Asian's were involved in some aspect of local production the compositional data presented in this chapter suggest they

had to work with and rely on the importation of raw material controlled by another party, and likely from Deccan Traps sources. However, I argue that during the early centuries AD Southeast Asian elites in the Mekong Delta were becoming more involved in the trade of finished products to inland sites.

In the following chapter I shift my focus to glass beads. Compositional analysis shows evidence for changing glass bead types over time, a pattern similar to that of the agate and carnelian.

Chapter 7: The Glass Beads

Glass beads are perhaps the most ubiquitous bead artifacts found at Iron Age sites in Southeast Asia and previous research has identified numerous glass types in circulation during this period (Lankton and Dussubieux 2006). The majority of the glass beads at sites in Cambodia and Thailand were small oblate, monochromatic beads known as Indo-Pacific beads. However, there were also small amounts of other bead types as well as glass earrings, ring, and bangle fragments. The following questions will be addressed:

- How does the distribution of glass beads and artifacts change through time and space?
- Does evidence from glass bead trade patterns suggest increased participation in trade
 by elites at sites in the Mekong Delta?

Glass artifacts from ten sites in Cambodia and Thailand were examined as part of this study (Figure 7.1). Before looking at specific types of beads, it is important to first discuss glass technology and how glass beads and artifacts are made. I then focus specifically on Indo-Pacific beads, as these were the most common glass artifacts encountered. Next a discussion of glass bead research in Southeast Asia is provided, including an overview of the most common glass types found during the Iron Age. Following this discussion, the bead collections from ten sites in Cambodia and Thailand are presented. The types of glass artifacts, their context, and the distribution of glass colors at each site will be examined and preliminary patterns from these data will be identified. I then move into a discussion of the results of compositional analysis of glass artifacts from each site. Glass artifacts may often look similar to one another but actually be made from a different glass recipe. I conclude this chapter by identifying several different glass

bead trade networks. Some bead distribution patterns highlight the importance of regional exchange networks during the Iron Age period. However, it also appears that there was increased access to high alumina soda glass beads over time and that this may be related to the expansion of trade networks by elites in the Mekong Delta.




Figure 7.1: Map of sites with glass artifacts analyzed as part of this study.

What is glass?

Ancient glasses were made from four important components: silica, fluxing agents, stabilizing agents and colorants. The primary component of glass is silica (SiO₂), the source of which was generally sand or quartz pebbles (Henderson 2000). Because silica has a high melting point, fluxing agents were added in order to facilitate the melting process. The two principal fluxing agents were potassium oxide (potash, K₂O) or sodium oxide (soda, Na₂O). These fluxing

agents were often derived from plant sources, including such high-soda desert plants as Salicornia or Sasola; however soda from mineral deposits was also used (Henderson 2000). The magnesia (MgO) levels in a sample are useful for determining if the glass was made using a mineral vs. plant ash flux. Glass made with a mineral alkali flux generally has below 1.5 weight percent (wt%) MgO, while glasses made with a plant ash flux have MgO levels above 1.5 wt% (Sayre and Smith 1961; 1967). The last important component of glass was the stabilizer, which prevented the glass from dissolving in water; the most common stabilizers were lime (calcium oxide, CaO) and Alumina (aluminum oxide, Al₂O₃) (Turner 1956b). Other elements found in glass include intentionally added opacifiers or coloring agents, such as antimony, tin, cobalt, copper, lead and iron, along with naturally occurring impurities. Glass recipes can vary depending on the different types and amounts of silica, fluxing agents, and stabilizers used. Previous research has identified some of the raw materials that may have been used to produce glass found in Iron Age Southeast Asia, such as reh, an efflorescent salt that may have been used in the production of high alumina soda glass (Lankton and Dussubieux 2006: 132-3).

Raw glass is produced at workshop sites known as primary glass production centers.

This glass may then be worked into artifacts or sent in bulk to secondary glass workshops where the glass is then melted and worked into beads, bangles, and other objects. While one may assume that raw glass produced at a single workshop may all have similar compositions, scholars have found that glass recipes within a glass production centers can vary greatly (Lankton and Dussubieux 2006: 122). In this chapter certain glass recipes will be discussed that have been linked to specific workshop sites, while other glass types are unknown. Although we may not always be confident where the primary or secondary glass production site was located, we are

still able to trace patterns in the distributions of specific glass types over time and space. These data can in turn tell us about trade and exchange networks between these communities, even if we do not yet know the ultimate origin for the glass itself.

Indo-Pacific beads

Indo-Pacific beads are the most common glass bead type found in Southeast Asia (Figure 7.2). The term "Indo-Pacific bead" does not refer to the composition of the glass used to make these beads, but instead the method of making beads from drawn glass. Archaeological and ethnographic data have helped scholars understand how Indo-Pacific beads were made (Francis 1990, 2002; Kanungo 2000). After acquiring raw glass, it is placed in a clay and mud-brick lowdomed furnace. At Papanaidupet, the only remaining Indo-Pacific beadmaking site in India, the glass furnace has four openings. One side is used to feed fuel into the furnace while the other openings have more specialized functions related to glass production that have not been found in other examples (Francis 2002: 22). The furnace requires near constant maintenance and must be covered with fresh clay several times a week. After the glass begins to melt, a tool called a geddu paru is used to stir and kneed the molten glass (Francis 2002; Kanungo 2000). Once the glass has been sufficiently melted, it is removed and placed an iron tube called a lada. Using the lada, the glass is then placed into the furnace once more and shaped into a cone. A different tool called a *cheatlek* is then used to pierce the cone to make a hole. The glass is then re-inserted into the furnace, and then a metal rod with a U-shaped hook is used to grab the tip of the glass cone and draw it out into one-meter long tubes. The speed with which the tube is pulled affects the size; the faster the tube is pulled the thinner the rod (Francis 2002; Kanungo 2000).

After cooling the tubes are cut into beads, although this sometimes occurs at a different location than the glass production. The glass tubes are placed on the ground and sliced into a smaller size using a metal blade. Following this process, the beads are then brought back to the kiln for re-heating in order to soften the edges. In some cases they are sold in bulk, or strung and then sold in hanks (Kanungo 2000). Beads made using the Indo-Pacific method have telltale linear striations from the drawing process (Figure 7.3).



Figure 7.2: Example of Indo-Pacific beads in a variety of colors and size from Angkor Borei.



Figure 7.3:An Indo-Pacific bead shown at 65x magnification. Note the linear striations from the glass drawing process.

Glass bead research in Southeast Asia

Glass beads first appeared in Southeast Asia round 500 BC, marking the transition to the Iron Age period (Lankton and Dussubieux 2013). The predominance of glass beads at Iron Age sites was immediately noticed by archaeologists and researchers working in Southeast Asia (Beck 1930). As early as the mid-nineteenth century, scholars around the world were analyzing glass in order to determine the ingredients and colorants (Turner 1956b). Comprehensive chemical analyses of glass artifacts were possible as early as the early 20th century (Turner 1956b: 163). Therefore, early scholars working in Southeast Asia often undertook chemical analyses of their specimens, in addition to simply describing the shapes, colors, and suspected manufacturing methods of glass beads. The widespread trade of certain types of beads, such as opaque red beads called *mutisalah*, across the ancient world was also recognized (e.g. Lamb 1965a, 1965b). Some of these early scholars began performing chemical analysis on beads from multiple sites in South and Southeast Asia in order to determine trade patterns of specific types of glass over time and space (e.g. Harrison 1964; Lamb 1965a).

During the early and mid-twentieth century, Chinese and Near Eastern glasses were well studied and provided a useful comparison for glass found in Southeast Asia. Lamb suggested that many of the beads found in Southeast Asia might have been produced locally from glass scrap imported from the Middle East or Mediterranean (Lamb 1965a, 1965b). Later work by Brill (1993:75) identified unique glass types that were not found in India, the West, or China, although some glass types did appear to be derived from Indian glass types. The scholar Peter Francis Jr. (1990, 2002) also emphasized connections with India, especially in the production of Indo-Pacific beads. However, continued analysis also showed that there might have been some

locally produced glass during the first millennium BC, perhaps made in Southeast Asia or southern China (Glover and Henderson 1995).

In more recent years, there have been several more comprehensive studies of glass in Southeast Asia (Dussubieux 2001; Lankton et al. 2008; Lankton and Dussubieux 2013). Aided by LA-ICP-MS, these techniques have used major, minor, and trace elements to identify specific glass types. Work by Dussubieux (2001; Gratuze and Dussubieux 2003, 2010) has identified nine different glass types in circulation in South and Southeast Asia. This work was expanded by Lankton and Dussubieux (2006, 2013) and Lankton (Lankton et al. 2008). As Southeast Asia was a receiving trade goods from both East and South Asia, and even the Mediterranean and Middle East, it is unsurprising that there were multiple glass types in circulation during the Iron Age. In some cases the glass types identified by previous scholars can be tied to specific regional glass making traditions, time periods, and/or workshops. In other cases, specific glass types have been identified whose origins are more mysterious. Nevertheless, by identifying the different glass types and their proportions at sites and tracing this over time and space we can begin to understand the different glass bead trade networks in place during the Iron Age period. In the next section I will discuss the bead collections examined as part of this study in more depth.

Glass bead production in Southeast Asia

As with agate and carnelian beads, scholars have suggested that glass beads may have been produced in Southeast Asia (Glover and Henderson 1995; Lankton and Dussubieux 2006, 2013, Lankton et al. 2008). The presence of large chunks of glass cullet, and unfinished or melted beads, point towards the presence of glass production or manipulation at several Iron Age

sites in mainland Southeast Asia. A brief review of sites with evidence for glass production (Figure 7.4) will highlight the diversity of evidence for production and provide a foundation for discussions of glass composition and trade networks using data from Cambodia and Thailand.




Figure 7.4: Map of sites with evidence for glass production

As discussed in Chapter 5, Khlong Thom is suspected of being both an agate and carnelian bead production site and may have also been a tin smelting and casting center, in addition to producing glass beads (Bronson 1990). Numerous large un-worked chunks of what Bronson (1990: 218) has called "bulk glass," or glass that was later melted to make beads and bangles, have been identified. Additional evidence includes melted glass affixed to pieces of ceramics, which may have been melting pots, as well as numerous pieces of glass slag, melted glass beads, and droplets that "formed from bits of liquid falling on the ground during glass working operations," (Bronson 1990: 218). Unfortunately most of these data comes from looted contexts, however Khlong Thom and the bead production activities are believed to date from the 1st-7th centuries AD (Lankton and Dussubieux 2013).

More recent compositional analysis on materials from Khlong Thom suggests that the melted glass beads were likely not produced at the site, but being re-melted from finished products. However there does appear to be production of a specific glass type, called m-Na-Ca-Al by Lankton and Dussubieux (2013) at Khlong Thom. Lankton and Dussubieux suggests that the high quantity of fragments of this glass as well as their large size suggest that there might have even been primary production of this glass at Khlong Thom. They suggest that this glass was part of a more widespread industrial production and trade of glass than found at Khao Sam Kaeo, which appears to have been primarily for elite production.

Khao Sam Kaeo, Thailand

Khao Sam Kaeo was noted in Chapter 5 as a site with strong evidence for stone bead production. However, there is also evidence for other crafts including ceramics, metallurgy, and

glass. Glass waste and cullet, worked fragments with evidence for glass working tools, and finished products, including both beads and bangles, have all been found in abundance at this site. Khao Sam Kaeo was a secondary glass production site and may have been involved with primary glass production, however this evidence has only come from a disturbed area of the site (Lankton et al. 2008). Compositional analysis of glass at this site has identified two types that are unique to Khao Sam Kaeo and appear to have been produced there (Lankton et al. 2008; Lankton and Dussubieux 2013). The first is a type of high alumina soda glass (m-Na-Al KSK) that was the most common glass type at the site and used to make bangles and lapidary worked beads. This high alumina soda glass is compositionally distinct from high alumina soda glass found in South Asia and was generally an emerald green color (Dussubieux et al. 2010, and Dussubieux and Gratuze 2013).

A second glass type unique to Khao Sam Kaeo is a type of mixed alkali glass (mixed alkali KSK), generally a copper blue or red color, and was used to produce bangles as well as drawn glass beads (Lankton and Dussubieux 2013). Waste fragments from bangle production have been found, although similar waste products for drawn beads have not been uncovered. However, villagers at Khao Sam Kaeo did find iron tools that are similar to the *ladas* used to produce drawn glass beads in India (Lankton and Dussubieux 2013).

Two additional glass types show evidence for working at Khao Sam Kaeo, although they may not have been produced at the site. The first, mineral soda potash glass with moderate amounts of lime and alumina (m-K-Ca-Al) and was used to produce both bangles and drawn beads in copper or cobalt blue as well as an opaque red color. As with the m-Na-Al glass above, waste products from bangle production have been found, but evidence for drawn bead production

is lacking. Lankton and Dussubieux (2013: 428) note that this potash glass type is fairly widespread across Southeast Asia, especially in southern and northern Vietnam, "raising the possibility of multiple primary production areas." There is also evidence for drawn bead and bangle production using a low lime potash glass (m-K-Al), primarily in a copper blue. This glass appears to be distinct from the moderate lime and alumina potash glass, although Lankton and Dussubieux (2006. 2013) note that more research needs to be done in order to better understand these differences. Taken together, Khao Sam Kaeo has some of the strongest evidence for glass working and bead production in Southeast Asia.

Ban Don Ta Phet, Thailand

Many of the glass beads found at Ban Don Ta Phet are a mixed alkali glass that appear to have been imported from Khao Sam Kaeo and points towards a robust trade network between the two sites. However, an additional type of bead has been found at Ban Don Ta Phet in which chunks of glass were ground and drilled using a lapidary technique, similar to what was used to produce stone beads (Francis 2002; Lankton and Dussubieux 2013). Chemical analyses of the lapidary worked beads show that they were low alumina potash glass, distinct from the potash glass found at Khao Sam Kaeo (Lankton and Dussubieux 2013). Lankton and Dussubieux speculate that there may be a primary glass production site near Ban Don Ta Phet where this glass was made and then a separate workshop where it the glass was made into beads.

Giong Ca Vo, Vietnam

The coastal Sa Huynh culture of Giong Ca Vo has long been suspected of working glass, primarily due to the existence of glass versions of distinctly Sa Huynh ornaments, such as the lingling-o or double-animal headed earrings (Francis 1995). Giong Ca Vo represents the most

probable Sa Huynh glass manufacturing location thus far reported. Excavations at Giong Ca Vo in the 1990s have uncovered pits filled with sand that could have been used in glass production, as well as slag and waste materials (Francis 1995, 2002; Nguyen et al. 1995; Salisbury and Glover 1997). Only a small number of compositional analyses have been performed on glass artifacts from Giong Ca Vo. Preliminary analysis of these finished ornaments show evidence for both a low-alumina potash glass and high alumina soda glass, but it is not clear if any of the finished products may have been produced at the site (Salisbury and Glover 1997). However, later analyses show evidence for contact with Khao Sam Kaeo in the form of artifacts made from the m-Na-Al KSK glass (Lankton and Dussubieux 2013). Lankton and Dussubieux have noted "low alumina potash glass is not found in South Asia, suggesting a manufacturing site farther toward Southeast Asia," (2006: 137). It is possible that Giong Ca Vo could be a source for this glass (Lankton and Dussubieux 2006), however more research is needed.

Oc Eo, Vietnam

In his excavations at Oc Eo in the 1940s, Louis Malleret (1962: 147-8) suggested that glass was produced at this site based on the high numbers of finished beads, as well as by the presence of glass fragments, slag, and crucible fragments. More recent research at the site has also suggested similar evidence (Manguin and Vo Si Khai in Stark and Dussubieux 2002). Dussubieux has also noted that Oc Eo has access to granite sources that could be used in primary glass production (Dussubieux 2001; Lankton and Dussubieux 2006). Both Angkor Borei and Oc Eo have large numbers of high alumina soda glass in comparison with other sites in the region, evidence that taken together may suggest local production of high alumina soda glass beads in

the Mekong Delta. However, strong evidence for glass bead production at this site has not yet been identified (Stark and Dussubieux 2002).

Ban Chiang Culture

Although many glass beads are described as coming from the site of Ban Chiang, Thailand, most of these are actually from looted sites or unknown contexts and are therefore better described as belonging to the Ban Chiang culture (Francis 2002:133). A specific type of wound truncated bicone in blue or green glass has only been found in the Ban Chiang region, suggesting they may have been produced nearby. Another unique type of long tubular glass bead appears to be imitating similar beads found in the region made of stone. Although there is not clear evidence for glass working in this region, the presence of these unusual bead shapes found only in this region is suggestive of a nearby local production center (Francis 2002).

Northern Vietnam/Southern China

As noted earlier, scholars have long suspected that there may have been potash glass production in northern Vietnam or southern China (Glover and Henderson 1995; Lankton and Dussubieux 2006). Lankton and Dussubieux (2006: 137) specifically suggest that low lime potash glass may originate in this region, due to the predominance of this glass type in northern Vietnam, China, Japan and Korea. Unfortunately, no glass production sites in this region have yet been identified, and so further research is needed to confirm this argument.

The organization of glass production in Southeast Asia

There is not yet clear evidence about how glass bead production was organized in Southeast Asia, and the identification of glass workshops has been hampered by looting and site destruction. Furthermore, the identification of glass production workshops may be difficult even

without site disturbance as glass waste can easily be recycled. Furthermore, ethnographic research has shown that aspects of bead production can take place in multiple locations away from the furnace where beads are produced and that debitage from the production processes can travel locations where beads are strung, for example, but not made (Kanungo 2000). While archaeological evidence may be lacking, compositional analysis has begun to shed light on many questions regarding bead production and exchange in Iron Age Southeast Asia. As many beads may look visually similar, compositional analysis is needed in order to distinguish beads made from specific glass recipes, some of which may be tied to a specific workshop or region.

Most archaeologists suspect that glass technology was brought to Southeast Asia and then adapted, although much like the stone beads it is not clear who- Indians or Southeast Asianswere producing the beads (Lankton et al. 2008). Francis (2002) suggested that there might have been a league of Indo-Pacific bead makers, which he calls the Arikamedu league, which connected beadmaking in South and Southeast Asia and whose beadmakers traveled between various sites. However, chemical analysis has all but disproven this theory, as the glass at Arikamedu is distinctly different from high alumina soda glass found at many Southeast Asian sites (Lankton and Dussubieux 2013). Further archaeological evidence will be needed in order to understand this aspect of bead production.

Common glass types found in Southeast Asia

Work by Dussubieux has identified nine types of glass that were in circulation in South and Southeast Asia during the Iron Age period (Table 7.1) (Dussubieux 2001; Dussubieux and Gratuze 2003). These different types were more recently defined and clarified by Lankton and Dussubieux (2006; 2013). Specific glass types have also been discussed in more depth in

additional studies (e.g., Dussubieux et al. 2010; Lankton et al. 2008). In this study, I am using Lankton and Dussubieux's definition of these various glass types as a foundation for my own research. Glass compositions were compared to these existing glass types and assigned to one of these groups using Lankton and Dussubieux's (2006: 140-2) glass identification algorithm. The major glass types encountered in this study are discussed below. A small number of artifacts did not fit into these pre-existing groups and these will be discussed in more depth later in this chapter.

		Flux				
			Soda			
		Mineral	deposits	Plant ash	Potash	Mixed soda
						potash
	High Al	High			Low lime	Mixed
		alumina			potash	alkali glass
		soda glass			(m-K-Al)	
		(m-Na-Al				
		Type 1)				
	Moderate	Mineral	"Arika"			
	Al and Ca	soda glass	glass			
		with				
Sand		moderate				
Surra		amount of				
		Ca and Al				
		(m-Na-Ca-				
		Al)				
	Ca with				Potash with	
	moderate				moderate	
	Al				Ca and Al	
					(m-K-Ca-	
					Al)	
	High Ca			v-Na-Ca	Low	
					alumina	
					potash	
T 11 51 T		.1 (.6, 11 12	1. 1	1. 1. 41.	(m-K-Ca)	

Table.7.1: Table of glass types identified by Dussubieux and discussed in this chapter. Lead glass is not listed in this table but has been found in Southeast Asia. Adapted from Dussubieux 2001 and Dussubieux and Gratuze 2003.

Potash glass, which uses potash (K_2O) as a flux to lower the melting point of the glass, is one of the most common types of glass found in Southeast Asia, however it has also been described as one of the "least understood" (Lankton and Dussubieux 2006:135). The potash glass sub-types vary by differing levels of CaO and Al₂O₃, which are added as glass stabilizers, although the boundaries between these different sub-types are still nebulous. The three currently classified potash glass sub-types are: potash glass with moderate amounts of CaO and Al₂O₃ (m-K-Ca-Al), potash glass with low calcium oxide (m-K-Al low C), and potash glass with low alumina (m-Ka-Ca low A). No potash glass workshops have yet been discovered, however the presence of these different sub-types of potash glass indicate the possibility of multiple production centers, with some possibly located in Southeast Asia, specifically northern Vietnam or southern China (Lankton and Dussubieux 2006). Although the large quantity of potash glass with moderate CaO and Al₂O₃, along with evidence for glass working, at the site of Arikamedu, India, also points toward this location as a possible primary manufacturing center (Lankton and Dussubieux 2006). Potash glass is also fairly common at the peninsular Thai site of Khao Sam Kaeo, where there is evidence for secondary glass working in the form of bracelet manufacture using potash glass (Lankton and Dussubieux 2013). The low alumina potash glass type remains poorly understood, but most likely dates to the 4th to 2nd century BC, with most examples found in Thailand at the site of Ban Don Ta Phet. Lastly, large numbers of the low CaO potash glass artifacts been found in many areas of Southeast Asia, with dates ranging from the 4th to 2nd century BC into the 2nd century AD (Lankton and Dussubieux 2006). Until glass production

workshops are identified archaeologically, the exact manufacturing location(s) for potash glass, with its various sub-types, remains unknown

High alumina Soda Glass

High alumina soda glass (m-Na-Al) is the most abundant type of glass found in South and Southeast Asia. In contrast to potash glass, high alumina soda glass uses soda (Na₂O) as a flux and high levels of alumina (Al₂O₃) as a stabilizer. Dussubieux et al. (2010) have identified five different types of mineral soda alumina glass, of which m-Na-Al Type 1, recognized by its low uranium and high barium content, is the most prevalent during the Iron Age of Southeast Asia. The M-Na-Al Type 1 glass is often found in a wide variety of colors including opaque red, opaque orange, opaque yellow, opaque green, opaque light blue, black and translucent light blue. However, beads in this glass type were not colored with cobalt, and so there are no high alumina soda glass beads that appear in a dark blue cobalt color (Dussubieux et al. 2010). This glass type is believed to have been manufactured in South Asia, with evidence for primary glass production in the form of furnaces with vitrified glass and blocks of raw glass at the site of Giribawa, Sri Lanka (Dussubieux 2001; Lankton and Dussubieux 2006).

Mineral soda glass with variable amounts of alumina and lime (m-Na-Ca-Al)

In Lankton and Dussubieux initial article on glass types (2006) this glass type was described as a high-lime mineral soda glass (m-Na-Ca). However, in their more recent work, this glass type was revised to reflect "that both lime and alumina are continuously variable over a range of values, with no clear demarcations between examples lower or higher in either oxide," (Lankton and Dussubieux 2013: 436). Although these beads can be difficult to distinguish from high alumina soda glass, one notable difference is that in the current study many m-Na-Ca-Al

beads were a cobalt blue color. As cobalt blue beads are not present in the m-Na-Al Type 1 glass type, they can be more confidently assigned to the m-Na-Ca-Al glass type.

The m-Na-Ca-Al glass type has been found at locations across south India, Sri Lanka, and Southeast Asia (Carter 2010; Dussubieux and Gratuze 2010; Lankton and Dussubieux 2013), and the variations in major and trace elements make it likely that there is more than one variation of this glass type, with different archaeological meanings. The manufacturing locations may include Arikamedu, India, where the glass previously identified as 'Arika' has an m-Na-Ca-Al composition (Dussubieux and Gratuze 2013). Similar m-Na-Ca-Al glass has been found at the site of Phu Khao Thong, Thailand (Dussubieux and Gratuze 2010), although it remains rare at other, seemingly contemporaneous, peninsular sites. A different m-Na-Ca-Al glass, often cobalt blue, was probably produced at Khlong Thom/Khuan Lukpat on the west coast of the Thai/Malay peninsula (Lankton and Dussubieux 2013).

Mixed Alkali Glass

Mixed alkali glass describes glass that contains both over 5% of both NaO and K₂O and predominantly found in an opaque red or orange color. Lankton and Dussubieux note that this glass appears to be related to high alumina soda glass (2006: 138). More recent research at Khao Sam Kaeo has identified a local variation called Mixed Alkali KSK that was often red or copper blue in color (Lankton et al. 2008; Lankton and Dussubieux 2013). Recent research suggests that there were actually multiple types of mixed alkali glass in circulation (Carter and Lankton 2012; discussed further below).

Arika glass refers to a unique glass composition, perhaps related to the m-Na-Ca-Al glasses, first identified in large quantities from the site of Arikamedu, India (Dussubieux 2001). Arika glasses are generally red, green, or black in color. Arikamedu was an important glass production site and believed to have been producing glass beads that were widely traded around the world (Francis 1990, 2002). However, compositional analysis has shown that this glass type was not well circulated in Southeast Asia, save for a fairly large quantity found at the peninsular Thai site of Phu Khao Thong (Dussubieux and Gratuze 2013: 406). The large quantity of this glass type at Phu Khao Thong has led some scholars to speculate that it may have also been a bead production center (Dussubieux and Gratuze 2013; Dussubieux et al. 2012).

Lead Glass

Lead glasses are generally believed to be imports from China. Lead beads are rare at Southeast Asian archaeological sites. Dussubieux's study (2001) identified only six lead beads: three from the site of Angkor Borei and three from the later 9th century AD site of Sarawak in Indonesia. Recent research indicates that there are also lead glass beads at the Sa Huynh site of Lai Nghi, Vietnam (Karsten Brabender, personal communication, 2008). It is possible that with continued study lead glass beads could be found to be more common. There also appears to be considerable variability within the lead glass type. The lead glass beads at Angkor Borei were notable for their high barium content, a characteristic usually thought to indicate a Chinese origin (Stark and Dussubieux 2002). Lead isotope analyses may assist in better understanding when and where these beads were manufactured (e.g. Henderson et al. 2005).

As discussed in Chapter 3, Bellina and Glover (2004) have identified a change in the type and intensity of trade between South and Southeast Asia during the Iron Age period. This shift was also identifiable in the type and quality of agate and carnelian beads (Bellina 2003). The scholars Lankton and Dussubieux (2006, 2013) have identified a similar change in glass types over time as well. During the late first millennium BC, potash glass artifacts are common at many Iron Age sites in Southeast Asia. However, during the early centuries AD, there appears to be a shift and Iron Age sites become dominated by high alumina soda glass. Lankton and Dussubieux (2013: 433) argue "the different glass compositional groups change more by the dates of the sites, rather than by their locations within Southeast Asia. Whatever happened was a *regional phenomenon*, occurring across the expanse of Southeast Asia" (emphasis added). Dussubieux's study of glass from the Angkor Borei cemetery found no potash glass artifacts, suggesting the dates for the cemetery (200 BC- AD 200) could pinpoint this shift (Dussubieux 2001; Stark and Dussubieux 2002; Lankton and Dussubieux 2013).

This compositional shift is also tied to a change in how glass production was organized. During the early Iron Age, glass appears to have been produced in Southeast Asia for Southeast Asian markets, but during the late Iron Age this had shifted to an influx of imported South Asian produced glass with "the selective production of other glass artifacts destined for markets near and far," (Lankton and Dussubieux 2013). Furthermore, scholars note the increased presence of glass from farther-flung regions, such as the Middle East, suggesting that trade networks were expanding in the early centuries AD (Dussubieux and Gratuze 2010). In this chapter I present

evidence from Cambodia and Thailand showing a similar shift in glass types over time, which I argue is related to changing trade networks and expansion of influence from the Mekong Delta.

Glass beads in Cambodia and Thailand

Glass bead collections from 10 sites were measured, photographed and recorded (Table 7.2). Appendix 7.1 lists the contextual, morphological, and metric data from all the glass beads recorded in this study. A selection of these beads were then chosen for compositional analysis using LA-ICP-MS in order to determine the types of glass found at each site and the proportions of the different glass types at each site. These data were then used to better understand the glass bead trade networks in which each site was participating. Glass collections from two sites were not examined. Glass artifacts from Khao Sam Kaeo were not available for study, but have already been comprehensively examined elsewhere (see Lankton et al. 2008). Glass artifacts from Krek 52/62 were also not available for study, but a small number of artifacts were analyzed and I will refer to this research later in this chapter as well (Haidle and Neumann 2004). Before discussing the results of LA-ICP-MS analysis, I will first introduce the bead collections by site, paying special attention to the context in which the beads were found.

One aspect of recording that proved difficult involved the terms used to describe the different colors of glass artifacts. This was especially true for the blue and green glasses, which range from light to dark in color, with no clear discrete differences between colors. Future researchers may benefit from a newly published Munsell Bead Color Book (2012), however this resource was not available during bead recording. Instead, I have chosen to use more general categories for glass colors. The colors recorded include: red, orange, yellow, green, light blue, dark blue, blue-green, black, purple, grey, brown, and white or off-white. The opacity and

transparency of glass was also recorded and noted in Appendix 7.1, however, it is not discussed in detail here as I found this information was not relevant to the research questions being discussed. However, red, orange, yellow, green, white, and black beads were almost always opaque. High alumina soda glass green beads were generally a light opaque green color, while some dark greens were found to be potash glass. Light blues glass could be either opaque or translucent, however dark blue glass was generally translucent or semi-translucent. Some glass beads that were recorded as black later were discovered to be a semi-translucent dark purple. Red beads were sometimes found to have streaks of opaque orange, while others were a more brownish red or brick red. It should be remembered that color descriptions in Appendix 7.1 are by nature subjective.

The results from compositional analysis of glass beads from Cambodia and Thailand show that there were many different glass types in circulation during the Iron Age. However, the two most predominant types – potash glass and high-alumina soda glass – differed in their distribution. Sites in southeast Cambodia, as well as Promtin Tai in Thailand contained large amounts of potash glass, while the remaining sites contained large quantities of high-alumina soda glass. I argue that the distribution of these two glass types is representative of two different but overlapping bead trade networks. The potash glass distribution represents a coastal exchange network, while the high-alumina soda glass distribution represents an expanded trade network from the Mekong Delta.

Site Name	Date	Beads from Burial contexts	Burials with glass beads/Total number of	Beads from Non-burial Contexts	Total
Angkor Borei,	200 BC – AD	720	burials 29/111	648	1368
Cambodia	200	, 20	23,111	0.10	1800
Ban Non Wat, Thailand	420 BC – AD 600	574	13/160	172	746
Bit Meas, Cambodia	Contemporary with Prohear?	0	N/A	6	6
Noen U-Loke, Thailand	420 BC – AD 600	N/A	56/120	N/A	3531
Phnom Borei, Cambodia	200 BC- 0 BC/AD	0	0/9	48	48
Phum Snay, Cambodia	350 BC – AD 200	194	7/23	91	285
Prei Khmeng, Cambodia	1 st -6 th centuries AD	2011	3/7	45	2056
Prohear, Cambodia	200 BC – AD 200	476	46/52	74	550
Promtin Tai, Thailand	500 BC – AD 500?	125	8/35	835	960
Village 10.8, Cambodia	400 BC – AD 50	201	6/50	8	209

Table 7.2 Number of glass beads examined by site.

Glass beads in context

Angkor Borei

Over 1300 glass beads were found at Angkor Borei within the cemetery matrix, of which just nearly half were associated with a burial (n=720). Almost all of them were Indo-Pacific beads in a variety of colors and sizes. These beads were previously studied as part of Esme Hammerle's (2004) undergraduate research at the University of Hawai'i-Manoa and almost 100 glass beads were analyzed using LA-ICP-MS as part of Laure Dussubieux's doctoral dissertation research (2001). More recently, these beads were recorded as a part of this study and entered into FileMaker Pro.

Angkor Borei Burial Number	Sex (Age)	Glass Artifacts	Other grave goods
F1	Male (young adult) Male (7-10 years)	5 glass beads: yellow (n=3), orange (n=1) and red (n=1)	Ceramics
F2	Female (20-25 years) Male (adult) Unidentified skeletal remains of third individual.	1 yellow glass bead.	N/A
F3	Female (middle-aged)	1 orange bead and 1 green bead found at skull	Animal rib bone.
F4	Female (40-50 years) Male (young adult) Female (16-20 years) Remains of 4 additional males and 1 female	7 glass beads: green (n=6) and orange (n=1)	Ceramics and pig remains.
F5	Female (19-21 years) Adult male Unknown (12-16 years)	45 glass beads: cream/off-white (n=43), orange (n=1), and red (n=1).	1 garnet bead and animal (pig?) bones
F8	Male (19-25 years) Female (middleaged) Fragments of 2 infants.	29 glass beads: orange (n=13), red (n=7), green (n=6), blue (n=1), black (n=2)	N/A
F10	Male (35-40 years old) Male (adult) Female (adult) Child (7-12 years)	9 glass beads: yellow (n=4), orange (n=3), green (n=2).	N/A
F11	N/A	1 red bead	N/A
F16	Female (25-30 years) Unknown (12-20 years) Male (young adult)	8 glass beads: dark blue (n=7) and yellow (n=1).	1 garnet bead
F17	Male (30-40 years) 2 Females (adult) 2 Males (adult)	1 dark blue glass bead	Ceramics

F20	Female (18-25 years) Female? (10-12 years) Child (9-10 years)	5 yellow beads	Animal bones, ceramics
F22	Female? (young adult) Child (6-8 years)	7 glass beads: orange (n=6) and red (n=1)	N/A
F25	Male (9.5-11 years) Male (adult)	1 orange bead	N/A
F26	N/A	1 light green bead	N/A
F27	Male (young adult)	32 glass beads: light green (n=25), yellow (n=4), black (n=1), and orange (n=2)	N/A
F30	Part of Burial F35 below	1 yellow bead	N/A
F31	Female? (3-5 years) Male (25-35 years)	12 glass beads: yellow (n=10), green (n=1), and black (n=1).	One tooth pendant.
F35 Includes disturbed remains from F30	Female (17-20 years) Child (3-5 years)	212 glass beads: green (n=132), black (n=42), orange (n=19), red (n=15), and yellow (n=4).	4 gold beads
F36	Male (34-45 years) Male? (middle-aged)	175 glass beads: orange (n=122), green (n=32), black (n=16), red (n=4), and white (n=1).	3 tooth pendants, orange ceramic anvil, and animal bones.
F37	Male? (18-19 years)	8 glass beads: yellow (n=3), green-yellow (n=1), red (n=3), and black (n=1).	

F39	Female (young adult) Male (young-middle aged adult) Male (young adult)- may belong to F56.	12 glass beads: orange (n=3), green (n=6), blue- green (n=1), light blue (n=1), and yellow (n=1).	2 gold beads
F42	Adult Male?	1 red bead	Ceramics and pig mandibles.
F43A Includes some bones from Feature 49	Male (35-45 years)	1 orange bead	
F43B	Male (45-55+ years)	1 green bead	
F44	Female (35-45 years) Female (young adult)	82 glass beads: orange (n=46), black (n=35), and dark green (n=1).	1 carnelian bead and 10 gold beads
F48	Female (30-35 years) Male (adult)	60 glass beads: orange (n=43), black (n=16), and white (n=1).	1 garnet bead
F51	Female (1.5-2 years)	N/A	1 carnelian bead, and animal bones
F52	Female (middle-aged) Female? (6-8 years)	1 green bead	Animal remains

Table 7.3: Burials with glass beads at Angkor Borei.

Table 7.3 lists the burials with glass beads at Angkor Borei recorded by the author in the current study. Figure 7.5 lists the color distribution of the glass beads found at Angkor Borei, where it is notable that green glass make up a large portion of the assemblage, with high numbers of yellow, red, and orange. Glass beads were found in a greater number of burials than stone beads, with two burials (F35 and F36) having over 150 glass beads. Some burials also included gold beads (F35, F39, and F44), while several burials contained both garnet and glass beads (F5, F16, and F48) and carnelian and glass beads (F44 and F51). However, due to the dense cemetery

at Angkor Borei it is difficult to determine if beads belonged with one specific individual in a burial or multiple individuals.




Figure 7.5: The distribution of glass bead colors at Angkor Borei (n=1268). Quantities for colors with less than 20 beads are listed in parentheses.

Phnom Borei

48 Indo-Pacific glass beads were uncovered in the small excavation at Phnom Borei. The majority of these beads from Phnom Borei were red (Figure 7.7). None of the glass beads actually came from burial contexts, but were instead found within the first and second layers of excavation and could be related to backfill from digging a pond nearby (Phon 2004). Although the context of these beads is not ideal, they still provide valuable information about the glass bead distribution at sites in the Mekong Delta and provide a useful comparison with the nearby site of Angkor Borei.




Figure 7.6: Distribution of glass bead colors at Phnom Borei (n=48).

Prohear and Bit Meas

Glass was very common at Prohear, occurring in nearly all of the 52 burials, save for 6 looted and disturbed burials. Unfortunately, not all of the glass beads were available for study; therefore I was only able to record 550 glass beads of which the majority (n=476) came from 25 burials. The majority of these beads were monochromatic Indo-Pacific beads, although several bangle or ring/earring fragments were also identified (Figure 7.8). Most of the beads were a dark blue color (Figure 7.9 and 7.10). As noted in earlier chapters, there were two burial phases identified at Prohear: an earlier Phase 1, which dates from 500 BC -150/100 BC and a later Phase 2, which dates from 150/100 BC- AD 100. Table 7.4 summarizes the glass bead data for the beads from burial contexts examined in this study, however this information should not be considered complete as not all beads from this site were available for study.

Many of the burials I recorded had only a small number of beads, although there were several notable burials with higher quantities of beads. This included the very rich burial of an elderly female with 91 glass beads and 2 rings/earrings (Burial 4) and Burial 14 that contained 138 glass beads, many of which were found in the wrist area. Burials 24, 33, and 34 are all reported as having over 150 glass beads, however I was only able to record smaller quantities. Also of note is Burial 46, which contained over 500 beads, although these were also not available for study (Reinecke et al. 2009: 118). Seven burials of those I recorded contained both stone and glass beads, although based on the currently recorded information it does not seem that any burials contained glass, garnet, and agate/carnelian beads together. Beads from Bit Meas were all from a looted context, however six glass beads were recorded. Of these, four were dark blue in color and 2 were light blue.

Prohear	Dates	Sex/Age	Glass Artifacts	Other Artifacts
Burial				
Number				
Burial 2	Phase 2b (100/50 BC- AD 100)	Male/unknown	1 blue-green glass earring/ring fragment and weathered/disintegrated bead fragments bead.	2 agate beads, bronze drum fragments, stone pestle, bronze/iron tools and jewelry, gold jewelry.
Burial 3	Phase 2b (C14 dates: 203-55 BC)	Female/20-30 years old	9 dark blue glass beads	Gold and silver jewelry, spindle whorls.
Burial 4	Phase 2b (C14 dates: 44 BC – AD 51)	Female/ Elderly	2 dark blue glass earring/rings. 91 glass beads: Dark purple (n=29), dark blue (n=43), black (n=18), white (n=1).	2 agate beads, bronze drum, ceramics, buffalo bracelet, gold and silver jewelry.
Burial 6	Disturbed by looters	N/A	1 dark blue bead and 1 blue-green earring fragment	N/A
Burial 7	Phase 1 (C14 dates: 513-397 BC)	Infant	1 dark blue bead	Jar Burial

D : 10	DI 0	37/4		301
Burial 8	Phase 2	N/A	1 black earring fragment	N/A
	(150/100 BC- AD		and 3 glass beads: dark	
	100)		blue (n=2) and purple	
D	Phase 2	N/A	(n=1).	C
Burial 9		N/A	1 black/dark purple	Ceramics, bronze
	(150/100 BC- AD		earring/ring fragment and	bracelets, water
	100)		3 glass beads: dark blue	buffalo teeth.
D- 110	DI 2	NT/A	(n=2) and black (n=1).	D _ 1 _
Burial 10	Phase 2	N/A	35 dark blue beads.	Bronze drum
	(150/100 BC- AD			fragments, gold
	100)			and silver finger
				rings. Some
D 1.1.11	DI 2	M. 1	5 1 1 1 1 1 1 1 1	looting damage.
Burial 11	Phase 2	Male	5 glass beads: dark blue	Garnet beads,
	(150/100 BC- AD		(n=3), red $(n=1)$, and	stone pestle.
D- : 1.12	100)	M 1 0	black (n=1).	C .
Burial 12	Phase 2	Male?	8 dark blue glass beads.	Ceramics,
	(150/100 BC- AD			gold/silver jewelry,
	100)			spindle whorl.
				Ceramic goblet
D : 1.1.1	DI A	27/4	120 1 1 1 1 1 1 1	govered skull.
Burial 14	Phase 2	N/A	138 glass beads: dark blue	Glass beads were
	(150/100 BC- AD		(n=136), light blue (n=2).	worn at wrists and
	100)			found stuck to iron
				bracelets, gold
				jewelry.
Burial 15	Phase 2	Male/Adult	1 dark green weathered	Garnet beads found
	(150/100 BC- AD		bead.	near mouth. Other
	100)			glass beads
				reported but not
				recorded, iron
				tools, bronze
		2211		bracelets.
Burial 16	Phase 2	N/A	1 black glass earring/ring	Ceramics
	(150/100 BC- AD		fragment and 10	
	100)	2211	dark blue beads.	~
Burial 18	Phase 2	N/A	2 dark blue glass beads.	Gold finger ring,
	(150/100 BC- AD			food offering?
7	100)	****		
Burial 20	Phase 2	N/A	56 glass beads: dark blue	Garnet bead,
	(150/100 BC- AD		(n=55) and light blue	ceramics, iron
	100)		(n=1).	bracelets, gold and
				silver jewelry.
Burial 22	Phase 2	N/A	17 dark blue beads	Iron bracelets, gold
	(150/100 BC- AD			and silver jewelry.
1	100)			

Burial 23 Burial 24	Phase 2 (150/100 BC- AD 100) Phase 2 (150/100 BC- AD 100)	N/A	1 dark blue bead and 1 brown glass bead. 1 black glass ring/earring fragment and 71 glass beads: dark blue (n=57) and red (n=14).	Glass beads found at wrists with iron bracelets. Additional glass beads not recorded. 2 carnelian beads, iron bracelets, gold and silver jewelry. Over 150 blue glass beads reported but only 54 were available for study.
Burial 25	Phase 2 (150/100 BC- AD 100)	N/A	2 dark blue glass beads and 1 black glass bead	Gold and silver jewelry.
Burial 28	Phase 2 (150/100 BC- AD 100)	N/A	1 light blue bangle fragment	
Burial 31	Phase 2 (150/100 BC- AD 100)	N/A	1 light blue earring fragment	
Burial 33	Phase 2b (100/50 BC- AD 100)	Female (based on presence of spindle whorls)	1 light blue bead	Garnet and carnelian beads, over 150 additional green and dark blue glass beads, gold jewelry, bronze bowl placed over the face, iron bracelets, spindle whorl.
Burial 34	Phase 2 (150/100 BC- AD 100)	Female (based on presence of spindle whorls)	1 dark blue bead and 1 black bead.	Over 150 black and red glass beads reported but not examined. Iron bracelets, gold and silver jewelry, spindle whorls.
Burial 42	Phase 2 (150/100 BC- AD 100)		1 dark blue bead and 1 black bead.	
Burial 49	Phase 1 (500- 150/100 BC)	Child	1 weathered ring or earring fragment	21 glass beads reported, garnet beads.
Burial 52	Phase 2 (150/100 BC- AD 100)	(A. Charles	2 dark blue beads I burial data from Prohear.	Looted grave.

Table 7.4: Glass bead and burial data from Prohear.



Figure 7.7: Examples of ring/earring/bangle fragments from Prohear.



Figure 7.8: Example of the dark blue glass beads common at Prohear.




Figure 7.9: Distribution of glass colors at Prohear (n= 550). Quantities for colors with less than 15 beads are listed in parentheses.

Village 10.8

209 glass artifacts were recorded from Village 10.8, of which the majority (n=201) is believed to come from burial or possible burial contexts (Table 7.5). As with Prohear, most glass at Village 10.8 are blue in color (Figure 7.12). All of the beads appear to be Indo-Pacific beads that were drawn and cut from a glass tube. In addition to glass beads, there were also several glass rings and ring fragments (these were sometimes classified by excavators as earrings) (Figure 7.11). They primarily came in a dark purple color, but a single black glass ring was also identified. As discussed in the previous chapter, the highly acidic soil prevented most skeletal remains from being preserved, so little is known about the people who were buried with these beads. However, it is interesting to observe that in contrast to the burials at Prohear, a greater number of burials contained stone beads than glass beads and only four burials contained both

stone and glass. Of note is Burial 11, which contained 124 glass beads, the largest number of glass beads found at the site.

Village 10.7 Burial Number/Context	Glass Artifacts	Other Artifacts	Notes
Burial 1	1 blue glass bead	6 garnet beads, 6 carnelian beads, broken ceramics, iron tools and an iron bangle.	
Burial 9	2 dark blue glass beads	Broken ceramics	
Burial 11	124 glass beads. Blue- green (n=1), black (n=4), dark blue (n=119)	An iron ring and broken ceramics.	
Burial 15	27 glass beads. Blue- green (n=2), dark green (n=23), dark blue bead (n=2)	2 carnelian beads and broken pottery.	
Burial 28	6 dark purple glass rings	8 agate beads, 1 garnet bead, broken ceramics, and iron tools	
Burial 48	24 dark blue glass beads	10 carnelian beads, as well as a dagger, a knife, two iron bangles, a spade and pottery fragments.	
Unit EI	6 dark blue glass beads		Could be
Square T/92			associated with
Number 39			Burial 3 or 4?
Unit EI	1 black glass ring		Could be
Square U91			associated with
Number 6			Burial 3 or 4?
Unit EIX	1 black and 1 dark blue		Could be
Square Q89	glass bead		associated with
Numbers 38 and 39			Burial 11 or 12?
Unit EIX	8 dark blue glass beads		Could be
Square Q90			associated with
Number 18			Burial 11 or 12?

Table 7.5: Glass artifacts from burial or possible burial contexts from Village 10.8.



Figure 7.10: Example of a glass ring from Village 10.8.




Figure 7.11: The distribution of glass bead colors at Village 10.8 (n=209).

Phum Snay

285 glass beads were recorded at Phum Snay and all of the beads were Indo-Pacific glass beads, however, there were also a few small ring, earring, and bangle fragments (Figure 7.13).

Of note were a large number of extremely small Indo-Pacific beads, often measuring

approximately 1mm, which I call microbeads (Figure 7.14). Additionally, there are also numerous Indo-Pacific beads made with a mixed opaque red-orange glass. These beads often appear to be orange with red streaks (Figure 7.15). Although they are uncommon, similar bicolor beads have also been found at sites in South India and Sri Lanka (Dussubieux and Gratuze 2013), as well as Angkor Borei, Cambodia (Dussubieux 2001), Khlong Thom and Takua Pa in peninsular Thailand, Sungai Mas, Malaysia (Francis 2002), Noen U-Loke in Northeast Thailand, and Ban Non Noen in central Thailand (Pilditch 1992). Phum Snay was the first site recorded during fieldwork, and due to my inexperience many of these beads were initially recorded as only being orange glass beads, instead of red-orange beads. Therefore, the distribution of glass colors (Figure 7.16) lacks this distinction. It should be noted that while orange opaque glass dominated the assemblage from Phum Snay, many of these beads were not found in a burial context.

Of the 285 beads recorded, 194 of them were found in seven burials (Table 7.6). More burials contained glass beads than agate and carnelian, however the burial with the highest number of glass beads, Burial 9, also contained the largest number of stone beads. Several of the burials with beads also contained a large number of grave goods, with unique objects such jewelry and decorative objects with a buffalo horn motif (Burials 7 and 13) or weapons such as iron swords or projectile points (Burials 6 and 7).

Burial	Sex/Age	Glass Artifacts	Other Artifacts	Notes
Number/Context				
Burial 1 (2001)	Adult	58 orange	N/A	Disturbed burial
D : 11 (2002)	male	microbeads	21	
Burial 1 (2003)	Older	1 orange microbead	2 bronze artifacts	
	adult			
D 116 (0001)	female			
Burial 6 (2001)	Young	Glass bangle/earring	Buried with a long	Teeth were ablated,
	adult	fragment. Glass	iron sword and a	skeleton also showed
	male	beads were also	second iron	evidence for spinal
		reported in the	weapon, iron	degeneration
		thoracic area of the	projectile points,	(Domett and
		skeleton, but not	sun bear canine, 2	O'Reilly 2009).
		available for study.	ivory bangles, a	
			bronze object,	
			bronze finger rings,	
			ceramics, and a deer	
			leg.	
Burial 7 (2003)	Middle	5 blue beads. A glass	Iron projectile	Extremely tall
	aged	earring was also	points, bronze	woman; may have
	adult	reported, but not	finger ring with	been immigrant to
	female	examined.	buffalo horns,	the community
			pottery, spindle	(Domett and
			whorls, bronze	O'Reilly 2009).
			rings, additional	
			bronze and iron	
			artifacts, and a	
			bronze torque	
			around the neck.	
Burial 9 (2001)	Young	Some black glass	Spindle whorl, a	Beads not available
	adult	beads with skeleton.	complete pot,	for study
	female?		bronze rings, and	
			buffalo hooves and	
			a horn.	
Burial 9 (2003)	Adult	105 glass beads	35 carnelian beads,	Orange opaque glass
	female	associated with the	gold bead, spindle	(n=3), light blue
		burial. Additional	whorls, bronze rings	translucent (56), dark
		15 glass beads may	and bangles, iron	blue translucent
		be associated with	tools, ceramics	(n=3), red opaque
		the burial.	including a Phimai	(n=9), yellow opaque
			black bowl, and a	(n=48), dark green
			bronze bowl	translucent (n=1).
			covering her face.	

Burial 13 (2003)	Young	1 dark blue ring or	Spindle whorls, red ochre,	Body was buried on
	adult	earring fragment. 2 iron artifacts, an iron		her back with her
	female	additional	torque around the	knees flexed
		ring/earring/	neck, three bronze	upward.
		fragments may be	bangles, a bone bangle,	
		associated with this	finger rings, and a ceramic	
		burial.	epaulette with miniature	
			iron buffalo horns.	
Unidentified	Adult	Three orange	2 spindle whorls,	Originally
Burial (2003).		microbeads	ceramics, a clay pellet, and	classified as a
Unit A/B Layer			an iron object.	feature, but
3:1 Feature 2				changed to burial
				after discovery of
				an adult skull
				(O'Reilly et al.
				2004: 220).

Table 7.6: Glass beads from burial contexts at Phum Snay. Beads from Burial 9 (2001) were not included in the current study.



Figure 7.12: Glass ring or earring fragments from Phum Snay.




Figure 7.13: Example of orange opaque glass microbeads from Phum Snay Scale in mm.



Figure 7.14: Orange-red mixed glass bead from Phum Snay. Taken using a Dino-Lite digital microscope at 50x magnification.




Figure 7.15: Distribution of glass colors at Phum Snay (n=285).

Prei Khmeng

As noted in earlier chapters, burials at Prei Khmeng had almost no agate and carnelian beads, but did contain over 2000 (n=2056) glass beads. As with other sites discussed in this chapter, nearly all the beads were drawn Indo-Pacific beads in a variety of colors (Figure 7.18). However, there was also a short bicone opaque black glass bead with a red stripe around the outer edge (Figure 7.17). Approximately 45 beads were from non-burial contexts) with the remainder in burials or possible burials (i.e. pits with some objects but no skeletal material)(Table 7.7). Three burials with beads were examined, from a total of 7 burials that were excavated. Radiocarbon dates from two burials suggested the cemetery was used from the 1st through 6th centuries AD (Zoppi et al. 2004). Prei Khmeng is home to one of the earliest Angkorian period temples in the Angkor region, however the burials from Prei Khmeng are

different from "Indianized" burials of the later periods. Beads from two burials (Bony II and Bony IV) were previously analyzed using EDXRF, in which it was suggested the beads from Prei Khmeng were of an Indian origin (Latinis 2004).



Figure 7.16: Black glass short bicone bead with a red stripe from Prei Khmeng. The image on the right is a close-up of the red stripe at 60x magnification.

Prei	Sex/Age	Glass Artifacts	Other Artifacts	Notes
Khmeng				
Context				
Burial 2 (Bony II) Context 16016/ 15017	Juvenile	11 blue glass beads and 1 yellow glass bead	An iron plate placed under the head, other undetermined long iron objects, a bronze bracelet and finger ring, a wooden artifact inserted into the mouth, and ceramics.	Blue glass beads collected from shoulder of skeleton. An additional 24 glass beads were analyzed in an earlier study (see Latinis 2004).
Burial 3	Female,	144 glass beads: red	Ceramics, bronze or	Beads were
(Bony III)	approx. 28	opaque (n=8), yellow	copper bracelets,	found under the
Context 21040	years old	opaque (n=16), yellow	copper earrings,	skull and
		translucent (n=2), dark green (n=5), blue-green	ceramics, spindle whorls and, 2 iron	mandible.
		(n=6), light blue $(n=11)$,	adzes.	
		dark blue (n=38), black	adzes.	
		(n=9), grey translucent		
		(n=33), and brown/violet		
		(n=16).		

Burial 4	Female	1750 glass beads: orange	Ceramics, some	Beads were
Context	25-28 years	opaque (n=1078), black	metal jewelry, iron	found around the
21045	old	(n=564), yellow	objects including	skull and neck.
(Bony IV)		translucent (n=16), dark	knives, and a pig's	An additional 16
		blue (n=3), and brown	head offering.	beads were
		(n=1).		analyzed in an
				earlier study (see
				Latinis 2004).
Context		2 opaque yellow beads, 1		Possible burial
15021		dark blue bead, and 1		context, but no
		black bicone with red		skeletal material
		stripe.		
Context		50 glass beads: 1 dark blue		Possible burial
21025		bead, 23 opaque yellow		context, but no
		beads, and 26 light blue		skeletal material
		beads.		
Context		3 beads: opaque orange		Possible burial
21038		bead (n=1) and dark blue		context, but no
		beads (n=2).		skeletal material
Context		5 beads: orange opaque		Possible burial
21052		(n=4) and red opaque		context, but no
		(n=1).		skeletal material

Table 7.7: Glass beads from burial and possible burial contexts at Prei Khmeng. Burial data from Baty 2003, Demeter 2004ab, and Pottier 2001.




Figure 7.17: Glass bead color distribution at Prei Khmeng (n=2056).

Almost one thousand (n=960) glass beads were analyzed from the site of Promtin Tai, Lopburi province in central Thailand. While most of the beads were Indo-Pacific drawn beads, Promtin Tai also had a small but diverse group of other types of glass beads, including gold-glass beads, a ring or earring fragment similar to those found at Phum Snay, polychrome beads, and faience beads. These beads will be discussed in more depth below. A majority of the beads were found in the Promtin Tai cemetery matrix (n=835) and the remainder was found in eight of the 35 burials excavated at the site (Table 7.8).

The cemetery is believed to span the entire Iron Age (500 BC- AD 500) and into the Early Historic period. However, it is believed that material from 170cm below datum and deeper date to the Iron Age period. Some glass beads recorded in this study were from these upper layers and may date to the mid-first millennium AD (see Appendix 7.1 for more specific information on the context of these objects). Based on the burial depth, graves were divided into an earlier or later period (Table 7.8); all except Burial 6 were classified as belonging to the earlier period (Liu 2012). Five of the six burials with agate and carnelian beads also had glass beads. Burial 20 is notable for having large numbers of both glass and stone beads. Figure 7.18 shows the glass color distribution at Promtin Tai. As at Phum Snay, some of the beads were a red-orange mixed glass, but have been classified as opaque orange in the figure.




Figure 7.18: Glass bead color distribution at Promtin Tai (n=960). Glass colors with a small number of beads are listed in parenthesis.

Promtin Tai	Sex	Age	Beads found in	Associated grave goods
Burial Number			burial	
Burial 6	Unknown	Subadult	13 glass or	N/A
		(1-2	faience tubular	
		years)	beads	
Burial 7	Female	25-30	Light blue earring	Pottery, 3 spindle whorls, and
		years	fragment	animal bones.
Burial 9	Unknown	Adult,	32 dark blue glass	One greenstone bead and one
		20+	beads	agate bead.
Burial 12	Male	18-22	8 dark blue glass	Pottery, bracelets, and a bone
		years	beads	tool.
Burial 18 (two	Unknown	Adult,	1 faience collar	Greenstone beads, one agate
individuals)		20+ and	bead	bead, bronze bracelets, an
		child,		iron spear, and ceramics.
		3.5-4.5		
Burial 19	Unknown	9.5-11	2 dark blue glass	14 agate beads, greenstone
			beads	beads, shell bead, a bronze
				bracelet, 2 bronze rings,
				ceramics, two spindle whorls,
				and animal bones.

Burial 20	Female	20-25	134 glass beads:	Greenstone beads, 5 agate
			red opaque (n=1),	beads, 7 carnelian beads,
			orange opaque	ceramics, and shell.
			(n=14), blue-green	
			(n=2), light blue	
			(n=1), dark blue	
			(n=107), clear	
			beads (n=2), violet	
			beads (n=2), black	
			and white striped	
			bead (n=2), gold-	
			glass beads (n=3).	
Burial 32	Unknown	Subadult	26 dark blue glass	Greenstone beads, four
			beads	carnelian beads, ceramics, a
				bronze bangle and an iron
				tool.

Table 7.8: Glass beads from burial contexts at Promtin Tai.

Ban Non Wat and Noen U-Loke

Due to their proximity and similarity in recording the collections, the glass artifacts from Ban Non Wat and Noen U-Loke, will be considered together. Both sites are located just kilometers from one another in Northeast Thailand and due to time and access constraints, the collections from both sites were not examined in as much depth as the other sites discussed above. Nevertheless, the data recorded does provide ample information for an assessment of the collection and comparison with other sites. Table 7.9 lists the different phases at both sites and their corresponding dates. Many beads Indo-Pacific beads in a variety of colors were identified at both sites. However, another unique bead type was also common at Ban Non Wat and Noen U-Loke, these beads were opaque orange in color, with some red streaks, and were found in either a thin disc shape or as short tubular beads (Figure 7.20). Instead of being drawn like Indo-Pacific beads, these beads appear to have been made by wrapping a sheet of glass around a metal rod. In this study I refer to them as orange wrapped beads. Previous compositional analysis also

suggested that these beads were distinct from Indo-Pacific beads and made of a mixed alkali glass (Saitowitz and Reid 2001).

Ban Non Wat	Noen U-Loke
Iron Age 1: 420-150 BC	Mortuary Phase 3: 100 BC-AD 200
Iron Age 2: 150 BC-AD 200	
Iron Age 3: AD 200-400	Mortuary Phase 4: AD 200-400
Iron Age 4: AD 400-600	Mortuary Phase 5: AD 400-600

Table 7.9: Iron Age phases at Ban Non Wat and Noen U-Loke (from Higham et al. 2007; Higham et. al 2012; Higham 2011b).



Figure 7.19: Example of the two types of orange opaque wrapped glass beads found at Noen U-Loke and Ban Non Wat.

The glass data from Ban Non Wat in this chapter draws on both published information (Higham et al. 2009), data recorded during a brief examination of the collection in January 2010, and a closer examination of the 29 beads brought to the US for LA-ICP-MS analysis. Over 800 glass artifacts have been found at Ban Non Wat, of which 746 glass artifacts have been recorded in this study. Of these, approximately 77 % (n=574) came from 13 of 160 Iron Age burials (Table 7.10). With the exception of the "orange wrapped" category, all the glass colors discussed in Table 7.10 refer to Indo-Pacific beads. Six of the 13 burials contained both glass and stone beads and four burials contained over 50 glass beads. Of note are the 200 glass beads found in Burial 6, the burial of a young adult female, the 133 glass beads from the disturbed

burial of a young adult (Burial 203), and an infant jar burial (Burial 266) that contained 112 glass beads. Also of note is Burial 357, which contained two glass earrings and was one of the earliest burials to contain glass artifacts at Ban Non Wat. However, the quantity of glass found at Ban Non Wat pales in comparison to the large amount found at Noen U-Loke.

Ban Non Wat Burial Number/Context	Age/Sex	Date/Mortuary Phase	Glass artifacts	Associated grave goods
6	Young adult female	Iron Age 3 (200-400 AD)	200 orange wrapped beads (in waist area)	Ceramics, 2 carnelian beads. Glass beads buried at pelvis.
36	Old adult female and mid-adult male	Iron Age 4 AD 400-600	86 orange beads	Five carnelian beads, 2 agate pendants, ceramics, gold bead, spindle whorl, and a bronze bangle fragment.
95	Infant in a jar burial	Iron Age II (C14 dates: 250- 430 AD)	4 orange beads	Small pottery vessel, iron bangles, and iron anklets.
101	Adult	Late Iron Age?	1 broken orange bead	Bronze bangles and rings, bimetallic rings, and ceramic vessels.
108	Adult	Late Iron Age? (200-400 AD?)	1 broken orange bead	Bronze bangle and finger ring, as well as a pottery vessel.
202	Disturbed- only maxilla bone present	Iron Age Period 4 (AD 400-600)	32 glass beads: orange wrapped beads (n=28), dark blue (n=2), light blue (n=2).	None

203	Disturbed burial- young adult	Iron Age Period 4 (AD 400-600)	133 glass beads: orange wrapped beads (n=115), light blue (n=3), dark blue (n=1), 14 orange glass beads (n=14).	Bronze bangles and finger rings, agate pendants, and an agate bead.
235	Subadult (10 years old)	Iron Age 1 (420-150 BC)	2 light blue earrings. A glass bead necklace is also reported.	Spindle whorls, ceramics, iron socketed artifact, iron point, and pig bones.
259	Young adult female	Iron Age 1 (420-150 BC)	1 blue-green bead	3 carnelian beads, ceramics, red ochre, and water buffalo limb bone.
266	Infant	Iron Age 4 AD 400-600	112 glass beads: yellow (n=55), light blue (n=14), dark blue (n=26), red (n=9), orange (n=6), white n=(1) black (n=1)	Agate pendant, bronze bangles, bronze ring, and ceramics.
356	Older adult female	Iron Age 1 (420-150 BC)	Weathered blue- green glass beads in chin area	1 agate bead and 1 carnelian bead, iron bangles, shell bangle, spindle whorls, stone adze, red ochre, and ceramic vessels.
357	N/A	Iron Age 1 (420-150 BC)	2 light blue earrings, heavily weathered	Spindle whorl, red ochre, and 7 ceramic vessels.
385	N/A	N/A	Broken/weathered blue/green glass bead fragments	N/A

Table 7.10: Glass beads from burial contexts at Ban Non Wat.

Over 7000 glass beads were uncovered from burial contexts at Noen U-Loke. As with the glass artifacts from Ban Non Wat, the majority of information from this collection draws on the published excavation report (Higham et al. 2007) as well as a brief recording of the collection done at the Phimai Museum in December 2009. Unfortunately, many of the objects from the

Noen U-Loke excavations had been accessioned by the museum, a process in which all context information for the artifacts is removed. Additionally, not all beads in the museum were available for study, notably the beads from Mortuary Phase 4C. For this reason, I was only able to record 3531 glass artifacts from Noen U-Loke in this study, including 29 objects analyzed using LA-ICP-MS. Table 7.11 lists the context information for the 29 objects analyzed using LA-ICP-MS. Information on specific burials, when available, comes primarily from the published excavation report (Higham et al. 2007).

Noen U-	Cat. No	Artifact	Color	Context	Period	Date
Loke				Information		
Database						
ID						
AKC02001	1465	Broken	Black	X1		AD 200-400
		oblate bead	translucent	3:13	MP4A	
AKC02002	141	Broken	Yellow		N/A	AD 250-650
		oblate bead	opaque	3:6 Feature 1		
AKC02003	1457	Broken				AD 200-400
		short	Blue			
		cylinder	translucent	T9B3	MP4A	
AKC02004	1417	Broken	Grey			Unknown
		oblate bead	translucent	T9B9	N/A	
AKC02005	1414	Broken				AD 400-600
		short	Dark blue			
		cylinder	translucent	T9B2	MP5	
AKC02006	1414	Broken	Dark Blue			AD 400-600
		oblate bead	Trans			
			broken	T9B1	MP5	
AKC02007	1457	Broken	Dark Blue			AD 200-400
		short	Trans			
		cylinder	Broken	T9B8	MP4A	
AKC02008	1457	Broken	Dark			AD 200-400
		oblate bead	turquoise			
			translucent	T9B4	MP4A	
AKC02009	1457	Broken				AD 200-400
		oblate bead	Dark blue			
			turquoise	T9 B7	MP4A	
AKC02010	207	Broken	Bright blue			AD 400-600
		oblate bead	translucent	Burial 8	MP5	
AKC02011	1417	Broken		3:9 Feature 1		100 BC-
		oblate bead	Corroded	T9 B10	MP3A	AD 200

				_		321
AKC02012	1502	Broken	White			AD 200-400
		oblate bead	translucent	Burial 105	MP4A	
AKC02013	1417	Oblate bead	Dark			AD 250-650
			turquoise			
			translucent	3:9 Feature 1	N/A	
AKC02014	1417	Broken				AD 250-650
		short	Blue-green			
		cylinder	translucent	3:9 Feature 1	N/A	
AKC02015	1414	Broken	Dark Blue			AD 400-600
		oblate bead	Trans			
			Broken	T8B8	MP5	
AKC02016	1414	Broken	Dark			AD 400-600
		short	blue/purple			
		cylinder	translucent	T8B8	MP5	
AKC02017	N/A	Broken	Red, white,			Unknown
		barrel bead	blue, yellow			
			opaque			
			mixed glass	Unknown	N/A	
AKC02018	207	Oblate seed	Yellow	Burial 8		AD 400-600
		bead	opaque		MP5	
AKC02019	207	Oblate bead	Turquoise	Burial 8		AD 400-600
			translucent		MP5	
AKC02020	207	Oblate bead	Dark blue	Burial 8		AD 400-600
			translucent		MP5	
AKC02021	207	Oblate bead	Dark blue	Burial 8		AD 400-600
			translucent		MP5	
AKC02022	207	Oblate seed	Red core			AD 400-600
		bead	with orange			
			coating	Burial 8	MP5	
AKC02023	207	Oblate seed	Red core			AD 400-600
		bead	with orange			
			coating	Burial 8	MP5	
AKC02024	207	Oblate seed	Red core			AD 400-600
		bead	with orange			
			coating	Burial 8	MP5	
AKC02025	207	Oblate seed	Red core			AD 400-600
		bead	with orange			
			coating	Burial 8	MP5	
AKC02026	207	Oblate seed	Red core			AD 400-600
		bead	with orange			
			coating	Burial 8	MP5	
AKC02027	N/A	Short tube	Orange			100 BC-
			opaque	Burial 37	MP3A	AD 200
AKC02028	N/A	Oblate bead	Bright blue			100 BC-
			translucent	Burial 37	MP3A	AD 200
AKC02029	N/A	Wound disc	Orange		MP3A	100 BC-
	. = =	bead	opaque	Burial 37		AD 200
Т	abla 7 11. I	ist of beads from N			iging I A ICE	

Table 7.11: List of beads from Noen U-Loke that were analyzed using LA-ICP-MS.

A higher quantity of burials at Noen U-Loke had glass beads than at Ban Non Wat and the number of glass beads found within burials is also much higher. Twelve burials contained over 50 glass beads with one burial, Burial 13 of an infant, contained over 1700 glass beads. This discrepancy is notable when we consider that over 900 square meters have been excavated at Ban Non Wat during the 2002-2007 field seasons, while only 220 square meters were excavated at Noen U-Loke over two field seasons. However, the difference in glass bead quantities appears to be related to the dates of occupation at both sites. The majority of burials at Ban Non Wat date to the earlier Iron Age 1 period. Charles Higham has noted that the earliest glass artifacts appear at Ban Non Wat, and are not beads but glass earrings (Higham and Kijngam 2009). Glass does not appear at Noen U-Loke until Mortuary Phase 3 (100 BD- AD 200), with a peak in the quantity of glass occurring during Mortuary Phase 4 at Noen U-Loke (AD 200-400) (Talbot 2007), which is less well represented than at Ban Non Wat. This increase in mortuary wealth over time, as noted in the previous chapter, also makes it difficult to compare the status of graves from the early Iron Age with those from the later Iron Age. Nevertheless, when we look at both sites together we are able to see a broad shift in the types of glass over time. Figure 7.21 shows the distribution of glass colors at Ban Non Wat and Noen U-Loke over time.




Figure 7.20: The distribution of glass colors at Ban Non Wat and Noen U-Loke.

Glass beads in context: A summary

An overall examination of the glass beads from these ten sites shows an immediate difference in the distribution of glass bead colors, with sites in southeast Cambodia (Village 10.8, Prohear, and Bit Meas) having a large number of dark blue beads, while the remaining sites had smaller quantities of dark blue and higher numbers of red, orange, yellow, green, light blue, and black beads. As demonstrated in the next section, these color differences are also related to differences in glass composition.

Glass beads are also found in a greater number of burials than agate and carnelian beads (Table 7.12). However, the frequency of beads in burials varies by site. At Prohear, nearly all of the burials contained glass artifacts, while at Village 10.8 or Ban Non Wat only 10-12% of burials contained glass beads and artifacts and at Phnom Borei no burials contained glass. It is

notable, however, that at Village 10.8 a higher number of burials (n=10) contained agate and carnelian beads than glass beads. At some sites glass beads were available in very high quantities, however this may have something to do with the availability of glass beads over time. The two burials with over 1000 beads, Prei Khmeng and Noen U-Loke, both date to the early-mid first millennium AD. As observed in the previous chapter, there are numerous factors that could have influenced the quantity of burials with beads observed in this study, such as issues regarding looting or changing mortuary rituals over time. Additionally, variation in the quantity of burials with beads as well as the total number of beads in burials may be related to cultural choices by the different communities regarding the depositing of glass beads in burials. Therefore, the burials noted in this chapter should not be taken as a representative sample. However, certain observations may be indicative of broader trends. For example, taken together the data support the interpretation that glass beads were generally more accessible and widespread than agate and carnelian beads there was still some variation in the availability of glass objects over time and space.

	Total Burials	Burials with glass artifacts
Angkor Borei	111	29 (26%)
Ban Non Wat	160	13 (8%)
Noen U-Loke	120	56 (47%)
Phnom Borei	9	0 (0%)
Phum Snay	23	7 (30%)
Prei Khmeng	7	3 (43%)
Prohear	52	46 (75%)
Promtin Tai	35	8 (23%)
Village 10.8	50	6 (12%)

Table 7.12: The number of burials with glass artifacts by site.

As noted in the previous chapter, the trend of women buried with large numbers of beads continued, although with a few notable exceptions (Table 7.13). Eight female burials at these

sites contained high quantities of glass beads, at least over 100, in comparison with the other burials at their site. However, there were also male burials, an infant burial, and other unknown burials that contained large numbers of glass beads. Scholars have noted that at Noen U-Loke, glass beads are found in fairly equal numbers of male and female burials during Mortuary Phase 3, but become more common in male burials during Mortuary Phase 4, although they also appeared in several unsexed burials (Talbot 2007: 338-340). At some sites, the value of glass beads may have changed over time as did the reasons one may earn or inherit such beads.

Site	Burial Number	Sex	Number of beads
Angkor Borei	F35	Adult female and child	254 glass beads
Angkor Borei	F36	2 adult males	248 glass beads
Prohear	Burial 46	Unknown	Over 500 glass beads
Prohear	Burial 24	Unknown	Over 150 glass beads
Prohear	Burial 33	Female	Over 150 glass beads
Prohear	Burial 34	Female	Over 150 glass beads
Village 10.8	Burial 11	Unknown	124 glass beads
Phum Snay	Burial 9	Female	105 glass beads
Prei Khmeng	Burial 3	Female	144 glass beads
Prei Khmeng	Burial 4	Female	1750 glass beads
Promtin Tai	Burial 20	Female	134 glass beads
Ban Non Wat	Burial 6	Female	200 glass beads
Ban Non Wat	Burial 203	Unknown	133 glass beads
Ban Non Wat	Burial 266	Infant	112 glass beads
Noen U-Loke	Burial 13	Infant	1750 glass beads

Table 7.13: Table noting burials at each site that contained a large quantity of glass beads.

During the early Iron Age, some of the earliest glass artifacts were not beads but glass rings or earrings. Data from Ban Non Wat and Noen U-Loke, which cover the entire Iron Age, show increased quantities of glass beads over time. The Prei Khmeng and Noen U-Loke burials with over 1000 glass beads of one or two colors also indicates that in certain periods, these beads were moving through trade networks in bulk. Most of these beads were monochromatic Indo-Pacific beads. While many of these beads look visually similar to one another, they were often made using different glass bead recipes. In the next section, I discuss the results of compositional analysis of glass beads, which show that there were multiple bead exchange

networks in play during the Iron Age period and that different sites were participating in different trade networks.

Compositional analysis of glass beads from Cambodia and Thailand

As discussed above, a selection of beads from each site were brought to the US for LA-ICP-MS analysis in the Elemental Analysis Facility at the Field Museum in Chicago, IL (Table 7.14). Beads were chosen in order to represent the diversity of beads found at each site, but they do not reflect a statistically significant sample. Beads were primarily chosen from burial contexts, although unique or unusual beads from non-burial contexts were also examined. In this section I will discuss the results of the LA-ICP-MS analysis and my interpretations for the overall glass bead collections at each site. Final measurements from LA-ICP-MS analysis are listed in Appendix 7.2. Major elements are listed as weight percent and minor and trace elements as parts per million (ppm).

Site Name	Total number of glass artifacts recorded	Number of glass artifacts analyzed using LA-ICP-MS
Angkor Borei, Cambodia	1368	15
Bit Meas, Cambodia	5	5
Phnom Borei, Cambodia	48	6
Phum Snay, Cambodia	285	30
Prei Khmeng, Cambodia	2056	42
Prohear, Cambodia	550	59
Village 10.8, Cambodia	209	14
Ban Non Wat, Thailand	746	29
Noen U-Loke, Thailand	3531	29
Promtin Tai, Thailand	1050	23

Table 7.14: Quantity of glass beads from each site analyzed using LA-ICP-MS.

Results from LA-ICP-MS analysis of glass artifacts

In this section I present the results of LA-ICP-MS analysis on glass bead and artifacts.

Glass beads were analyzed providing a baseline for the distribution of glass types at each site.

However, as I did not select beads for analysis in a statistically significant way, I then estimated the overall distribution of four different glass types (high alumina soda glass, potash glass, m-Na-Ca-Al glass, and other) at each site based on visual similarities of the analyzed beads with known types and their context. For example, if a single blue bead of a group of 50 was found to be made form high alumina potash glass I estimated that the remaining 49 beads in this group were also made from the same glass. These estimates provide a general picture of the quantity and distribution of the different glass types by site.

Angkor Borei

As part of her doctoral dissertation research, Laure Dussubieux (2001) analyzed 97 glass beads from the Angkor Borei cemetery excavation. In her study, the majority of Indo-Pacific glass beads from Angkor Borei in a variety of colors were found to be high alumina soda glass (n=79). A small number (n=9) of green and yellow opaque glass beads were found to belong to the m-Na-Ca-Al type, while four dark blue beads were assigned to the v-Na-Ca glass type. Three beads, blue, yellow, and blue-green in color, were found to be lead glass. Two glass beads were classified as "other," (Dussubieux 2001). Scholars have noted that the high alumina soda glass type was over-represented at Angkor Borei when compared to other sites in Southeast Asia and that there was a notable lack of potash glass beads (Stark and Dussubieux 2002). Dussubieux's analyses from the Oc Eo site also showed a large number of high alumina soda-glass beads (Dussubieux 2001; Stark and Dussubieux 2002). Estimates from the current study confirm this earlier research (Table 7.15).

Glass bead type	Number of glass beads identified	Estimated number of glass beads of this type in total
		collection
High alumina soda glass (m-	82	1127+
Na-Al)		
Potash glass	0	0
m-Na-Ca-Al	12	65
Lead	3	176
v-Na-Ca	7	
Other/weathered/Unknown	8]

Table. 7.15: The distribution of different glass types at Angkor Borei. All of the yellow bead were placed in the other category is compositional analysis is needed to confirm if they belong to the lead glass or another category.

Fifteen additional beads were analyzed as part of the current study (Figure 7.22). Several beads were misclassified as stone beads and analyzed while undertaking this research. Other dark blue beads were specifically chosen in order to determine if they may have been made of potash glass, a glass type not found in Dussubieux's study (2001). Three additional beads were chosen for their unusual appearance. The results are consistent with the findings in Dussubieux's earlier study. Six beads were classified as belonging to the high alumina soda glass type; this included a translucent yellow bead (AKC02519), a dark blue-green translucent spherical bead (AKC02589), and one purple bead initially classified as garnet (AKC02590). Three additional purple glass beads (AKC02584, AKC02585, AKC02590) beads originally classified as garnet had compositions similar to high alumina soda glass, but had lower alumina levels (approximately 5%). Additionally, their Zr levels were too high to be considered as part of the m-Na-Ca-Al group. This glass type is unusual and have thus far found no other examples of this glass type in the current study or in published reports from other contemporary sites. For the moment, these three beads remain uncategorized. Three dark blue beads were classified as belonging to the m-

Na-Ca-Al type (AKC02586-2588) and three dark blue beads, including a square barrel, were classified as belonging to the v-Na-Ca type (AKC02592, AKC02594b, AKC02595). Two beads were too weathered to properly classify (AKC02594, AKC02596). However one yellow bead (AKC02594) may be a faience bead, although no similar beads have yet been identified in this study. It is significant that no potash glass beads were found in this additional study. Lankton and Dussubieux have noted that the lack of potash glass in the Angkor Borei cemetery could date the transition from potash to high alumina soda glass across Southeast Asia (2006, 2012). However, additional data may complicate this hypothesis (Carter 2010; discussed further below).




Figure 7.21: Glass beads analyzed from Angkor Borei. AKC02585 not pictured as bead was too fragmentary.

Six Indo-Pacifc glass beads from Phnom Borei were analyzed using LA-ICP-MS (Table 7.16). Four of the beads were found to be high alumina soda glass (m-Na-Al Type 1), including an opaque orange bead with slightly elevated levels of MgO. Lankton and Dussubieux (2006) have noted that certain glass colors including opaque orange appear to have higher levels of MgO, making them look like plant ash glasses. Despite these elevated levels of MgO, I believe this opaque orange bead belong to the m-Na-Al Type 1 group. Two glass beads were classified as belonging to the potash glass group. One dark blue glass bead was classified as a low lime potash glass (m-K-Al, low C) and the other dark blue bead was classified as a potash glass with moderate amounts of alumina and lime (m-Ka-Ca-Al). Based on visual similarities, I believe that the majority of beads at Phnom Borei belong to the high alumina soda glass type. A single bead was too weathered/deteriorated to determine its glass type and is classified as "other."

The presence of potash glass at Phnom Borei is significant, as previous work at the nearby site of Angkor Borei found no potash glass, suggesting that the glass bead trade at these sites post-dated the potash/high alumina soda glass transition. However, the presence of potash glass at Phnom Borei does suggest that the potash glass beads were circulated in the Mekong Delta region.

Glass bead type	Number of glass beads identified	Estimated number of glass beads of this type in total collection
High alumina soda glass (m-Na-Al)	4	39
Potash glass with low lime (m-Ka-Al, low C)	1	8
Potash glass with moderate amounts of lime and alumina (m-Ka-Ca-Al)	1	
Other/weathered		1

Table 7.16: The distribution of different glass types at Phnom Borei.

Village 10.8

12 glass beads and 2 glass ring fragments from Village 10.8 were analyzed and all of the artifacts were classified as belonging to one of two potash glass sub-types (Table 7.17). Of note is that both ring fragments (AKC00323 and AKC00327) were classified as belonging to the m-K-Ca-Al subtype. The remaining dark blue, black, and dark purple beads were classified as either m-K-Ca-Al glass or low lime potash glass. Unfortunately, four beads (AKC00376, AKC00381, AKC00389, AKC00424) were too weathered to produce meaningful results. This included a polychrome bead made of light blue or green glass with a white stripe. An estimate of the remaining glass collection suggests that Village 10.8 was dominated by potash glass beads (Table 7.17).

Glass bead type	Number of glass beads identified	Estimated number of glass beads of this type in total collection
Potash glass with low lime (m-Ka-Al, low C)	5	180
Potash glass with moderate amounts of lime	5	
and alumina (m-Ka-Ca-Al)		
Other/weathered	4	29

Table 7.17: The distribution of different glass types at Village 10.8.

Prohear

Forty-six glass beads or bead fragments, three bangle fragments, and ten ring or earring fragments (n=59 total) were analyzed using LA-ICP-MS. Of these five ring/earring fragments, one bangle fragment, and one dark blue bead were too weathered to produce reliable results. One white glass bead also had an unusual composition and may have been a modern bead that found its way into the archaeological record; it will not be discussed in detail here. The remaining artifacts were predominantly various subtypes of potash glass, however there were also more

unusual types including Arika glass, lead glass, and m-Na-Ca-Al glass beads (Figure 7.23, Table 7.18).

Glass bead type	Number of glass beads identified	Estimated number of glass beads of this type
		in total collection
Potash glass with low lime (m-Ka-Al, low C)	16	
Potash glass with low alumina (m-K-Ca, low A)	1	467
Potash glass with moderate amounts of lime and	21	407
alumina (m-Ka-Ca-Al)		
m-Na-Ca-Al glass	8	65
Arika glass	4	
Lead glass	1	18
Other/weathered	15	

Table 7.18: The distribution of glass types from Prohear.




Figure 7.22: From left to right: A yellow lead glass bead, several Arika red glass beads, and blue m-Na-Ca-Al glass found at Prohear.

Interestingly, the glass rings and bangles were split between the different potash glass sub-types. Two light blue bangle fragments and a dark blue ring/earring were found to belong to the m-K-Ca-Al type, while a black, dark purple, and blue rings/earrings were found to belong to the m-K-A, low C type. A black ring/earring was the only artifact found to belong to the m-K-Ca, low A type. The m-Na-Ca-Al beads were all colored with cobalt (approximately 500 ppm Co). These beads were dark blue, but not as dark in color as the potash glass beads and appear to be different from the m-Na-Ca-Al glass beads found at Promtin Tai (below). Three red beads and a black bead were found to be Arika glass (Figure 7.23) and a single yellow bead was found to

contain high levels of lead (30 weight percent) (Figure 7.23), which was also often used to color yellow glass. The presence of Arika glass at Prohear is significant, as it was the only site in this study with evidence for this glass type. Although it was only present in small numbers, it does suggest some kind of connection with a trade network that originated in southern India or perhaps Phu Khao Thong in peninsular Thailand (Dussubieux et al. 2012). The remaining beads, primarily dark blue in color but also purple, green, and black, were classified as either m-K-Ca-Al or m-K-Al, low C potash glass.

Bit Meas

As noted earlier, Bit Meas was heavily looted and only five dark blue glass beads from this site were examined. All five glass beads were classified as potash glass, with one dark cobalt blue bead (over 800 ppm Co) belonging to the m-K-Ca-Al type while the remaining four dark blue (n=2), blue-green, and purple beads were assigned to the m-K-Al, low C subtype. Due to the looting at the site, it is impossible to estimate the overall distribution of different glass types at Bit Meas (Table 7.19).

Glass bead type	Number of glass beads identified	Estimated number of glass beads of this type in total collection
Potash glass with low lime (m-Ka-Al, low C)	1	N/A
Potash glass with moderate amounts of lime	4	N/A
and alumina (m-Ka-Ca-Al)		

Table 7.19: The distribution of glass types from Bit Meas.

Phum Snay

Three ring/earring fragments and 26 glass beads were analyzed from Phum Snay. A single bead (AKC00232) was too weathered to produce reliable results. The three ring/earring fragments were all classified as m-K-Ca-Al glass, similar to those found at Village 10.8 and Prohear. 25 of

the 26 beads belonged to the m-Na-Al Type 1 glass type, and included a variety of glass colors. Perhaps the most unusual find was a single dark blue bead was classified as v-Na-Ca glass, or plant ash soda lime glass (Figure 7.24). This glass type is strongly associated with Middle Eastern glass production and during later periods was likely imported from this region. However, Lankton and Dussubieux note the presence of v-Na-Ca glass at early sites in Sri Lanka and common in Southeast Asia from the 3rd century AD, and question its Middle Eastern origin during this early phase. At present, current evidence leaves the origin of this glass unclear (Lankton and Dussubieux 2013).

There have been several previous compositional studies of glass from Phum Snay examining both looted beads (Gratuze 2005; Vanna 2007) and excavated materials (Sophy 2008). These previous studies found generally similar patterns in the distribution of glass types form Phum Snay as found in the current study. Analysis of materials from the 2001 and 2003 excavations identified a majority of high alumina soda glass as well as 16 potash glass beads from all three subtypes, and four beads described as soda lime glass. Three of these beads may be the v-Na-Ca glass, due to the high-levels of MgO signally a plant ask alkali source. However, one bead may belong to the m-Na-Ca-Al subtype (Sophy 2008). An additional study of looted materials from Phum Snay identified four additional v-Na-Ca glass beads (Gratuze 2005; Vanna 2007). Taken together theses analyses suggest that Phum Snay was dominated by high alumina soda glass, but contained a small but diverse group of other glass types. The estimates in Table 7.20 likely underestimate the glass diversity at Phum Snay.

Glass bead type	Number of	Estimated number of glass
	glass beads	beads of this type in total
	identified	collection
High alumina soda glass (m-Na-Al)	25	278
Potash glass with moderate amounts of lime and alumina (m-Ka-Ca-Al)	3	6
Plant ash soda lime glass (v-Na-Ca)	1	1
Other/weathered		1

Table 7.20: The distribution of glass types at Phum Snay.




Figure 7.23: Example of the v-Na-Ca glass from Phum Snay (left) and Prei Khmeng (right).

Prei Khmeng

42 glass beads from Prei Khmeng were analyzed and of these 40 belonged to the high alumina soda glass sub-type (m-Na-Al Type 1). Only two objects, broken fragments of a blue glass bead (Figure 7.24) and the black bicone with red trip (Figure 7.17) were assigned to the v-Na-Ca glass type, similar to the bead from Phum Snay discussed above. As Prei Khmeng is the latest site examined in this study, dating from the 1st-6th centuries AD, it should not be surprising

that so many of the beads from this site were classified as high alumina soda glass, as this glass type is common in Southeast Asia during the 1st millennium AD.

Glass bead type	Number of glass beads identified	Estimated number of glass beads of this type in total collection
High alumina soda glass (m-Na-Al)	40	2035
Plant ash soda lime glass (v-Na-Ca)	2	21
Other/weathered		21

Table 7.21: The distribution of glass types at Prei Khmeng.

Promtin Tai

17 glass Indo-Pacific beads were analyzed from Promtin Tai as well as several more unique glass artifacts including two faience beads, two polychrome black and white beads, a light blue earring fragment, and a gold-glass bead (Figure 7.25). Of the 23 glass artifacts analyzed the blue glass earring fragment was too weathered to produce results and a single bead was not glass but shell. The remaining 21 glass artifacts will be discussed here.




Figure 7.24: Examples of some of the unusual beads found at Promtin Tai.

Two dark blue beads were assigned to the m-K-Ca-Al subtype, and four glass beads were identified as belonging to the m-K-Al, low C subtype, including one large clear glass bead, two dark blue glass beads, and one dark purple bead. Three dark blue beads were assigned to the m-Na-Ca-Al group. Although the potash glass and m-Na-Ca-Al dark blue beads looked similar to one another, the m-Na-Ca-Al beads tended to be slightly smaller (2.5-5 mm) than the potash glass beads (4-5mm) and a much deeper cobalt blue color (Figure 7.26). Eight high alumina soda glass beads were identified at Promtin Tai, however only a small number, an estimate of approximately 16 beads, appear in burial contexts. Several hundred high alumina soda glass beads were found in the burial matrix and upper layers of the site. One of the polychrome beads, the black bicone with a white stripe, may also be related to the high alumina soda glass group (AKC01043 in Figure 7.25). The opaque black glass base appears to be consistent with the m-Na-Al Type 1 glass group, although there are elevated levels of magnesium perhaps related to the coloring of the glass (Lankton and Dussubieux 2006: 133-4). The white stripe appears to sit on the surface of this glass and its composition is unique. The white portion of the bead appears to be corroded, as it has very low levels of Na₂O. A nearly identical black and white bicone bead from southern Thailand is pictured in Pongpanich (2009: 48).



Figure 7.25: Example of m-Na-Ca-Al beads (left) and potash glass beads (right) from Promtin Tai.

The other black and white bead, which appears to be imitating a striped agate bead, is more mysterious (AKC01059 in Figure 7.25). The bead, found in Burial 20, has three white stripes. Both the black and white portions of the broken bead were analyzed using LA-ICP-MS and found to be the same unusual glass type: a variety of potash glass with high levels of Na₂O. Only a few other beads have been identified with a similar composition, including a blue-green glass bead from Ban Don Ta Phet and beads from southern India and Sri Lanka (Lankton and Dussubieux 2006: 139). It has been suggested that this high Na₂O potash glass is a mixture of potash glass and Arikamedu glass, and that this particular glass type may have been made at Arikamedu (Lankton and Dussubieux 2006:140). However, the unbroken bead appears to have been made using a folding technique typical of beads made in the Middle East (see Francis 2002:93). An assortment of similar imitation stone beads has been found at sites in southern Thailand (Pongpanich 2009: 48-9). For the moment, this bead presents a puzzle and there is no clear answer as to the location of its manufacture.

Three gold-glass beads were found in Burial 20 at Promtin Tai (AKC01057 in Figure 7.25). These small beads were originally segmented, and later broken into individual beads leaving a spherical bead with a jagged protrusion around the bead hole. One bead was analyzed as part of the current study and found to be made from a soda-lime glass, typical of Mediterranean glasses made with a natron flux. Gold-glass beads first appeared in Egypt during the Ptolemaic period but continued to be manufactured during the Roman period, where they are found at sites across the Roman Empire (Boon and Dekowna 1977; Francis 2002).

Compositionally and stylistically, this bead seems quite similar to gold glass beads from the sites

of Caerleon in the United Kingdom as well as a burial from the Nubian site of Faras, which date to the second and third centuries AD (Boon and Dekowna 1977).

Gold-glass beads were believed to have been imported from Egypt and the Mediterranean to India and from there been traded into Southeast Asia, including the sites of Oc Eo, Vietnam, Kuala Selinsing, Malaysia, Ban Tha Kao, Thailand, and even Guangzho, China (Francis 2002; Lankton and Dussubieux 2006). Similar gold-glass beads have also been reported at Khlong Thom and analysis indicates they were also made from a Syro-Palestinian or natron glass (Lankton and Dussubieux 2010).

A group of three collared white faience beads were found in Burial 18 and one bead was selected for analysis (AKC01093 in Figure 7.25). This particular type of faience bead is fairly common at South Indian sites, including Arikamedu (Francis 2004:510). In Southeast Asia collared faience bead have also been found at the peninsular Thai site of Ta Chana (Pongpanich 2009:64-5) and Ban Bon Noen in central Thailand (Pilditch 1992). The beads appear to be unglazed, however Pilditch reports that a blue-green glaze was visible on some of the faience beads from Ban Bon Noen under a microscope. Francis argues that these beads may have been manufactured in South India, (Francis 2004:510).

Unfortunately, few faience beads have been analyzed compositionally. Lankton (personal communication, 2010) has analyzed faience glass beads from Johore Lama, Malaysia and Thung-thon, Vietnam. At Thung-thon there appear to be two different types of faience beads, a low-alkali and a mixed alkali. At Johore Lama the high silica levels point towards weathering. The faience bead from Promtin Tai has an extremely high level of silica (approximately 96 weight percent) with all other major elements under one weight percent except for alumina and

potassium oxide. This indicates the bead is also corroded, making its original composition difficult to determine. However, it does seem that there were multiple recipes used to create faience glass beads. Further research must be done in order to understand how and where these beads were made.

Lastly, the most unusual bead examined was a small tubular black bead with a heavily weathered surface from a group of thirteen similar beads from Burial 6 (AKC01022 in Figure 7. 25). This bead was quite curious in that it had high levels of alumina (16 weight percent) and iron (five weight percent). The weathering and corrosion makes further interpretation of this bead impossible at this time.

The glass artifact collection at Promtin Tai was quite varied, with numerous unusual bead types not found at other sites in this study, suggesting that Promtin Tai was a part of multiple diverse glass bead trade networks. Several of the unusual bead types including the gold glass beads, the faience, and the black and white bicone are similar to beads found in peninsular Thailand and other coastal sites in Southeast Asia and suggest that Promtin Tai may have been at the periphery of this broader coastal interaction sphere. The low number of high alumina glass beads in the burial contexts indicates that the burials may pre-date this shift. Of interest is Burial 20, which contained both potash glass and high alumina soda glass. Radiocarbon dates from this burial would illuminate this transition.

Glass bead type	Number of glass beads identified	Estimated number of glass beads in total collection
High alumina soda glass (m-Na-Al)	8	690
Potash glass with low lime (m-Ka-Al, low C)	4	
Potash glass with moderate amounts of lime and alumina (m-Ka-Ca-Al)	2	184
m-Na-Ca-Al glass	3	131
Other/weathered	6	48

Table 7.22: The distribution of glass types at Promtin Tai.

Ban Non Wat

29 glass artifacts were analyzed from Ban Non Wat. The first group of 14 artifacts from the 2005- 2006 field season was analyzed in 2008. A second group of 15 glass artifacts from multiple excavation seasons was analyzed in 2010. The majority of the glass artifacts studied were Indo-pacific beads. However there were additional bead types including a flattened bicone (AKC02033), two coiled beads (AKC02031 and AKC02053, not pictured), earring or bangle fragments (n=9), a fragment of vessel glass (AKC02044), and one other unidentified blue glass fragment (AKC02057) (Figure 7.28). Unfortunately, four earning and bangle fragments as well as one bead were too weathered to produce confident results. As there is extensive information on the different layers and mortuary phases at Ban Non Wat, I was able to estimate the quantities of the three most common glass types at Ban Non Wat through time (Figure 7.30). Table 7.27 lists the different glass types identified at Ban Non Wat.

Glass Type	Quantity identified in LA-ICP-MS analysis
Potash glass with moderate amounts of lime and	4
alumina	
(m-Ka-Ca-Al)	
High alumina soda glass	10
(m-Na-Al)	
Lead glass	4
m-Na-Ca-Al	1
v-Na-Ca	2
Mixed Alkali	1
Potash lime glass with plant ash flux	2
Weathered	5

Table 7.23: The different glass types identified at Ban Non Wat.

All potash glass artifacts were classified as belonging to the m-K-Ca-Al potash subgroup; they included three ring/earring fragments and one unidentified fragment of glass. All objects were blue or blue-green in color. Two of the samples (were found in a burial context dated to the Iron Age 1 period (400-200 BC) while the third sample (AKC02038) was dated to the later late Iron Age period (AD 200-400). These ring/earring fragments share a similar composition to those found at Phum Snay, Village 10.8 and Prohear. It is likely that the weathered earring and bangle fragments also belong in this category, although their corrosion makes this difficult to confirm.




Figure 7.26: Examples of some of the more unusual glass beads and artifacts from Ban Non Wat. Photos of AKC02033 and AKC02044 taken by James Lankton.

Ten glass beads were assigned to the high alumina soda glass group (m-Na-Al Type 1). All the beads of this type were found in Layer through Layer 1, dating from approximately 200 BC- AD 600. Seven beads were from Burial 266, an infant jar burial dated to the late Iron Age, approximately AD 400- 600 (Higham and Kijngam 2009:73). Three other glass beads from non-burial contexts were also placed in the m-Na-Al Type 1 category. All three beads were from layer 2 and have been dated to approximately 200-400 AD. Based on similarities in color and form, it is believed that approximately 232 additional beads in burial and non-burial contexts may also be classified as high alumina mineral soda glass (Figure 7.30). These include Indo-Pacific beads in red, orange, yellow, green, turquoise blue, black, and white colors with a majority of this glass type found in layer 2. It is possible that some of the yellow beads are actually lead glass (see below) and not high alumina mineral soda glass, but this cannot be confirmed without additional compositional analysis.

Four beads from had high levels of PbO (30-50 wt%), classifying them as lead glass. The lead glass beads include two coiled light blue beads, an opaque blue flattened bicone bead, and a yellow oblate bead. All four samples date to the late Iron Age period (200-400 AD). During initial analysis, one bead (AKC02031) was described as a possible collared bead, however, during later excavations additional similar beads were found that appear to have been wound or coiled, and this classification was reassessed. In this method, the beads are produced by winding or coiling glass around a metal rod. These beads look remarkably similar to Chinese coil beads described by Francis (2002, color plate 16). However, Francis argues that the earliest Chinese coil beads date to the eighth century AD and that these beads were not common until the decline of Indo-Pacific beads during the 12th century AD (Francis 2002:76). These beads may represent early examples of this bead type that become common during a later period.

Also notable is that the lead glass beads from Ban Non Wat do not have a high barium content. Of the four lead glass beads analyzed, the yellow bead (AKC02053) has extremely low levels of CaO and high levels of SnO₂ in comparison to the other samples. The blue bicone bead and one of the coiled beads have much higher levels of Na₂O. It is possible that these beads belong to the early period high-lead glasses without barium, which are characterized as containing higher levels of arsenic (Brill 1991). These glass samples do contain elevated levels of arsenic in comparison to the other beads studied; especially AKC02035 that contained 3876 ppm arsenic. As noted above, it is clear that further research is needed to better understand these beads and the lead glass type.

Thus far, only one bead has been identified as mineral soda glass with variable amounts of alumina and lime (m-Na-Ca-Al), although there are probably additional beads that fall into

this category. This bead was one of a group of seven similar beads found amongst a larger group of high alumina mineral soda glass beads in Burial 266 (noted above). The beads are unusual in that they are tubular with sharp, not rounded, edges and colored with cobalt (Figure 7.29).



Figure 7.27: Example of the m-Na-Ca-Al bead (circled) from Burial 266 at Ban Non Wat.

Two artifacts were classified as soda-lime glass with a plant-ash alkali source (v-Na-Ca). The first is a fragment of a glass vessel (AKC02044) that dates to the late Iron Age period (AD 200-400). The other is a light blue glass fragment (AKC02054), which may come from an earring or bangle. The glass fragment was found in a later Iron Age context, based on the presence of Phimai black pottery (Higham and Kijngam 2009: 137). Unlike the v-Na-Ca glass beads from Phum Snay and Prei Khmeng noted earlier, these glass fragments might be imports. The v-Na-Ca composition of the vessel glass is quite similar to that of a group of high magnesia (hMg type 1) glass fragments from the Sasanian-controlled site of Veh Ardasir (3rd-6th centuries AF) in central Iraq (Mirti et al. 2009), and its presence in Southeast Asia may be

interpreted in the context of increased control of Indian ocean trade by the Sasanians during the 4th-6th centuries AD (Lankton and Dussubieux 2006).

An orange disc bead (AKC02036) is the only sample to be classified as mixed-alkali glass, however there are numerous additional beads that may also fall in this category and will be discussed in more detail below after reviewing the evidence from Noen U-Loke. Lastly, two beads found in Layer 1 were of an unusual potash lime glass type, with a plant-ash flux. One colorless glass bead was about 10mm in diameter, while the other was a transparent greenish-blue bead and approximately 8mm in diameter. Both beads appear to have been wound. The beads have high levels of MgO (approximately 5 wt%) and CaO (13-15 wt%), as well as 6-10 wt% K₂O and 5 wt% Al₂O₃. The beads are similar in composition to wound beads found in burials of members of the ma, K'ho, and Ru tribes in Vietnam, dating from the 16th-18th centuries AD (Brill 1999). These beads fall well outside the Iron Age period and therefore will not be explored in depth.

Noen U-Loke

29 glass artifacts were analyzed from Noen U-Loke and were chosen by the project director, Dr. Charles Higham. This analysis follows an earlier study of glass from this site by Saitowitz and Reid (2001), which included approximately 50 glass beads, as well as an object described as glassy slag found on a piece of black ceramic. Electron probe microanalysis (EPMA) was used to measure the major elements and LA-ICP-MS to analyze trace elements. Most of the beads from this earlier study were Indo-Pacific trade beads made from a high alumina soda glass (n=37), including a group of the red-orange beads (discussed earlier). Also identified were mixed alkali orange wrapped beads (n=5), four low-alumina potash glass (m-K-

Ca, low A) objects, three soda lime glass artifacts with plant-ash alkali (v-Na-Ca), and two m-Na-Ca-Al beads.




Figure 7.28: An estimate of the distribution of major glass types through time at Ban NonWat.

As LA-ICP-MS has expanded greatly since Saitowitz and Reid's earlier study, it was decided that an additional group of artifacts would be analyzed. These data, combined with the recording of the available Noen U-Loke glass collection (discussed earlier in this chapter) provides for a more comprehensive understanding of the glass collection at Noen U-Loke, how it changed over time, and how it compares with the glass collection at Ban Non Wat. Table 7.23 lists the different glass types identified during LA-ICP-MS analysis and their quantities. It should be noted that two of the 29 beads will not be included in the current discussion. The first,

AKC02011, was too corroded to provide confident results. The other, AKC02017, is an unusual polychrome bead that lacks adequate provenance information.

Four beads were classified as potash glass beads, although three of these (AKC02006, AKC02010, AKC02029) have relatively low levels of CaO and could be classified as m-K-Ca-Al glass, since they lack the high rubidium and high rubidium/strontium ratios that characterize the m-K-Al potash glass subtype. A dark blue purple bead (AKC02016) was classified as m-K-Ca-Al glass as well. Three of these potash beads were found in a Mortuary Phase 5 (MP5) context (AD 400- 600), however one bead (AKC02029) was found in Burial 37, which dates from 100 BC- AD 200 (MP3). This wide spread in composition and date provides evidence that there may in fact be more than one primary production center for m-K-Ca-Al glass in Southeast Asia.

Seventeen glass beads were assigned to the high alumina soda glass type (m-Na-Al Type 1). Nine beads were from Burial 8, which dates to MP5 (AD 400-600). Other glass beads were from MP4A (AD 200-400). Also found in Burial 8 were bicolor red-orange glass beads, identical to those described earlier at Phum Snay; these beads were also found to belong to the m-Na-Al Type 1 glass group. Four beads were classified as m-Na-Ca-Al glass. As with earlier examples of this glass discussed in this chapter, all four beads were colored with cobalt. Two of the beads were broken, but all appear to be tubular beads with sharp edges, similar to the bead from Ban Non Wat discussed above. These beads were found in contexts associated with MP4A and 5 (approximately AD 200-600).

Two orange opaque beads were identified as being mixed-alkali beads: a tubular bead and a disc bead (Figure 7.20). Both appear to have been wrapped, as discussed earlier in this

chapter. These two examples were from Burial 37, an adult female from MP3A (100 BC- AD 200) who was found with over 200 similar beads (Higham and Thosarat 2007:156). The high number of orange opaque disc beads at both sites is unusual when compared to other sites in Southeast Asia (see Lankton and Dussubieux 2013). Mixed-alkali glass is present, although rare, at the peninsular Thai site of Khao Sam Kaeo (Lankton and Dussubieux 2013). Additional orange wrapped beads have been found near Ban Non Wat at the sites of Non Muang Kao (Saitowitz and Reid 2001) and possibly Ban Bon Noen (Pilditch 1992). I recently identified one wrapped bead from the glass collection of Phum Sophy in northwest Cambodia. Similar orange and red opaque disc beads have also been reported at sites in southern India and Sri Lanka, where they may have been manufactured, as well as Chombeung, Thailand, Giong Ca Vo, Vietnam (Dussubieux 2001; Lankton and Dussubieux 2006), Ban Chiang (White 1982), and the peninsular Thai site of Ta Chana (Pongpanich 2009:51). However, Francis noted that many orange and red disc beads were not wrapped, but instead made from solid canes of glass that were sliced into discs and then perforated by drilling (Francis 2002: 136-7). While these disc beads appear to share a similar glass type and bead shape as the objects found at Ban Non Wat, their manufacturing method would appear to distinguish them from the wrapped beads found in northeast Thailand.

In order better to understand where the beads from Ban Non Wat and Noen U-Loke fall within the spectrum of mixed-alkali glass, the composition of beads from both sites were compared to orange mixed- alkali glass beads from several other sites in South and Southeast Asia. The compositions were evaluated using principal component analysis (PCA). Figure 7.31 shows the first three principal components, which account for 69.5% of the variance, graphed as

a scatterplot. PCA scores for this scatterplot are listed in Appendix 7.3. The scatterplot shows multiple possible groups of mixed-alkali glass beads, with those from the peninsular Thai sites of Khao Sam Kaeo and Phu Khao Thong being distinct from the mixed-alkali glass found at other sites in India and Southeast Asia. However, the Ban Non Wat and Noen U-Loke mixed-alkali glass may share a compositional similarity with beads found at the peninsular Thai site of Ta Chana, the central Thai site of Chombeung, and the northeast Thai site of Don Klang, as well as two sites in India: Dhalbhum and Dulhikotta. It should be noted that these groupings are only preliminary and cannot yet tell us where or when the beads were manufactured. Additional research on both the composition and manufacturing method of mixed-alkali beads is needed before confidently distinguishing between these clusters. Indeed, future research may find that the distinctions between the groups will change. However, this preliminary analysis does indicate the presence of several types of mixed-alkali glass in circulation during the Iron Age period (Carter and Lankton 2012).

Glass Type	Quantity identified in LA-ICP-MS analysis
Potash glass with moderate amounts of lime and	1
alumina	
(m-Ka-Ca-Al)	
m-K-Ca-Al glass or m-K-Al, low C	3
High alumina soda glass	17
(m-Na-Al)	
m-Na-Ca-Al	4
Mixed Alkali	2
Weathered/Other	2

Table 7.24: The different glass types identified at Noen U-Loke and their quantities.




Figure 7.29: A 3D PCA scatterplot of the compositions of opaque orange mixed alkali beads from various sites in South and Southeast Asia Beads from sites in Thailand are blue, beads from sites in India are green, and a bead from a site in Vietnam is orange. Data for the scatterplot taken from Dussubieux 2001 and from unpublished data courtesy of Laure Dussubieux and Bernard Gratuze.

Ban Non Wat and Noen U-Loke: Change over time

Overall, the glass types found at Ban Non Wat and Noen U-Loke are quite similar to one another, which is not surprising as the sites are less than 2 km apart. While the earliest glass artifacts appear at Ban NonWat during the Iron Age 1 period (420-100 BC), glass does not appear at Noen U-Loke until MP3 (100 BC-AD 200), with a peak in the quantity of glass beads during MP3 and MP4 (AD 200-400) (Talbot 2007). Taken together, we are able to see a broad shift in glass types over time (for further discussion and comparison of these two sites see Carter and Lankton 2012). Figure 7.32 displays an estimate of the quantities of different bead types and their change over time at both sites. The figure is not representative of all the glass beads uncovered at both sites, as not all of the beads were available to be recorded. For example, exact

numbers of the glass beads found in Mortuary Phase 3C at Noen U-Loke are unavailable, as are specifics regarding over 700 beads found in a burial during MP3b. Nevertheless, it does allow one to see the general distribution of glass types over time and space. We still do not know where the mixed alkali wrapped beads were made, although their limited circulation and compositional similarity to other beads found in Thailand may point toward a nearby manufacturing center.




Figure 7.30: An estimate of the quantity of different glass types at Ban Non Wat and Noen U-Loke through time.

Conclusion: The distribution of glass types within Cambodia and Thailand

Compositional analysis of glass beads has highlighted the diversity of different glass types found at each site, even if many of the beads looked visually similar. These analyses also confirmed that earlier differences in the distribution of glass colors (i.e., sites in southeast Cambodia were dominated by dark blue glass) are related to differences in glass type, and by extension, different glass bead trade routes. At the beginning of the chapter I asked two broad questions regarding the glass artifact data that I will now consider in more detail.

How does the distribution of glass beads and artifacts change over time and space?

There are several patterns visible in the distribution of glass beads over both time and space. I will address these patterns point by point.

Potash glass as the earliest glass type in Southeast Asia

As noted earlier in this chapter, glass bangles, rings, and earrings were among the earliest glass artifacts found at several sites in Cambodia and Thailand. Compositional analysis of these artifacts shows that these objects were made of potash glass, specifically potash glass with moderate amounts of alumina and lime. (However, there is one exception to this at Prohear: a low alumina potash glass ring). Table 7.24 displays the sites with these artifacts and their dates, it is likely that the ring/earring fragment from Promtin Tai belongs in this group, however the sample was too weathered to produce reliable results.

Site Name	Dates	Potash ring/earring/bangle
		artifacts
Village 10.8	400 BC- AD 50	2 ring fragments
Prohear	200 BC- AD 200	2 bangles, and 2 ring/earring
		fragments
Phum Snay	350 BC- AD 200	3 ring earring fragments
Ban Non Wat Iron Age I	420-200 BC	3 ring/earring fragments and
		unidentified piece of glass

Table 7.25: Table of ring/earring/bangle artifacts made from Potash glass.

At two of the sites in Table 7.24 potash glass appears only sporadically and does not make up a major portion of the overall glass bead collection. However, at Prohear, Bit Meas, and Village 10.8 potash glass dominates the collection. In fact, potash glass is the only major glass type identified at Village 10.8, the earliest site examined in this study. Potash glass beads were also identified at the nearby circular earthwork site of Krek 52/62 (Haidle and Neumann 2004). This evidence adds weight to Lankton and Dussubieux's (2006) observation that potash glass is predominant at early Iron Age sites in Southeast Asia. It appears that early glassmakers were experimenting first with drawn rings, earrings, and bangles before beginning to make beads. Also of note is that blue potash glass appears to have been preferred by, or was the predominant color available to people living at sites in southeast Cambodia.

Potash glass and coastal exchange networks

Although it is unfortunate that we do not have a clear understanding of where potash glass was made or its three sub-types, research does show that potash glass is strongly associated with coastal exchange networks and sites that appear to have been trading centers. Potash glass has been found in high quantities at several important coastal sites and sites with connections to these coastal trading networks including Ban Don Ta Phet, Thailand, Khao Sam Kaeo and Phu Khao Thong in peninsular Thailand, Sa Huynh sites in southern Vietnam, Dongson sites in northern sites Vietnam, sites in the Samon Valley, Myanmar, and some sites in central and Northeast Thailand (Lankton and Dussubieux 2013: Figure 3). In addition to potash glass, these sites also have evidence for the long-distance trade of other artifacts including Dongson drums and personal ornaments made of nephrite (Calo 2009; Hung et al. 2007). There is also evidence for connections with coastal networks in this region during the very early Iron Age. At Krek

52/62, a site believed to date from the Neolithic/Bronze Age into the very early Iron Age, several fragments of glass bangles have been found that may have been produced at Khao Sam Kaeo (Haidle and Nuemann 2004; Lankton et al. 2008).

I argue that the large number of potash glass beads found at Village 10.8, Prohear, and likely at Bit Meas, are reflective of participation in these early coastal exchange networks. Dongson drums or drum fragments were found at both Village 10.8 and Prohear, as well as other objects likely exchanged on this long-distance coastal network (Reinecke et al. 2009; Heng Sophady 2004, 2005). Sites like Angkor Borei and Oc Eo were important trading centers in the first millennium AD and yet potash glass has only been infrequently found in this region. I believe that this indicates that these sites, as well as additional sites with lesser quantities of potash glass such as Phum Snay, Promtin Tai, and Ban Non Wat, likely did not intensively participate in these coastal networks and may have obtained these glass artifacts through other means, such as down-the-line exchange.

Potash glass and high alumina glass: Evidence for shifting trade networks?

As discussed earlier in this chapter, Lankton and Dussubieux have observed a shift in the availability of potash glass and high alumina soda glass over time; with the former being replaced by the later around approximately 200 BC –AD 200 (Lankton and Dussubieux 2006, 2013). Lankton and Dussubieux have noted that this shift appears to be "sudden," regional, and may be reflective of the changing nature of trade with South Asia as proposed by Bellina and Glover (2004) and discussed in Chapter 3.

Glass evidence from Angkor Borei and Prohear provide depth to this hypothesis. Both sites date to approximately 200 BC- AD 200. No high alumina soda glass beads have been

found at Prohear and no potash glass has been found at Angkor Borei, although a very small quantity was noted at the nearby site of Phnom Borei. Both communities share similarities in certain unique ceramic forms, and it is presumed that they were aware of one another (Reinecke et al. 2009: 41, 165). Nevertheless, the glass bead collections at both sites are extremely different. While the shift in glass types may have been relatively sudden, I argue that evidence from these two sites suggest that for at least several hundred years the two glass types were found in coexisting, perhaps competing, trade networks with little overlap.

With the shift to high alumina soda glass, more sites appear to have had access to glass beads and access to higher quantities of beads than in earlier periods. As evidence from Noen U-Loke and Prei Khmeng attest, extremely large quantities of high alumina soda glass was being traded in exchange networks across mainland Southeast Asia by 200-400 AD. Inland sites, such as Prei Khmeng, which appears to have had little contact with pre-existing coastal networks, were able acquire to high alumina glass beads.

The distribution of less common glass types

Three less common types of glass were found at multiple sites, and it is worth examining them in more depth, despite the small amount of evidence. Beads made from the m-Na-Ca-Al glass type, often in cobalt blue, have been found at Angkor Borei, Prohear, Promtin Tai, Ban Non Wat, and Noen U-Loke. As noted above, Dussubieux and others (Dussubieux and Gratuze 2013; Lankton and Dussubieux 2013) have suggested that this glass type may have been manufactured at different locations. Therefore, it is not yet clear that beads from all five sites derived from the same workshop. However, it is notable that both Prohear and Angkor Borei

have m-Na-Ca-Al glass, which could mean these beads may have been traveling on different trade routes than the potash or high alumina soda glass beads.

Phum Snay, Angkor Borei, and Prei Khmeng also contained v-Na-Ca glass. All of the beads, except for the bi-color black and red bead from Prei Khmeng, were a dark blue color. One blue bead from Angkor Borei was a different shape, a square barrel. The extremely small quantities of these beads make it difficult to determine the trade networks used to move them over the region. However, the presence of this glass links these three sites to one another and I argue is another line of evidence pointing towards the expansion of bead trade networks out of the Mekong Delta.

Lastly, the mixed alkali orange wrapped glass beads were found only at Ban Non Wat and Noen U-Loke and in very high quantities. This glass type appears to have had a limited distribution in central and Northeast Thailand. I argue that this glass type highlights the importance of regional exchange networks during the Iron Age.

The importance of regional exchange networks

I believe that the glass data presented in this chapter underscores the importance of regional exchange networks during the early Iron Age period. Village 10.8 and Prohear, as well as Bit Meas and Krek 52/62 in southeast Cambodia were linked to one another and a broader coastal exchange network trading in potash glass artifacts. Conversely, the dominance of opaque orange mixed-alkali glass at Ban Non Wat, Noen U-Loke, and other sites in Northeast and central Thailand points toward a strong regional exchange network in this area. At Promtin Tai, I argue that the diverse set of glass types and bead shapes indicates that this region of central Thailand may have been involved in exchange with peninsular Thai sites. While many of these

glass artifacts may have originated outside of these regional networks, their presence at most of these sites does not necessarily indicate a direct connection to these long-distance trading networks. Instead, it appears that goods may have entered into these regional networks through a distribution point, perhaps a coastal site with direct access to long-distance coastal networks.

Goods were then exchanged between sites within a regional network that connected these sites to one another. I believe these regional networks become even more apparent when all of the stone and glass bead data are examined together, and this will be discussed in the final chapter.

Does evidence from glass bead trade patterns suggest increased participation in trade by elites at sites in the Mekong Delta?

Over time potash glass, mixed alkali glass, and other glass types appear to decline as they are replaced by large quantities of high alumina soda glass beads. I agree with Lankton and Dussubieux's (2013) assessment that this shift could be related to more intensive trade and interaction with South Asia observed by Bellina and Glover (2004). Based on work by Dussubieux (2001; Dussubieux et al. 2010), the high alumina beads were likely being imported from South Asia. What is significant, however, is that the high alumina soda glass beads do not appear to be entering into the pre-existing coastal exchange networks in large quantities; sites with large quantities of potash glass are not suddenly flooded with high alumina soda glass beads. Instead, this glass type is often found in large numbers at sites that do not appear to have been participating in these earlier coastal exchange networks, such as Angkor Borei and Oc Eo in the Mekong Delta. I argue that the arrival of high alumina soda glass reflect the emergence of new trade networks connecting inland and coastal sites that had not been active participants in the earlier coastal exchange networks. In this way, we can view beads as markers of expanded

interaction and economic networks between elites in the Mekong Delta and communities further inland.

Although there is not clear evidence for the manufacture of high alumina soda glass in the Mekong Delta, nor strict control over the distribution of these artifacts, I do not think it is coincidental that this glass type becomes more predominant during a period when this region appears to have been expanding in power and influence. Glass beads, as artifacts made from a new material and technology, were likely considered to be presetige objects by Southeast Asian people. As they were appear to have been available in large quantities at sites in the Mekong Delta (Dussubieux 2001; Stark and Dussubieux 2002), their exchange could have facilitated the expansion socio-political and economic networks in the Mekong Delta and its emergence as an important center during the early first millennium AD. High alumina soda glass beads from the Mekong Delta could have been traded through inland riverine trading networks to Phum Snay, Prei Khmeng, Noen U-Loke, and Ban Non Wat, sites that did not previously have regular access to the coastal potash glass bead trade network.

This hypothesis is complicated by the relatively small excavations at Angkor Borei as well as problems with looting at possible manufacturing sites across Southeast Asia.

Nevertheless I propose that the existing evidence suggests that the communities in the Mekong Delta may have been taking advantage of increased trade with South Asia and increased availability of prestige objects like glass beads to expand their influence across the region.

Current archaeological data does not suggest that people at Angkor Borei and Oc Eo were active participants in the early Bronze and Iron Age coastal exchange networks, although sites nearby, such as Giong Ca Vo in Vietnam were. Perhaps people from these coastal sites established

communities in the Angkor Borei/Oc Eo region to take advantage of the increased trade with South Asia. Or perhaps these may have been competing communities who were actively seeking out alternate trading partners.

In the final chapter I examine these questions in more depth and look at all of the glass and stone data together in order to better understand trade and exchange networks in mainland Southeast Asia during the Iron Age and the emergence of socio-political complexity in the Mekong Delta. However, in the next chapter I look at a unique artifact found at only a small amount of sites: garnet beads.

Chapter 8: The Garnet Beads

A small number of garnet beads were recorded from Angkor Borei, Village 10.8, Prohear, and Bit Meas. The shaped and polished beads from Angkor Borei were clearly different from the unshaped and unpolished beads identified from the sites in southeast Cambodia and a comparison between the two groups provided an opportunity to explore questions regarding the manufacture and trade of these objects. In this chapter I address the following questions:

- What are the morphological and manufacturing differences between the Angkor Borei garnets and garnet beads from Village 10.8, Prohear, and Bit Meas?
- Are there geochemical differences between beads from Angkor Borei and beads from Prohear, Bit Meas, and Village 10.8, and is there geochemical evidence for production of garnet beads using Southeast Asian stone sources?
- What can these beads tell us about trade and exchange networks during this period?

 This chapter begins with an introduction to garnet and a background on previous research on garnet beads in Southeast Asia. Following this overview, the garnet beads in this study are examined in more detail, focusing on their morphology and the methods used to make the beads. Impressions were taken of the bead perforations and examined using a scanning electron microscope in order to understand how the beads were drilled. Following this discussion, results from compositional analysis of the garnet beads are presented. An examination of previous studies shows that geochemical analysis of garnet has proven moderately successful at differentiating between garnet artifacts. Using LA-ICP-MS, 13 garnet beads and nine sources were analyzed in order to determine the geologic source used to produce these beads. I conclude

this chapter by arguing that the garnet beads from Village 10.8, Bit Meas, and Prohear were manufactured in Southeast Asia and had a limited distribution amongst a certain group of communities, while the beads from Angkor Borei were likely imported from South Asia.

Garnet: Definitions

Garnet is a type of gemstone commonly found in metamorphic as well as igneous rocks and detrital sediments (Deer W.A. et al. 1982). Garnets can be found in a variety of colors, from the more common deep red and purple, to orange, yellow, and green. The garnet group contains several species all of which share the same chemical formula: $X_3Y_2Z_3O_{12}$ (Table 8.1). The different species of garnet have been sub-divided into two series in which there is fairly continuous variation between the species within the series. The pyralspite series contains pyrope, almandine, and spessartine garnets and is the primary focus of the current study. The ugrandite series contains uvarovite, grossular, and andradite garnets. However, garnets rarely occur in their pure end-member forms and a single sample can often contain a mix of these species. Geochemical analysis of garnet is an ideal way to identify the different elements within a sample and recent research can assist with the conversion of these data into molar proportions of various end-member components (Locock 2008). It should also be noted that previous geochemical studies of garnets have identified instances of chemical zoning, in which certain elements are not evenly distributed throughout the sample (Deer et al. 1982: 546). Zoning and heterogeneity was identified amongst the garnet samples in the current study. However as with the agate and carnelian materials, this heterogeneity is not believed to adversely affect the differentiation of garnet sources and assignment of archaeological samples to these sources. This topic is discussed further in Appendix 8.1.

Due to the varying proportions of different garnet species in a single sample, geochemical analysis of garnets have assisted with the identification of specific optical and physical characteristics that can be used to classify species of garnet using standard gem-testing equipment (Manson and Stockton 1985). Geologically, garnets have also been used in sediment provenance studies (Morton 1985). Different species of garnet are also known to be strongly associated with specific rock types (Wright 1938) and therefore have been used as indicator minerals for more valuable stones, such as diamonds. For the purposes of this study, it is significant that the composition of garnets is "related to that of the original host rock," (Bimson et al. 1982: 51). While major and minor elements can assist with determining the type of garnet and perhaps identifying the type of host rock in which garnets were formed, it was expected that the additional minor and trace elements associated with the host rock should assist in providing a unique fingerprint for garnets from specific sources.

Pyrope	$Mg_3Al_2Si_3O_{12}$
Almandine	$Fe_3Al_2Si_3O_{12}$
Spessartine	$Mn_3Al_2Si_3O_{12}$
Grossular	$Ca_3Al_2Si_3O_{12}$
Andradite	$Ca_3(Fe^{3+}, Ti)_2Si_3O_{12}$
Uvarovite	$Ca_3Cr_2Si_3O_{12}$
Hydrogrossular	$\text{Ca}_3\text{Al}_2\text{Si}_2\text{O}_8(\text{SiO}_4)_{1-m}(\text{OH})_{4m}$

Table 8.1: Chemical formulas for the different varieties of major garnet species (from Deer et al. 1982: 468).

Garnet Beads in Southeast Asia

Garnet beads are fairly unusual at Southeast Asian archaeological sites, but have primarily been found at coastal sites in Vietnam and Thailand (Figure 8.1). 51 spherical, hexagonal prism, elliptical and oblate shaped garnet beads have been reported from the southern coastal site of Giong Ca Vo (Nguyen Kim Dung 2001). Garnet beads in a variety of shapes were

also found at the site of Oc Eo, Vietnam (Malleret 1962: 221-2). Small spherical garnet beads have also been reported from the central Vietnamese coastal site of Lai Nghi (Andreas Reinecke, personal communication, 2011). Garnet beads from looted contexts have been found in peninsular Thailand (Bunchar Pongpanich, personal communication, 2011). A small piece of raw garnet was recently found at the site of Phu Khao Thong in peninsular Thailand and is discussed further below.

Unshaped and unpolished garnet beads, similar to those found in southeast Cambodia have been reported in the upper layers of the Krek 52/62 earthwork site in Cambodia (Albrecht et al. 2001). While 19 beads from Go O Chua have been found in either burial or likely burial contexts (Andreas Reinecke, personal communication, 2011) (Figure 8.2). No comprehensive studies of garnet beads from Southeast Asian sites have yet been undertaken and so other sites with additional garnet beads may exist.



Figure 8.1: Photo of garnet beads from Go O Chua, courtesy of Andreas Reinecke.

Garnet beads from Cambodia

A total of 23 garnet beads were recorded from four sites (Figures 8.2 and 8.3). Appendix 8.2 lists garnet beads in this study, their context, measurements, and morphological information. As discussed in previous chapters, Village 10.8, Prohear, Bit Meas, and Angkor Borei are all roughly contemporary with one another. Village 10.8 is the earliest of the sites, dating from 400

BC- AD 50, while the remaining three sites are believed to date from approximately 200 BC-AD 200.




Figure 8.2: Map of sites discussed in this chapter. Sites in italic are those with artifacts analyzed in this study.



Figure 8.3: Map of site in Cambodia with beads analyzed in this study.

Garnet beads from southeast Cambodia

18 beads from sites in southeast Cambodia, Village 10.8, Prohear, and Bit Meas, were recorded primarily from burial contexts (Table 8.2). All of the beads were notable for their natural, unmodified appearance (Figure 8.4). Beads were approximately 5-12mm in length,

made of a dark purple stone, and generally a rough oblate or barrel shaped. The surface of the beads was not polished and some had small nicks, chips, or imperfections. It seems that these garnet beads were simply picked up and drilled with no further modification. The bead perforations were also large and unusual.

Database ID	Site	Context	Perforations	Analyzed using
		information	examined using SEM	LA-ICP-MS
AKC00651	Bit Meas	Unknown		X
AKC00652	Bit Meas	Unknown		
AKC00653	Bit Meas	Unknown		
AKC00654	Bit Meas	Unknown		
AKC00731	Bit Meas	Unknown		X
AKC00606	Prohear	Burial 11	X	X
AKC00590	Prohear	Burial 20		X
AKC00334	Village 10.8	Burial 1	X	
AKC00335	Village 10.8	Burial 1		
AKC00337	Village 10.8	Burial 1		
AKC00338	Village 10.8	Burial 1	X	X
AKC00340	Village 10.8	Burial 1		
AKC00341	Village 10.8	Burial 1		
AKC00336	Village 10.8	Burial 3	X	
AKC00339	Village 10.8	Burial 3		X
AKC00333	Village 10.8	Burial 4	X	
AKC00310	Village 10.8	Burial 28		X
AKC00311	Village 10.8	Burial 34		X

Table 8.2: Beads from Bit Meas, Prohear, and Village 10.8 examined as a part of this study.




Figure 8.4: The 18 beads from southeast Cambodia recorded in this study.

Garnet beads from Village 10.8

Garnet beads from Village 10.8 were from 4 burials, all of which also contained agate and carnelian beads, glass artifacts, and other objects (Table 8.3). As discussed in Chapter 5, the burials from Village 10.8 lacked skeletal material due to the highly acidic soil. Burial 1 contained the highest number of garnet beads (n=6), as well as six carnelian beads. Other burials that contained higher numbers of carnelian beads did not also contain a high quantity of garnet beads. Half as many burials contained garnet beads (n=5) as those that contained agate and carnelian beads (n=10). It would appear that the garnet beads were more unusual or rare than agate and carnelian beads, which appeared at Village 10.8 in higher quantities.

Burial	Beads found in burial	Associated grave goods	
Number			
Burial 1	Six garnet beads	Six carnelian beads, two glass beads, broken ceramics,	
		iron tools and an iron bangle	
Burial 3	Two garnet beads	14 carnelian beads, glass beads, iron bangle, and broken	
		ceramics.	
Burial 4	One garnet bead	One carnelian bead, an iron tool, broken ceramics.	
Burial 28	One garnet bead	Eight agate beads, glass rings, broken ceramics, iron	
		tools.	
Burial 34	One garnet bead	Two carnelian beads, glass beads, an iron bangle, an iron	
		spade, broken ceramics.	

Table 8.3: A list of burials with garnet beads from Village 10.8 and their associated grave goods.

Garnet beads from Prohear and Bit Meas

Two garnet beads from Prohear were available for study, however about 200 beads have been recovered from a total of 76 burials excavated in the 2008, 2009, and 2011 field seasons (Andreas Reinecke, personal communication, 2011). The first bead examined was from Burial 11, which may be of a male, and was found with a stone pestle buried between his legs, bronze bracelets, iron objects, and blue glass beads. The other garnet bead was found in Burial 20, which also included iron bracelets. Garnet beads were also found at the nearby looted site of Bit

Meas, believed to be contemporary with Prohear (Reinecke et. al 2009). All five of the garnet beads studied from Bit Meas are from an unknown context.

Garnet beads from Angkor Borei

Five spherical garnet beads were recorded from the Angkor Borei bead collection (Figure 8.5). In contrast to the beads from southeast Cambodia discussed above, the Angkor Borei beads are a deep reddish-purple, round or spherical in shape, and range from approximately 3-4mm in diameter, with one bead being slightly larger at about 5-6mm in diameter. The five beads were excavated from the densely packed Angkor Borei cemetery and are thus far the only garnet beads found at the site (Table 8.4). A single garnet bead, as well as several glass beads, was found in Burial 16, which contained the remains of a 25-35 year old female, a 12-20 year old male, and a young adult male. Burial 21 contained a single garnet bead and was found in a grave that contained portions of four skeletons: a 17-18 year old female, 30-35 year old male, a 30-50 year old male, and an unidentified adult. Lastly, a garnet bead was found in Burial 48, a burial that contained the remains of a 30-35 year old female and adult male. Burial 48 also contained several glass beads. Two other beads were found within the cemetery excavation but not directly associated with a burial.



Figure 8.5: Garnet beads from Angkor Borei.

Database ID	Context	Sex/Age	Number of	Associated grave
			beads	goods
AKC03030	Burial F16	F, 25-35 years old	1	Glass beads
	Cat # 1767	M, 12-20 years old		
		M, Young adult		
AKC03032	Burial F21	F, 17-18 years old	1	N/A
	Cat # 1835	M, 30-35 years old		
		M, 30-50 years old		
		Unidentified adult		
AKC03031	Burial F48	F, 30-35 years old	1	Glass beads
	Cat #3284	M, Adult		
AKC03033	Unit AB7 Block 4S	N/A	1	N/A
	Layer 5, Level 26			
	Cat # 2801			
AKC03034	Unit AB7 Block 4N	N/A	1	N/A
	Layer 5, Level 30			
	Cat # 3333			

Table 8.4: A list of garnet beads found at Angkor Borei.

Examining the bead perforations

In addition to the clear morphological differences, the bead perforations on the garnet beads from southeast Cambodia were irregular or conically shaped and visually distinct from the cylindrical perforations seen on the garnet beads found at Angkor Borei, as well as the agate and carnelian beads (Figure 8.6). For this reason, I decided to take impressions of the perforations using dental impression material for further investigation using a scanning electron microscope (SEM). Investigating the method used to drill a bead is important because the different technologies and methods used are often related to distinct cultural traditions (Kenoyer 1992). Previous research using dental impression material to examine bead perforations has successfully identified unique traits related to specific drilling methods (see Gorelick and Gwinnett 1988; Gwinnett and Gorelick 1986, 1998; Gorelick et al. 1996;). Additional research has emphasized the importance of using high-resolution SEM images to determine the different drill types (Kenoyer and Vidale 1992; Kenoyer 1997). Impressions were taken on all of the beads recorded and a selection of beads was chosen for SEM analysis in the Biological & Biomaterials Preparation, Imaging, and Characterization Laboratory (BBPIC) at the University of Wisconsin-Madison. Results from SEM analysis show clear differences between the Angkor Borei garnet bead perforations and the beads from Southeast Cambodia. It also appears that the beads from southeast Cambodia were drilled using multiple methods.




Figure 8.6: Drawing showing the difference between the cylindrical Angkor Borei perforations (left) and the bi-conical (middle) and irregular (right) perforations on garnet beads from southeast Cambodia.

Garnet bead perforations from Angkor Borei

Drill hole impressions from two of the five garnet beads from Angkor Borei were analyzed using SEM (AKC03031 and AKC03033). The drill holes and their impressions were cylindrical with parallel drilling striae and rough cutting surface, typical of beads drilled using a diamond drill (Gorelick and Gwinnett 1988; Kenoyer and Vidale 1992). Under SEM the impressions displayed a pattern of regular, spiraling striae or grooves also representative of the double-diamond drilling technique (Gorelick and Gwinnett 1988) (Figure 8.7). Double-diamond drilling involves the use of a drill with two diamond chips mounted on the drill tip (Gorelick and Gwinnett 1988; Kenoyer and Vidale 1992). A similar drilling method is also assumed for the three additional beads that did not undergo SEM analysis, based on visual inspection of the impressions using a desktop digital microscope.

As noted in Chapter 5, diamond-drilling techniques have been practiced in India since at least 600 BC (Kenoyer 2003) and are strongly associated with the peninsular Indian bead industry (Kenoyer et al. 1991). Single diamond drills, in which a single diamond chip is inserted into the tip of a metal drill, were also used. However this drill type is more commonly found in the northern and western parts of Asia (Kenoyer 1992, 2003). It should be noted that no ethnographic or archaeological studies have been conducted on garnet bead production in either

South or Southeast Asia and that the aforementioned experimental and archaeological studies have focused on the bead production techniques and drill patterns produced on agate or quartz. However, it is expected that similar drill patterns would be produced on garnet beads, as garnet has a hardness of Mohs 6.5-7.5, while agate and carnelian have a hardness of Mohs 6.5-7.0.




Figure 8.7: SEM images of bead perforations from Angkor Borei.

Garnet bead perforations from sites in southeast Cambodia

The drill hole impressions from beads found in southeast Cambodia displayed a variety of shapes, from bi-conical drill holes, to those that were generally cylindrical but with irregularities. Drill hole impressions from five beads were analyzed using SEM (Table 8.5). The drill holes and impressions of two beads (AKC00333 and AKC00334) showed a tapered bi-conical shape (Figure 8.8 and 8.9). The side wall of the drill holes is rough, without any of the concentric lines or grooves as seen with the diamond-drilled beads. This rough side wall pattern has been replicated in experimental studies using copper drills with abrasive on both marble and hematite (Gwinnett and Gorelick 1987b). However, ongoing experimental studies using stone drills have also produced similar rounded impressions and rough side walls (Jonathan Mark Kenoyer, personal communication, 2011). Recent experimental studies undertaken by the author have used a chert drill with an abrasive. Garnet is a harder stone than both hematite and marble, and other garnet beads from this collection believed to have been drilled with a copper drill have a different impression. For this reason, AKC00333 and AKC00334 are tentatively classified having been drilled using a stone drill, possibly with abrasive.

Site Name	Database ID	Proposed Drilling Method
Village 10.8	AKC00333	Stone drill (with abrasive?)
Village 10.8	AKC00334	Stone drill (with abrasive?)
Village 10.8	AKC00336	Copper drill with abrasive
One drillVillage 10.8	AKC00338	Copper drill with abrasive
Prohear	AKC00606	Unknown

Table 8.5: Beads from southeast Cambodia whose perforations were examined using SEM.

Another garnet bead, AKC00606 also has a biconical drill hole impression, although with an important difference. While one side showed a rounded tip (AKC00606a) similar to that seen in AKC00333 and AKC00334, the other side (AKC00606b) has a dimple or central depression

(Figure 8.10). Similar depressions were found in experimental studies in which the leading edge of the drill becomes worn over time resulting in a tapered tip, and the subsequent creation of a depression in the stone bead being drilled (Gwinnett and Gorelick 1979). This result was found when using both wooden (Gwinnett and Gorelick 1979) and copper drills (Gwinnett and Gorelick 1987). The exact drilling method of this bead is currently unknown.




Figure 8.8: SEM images of perforations from AKC00333




Figure 8.9: SEM images of perforations from AKC00334




Figure 8.10: SEM SEM images of perforations from AKC00606

Two other beads (AKC00336 and AKC00338) have fairly cylindrical impressions, though they are irregular and not as straight as seen with the diamond-drilled beads (Figures 8.11 and 8.12). Unlike the AKC00333 and AKC00334 beads, these impressions show evidence for uneven lines and grooves in the side wall of the drill holes. Gwinnett and Gorelick observed similar irregular lines or bulges in their experimental studies when using a copper drill, noting that "the combination of pressure and heat during drilling produce[s] plastic deformation at the

leading edge of the copper drill" (1989: 41). This deformation, or flaring, of the copper drill then leaves the distinct bulges or collars in the side wall of the drill holes. Additionally, the concentric lines seen in these impressions could have been produced by the addition of a hard abrasive such as emery or corundum (Gwinnett and Gorelick 1987: 23). This type of bulging pattern has been seen on both solid copper and copper tubular drills in experimental studies (Jonathan Mark Kenoyer, personal communication, 2011). Both beads are believed to have been drilled using a copper drill with abrasive.




Figure 8.11: SEM images of perforations from AKC00336




Figure 8.12: SEM images of perforations from AKC00338

It is clear that garnet beads from Village 10.8, Prohear, and Bit Meas were not drilled using a double-diamond drill, and that multiple drilling techniques were used, such as copper, stone, and wooden drills with an abrasive. Archaeologists have noted the use of bamboo drills with abrasive to perforate objects made of nephrite at both East and Southeast Asian sites (Hansford 1950; Nguyen Thi Kim Dung 1996). At the Bronze Age Trang Kanh jewelry workshop in northern Vietnam, researchers have identified stone drills with a ground circular

cross section as well as a bronze drill used to produce nephrite beads (Nguyen Thi Kim Dung 1996). Nephrite has a comparable hardness as some garnets (Mohs 6.5). Therefore it is possible that similar drilling methods were used on softer garnets to make beads. However, harder garnet beads would have to be drilled with corundum or emery. While these beads may have been drilled using locally known drilling techniques, they are distinct from the local nephrite jewelry tradition in that the beads were not shaped or polished, nor do they seem to have been widely traded outside of this regional area. Experimental studies using different drilling methods will help clarify the different methods used to drill the garnet beads and future studies may update and correct these classifications.

LA-ICP-MS Analysis of garnet beads

The morphological and bead perforation differences between the garnet beads from Angkor Borei and the garnet beads from southeast Cambodia point towards the presence of two distinct bead making traditions. The diamond drill technique used on the Angkor Borei garnets tie these beads in with a South Asian beadmaking tradition, however the beads from southeast Cambodia may be representative of a local beadmaking tradition. Unfortunately, the identification of a local bead production workshop may be difficult as it appears natural stones were drilled without having been shaped or polished. As noted in Chapter 5, Ethnoarchaeological studies of contemporary agate and carnelian bead-making workshops in India have highlighted the importance of debitage and flaking debris in identifying ancient bead workshops (Kenoyer et al. 1991). While ongoing experimental studies will assist in the better understanding how these garnet beads were drilled, drilling natural stones produces little material evidence that would be visible archaeologically. For this reason, compositional analysis was performed on the garnet

bead artifacts in order to determine if the Angkor Borei and southeast Cambodia garnets were geochemically distinct from one another. These artifacts were also compared with several South and Southeast Asian geologic source samples in an attempt to identify the raw material source used to produce the beads. All five garnets from Angkor Borei and eight beads from the southeast Cambodia sites as well as and 68 samples from nine geologic sources were analyzed using LA-ICP-MS.

Two additional samples were opportunistically included in LA-ICP-MS analysis. Both were part of a larger selection of glass artifacts analyzed by Laure Dussubieux at the Field Museum's Elemental Analysis Facility. The first is a garnet bead from the site of Porunthal in south India (Figure 8.14). This bead appears to have been a natural pebble that was polished and drilled. The exact archaeological context of this garnet bead is unknown, however a cultural deposit containing thousands of glass beads and other materials has been tentatively dated from the 1st century BC to 3rd century AD (Rajan 2009). The second is a piece of raw garnet found in excavations at the site of Phu Khao Thong (Figure 8.14). Phu Khao Thong is located on the Thai peninsula, close to the important trading and craft production site of Khao Sam Kaeo (Map Figure 8.2). These samples were compared with the geologic sources and artifacts from Cambodia. Appendix 8.3 lists the final measurements for all archaeological and geologic samples. 42 elements are included with major and minor elements listed as percent oxide and trace elements as parts per million (ppm).



Figure 8.13: Garnet artifacts from Porunthal, India (left) and Phu Khao Thong, Thailand (right)

Previous compositional studies of garnet artifacts

There have been several recent archaeological studies attempting to provenience garnets using a variety of methods including PIXE (Calligaro et al. 2002; Farges 1998; Mathis et al. 2008; Perin et al. 2007) electron microprobe (Rösch et al. 1997; Quast and Schüssler 2000; (Velde and Courtois 1983), X-ray fluorescence analysis (Bimson et al. 1982) and X-ray diffraction analysis (Schüssler et al. 2001). While these studies were able to successfully analyze garnets using non-destructive methods, they were only able to provide preliminary conclusions about the source of garnet artifacts because no geological source samples were analyzed. Several studies relied on previously published data of non-specific sources from Europe and South Asia from Quast and Schüssler (2000) (e.g. Calligaro et al. 2002; Perin et al. 2007). Other studies focused more specifically on classifying the garnet end-member components and determining different groups, but not identifying their source, or else only compared analyzed samples to other archaeological garnets (Bimson et al. 1982; Farges 1998; Mathis et al. 2008; Rösch et al. 1997; Schüssler et al. 2001). The current study is an improvement on this previous research in that both geologic sources and artifacts were analyzed together, thus beginning a database of potential garnet sources that can be used by other scholars in the future.

Garnet Geologic Sources

Nine geologic samples were analyzed in the current study, including seven sources in South and Southeast Asia (Table 8.7). However, unlike the agate and carnelian geologic samples, all samples used in this study were acquired through gem dealers as there was not time or funding to visit sources in person. For this reason, many samples have only general regional identifications. Additionally, I cannot be certain that all of these geologic sources came from the location I was told they originated from. Despite these caveats, this study provides an important first step in creating a database of potential garnet geologic sources. Garnets from the Anthill garnet source in Arizona, and garnets from a garnet mine Mozambique, Africa, well-known sources outside of Asia, were also sampled to determine if LA-ICP-MS could accurately distinguish between these samples and those collected from Asian sources.

Source name	Number of	Range of Sum-	Range of Sum-	Range of Sum-	Range of Sum-
	samples analyzed	Normalized	Normalized	Normalized	Normalized
	unary zea	Ca	Fe	Mg	Mn
Sri Lanka Group 1	9	3-5%	71-76%	8-11%	4-17%
Sri Lanka Group 2	6	2-5%	82-87%	7-14%	<1-2%
(Ratnapura?)					
South India	10	4-5%	80-82%	8-11%	1-7%
Phu Tho province,	10	5-12%	53-67%	19-37%	1-9%
Vietnam					
"India"	9	1-5%	68-77%	20-25%	1-2%
Orissa, India	10	3-9%	59-73%	23-36%	1-4%
Anthill, Arizona	6	15-35%	31-54%	22-53%	1-2%
Mozambique, Africa	6	10-13%	53-58%	29-34%	2-3%
Lam Dong province,	2	1%	11-16%	<1%	83-87%
Vietnam					
Total	68				

Table 8.6: Geologic sources analyzed in the current study

Three geologic samples from India were acquired from gem dealers, including samples from south India, Orissa, and an additional unknown source location in India, called "India" in

the table above (Figure 8.14). The exact location of the south Indian source is unknown, however garnet is currently mined in Tamil Nadu and Andhra Pradesh (Shigley et al. 2010). Additionally, the south Indian village of Kondapalli, Andhra Pradesh, has "long been famous" for its garnets and garnet gemstones (Bauer 1968: 354), as well as the sites of Mahurjhari, Arikamedu, and Kodumanal (Francis 2002).




Figure 8.14: South Asian garnet sources and sites discussed in this chapter.

Two groups of samples were acquired from Sri Lanka, including one group from an unknown source (Sri Lanka Group 1) and a second (Sri Lanka Group 2) that may be from the mines at Ratnapura (Katie Lindstrom, personal communication, 2010) (Figure 8.14). Sri Lanka is an important center for gemstones and may have been discussed by ancient travelers as early as the 4th century BC (Zwaan 1982). Garnet beads may have been produced at two Early Historic period sites of Anuradhapura and Tissamahara (Coningham et al. 2006; Hannibal-Deraniyagala 2001; 2005) (Figure 8.14). Currently, almandine and pyrope-almandine garnets are mined in central Sri Lanka, especially at the mines of Elahera (Gunawardene and Rupasinghe 1986) and in the southern part of Sri Lanka, including the famous mine of Ratnapura (Dissanayake et al. 2000:14; Shigley et al. 2010)(Figure 8.14).

Garnet is also quite widespread across mainland Southeast Asia, however it is not mined in the quantities seen in India and Sri Lanka. Gem quality garnets have been found in Myanmar (Shigley et al. 2010), Thailand (Aranyakanon Payome 1983), Cambodia (Chrea Vichett et al. 1999), and Vietnam (Van Long et al. 2004). Two groups of garnet geologic samples were obtained from sources in Vietnam (Figure 8.15). The first are from a garnet mine in Phu Tho province in northern Vietnam. The second set of samples consists of two garnet inclusions in a piece of quartz from Lam Dong province in southern Vietnam. This source was selected for analysis based on a suggestion that garnets from Lam Dong province may have been the source of the garnet beads found at the Early Historic site of Oc Eo, Vietnam (Francis 2002:142).



Figure 8.15: Southeast Asian garnet sources and potential source areas discussed in this chapter.

Analysis and results: Distinguishing between the geologic sources

Following LA-ICP-MS analysis, the first step was to determine which garnet species were present. As noted earlier, garnets rarely occur in their pure end-member form, and are

often a mixture of several sub-species. Recent research has provided a way to easily convert chemical analyses into molar proportions of various end-member components (Locock 2008). However, this method assumes a different stoichiometry than used in the current analysis, therefore a different approach was needed. For this reason, the major elements of almandine (Fe), pyrope (Mg), spessartine (Mn), and ugrandite series garnets (Ca) were sum-normalized to 100% as a proxy to determine the major sub-species present within a single garnet sample (Table 8.7). Based on the varying quantities of these major elements, the garnet sources were divided into three groups (Figure 8.16). Principal Components Analysis (PCA) and bivariate plots were also performed to identify more specific differences between the sources. This is discussed in more detail in Appendix 8.4. Principal Component scores used in the PCA plots in this chapter are listed in Appendix 8.4.

The almandine-rich group contained samples from Sri Lanka Group 1, Sri Lanka Group 2, and South India. Per the sum-normalized table, garnets in this group were predominantly iron rich almandine (70-87% Fe) with moderate amounts of pyrope (7-14% Mg) and lesser amounts of spessartine and ugrandite-series garnet. The second group, which I will call almandine-pyrope, contained garnets with a high percentage of Fe (44-77%), but higher levels of pyrope than the almandine group. These garnets also contained higher concentrations of Ca than Mn (Table 8.7). The sources in this group included Phu Tho, the unknown Indian source, Orissa, Anthill, and garnets from Mozambique. The final group consisted of garnets from a single source: Lam Dong. Although only two garnets were analyzed, these samples were clearly different from the other sources and artifacts due to the high levels of Mn (83-87%), classifying them as spessartine garnets.




Figure 8.16: Ternary diagram of sum-normalized Fe, Mn, and Mg noting three different groups of garnets: group 1 (almandine rich), group 2 (almandine-pyrope), and group 3 (Lam Dong garnet).

Assigning garnet artifacts to geologic sources

As with the geologic sources, the first step when examining geochemical data from the garnet artifacts was to classify them into different groups based on the sum-normalized totals of their major elements (Table 8.8). The Angkor Borei and Porunthal garnet artifact belonged to the

almandine rich group. However, despite similarities with the major elements, these artifacts were clearly distinct from the geologic sources in this group. In order to identify similarities and differences between these archaeological samples and the almandine-rich garnet sources, a PCA was performed using the elements Co, Tb, V, and Zn. Figure 8.17 shows both the artifacts and source samples plotted by their first and second components. These artifacts plot near to the South India source, although they are distinct from this source due to higher levels of Co and Zn. It is also notable that the Angkor Borei garnet beads and Porunthal garnet share a similar composition. Although it is clear that the geologic source material for these artifacts has not been found, it appears that they may derive from the same source. Although I was unable to take an impression of the Porunthal perforation visual inspection indicates that the drill hole was cylindrical and similar to the Angkor Borei perforations and beads drilled using a diamond drill. It is likely that the source for both beads may be in South Asia, due to the abundance of possible sources and the predominance of this unique drilling technique. However, a Southeast Asian source cannot yet be ruled out.

Database	Site	Sum-	Sum-	Sum-	Sum-
ID		Normalized	Normalized	Normalized	Normalized
		Ca	Fe	Mg	Mn
AB1767	Angkor Borei	1.75%	87.02%	5.72%	5.51%
AB1835	Angkor Borei	1.69%	89.91%	5.79%	2.62%
AB2801	Angkor Borei	1.64%	88.25%	6.55%	3.56%
AB3284	Angkor Borei	1.85%	89.03%	6.56%	2.55%
AB3333	Angkor Borei	1.94%	89.77%	5.85%	2.44%
AKC00310	Village 10.8	20.36%	36.68%	41.54%	1.42%
AKC00311	Village 10.8	20.23%	39.52%	38.79%	1.46%
AKC00338	Village 10.8	19.27%	36.66%	42.68%	1.39%
AKC00339	Village 10.8	19.06%	35.11%	44.59%	1.24%
AKC00590	Prohear	19.18%	43.31%	35.91%	1.59%
AKC00606	Prohear	18.88%	43.43%	36.12%	1.57%
AKC00651	Bit Meas	18.74%	37.54%	42.29%	1.43%
AKC00731	Bit Meas	19.54%	39.24%	39.75%	1.47%

Porunthal	Porunthal,				
Garnet	India	1.46%	89.97%	5.25%	3.33%
PKT	Phu Khao				
Garnet	Thong,				
	Thailand	14.49%	54.07%	28.60%	2.84%

Table 8.7: Garnet artifacts analyzed in this study and their sum-normalized major elements.




Figure 8.17: Principal component analysis of the Group 1 almandine garnets and artifacts from Angkor Borei and Porunthal. The first component summarizes 59% of the variance and the second component accounts for 32%.

The Southeast Cambodia garnets and Phu Khao Thong garnet were placed in the almandine-pyrope group, although these artifacts differed from one another. The Southeast Cambodia garnets had nearly equal proportions of Fe and Mg, a high concentration of Ca (19-20%) and a small concentration of Mn. The Phu Khao Thong garnet had higher levels of Fe and lower levels of Mg. However, when included in PCA with the almandine-pyrope geologic source groups, these artifacts clearly plot away from the other sources (Figure 8.18). The Southeast Cambodia garnets are distinctive for their moderate levels of Ca and extremely high levels of Ti

(over 2000 ppm), the highest of any garnet artifact or source sampled in this study (Figure 8.19). This composition is similar to the group 3 "common eclogite group" garnets identified by Dawson and Stephens (1975:603). Diamonds are also commonly found within the common eclogite group, and thus examining material from contemporary diamond mining operations in South and Southeast Asia may assist in also identifying this garnet source.




Figure 8.18: Principal component analysis of the group 2 almandine-pyrope garnets and artifacts from southeast Cambodia and Phu Khao Thong. The first component summarizes 44% of the variance and the second component accounts for 22%.




Figure 8.19: Bivariate plot of Ca vs Ti (logged). The Southeast Cambodia garnets (circled) have a high concentration of Ti in comparison with the other sources and artifacts.

The Phu Khao Thong garnet is distinguished by low concentrations of several elements, including Sc, V, and Y. Although the Phu Khao Thong garnet plots near the Anthill sources, it is clear that this garnet piece did not come from Arizona. Rather, it is more likely that the Phu Khao Thong artifact derives from an unknown source that shares a similar composition to the Anthill source. It is notable that this sample is also compositionally distinct from the other garnet artifacts, and points toward the complex bead production and trade networks in play during the Iron Age period. Phu Khao Thong was an important international trading center during the Iron Age and Early Historic period with numerous artifacts from South Asia (Noonsuk 2005: 42); therefore it is possible that this piece could derive from a source in either South or Southeast Asia.

Other potential sources

Although the sources for the archaeological garnets have not yet been found, there are numerous potential sources in South and Southeast Asia. As noted above, diamond-mining sites in Vietnam often yield garnet deposits. Kane and others have also noted the widespread presence of garnets associated with sapphire, zircon, and ruby deposits in southern Vietnam (1991: 153). Large garnets have also been discovered near Bien Ho in central Vietnam (Figure 8.15) (Kane et al. 1991). It is possible that one of these deposits could be the source location for the SEA Garnet Beads. However, the restricted distribution of these artifacts strongly suggests a source located somewhere in southeast Cambodia or southern Vietnam. Further analysis will be needed to confirm to identify this source.

In their recent study, Calligaro and others (2002) identified three garnets that they believe originated from South Asia. Type 1 from an unknown Indian source is described as quasi-pure almandine, Type II believed to be from Rajasthan, India was classified as almandine with manganese, while Type III an intermediate "rhodolite" or almandine-pyrope, was believed to come from Sri Lanka. Although compositional data was only provided for the elements Fe, Mg, Ca, Mn, Cr, and Y (see Calligaro et al. 2002 Table 1), it appears that the South Asian garnets in this study are distinct from the sources studied by Calligaro. This highlights the great diversity of garnet sources found across South Asia. Opportunistic analysis of the garnet samples from Porunthal and Phu Khao Thong India point toward at least three distinct garnet sources used during the Iron Age period. A more comprehensive study using well-provenienced sources would have much archaeological value.

Conclusion

This chapter presented morphological evidence, SEM analysis of bead perforations, and geochemical compositional data to demonstrate that the beads from Angkor Borei and sites in southeast Cambodia (Village 10.8, Prohear, Bit Meas) are different from one another. Although LA-ICP-MS was able to successfully measure and differentiate between geologic sources and artifacts, the inability to accurately characterize the proportion of garnet end-members within a sample using Locock's methodology (2008) is a drawback to this technique. Future studies may wish to combine LA-ICP-MS with techniques such as SEM-EDS to measure major elements. Additionally, future studies may wish to use more than five point ablations per sample in order to better account for the zoning of elements, as well as including additional samples in order to better characterize and understand the variation within a single source.

Despite these caveats, I argue that the geochemical and morphological evidence suggests that there was both importation and local manufacture of garnet beads. In the beginning of this chapter I introduced several questions that I would like to consider in more detail.

What are the morphological and manufacturing differences between the Angkor Borei garnets and garnet beads from Village 10.8, Prohear, and Bit Meas?

The Angkor Borei garnets have been shaped and polished. Additionally SEM analysis of drill hole impressions indicates that these beads were drilled using a diamond-drilling technique. This technique is strongly associated with the South Asian beadmaking industry. Conversely, the beads from southeast Cambodia do not appear to have been shaped or polished. SEM analysis of the drill hole impressions suggest beads were drilled using copper, wood, or stone

drills with an abrasive, techniques that were likely used in the local nephrite jewelry production industry. I argue that the SEA Garnet Beads are the product of a local bead production industry. Are there geochemical differences between beads from Angkor Borei and beads from Prohear, Bit Meas, and Village 10.8, and is there geochemical evidence for production of garnet beads using Southeast Asian stone sources?

LA-ICP-MS analysis confirms that there are clear geochemical differences between the two sets of beads. However, the limited number of geologic sources analyzed did not allow for the identification of the geologic sources used to produce either set of beads. Therefore, there is not yet clear geochemical evidence for production of beads in Southeast Asia. Nevertheless, a compositional similarity between the Angkor Borei beads and the bead from Porunthal, as well as the diamond drilling technique used, and the long history of bead production in South Asia strongly suggest an origin for these beads in South Asia. This connection with South Asia is not surprising, as noted earlier Angkor Borei is believed to have been an important trading center. Evidence from agate and carnelian beads suggests connections with South Asia. However, we cannot yet rule out possible bead production in Southeast Asia. Oc Eo was believed to have been a stone bead production center (Malleret 1962) and Francis has argued that bead-making traditions at Oc Eo may have ultimately derived from Arikamedu, India (2002). Despite their unknown manufacturing location, it is interesting to note that similar garnet beads have not yet been recorded at other Iron Age sites in Cambodia and only in small quantities at other sites in the region, and thus were not broadly distributed like agate, carnelian, and glass beads.

Although there is not yet clear geochemical evidence for the local production of the garnet beads from southeast Cambodia, the limited distribution of the unique garnet beads found

at sites in Southeast Cambodia and southern Vietnam suggests that bead were likely locally produced. Southeast Asian craftsmen were familiar with hard-stone jewelry production, as objects made from nephrite had been manufactured and widely distributed in Southeast Asia since the Neolithic period (e.g. Hung et al. 2007; Nguyen 1996). In contrast, SEA Garnet Beads seem to have been manufactured in smaller quantities and had a more localized distribution. They reflect a different scale and type of craft manufacturing and distribution from the local nephrite jewelry industries.

Nevertheless, as the exact geologic sources for these beads have not yet been identified, I cannot yet rule out that the beads from southeast Cambodia may have been imported. Garnet beads made from natural stones have also been reported from sites in southern India, including Arikamedu (Francis 2004: 493), Kodumanal (Gwen Kelly, personal communication, 2011) and Porunthal, although some of the beads from this site appear to have been polished. However, there has not yet been in-depth examination of the drilling method used to make these beads and it is possible they share similar drilling patterns as seen with the garnet beads found in Southeast Cambodia. Drilling techniques in India did vary by region and workshop, for example Peter Francis has noted that copper drills and abrasives were being used in western and southern India. However, he argued that by the time India began more extensive maritime relations with Southeast Asia "the double-tipped diamond drill was established" (2002: 110). Additionally, the Indian natural stone beads differ in that photographs indicate they may have been polished. Although garnet bead production is still poorly understood, the ubiquity of the double-diamond drilling technique in South Asia, the lack of this drilling technique amongst the beads from southeast Cambodia as well as their restricted distribution in southern Cambodia and Vietnam

points toward the presence of a local Southeast Asian hard stone beadmaking tradition. It is hoped that continued analysis of geologic source samples would eventually identify the raw material source for both sets of beads.

What can these beads tell us about trade and exchange networks during this period?

The limited distribution of the garnet beads from southeast Cambodia and similar beads in southern Vietnam is notable and indicates that these beads may have been produced only for a regional exchange network connecting a geographically limited set of communities. While sites in southeast Cambodia had access to goods traveling through broader trade networks, including Dongson drums and agate and carnelian beads, the garnet beads do not appear to have been traded within these networks. The limited burial data also suggest that garnet beads were not found solely within burials that had large numbers of grave goods and may have been widely accessible to community members. It is possible that these distinctive beads may have also had unique and localized meanings and values, separate from imported carnelian and glass beads, whose value may have been related to their association with foreign craft producers (e.g., Bellina 2003).

The limited distribution of shaped, polished, and diamond-drilled garnet beads, like those found at Angkor Borei also points to a more restricted exchange of these artifacts than the agate/carnelian and glass beads. Numerous garnet artifacts have been reported at coastal sites in Vietnam and Thailand and at the Mekong Delta sites of Angkor Borei and Oc Eo. However, these beads have not yet been found at inland sites. Perhaps these objects were not popular among inland communities or people in coastal communities did not choose to include these objects in exchange networks with inland communities.

Data from garnet beads at both Angkor Borei and the southeast Cambodian sites highlight that there were multiple complex trade networks in play during the Iron Age period. Some of them may have been emphasizing regional connections such as in southeast Cambodia. While the Angkor Borei garnet beads appear to be tying this site with long-distance exchange networks in South Asia, and perhaps to other coastal communities participating in similar long-distance exchange networks. In the final chapter, I consider the data from this chapter in combination with the agate and carnelian and glass data in order to address questions regarding trade networks, the control of trade, and emerging socio-political complexity in the Mekong Delta during the Iron Age period.

Chapter 9: Discussion and Conclusion

In previous chapters I presented evidence from agate/carnelian, glass, and garnet beads identifying different bead types and patterns in their geographical distribution. In this final chapter, I use these data to return to the questions raised in Chapter 1, explore in more depth the different trade and exchange networks present during the Iron Age period, and discuss the implications for socio-political development in the Mekong Delta. I begin by addressing evidence for distinctive bead trade networks over time and space. I then discuss how the glass and stone bead data can be used to identify emerging socio-political and economic networks in the Mekong Delta during the first few centuries AD. This is concluded by a brief discussion of people who had a high quantity of beads in their burial, followed by a discussion of the accomplishments of this dissertation and directions for future research.

Bead trade and exchange patterns over time and space

Connections to early coastal exchange networks

As discussed in Chapter 3, archaeological evidence across mainland Southeast Asia suggests two broad phases of interaction with South Asia (Bellina and Glover 2004): an earlier phase (Phase 1) during the mid-late first millennium BC, in which there was more sporadic trade with a variety of objects. This was followed by a later phase (Phase 2) of more intense trade during the early first millennium AD, in which there was a greater quantity of goods, but less variety than Phase 1. Scholars have noted a difference in the type of glass and stone beads available during each of these periods (Bellina 2003, 2007; Lankton and Dussubieux 2006, 2013). During Phase 1 (last half of the first millennium BC into the early centuries AD) agate and

carnelian beads are generally found in more complex shapes, are of a higher quality, and with a smaller perforation size, although generally drilled with a diamond drill (Bellina 2003, 2007).

Additionally, potash glass beads are found in high quantities at sites across mainland Southeast Asia (Lankton and Dussubieux 2006, 2013).

The Period 1 type agate and carnelian beads have predominantly been found at sites on the coasts or with links to coastal exchange networks (Bellina 2007). In Bellina's (2007) study, the early sites with the Period 1 Type beads also contained nephrite ear ornaments, evidence of connections to the Sa Huynh culture and participation in these coastal exchange networks. Furthermore, potash glass predominantly has also been found at coastal sites in northern and southern Vietnam, as well as peninsular Thailand, and at the important Thai trading site of Ban Don Ta Phet (Lankton and Dussubieux 2006, 2013). I argue that agate, carnelian, and potash glass beads were being incorporated into pre-existing regional trading networks that were already linking coastal sites and important inland sites to one another through the exchange of prestige objects including nephrite ear ornaments (Christie 1990, 1995; Dzung 2011) (Figures 9.1 and 9.2). Elites appear to have been incorporating these new objects into the pre-existing repertoire of personal ornaments (Bellina 2007).




Figure 9.1: Map showing locations of sites with Phase 1 agate/carnelian beads and potash glass based on previous studies by Bellina (2007) and Lankton and Dussubieux (2013). Note the similarity in the distribution of these objects with the distribution of nephrite ear ornaments in mainland Southeast Asia noted by the blue and yellow stars in Figure 9.2 (below).




Figure 9.2: Map of the distribution of Taiwan nephrite artifacts in Southeast Asia from Hung et al. 2007 (Figure 3). The green shaded area represents the currently known distribution of Taiwan nephrite artifacts. The Fengtian nephrite deposit is noted by the green triangle. Yellow stars represent sites outside Taiwan with positively identified Fengtian nephrite artifacts and blue stars represent sites with jade artifacts of possible Fengtian origin. Black circles denote sites that have identified nephrite of non-Fengtian origin.

The question still remains if the agate, carnelian, and glass beads found at these sites during the early Iron Age actually originated in South Asia. Bellina (2007; Bellina and Glover 2011) has argued that evidence from Khao Sam Kaeo suggests that Indian craftsmen may have been living and working in Southeast Asia and several scholars (Glover and Henderson 1995; Lankton and Dussubieux 2006) have suggested that some potash glass may have been manufactured in northern Vietnam or southern China. Although more evidence is needed, one

could argue that Southeast Asians may not have associated these objects with South Asia or afforded them the prestige associated with exotic objects traded through long-distance exchange networks (Helms 1993). However, based on evidence from the current study, including the uneven distribution of stone and glass beads both within sites and between sites, I argue that stone and glass beads were considered to be prestige objects.

Based on the presence of Period 1 type agate and carnelian beads and large numbers of potash glass, I argue that sites in southeast Cambodia, Village 10.8, Prohear, and Bit Meas, as well as the peninsular Thai site of Khao Sam Kaeo had connections to these early coastal exchange networks (Figure 9.3). Promtin Tai in central Thailand may also belong to this group, but will be discussed separately below. Khao Sam Kaeo has already been considered to be an important early urban center and trading site by other scholars (Bellina 2007; Bellina and Silapanth 2006, 2008; Glover and Bellina 2011; Lankton et al. 2008). My new research using different sets of data provides additional confirmation of patterns suggested by these earlier scholars. However, my research has added new information by showing that sites in southeast Cambodia, located farther inland than other coastal sites noted above, also appear to be connected to these coastal exchange networks. Although Prohear had only a few agate and carnelian beads, the hexagonal flattened bicones are an especially diagnostic type associated with sites involved in the coastal exchange networks (Theunissen 2003). Fragments of or whole Dongson drums have also been found at all three sites (Reinecke et al. 2009; Heng 2005) and Prohear may even share connections with sites further to the northeast in southern China (Reinecke et al. 2009: 166-7).




Figure 9.3: Map of sites in this study with potash glass beads and Phase 1 agate/carnelian beads.

It is likely that Krek 52/62, a circular earthwork site located near the other southeast Cambodia sites discussed above, may belong within this group as well. While the single carnelian bead included in this study was not particularly diagnostic, evidence from glass artifacts and a garnet bead link this site with both regional and coastal exchange networks. As noted in Chapter 7, potash glass beads were also found at Krek as well as a bangle fragments that appears compositionally similar to those produced at Khao Sam Kaeo. Taken together, this evidence suggests that Krek 52/62 had contact, although limited, with regional coastal exchange networks.

It is not clear how people living at these inland settlements were involved in the broader coastal exchange networks, however they likely provided natural or forest products for exchange to a coastal trading hub in a method suggested by Bronson (1977). Documents historic documents from later periods discuss the exploitation of aromatic woods, spices, and bird feathers from the forests (Reid 1988, 1992). Northeast Thailand was a well known source of salt during the prehistoric and historic periods (Nitta 1999), while the Thai/Malay peninsula was likely an important source for tin (Bronson 1992). It is unlikely that each of these sites had direct contact with a coastal site, for example, the distribution of locally made garnet beads in southeast Cambodia and mixed alkali glass in Northeast Thailand point toward a strong localized trading network connecting inland sites to one another.

These coastal exchange networks are associated with the early Iron Age period during the mid-late first millennium BC. While both Khao Sam Kaeo and Village 10.8 date to this early period, it is notable that Prohear- and perhaps Bit Meas- date to a slightly later period (200 BC – AD 200) and is contemporary with sites associated with a different trade network. I suggest that while there is a temporal dimension to the changing trade networks with South Asia, there was also a period of overlap when the two networks coexisted. During this period, elites at coastal sites may have been competing with newly emerging elites at sites in the Mekong Delta whose access to greater quantities of goods from South Asia may have allowed them to expand their influence and power.

Regional exchange: Southeast Cambodia

The sites in southeast Cambodia: Prohear, Bit Meas, Village 10.8, and possibly Krek 52/62, had both Period 1 type agate and carnelian beads and potash glass, connecting them to a

broader, regional, exchange network focused on coastal sites. However, these sites also contained another unique object: garnet beads. The garnet beads appear to have been produced locally and thus far have been found only at sites in southeast Cambodia and at one site on the Vietnamese border in southern Vietnam. I argue that these beads were important objects that connected the communities in this area to one another. The agate, carnelian, and glass beads likely circulated in similar exchange networks. Through these connections, communities may have been able to solidify alliances and in some cases may have helped buffer communities from "structural change" (White and Eyre 2010) or encouraged increased complexity through peerpolity interaction (Renfrew 1996). Future research on sites at a regional level will be able to help clarify the extent of connectedness between communities.

The presence of a garnet bead of this type in the upper layers of Krek 52/62 suggest some cultural continuity or connections between the somewhat older communities that lived in the circular earthwork sites of southern Cambodia and Vietnam and these slightly later communities. Analysis of ceramics at circular earthwork sites intimates that the earthwork sites were not exchanging ceramics with sites in the floodplains and that they were likely "a distinctive cultural grouping or tradition" (Latinis and Dega 2012: 73). The circulation of garnet beads among communities in this region may be an extension of the pre-existing, seemingly tightly knit, cultural groups in this area during the Neolithic and Bronze Age periods.

Regional exchange: Northeast Thailand

In the current study it was not clear if agate and carnelian beads from Ban Non Wat and Noen U-Loke in Northeast Thailand belonged to either the Phase 1 or Phase 2 groups. The agate and carnelian beads at Noen U-Loke were not examined in depth, and the beads from Ban Non

Wat could not be clearly classified perhaps due to the long occupation sequence at this site.

However, evidence from other archaeological artifacts found at sites in the Khorat Plateau of

Northeast Thailand emphasize the strong regional exchange network among sites in this region,

including the exchange of unique objects found infrequently in other parts of Southeast Asia.

Archaeologists David Welch (1995, 1989) and Judith McNeill (1991) have also noted the strong intra-regional trade network on the Khorat Plateau especially as evidenced by the widespread distribution of a pottery type known as Phimai black. These authors have proposed a possible "interaction sphere" amongst Khorat Plateau communities, similar to the Hopewell Interaction Sphere in North America (Caldwell 1964; Struever 1964). More recently archaeologists Bill Boyd and Nigel Chang have argued that the moated settlement pattern may have resulted in a strong "regional self-identity," among the communities in this Khorat Plateau (Boyd and Chang 2010: 291).

Previous work by Theunissen (2003) on the stone beads at Noen U-Loke identified a distinctive type of notched agate pendant that was found primarily at sites in Northeast Thailand, with smaller quantities in central Thailand and elsewhere in mainland Southeast Asia. This type of pendant is unique to Southeast Asia and infrequently found India. Theunissen found this distribution pattern to be so significant that he suggested these notched agate pendants may have been manufactured in this region (Theunissen et al. 2000). However, compositional analysis does not clearly indicate that these artifacts were produced using local raw materials, as suggested by Theunissen and others (2000). In fact, the manufacturing location of these agate pendants is not clear. However we could speculate that this unique bead shape may have been commissioned by locals, similar to what may have been happening at Khao Sam Kaeo.

In my analysis of glass beads, I found that during the early Iron Age Noen U-Loke and Ban Non Wat did not have large amounts of potash glass, which would have tied them to the coastal exchange networks discussed above. Instead these sites had high quantities of wrapped orange opaque beads made from a mixed alkali glass. This type of glass appears to have been found in other regions of Northeast and central Thailand as well (Pilditch 1992; Saitowitz and Reid 2001). These beads were produced using a distinctive manufacturing method not found in other beads in this study and the composition of the mixed alkali glass was also not immediately identifiable to a specific workshop. It is possible that these beads may have been produced somewhere in Northeast or central Thailand (Carter and Lankton 2012). Taken together, I argue that sites in the Khorat Plateau participated in a strong regional interaction network that circulated specific types of objects, some of which were or may have been locally produced.

Charles Higham, in his recent summary of Iron Age socio-political and cultural development in the Mun River Valley, Northeast Thailand (2011b) has noted that a variety of factors, including the introduction of exotic new prestige goods like stone and glass beads could have provided an opportunity for individuals in a community to expand their power by controlling the exchange of these objects. Higham explicitly draws connections with examples from North America and Malawi, noting that in both regions the introduction of new long-distance exchange contacts and exotic prestige objects spurred increasing socio-political complexity and attempts to increase social status by local leaders (2011b: 139-140). The glass and stone bead evidence can be contextualized as part of these socio-political developments. However, I argue that they must also be situated as part of a long-standing regional exchange sphere. The cyclical fluorescence and decline of social status seen in burials in both the Bronze

and Iron Age periods at Ban Non Wat (Higham 2011a, 2011b) may be related to the inability of elites at any these sites to monopolize the exchange of these prestige objects over the long term. This in turn prevented the emergence of a single dominant center that may have controlled trade during this period as seen in the Mekong Delta.

The importance of regional exchange networks during the early Iron Age

The two examples presented here are part of a larger trend recognizing the diversity of Iron Age communities in mainland Southeast Asia. A recent article by White and Eyre (2010: 59-60; White 2011) examining ceramics and mortuary ritual in Thailand has identified "enduring supravillage social groupings that used stylistic and technological practices and ritual behaviors to signal, demarcate, and maintain group identities in a regional system of dynamically counter poised and geographically situated 'middle range societies.'" The authors argue that their work in Thailand has evidence that the emergence of social complexity was "contextually specific" (White and Eyre 2010: 60). Using a different set of data, i.e., glass and stone beads, I agree with their interpretation. Although pottery is locally produced and glass and stone beads were likely imported to these sites, both objects were used in mortuary ritual. Evidence from glass and stone beads support previous research identifying the interaction sphere connecting sites in Northeast Thailand to one another, as well as a similar regional group identity in southeast Cambodia, extending into southern Vietnam.

I believe that as archaeological research is continued, especially in Cambodia, additional regional cultural groups will be identified. Survey work in the landscape around Angkor Borei has identified numerous settlements (Stark 2006a). Work in northwest Cambodia has also identified numerous Iron Age sites including Krosaing Thmei and Phum Sophy, both located

close to Phum Snay. A preliminary examination of glass and stone beads from Sophy shows a strong similarity to the bead collections at Phum Snay. Photographs of beads from Krosaing Thmei also show a resemblance to the Phum Snay collections (Sok Keo 2005). Excavations at Phum Snay have uncovered many iron weapons and examinations of the looted skeletal material suggest a high level of violence (Domett et al. 2011). Therefore, we must wonder if the regional interactions between sites in this area may not have been entirely peaceful. A study of the bead collections from additional sites in this area may help clarify the relationships between these communities and evidence for competition between these groups.

Some of the mortuary evidence presented in this dissertation has highlighted the diverse ways in which beads were used and deposited in burial contexts. There does not appear to be any consistent pattern regarding the use of stone and glass beads in mortuary ritual across the ten sites with mortuary data. At Prohear, nearly every burial had glass beads; while at Village 10.8 there were more burials with agate and carnelian beads than with glass. At several sites there were burials with many beads that appeared to indicate elites, while at Angkor Borei jumbled and intensively used cemetery made it difficult to associated beads with specific individuals. At Noen U-Loke a child was buried with over a thousand glass beads, while at Prei Khmeng an adult female had a similar grave offering. A more comprehensive study of mortuary ritual and material culture in these areas would prove fruitful.

An emphasis on regional interaction networks can also be seen as part of earlier discussions noting the importance of peer-polity interaction (Renfrew 1992) and the emergence of socio-political complexity in mainland Southeast Asia. Research by Christie has suggested that peer-polity interaction between communities in the maritime region of peninsular and insular

Southeast Asia was crucial to the emergence of states in this area (1995). Peer-polity interactions also were important for the emergence of complex societies in the Thai-Malay peninsula. Competition between communities for access to goods and exchange networks may have encouraged increased complexity and the local adaptation of South Asian religion and sociopolitical organization in this region (Noonsuk 2005). Other scholars have suggested peer-polity interaction was important in northern Vietnam and southern Yunnan (Kim 2010), and the Dvaravati sites in central Thailand (Mudar 1999). Further research on Iron Age sites in Southeast Asia will likely clarify the influence that these communities had on one another.

Promtin Tai: Participation in multiple exchange networks?

The glass and stone bead data I presented from Promtin Tai implies that this site may actually span both the early and later Iron Age periods, making it unique among the sites studied in this dissertation. Unfortunately, a lack of reliable radiocarbon dates or clear burial seriation forces one to consider the bead collection as a whole. The majority of the beads found were high alumina soda glass, however approximately 17% of the beads may belong to the potash glass group indicating that people at this site had access to these materials through the early coastal exchange networks. Furthermore, the agate and carnelian beads at the site did not clearly fall into either Phase 1 or Phase 2 types. The presence of agate pendants ties Promtin Tai in with sites in Northeast Thailand where this bead shape is more common, while a flattened hexagonal bicone indicates a connection with coastal exchange networks to the south and sites like Prohear and Khao Sam Kaeo. Furthermore, the glass artifacts at Promtin Tai were amongst the most diverse of the sites studied, with ties to other sites in central Thailand as well as peninsular

Thailand and beyond. I argue that these data indicate that people at Promtin Tai had access to multiple bead exchange networks over both time and space.

Sites in central Thailand such as Promtin Tai had access to numerous trade networks through riverine networks that connected this region to the Gulf of Siam, coastal Cambodia and southern Vietnam, and sites in the Thai/Malay peninsula. Additionally, the western Chao Phraya River Valley has connections with the Three Pagodas pass and overland routes to Myanmar and eastern India. I believe that the glass and stone bead data from Promtin Tai highlights this community's access to a diverse group of beads through multiple different trade networks. More fine-grained research at additional sites in central Thailand would allow for this hypothesis to be tested further. Careful excavation and dating of burials could assist in identifying how different bead types changed over time, and the relationship changing access to various bead types had to changing trade networks.

Data from sites in central Thailand dating to the Dvaravati period, which just post-dates the Iron Age period, indicate similarities in material culture to Oc Eo and the Mekong Delta. These similarities were so strong that researchers described some of these sites as belonging to the Funan culture (Bronson 1976). However, additional research has identified them as part of a local tradition (Glover 2011). Nevertheless, there is evidence for strong archaeological connections between the Mekong Delta and central Thailand during the mid-first millennium AD. The presence of high alumina soda glass and some Phase or Period 2 agate and carnelian beads at Promtin Tai may indicate contacts between these two regions during the Iron Age period as well.

Intensification of trade networks during the later Iron Age

During the later Iron Age period, the first few centuries AD, interaction with South Asia appears to have intensified. A larger quantity of South Asian derived goods appears in the archaeological record, although the diversity of these goods is less than the previous period (Bellina and Glover 2004). Agate and carnelian beads are found in larger quantities, but most beads have simple shapes and are of varying and often lesser quality than during the previous period (Bellina 2001, 2003, 2007). Furthermore, potash glass appears to fade away and is replaced by large quantities of high alumina soda glass beads, which are found at sites across Southeast Asia. During this period, trade networks were expanding not just between South and Southeast Asia, but also within Southeast Asia (Bellina and Glover 2004). I argue that some of these expanding trade networks are tied with the expansion of polities in the Mekong Delta.

In the current study there were several sites that had both high alumina soda glass beads and Period 2 type agate and carnelian beads: Angkor Borei, Phnom Borei, and Phum Snay. Prei Khmeng had large numbers of high alumina soda glass, and only one carnelian bead that was not examined. The later phases of Ban Non Wat and Noen U-Loke also contained large numbers of high alumina soda glass, although as discussed above the classification of the agate and carnelian beads is not yet clear (Figure 9.4).




Figure 9.4: Sites in this study with high alumina soda glass beads and Phase 2 agate/carnelian beads.

Previous studies of glass artifacts from Angkor Borei and Oc Eo emphasized that these two sites had much higher proportions of high alumina soda glass than other sites in the region, arguing that this glass type was "over-represented" in this area (Stark and Dussubieux 2002). Additionally, large quantities of potash glass have not been found at either of these sites, and only a small quantity identified at the site of Phnom Borei, suggesting that this particular area of the Mekong Delta was not heavily involved in the early coastal exchange networks discussed above. Archaeologists have also noted that the appearance of Oc Eo culture sites in Vietnam is rather "sudden," (Manguin 2009: 108). Glass and stone bead evidence from the inland sites of Phum Snay, Prei Khmeng, Ban Non Wat, and Noen U-Loke also do not appear to have been intensively involved with the early coastal exchange networks. I argue that these sites were not

active participants in long-distance bead exchange networks until the later Iron Age period when the appearance of greater quantities of stone and glass beads indicates the formation of new trade networks. The distribution of stone and glass beads can be seen as markers for expanding sociopolitical and economic networks between elites in the Mekong Delta and communities at inland sites.

Changing patterns of socio-political organization in the Mekong Delta

I argue that the similarity in glass and stone beads found at inland sites in Cambodia and Thailand indicates expanding influence and connections between these regions and the Mekong Delta. The lack of potash glass and Period 1 type agate and carnelian beads at these inland sites points toward the absence of a strong relationship with other pre-existing coastal centers involved in long-distance regional exchange networks. Instead, the bead collections at these sites share a greater similarity to the beads found at Angkor Borei and Oc Eo, suggesting that the Mekong Delta was the primary source for these materials. As noted in Chapter 1, the exchange of prestige goods as a means of expanding connections and alliances with other communities has been extensively examined in the archaeological literature (e.g., Dillian and White 2010; Renfrew and Shennan 1982; Sabloff and Lamberg-Karlovsky 1975; Schortman and Urban 1992). Archaeological evidence and Chinese historical documents suggest that Angkor Borei and Oc Eo were expanding as centers during the early centuries AD. This is the same period that trade networks with South Asia were expanding, allowing for an influx of stone and glass beads that could be used to build alliances with elites at inland sites.

It should be noted that there is no direct evidence for control over these objects in the form of, for example, hoards or caches of glass and stone beads in elite contexts at the Mekong

Delta sites. Additionally, while it has been suggested that Oc Eo was a manufacturing center for both stone and glass beads, the primary evidence is from looted contexts, so there is no clear understanding of workshop organization. Nevertheless, I believe that the distribution patterns of stone and glass beads at Phum Snay, Prei Khmeng, Phnom Borei, Ban Non Wat and Noen U-Loke suggest that the Mekong Delta was the primary provider of beads to these communities. Furthermore, as both Angkor Borei and Oc Eo were walled, they could have used these physical barriers to control the movement of goods inside and outside of the city (e.g., Kenoyer 1998). Beads were not evenly distributed between sites, nor were they evenly distributed within burials, therefore, the distribution of these objects was being restricted.

The exact nature of the exchanges taking place between elites in the Mekong Delta and people at inland communities is still unknown. Burial evidence suggests that beads were incorporated into mortuary rituals differently at each site. I believe that people at these inland communities may have distributing beads within their communities in culturally specific ways. For example, in some communities beads could be seen as a sign of wealth or a display of connections to long-distance exchange networks and sources of power. In other communities, beads may have been bestowed upon certain individuals due to a specific role they played in the community.

Stark has noted that the ceramic traditions in the Mekong Delta differ from those found in Northeast Thailand and northwest Cambodia (2006a: 100). Additionally, a recent compositional study of ceramics from Angkor Borei, Phum Snay, Village 10.8, and Prohear indicate that ceramics from each area were compositionally distinct from one another and likely not exchanged between sites (Feherenbach 2009). However, the types of stone and glass beads found

at many of these sites are similar to one another. This suggests that stone and glass beads were likely exchanged in a prestige goods network and not tied to the exchange of utilitarian objects like ceramics.

As prestige objects and objects for display, the influx of stone and glass beads and the similarity of the types of beads found at these later Iron Age period sites across Cambodia and Thailand may have served to incorporate elites into a broader integrated network of shared cultural symbols. This may have been especially true during the second phase of trade when stone and glass beads were being imported in greater quantities and in the case of the agate and carnelian beads, with less variety in the shapes. This can be compared with the trade of nephrite ear ornaments or Dongson drums and their use as cultural symbols during the early Iron Age period. However, with a greater number of stone and glass beads a broader group of communities could be included into these expanded networks. In this way, stone and glass beads may have been setting a foundation for a later "Integration Period," in which several of these communities may have been incorporated under a single ruler, with shared material culture, as well as economic, religious, and socio-political ideologies. Chinese historic documents describe Funan and Chenla as kingdoms (e.g. Coedès 1968); however, archaeological research has not yet confirmed the presence of such integrated communities. Nevertheless, the creation of a loosely integrated network of elites across Cambodia and Thailand was likely an important first step to later consolidation by a powerful ruler.

It is important to note that the presence of stone and glass beads at these inland sites does not indicate that they were under the control of elites in the Mekong Delta or part of the Funan polity. Some of these communities may not have even been directly trading with elites in the

Mekong Delta. Rather, as noted above, I argue that the Mekong Delta was likely the primary source of stone and glass beads and that the distribution of these objects can be seen as proxies for these expanding connections inland. Trade with inland sites may have been to gain access to forest products, such as hardwoods, tree resin, and other valuable materials for trade (e.g. Bronson 1977). The exchange of beads was one way that elites in the Mekong Delta likely expanded their power and influence, but the emergence of socio-political complexity in this region was likely a combination of several factors (Higham 2002; Stark 2006b).

In the mid-first millennium AD, trade networks shifted to insular Southeast Asia, and power began to move further inland up the Mekong and Tonle Sap rivers (Stark 2004, 2006c). Although there has yet been little prehistoric archaeological research done in these areas, I suggest that future studies should find evidence for large quantities of high alumina soda glass beads and Phase 2 agate and carnelian beads, as elites in the Mekong Delta likely were trying to build alliances with communities in this region.

The Mekong Delta and Prohear

In his recent work on the site of Prohear, Reinecke (Reinecke et a. 2009: 170) has argued that the site of Prohear may be related to the Funan polity. Reinecke draws on an early interpretation of the Chinese historical documents describing Funan noting that the capital of Funan was located 500 *li* from the sea. The scholar George Coedès argued that this would put the capital at the site of Ba Phnom, Cambodia, a site located more closely to Prohear (Figure 9.5). As discussed in Chapter 1, copious archaeological evidence has convinced most scholars that this "capital" was instead located at Angkor Borei, despite the inconsistencies with the distance. However, Reinecke notes that if the first capital of Funan were in fact located more closely to

Prohear at Ba Phnom, this would explain the extremely rich burials found there. The cemetery of Prohear could then be interpreted as a burial of Funanese elites.

In contrast to this interpretation, I believe that evidence from the glass and stone bead support the interpretation that Angkor Borei and Prohear, though contemporary with one another, were participating in very different trade networks. Prohear's burials indicate a connection with sites in Vietnam, the Sa Huynh culture, and wealth gathered through coastal exchange networks. Conversely, evidence from Angkor Borei suggestions participation in a new and different exchange network, with more intense contact with South Asia and access to large quantities of new types of stone and glass beads. Angkor Borei and Oc Eo. While there is similarity in some pottery styles between both Angkor Borei and Prohear (Reinecke et al. 2009) they are compositionally distinct (Fehrenbach 2009). I believe evidence from the glass and stone bead support the interpretation that that Prohear and Angkor Borei represent two different communities that were interacting with different cultural groups and with two different cultural trajectories.




Figure 9.5: Map showing location of Ba Phnom in relation to Angkor Borei, Prohear and Oc Eo.

The local production of beads

Control over the production of beads, especially agate and carnelian beads, is a reoccurring theme in discussions regarding the emergence of socio-political complexity in Southeast Asia (e.g. Bellina 2003, Theunissen et al. 2007). During the early Iron Age period,

jewelry producers appeared to produce objects for elites. However there is not clear evidence that they were attached craft specialists, with some arguing they may have been itinerant craftsmen (Hung et al. 2007). Bellina (2007: 54) has also suggested that the beadmakers at Khao Sam Kaeo, Thailand and Giong Ca Vo, Vietnam were also itinerant craftsmen. Additionally, Bellina (2007) has argued that some of the lower quality agate and carnelian beads found during the later Iron Age period were produced in Southeast Asia under the control of elites who were deliberately trading these materials to inland sites and keeping the higher quality Indian productions for themselves. This hypothesis can only be tested through the careful excavation of multiple bead production workshops.

However, if elites in the Mekong Delta were attempting to expand their power and control over valuable prestige objects like stone and glass beads, they would most likely shift to a system in which these craft specialists were attached to elite households were both production and distribution could be more easily controlled (Kenoyer 2000; Vidale and Miller 2000).

Christie (1995: 278) has noted that "it was probably easier for would-be elites to dominate the local collecting or trading networks that produced the exports for exchange, in fact, than it was to limit access to foreign valuables." Malleret (1959-1962) believed that Oc Eo was a bead-production center, but due to heavy looting we do not have specific information regarding the types of bead manufacture or how it was organized. However, his assessments have not stopped other scholars from assuming that such craft production was taking place (e.g. Francis 2002; Higham 2002). While I do not deny that bead production may have taken place in the Mekong Delta, we still lack specific and convincing evidence for this activity. Furthermore, we do not know if bead production was being controlled by elites, or if a system of itinerant unattached

craftspeople were responsible for producing beads as seen during the earlier period.

Compositional analysis of agate and carnelian beads does not indicate that Southeast Asian raw materials sources were being used to produce these objects. This indicates, at the very least, that Southeast Asian elites were likely not able to control access to the raw materials used to produce beads. Moreover, we must also consider that perhaps increased production in South Asia was responsible for the increase in lower quality beads, not necessarily local production.

Without clear evidence for bead production *and* evidence for control over this production, scholars must be careful about how they frame discussions regarding socio-political complexity and the production of beads in the Mekong Delta. Based on such slim evidence, one must be careful about assuming both that production was taking place and that a spectrum of associated traits associated with socio-political complexity was also present. However, if undisturbed evidence for local production were to be found we could better evaluate if specialists were attached craft specialists, indicating that elites in the Mekong Delta had reached a high level of complexity in that they were controlling both the production and distribution of prestige objects. Conversely, the presence of independent craft specialists would point toward significant autonomy and the inability of local elites to exercise control over the production of this object.

Who was involved in the trade of stone and glass beads?

Mortuary data presented in this dissertation emphasize that stone and glass beads were not evenly distributed within Iron Age communities. As noted in Chapters 5, 6, 7, and 8 agate/carnelian, garnet, and glass beads were generally found in only a small number of burials. Of these burials there were a handful of individuals that had a much higher quantity of beads than others in their community. The burial data from the previous chapters are collated and

summarized in Table 9.1. Although I am not yet certain how to interpret these data, I believe these patterns highlight the importance of investigating the individuals who were wearing and using beads. As many scholars have argued, elites in the Mekong Delta were presumably trading stone and glass beads to build alliances with elites at important inland communities (Bellina 2003, 2007, Bronson 1977; Higham 2002). If this is true, then we may speculate that burials at inland sites with large quantities of beads may have been important elites who were on the receiving end of these alliance-building exchange networks.

That many of these burials are of women may be notable and worth further investigation. Numerous historical documents from the second millennium AD emphasize the role of women in trade across mainland and island Southeast Asia (Reid 1988: 163-165). In 1296-7 a Chinese ambassador to Angkor, Zhou Daguan, wrote about life in the Angkorian capital and noted, "The local people who know how to trade are all women. So when a Chinese goes to this country, the first thing he must do is take in a woman, partly with a view to profiting from her trading abilities," (Daguan 2007: 70). Additionally, the folktale discussed in Chapter 1 on the founding of Angkor Borei emphasizes the role that the princess took in establishing and cultivating longdistance trade contacts (Keo 2010). While her husband joins her as a co-ruler, it is the princess' ingenuity and business savvy that spurs the establishment of an important trading center in the Mekong Delta. However in contrast to this evidence a different Cambodian folktale, Keng Kang Snake, details the story of a woman whose husband is a bead trader. His bead trading takes him away from his family for two to three years, and while he is gone the wife falls in love with a snake, with tragic consequences. In this folktale, it is specifically the man who is involved in this long-distance trade.

In some cases, one could imagine that people with large numbers of beads were individuals involved in long-distance trade for their communities and that beads were symbols of their connections to these external trade networks. However, the presence of large quantities of beads with infants or young adults, as seen at sites in Northeast Thailand, indicates that in some communities beads were not correlated with achieved status. Furthermore, many of the sites I have discussed today were heavily looted and the burials excavated by archaeologists may not be representative of the entire cemetery. At Noen U-Loke and Ban Non Wat the amount of grave goods included in burials changed over time, making it difficult to compare the relative wealth or status of burials between periods. However, the graves from these sites noted in Table 9.1 were perceived to be wealthy, high-status burials (Talbot 2007). Although I am as of yet unable to provide solid interpretations for these bead-rich burials, I believe the patterning seen in burials is significant and that more research should be done to investigate the people who were consuming beads, the roles they played within their community, and how this may have changed between communities and over time.

Site	Burial	Beads	Sex
Angkor Borei	F35	212 glass beads and 4 gold beads	Female, with child
		175 glass beads, 3 tooth pendants, ceramic anvil,	
Angkor Borei	F36	animal bones	Male (n=2)
Angkor Borei	F44	83 glass beads, 1 carnelian bead, 10 gold beads	Female (n=2)
		200 orange wrapped beads, 2 carnelian beads, and	
Ban Non Wat	6	ceramics.	Female
Ban Non Wat	36	86 orange beads, 5 carnelian beads, 2 agate pendants, ceramics, gold bead, spindle whorl, and a bronze bangle fragment.	Female and male
Ban Non Wat	203	133 glass beads, bronze bangles and finger rings, agate pendants and an agate bead.	Young adult
Dan Man Was	266	112 glass beads, agate pendant, bronze bangles and	I., f.,4
Ban Non Wat	266	rings, ceramics.	Infant

			427
Noen U-Loke	37	Large number of glass beads	Female
		0 1700 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		Over 1700 glass beads, 2 agate pendants, bimetallic	
Noon II Lalea	12	rings, bronze rings and earring, iron spear point, ceramics.	Infant
Noen U-Loke	13	ceramics.	Infant
		Over 400 glass beads, agate bead, two agate pendants,	
		three bronze belts, 75 bronze bangles, 66 bronze finger	
		rings, 4 bronze two rings, 2 silver-gold ear coils,	
Noen U-Loke	14	ceramics, and an iron blade.	Male
		22 agate beads, sixty-eight gold beads, two agate	
		pendants, four pots, a bimetallic ring, an iron knife, a	
		silver finger ring and a silver toe ring, bronze earrings,	
N 11 1	110	thirty-eight bronze bangles, sixty-four bronze finger	F 1
Noen U-Loke	113	rings and nine bronze toe rings.	Female
		105 1 1 1 25 1' 1 1 ' 111 1	
		105 glass beads, 35 carnelian beads, spindle whorls,	
ļ		bronze rings and bangles, iron tools, ceramics including a Phimai black bowl, and a bronze bowl covering her	
Phum Snay	Burial 9	face.	Female
Prei Khmeng	21045	Large number of glass beads	Female
Tierinineng	21015	Daige number of glass seads	Temate
Prohear	44	Over 500 glass beads, gold jewelry, iron bracelets	Female
		40 glass earrings, garnet beads, iron tools, bronze	
Prohear	15	bracelets	Male
		Over 150 glass beads, iron bracelets, gold/silver	
Prohear	24	jewelry, carnelian beads.	Unknown
₅ .	22	Over 150 glass beads, garnet and carnelian beads, iron	.
Prohear	33	bracelets, gold objects, bronze bowl.	Female
Dua!	24	Over 150 glass beads, iron bracelets, gold/silver	F1
Prohear	34	jewelry.	Female
		14 agate beads, 2 glass beads, greenstone beads, shell	
		beads, a bronze bracelet, 2 bronze rings, ceramics, two	
Promtin Tai	19	spindle whorls, and animal bones.	Female
		,	
		134 glass beads, greenstone beads, 5 agate beads, 7	
Promtin Tai	20	carnelian beads, ceramics, and shell beads.	Female
Village 10.8	11	124 glass beads	Unknown
Village 10.8	28	8 agate, 1 garnet bead, 6 glass rings/earrings	Unknown

Village 10.8	48	10 carnelian beads	Unknown
Village 10.8	3	14 carnelian beads and 2 garnet beads	Unknown

Table 9.1: Table noting burials with large numbers of stone and glass beads encountered in this study.

Conclusion

This dissertation has provided the first comprehensive study of artifacts from Iron Age sites in Cambodia, filling in a crucial gap in the discussion of Iron Age trade, which has largely relied on data from English language publications of Thai archaeological sites. As the Mekong Delta of Cambodia and Vietnam was home to an important Iron Age trading center, examination of glass and stone beads allows for scholars to finally consider the impact this region had on Iron Age trade networks.

This dissertation also provides evidence for the timing of expanding socio-political and economic networks in the Mekong Delta. Stone and glass bead evidence does not suggest that communities in the Mekong Delta were participating in the late first millennium BC coastal exchange networks, but instead appear to have been intensifying during the early first millennium AD, coinciding with increased trade with South Asia. High alumina glass beads and Period 2 type agate and carnelian stone beads, found in large quantities at the Mekong Delta as well as at inland sites, can be seen as markers of the expanding socio-political and economic networks by elites in the Mekong Delta.

The methodologies employed in undertaking this dissertation research also represent significant contributions to the field. The examination of both glass and stone beads is also a unique approach that I argue provides for a more holistic understanding of trade. While earlier scholars have studied either glass or stone beads in both Cambodia and Thailand, it was by examining them together that I could see clear patterns in the distribution of different types of

stone and glass beads and how these trading networks changed over time and space. The glass and stone bead data complemented and reinforced models regarding the changing nature of trade over time and the importance of regional trade networks.

With the assistance of Laure Dussubieux, I also developed a methodology to geochemically analyze agate/carnelian and garnet objects using LA-ICP-MS and was successfully able to use this technique to differentiate between different geologic sources and assign artifacts to these sources. The ability to use LA-ICP-MS to geochemically analyze archaeological artifacts is significant as it is virtually non-destructive and requires no sample preparation. The successful implementation of this method will allow future scholars to build a database of geologic sources and confidently provenience agate/carnelian and garnet artifacts from sites around the world.

Lastly, I feel a major accomplishment of this dissertation was the ability to examine almost 10,000 beads from a diverse set of sites in both Cambodia and Thailand. I feel very honored that I was able to collaborate with so many different scholars and that they believed in the viability of this project enough to assist with the often complicated export permissions process so that beads could be examined in the United States. Without the geographic and temporal breadth of sites examined in this study, I do not believe I would have been able to see the trade and exchange patterns discussed in this dissertation.

There is still much future work to be undertaken that would expand on this current study.

The number of Iron Age archaeological sites being excavated in Cambodia and Thailand continues to grow, and at the very least, future studies could follow the methodologies in this dissertation in order to understand how bead collections at new sites fit within the trade networks

identified here. Perhaps more important would be an expansion of this study to include data from other sites in Thailand, Laos, Vietnam and Myanmar. Although this kind of study would likely take up one's entire career, future studies could look more closely at regional trade networks within these locations and then fit them in with the broader trade networks identified by myself and other scholars (e.g. Bellina 2007, Lankton and Dussubieux 2013; Theunissen 2003). I am especially interested in examining bead collections from the Vietnamese side of the Mekong Delta in order to determine if my hypotheses regarding shifting glass and stone bead trade networks is consistent with the bead collections at these sites.

It is also crucial that we continue to build geologic source databases for both agate and carnelian and garnet, with a focus on Southeast Asian sources. Questions regarding the local production of stone beads cannot be resolved until the geologic sources used to produce the beads are confidently identified. In collaboration with Dr. Randall Law, I have already begun some work on building an Old World Agate Database, a project that we hope to continue in the future. I would also like to visit the region near the sites with garnet beads in southern Cambodia and Vietnam in an attempt to identify a possible raw material source for garnet in this location.

In relation to this, I also hope to complete experimental drilling studies on garnet in order to identify the drilling methods used to produce the beads in southeast Cambodia. A preliminary study has already been begun, and with continued practice drilling I hope that future studies will be able to successfully identify the drilling methods used to produce garnet and identify their relationship with pre-existing stone drilling traditions in Southeast Asia.

There was also a large collection of greenstone beads from Promtin Tai, likely made from nephrite, which were not considered in this dissertation due to time and financial restrictions

(Figure 9.6). However, the beads were measured, recorded, photographed, and impressions were taken of their drill holes. Similar beads have also been found at other sites in central Thailand (Rammanat 2009), although the ultimate origin of these objects is unknown. In the future, I would like to comprehensively examine these beads using methods from this dissertation in order to better understand where they were from, how they were made, and how and where they were traded.



Figure 9.6: Greenstone beads with carnelian and glass beads from Promtin Tai.

This dissertation has used a comprehensive analysis of stone and glass beads from Iron Age sites in Cambodia and Thailand to identify trade and exchange networks during the Iron Age period and how they varied over time and space. Using these data, I argue that during the later Iron Age elites in the Mekong Delta were becoming increasingly involved in the trade of glass and stone beads. This increased participation in trade likely coincided with the expansion of the Mekong Delta polities and points towards increased connections with communities at

inland sites that had not been previously participating in long-distance prestige goods networks. This data is in contrast to the supposition by Christie (1995) who argued that early centers of trade in the maritime region were likely the preexisting polities that were already controlling movement between the coasts and inland areas. The earliest state level societies do not appear to have been growing out of sites involved in these early coastal exchange networks. Instead, it appears that during the early first millennium AD, elites in the Mekong Delta were taking advantage of increased quantities of goods from South Asia to expand their connections and create new exchange networks with these inland sites.

Evidence from Prohear and Angkor Borei is also important for understanding the nature of this early trade. These two sites were contemporary with one another and yet they had very different bead collections. From this data it appears that elites in the Mekong Delta were not trying to tap into the pre-existing coastal exchange networks and instead trading with inland communities that had not been a part of these coastal networks. Elites could have been using objects like stone and glass beads to create alliances with elites at inland sites, or using them to trade for goods and products that could be used in long-distance exchange (e.g. Bronson 1977).

These expanding trade networks were apparently a part of suite of changes taking place during this period, detailed in Chapter 1, which led towards the emergence of an early state-level society in the Mekong Delta. Evidence from the stone and glass bead data presented in this study point towards the first few centuries AD for the emergence of these expanded networks.

Therefore I argue that this may be the beginning of the processes leading towards the development of a state, and that the Mekong Delta may have been the home to a state level

society for several centuries prior to development of stone inscriptions and sculpture in the midlate first millennium AD.

Examination of glass and stone bead has also allowed for the identification of smaller regional exchange networks in southeast Cambodia and Northeast Thailand. Furthermore, the distribution of beads from within burials suggests that at each site there were often a handful of individuals who had greater access to beads than the rest of their community. Although these data are still preliminary, I argue that at least some of the people buried with large numbers of beads may have held high-status positions in their community. That many of the burials with large numbers of beads were adult females suggest that women played important roles in Iron Age communities.

Unfortunately, these stone and glass beads are popular amongst contemporary collectors and many important sites have been heavily looted, including many sites that may have been involved in bead production. This has severely affected our understanding of how craft production in Iron Age and early historic Southeast Asia was organized, which in turn has implications for our understanding of the socio-political organization of these communities. I strongly feel that archaeologists and cultural heritage groups should continue to expand their outreach efforts regarding looting, so that local communities will learn to protect and curate their heritage rather than sell it on the antiquities market.

References

Albrecht, Gerd, Miriam Noel Haidle, Chhor Sivleng, Heang Leang Hong, Heng Sophady, Heng Than, Mao Someaphyvath, Sirik Kada, Som Sophal, Thuy Chanthourn, and Vin Laychour 2001 Circular Earthwork Krek 52/62: Recent Research on the Prehistory of Cambodia. *Asian Perspectives* 39 (1-2): 20-46.

Allchin, Bridget

1979 The Agate and Carnelian Industry of Western India and Pakistan. In *South Asian Archaeology* 1975, edited by J.E Van Lohuizen De Leeuw, pp. 91-105. E.J. Brill, Leiden.

Allen, Jane

1991 Trade and site distribution in early historic-period Kedah: geoarchaeological, historic, and locational evidence. *Bulletin of the Indo-Pacific Prehistory Association* 10: 307-19.

Andaya, Barbara Watson

2006 The Flaming Womb: Repositioning Women in Early Modern Southeast Asia. University of Hawaii Press, Honolulu.

Aranyakanon, Payome

1983 The Gem Deposits of Thailand. Department of Mineral Resources, Bangkok.

Arkell, A J

1936 Cambay and the Bead Trade. Antiquity 10: 292-305.

Aung Myint, U. and Elizabeth Moore

1991 Finger-marked designs on ancient bricks in Myanmar. *Journal of the Siam Society* 79 (2): 80-102.

Bakti, R. Agus

2001 Pacitan's agate, long-lasting souvenir. The Jakarta Post, 3 November.

Banerjee, NR

1959 The Technique of the Manufacture of Stone Beads in Ancient Ujjain. *Journal of the Asiatic Society* 1 (2): 189-196.

Barbosa, D.

1866 A Description of the Coasts of East Africa and Malabar in the Beginning of the Sixteenth Century. Hakluyt Society, London.

Barram, Andrew and Ian C Glover

2008 Re-Thinking Dvaravati. In From Homo Erectus to the Living Traditions. Choice of Papers from the 11th International Conference of the European Association of Southeast

Asian Archaeologists, edited by Jean-Pierre Pautreau, Anne-Sophie Coupey, Valery Zeitoun, and Emma Rambault, pp. 175-182. Siam Ratana, Chiang Mai, Thailand.

Basa, Kishor, K.

1991 The Westerly Trade of Southeast Asia from c. 400 BC to 500 AD with Special Reference to Glass Beads. Unpublished Ph.D. dissertation, Institute of Archaeology, University College London.

1992 Early Historic Glass Beads in Thailand and Peninsular Malaysia. Southeast Asian Archaeology 1990: Proceedings of the Third Conference of the European Association of Southeast Asian Archaeologists: 85-102. University of Hull, Hull.

Basa, Kishor, Ian C Glover, and Julian Henderson

1991 The Relationship Between Early Southeast Asian and Indian Glass. *Indo-Pacific Prehistory Association Bulletin* 10: 366-385.

Baty, Pierre

2003 Prei Khmeng 2003-Le sondage 21000. In *Mission Archaeologique Franco-Khmere sur L'Amenagement du Territoire Angkorien (MAFKATA). Campagne 2003 Rapport*, pp. 4-19. École Française d'Extrême-Orient, Siem Reap.

Bauer, Max

1968 The Garnet Group. In *Precious Stones*, pp. 345-361. Dover Publications, New York.

Baxter, M.J.

1994 Exploratory Multivariate Analysis in Archaeology. Edinburgh University Press, Edinburgh.

Bayard, Donn

1984 A Tentative Regional Phase Chronology for Northeast Thailand. In *Southeast Asia at the XV Pacific Science Conference*, edited by Donn Bayard, pp. 161-182. Department of Anthropology, University of Otago, Dunedin.

1987 Chronology, evolution and diffusion in the later Southeast Asian cultural sequence: some comments on Higham's recent revision. *Bulletin of the Indo-Pacific Prehistory Association* 7: 118-140.

1992 Models, Scenarios, Variables and Supposition; Approaches to the Rise of Social Complexity in Mainland Southeast Asia, 700 BC- AD 500. In *Early Metallurgy, Trade, and Urban Centres in Thailand and Southeast Asia: 13 Archaeological Essays*, edited by Ian Glover, Pornchai Suchitta, and John Villiers, pp. 13-28. White Lotus, Bangkok.

Beck, Horace C.

1928 Classification and nomenclature of beads and pendants. Society of Antiquaries of London, London.

1930 Notes on Sundry Asiatic Beads. Man 30: 166-182.

1933 Etched Carnelian Beads. Antiquaries Journal XVIII: 384-398.

Bellina, Bérénice

2001 Témoignages archéologiques d'échanges entre l'Inde et l'Asie du Sud-Est, morphologie, morphométrie et techniques de fabrication des perles en agate et en cornaline (VIe siècle avant notre ere- VIe siècle de notre ere). Unpublished Ph.D. dissertation, Paris III, Sorbonne Nouvelle, Paris.

2003 Beads, Social Change and Interaction Between India and South-east Asia. *Antiquity* 77 (296): 285-297.

2007 Cultural Exchange between India and Southeast Asia: Production and distribution of hard stone ornaments (VI c. BC-VI c. AD). Éditions de la Maison des Sciences de l'Homme, Paris.

Bellina, Bérénice and Ian Glover

2004 The Archaeology of Early Contact with India and the Mediterranean World, from the Fourth Century BC to the Fourth Century AD. In *Southeast Asia: From Prehistory to History*, edited by Ian Glover and Peter Bellwood, pp. 68-87. RoutledgeCurzon, New York.

Bellina, Bérénice and Praon Silapanth

2006 Khao Sam Kaeo and the Upper Thai Peninsula: Understanding the Mechanisms of Early Trans-Asiatic Trade and Cultural Exchange. In *Uncovering Southeast Asia's Past – Selected papers from the Tenth Biennial Conference of the European Association of Southeast Asian Archaeologists*, *London*, 14th – 17th September 2004, edited by Elizabeth Bacus, Ian Glover, and Vincent Piggott, pp. 378-391. National University Press, Singapore.

2008 Weaving Cultural Identities on Trans-Atlantic Networks: Upper Thai-Malay Peninsula-- an Early Socio-Political Landscape. *Bulletin de l'Ecole Française d'Extreme-Orient* 93: 257-293.

Bellwood, Peter

2004 The origins and dispersals of agricultural communities in Southeast Asia. In *Southeast Asia: From Prehistory to History*, edited by Ian Glover and Peter Bellwood, pp. 21-40. RoutledgeCurzon, New York.

2005 The First Farmers: The Origins of Agricultural Societies. Blackwell, Oxford.

2007 Prehistory of the Indo-Malaysian Archipelago. ANU E Press, Canberra.

Bellwood, Peter and Ian Glover

2004 Southeast Asia: Foundations for an archaeological history. In *Southeast Asia: From Prehistory to History*, edited by Ian Glover and Peter Bellwood, pp. 4-20. RoutledgeCurzon, New York.

Bentley, G. Carter

1986 Indigenous States of Southeast Asia. Annual Review of Anthropology 15: 275-305.

- Bentley, R. Alexander, Nancy Tayles, Charles Higham, C Macpherson, and Tim C. Atkinson 2007 Shifting Gender Relations at Khok Phanom Di, Thailand. *Current Anthropology* 48 (2): 301-314.
- Bentley, R Alexander, Michael Pietrusewsky, Michael T Douglas, and Tim C Atkinson 2005 Matrilocality during the Prehistoric Transition to Agriculture in Thailand?. *Antiquity* 79: 865-881.
- Bimson, M, S La Neice, and M Leese 1982 The Characterisation of mounted garnets. *Archaeometry* 24 (1): 51-58.
- Bishop, Paul, David C. W. Sanderson, and Miriam T. Stark
 2004 OSL and Radiocarbon Dating of a Pre-Angkorian Canal in the Mekong Delta,
 Southern Cambodia. *Journal of Archaeological Science* 31: 319-336.
- Bishop, Paul, Dan Penny, Miriam Stark, and Marian Scott 2003 A 3.5 ka Record of Paleoenvironments and Human Occupation at Angkor Borei, Mekong Delta, Southern Cambodia. *Geoarchaeology: An International Journal* 18 (3): 359-393.
- Blanton, Richard E, Gary M Feinman, Stephan A Kowalewski, and Peter N Peregrine 1996 A Dual-Processual Theory for the Evolution of Mesoamerican Civilization. *Current Anthropology* 37 (1): 1-14.
- Boon, George and Maria Dekowna

1977 Glass-in-Gold Beads from the Ancient World. Britannia 8: 193-207.

Bowdler, Sandra

2006 The Hoabinhian: Early Evidence for SE Asian Trade Networks? . In *Uncovering Southeast Asia's Past: Selected Papers from the 10th International Conference of the European Association of Southeast Asian Archaeologists*, edited by Elisabeth A. Bacus, Ian Glover, and Vincent C. Pigott, pp. 355-359. NUS Press, Singapore.

Boyd, William E.

2007 The Geoarchaeology of Noen U-Loke and Non Muang Kao. In *The Origins of the Civilization of Angkor Volume II: The Excavation of Noen U-Loke and Non Muang Kao*, edited by C.F.W Higham, A. Kijngam, and S. Talbot, pp. 29-53. The Thai Fine Arts Department, Bangkok.

Boyd, William E. and Nigel Chang

2010 Integrating social and environmental change in prehistory: a discussion of the role of landscape as a heuristic in defining prehistoric possibilities in NE Thailand. In *Terra Australis: 21: Altered ecologies - fire, climate and human influence on terrestrial landscapes*, edited by S Haberle, J Stevenson, and M Prebble, pp. 273-297. ANU E Press, Canberra.

Brill, Robert H.

1993 Scientific Investigations of Ancient Asian Glasses. In *Nara Symposium '91: UNESCO Maritime Route of Silk Roads: Report*, edited by UNESCO, pp. 70-79. Nara International Foundation, Nara, Japan.

Bronson Bennet

1976 Excavations at Chansen and the cultural chronology of protohistoric central Thailand. Unpublished Ph.D. dissertation, Department of Anthropology. University of Pennsylvania.

1977 Exchange at the Upstream and Downstream Ends: Notes Toward a Functional Model of the Coastal State in Southeast Asia. In *Economic Exchange and Social Interaction in Southeast Asia*, edited by Karl Hutterer, pp. 39-52. Michigan Southeast Asian Studies, Ann Arbor.

1990 Glass and Beads at Khuan Lukpad, Southern Thailand. In *Southeast Asian Archaeology* 1986, pp. 213-229. B.A.R., Oxford.

1992 Patterns in the Early Southeast Asian Metals Trade. In *Early Metallurgy, Trade and Urban Centres in Thailand and Southeast Asia*, edited by Ian Glover, Pornchai Suchitta, and John Villiers, pp. 63-115. White Lotus Press, Bangkok.

Brumfiel, Elizabeth and Timothy Earle

1987 Specialization, Exchange, and Complex Societies: An Introduction. In *Specialization, Exchange, and Complex Societies*, edited by Elizabeth Brumfiel and Timothy Earle, pp. 1-9. Cambridge University Press, Cambridge.

Caldwell, J.R.

1964 Interaction Spheres in Prehistory. In *Hopewellian Studies*, edited by J.R. Caldwell and R.L. Hall, pp. 133-143. Illinois State Museum, Springfield.

Calligaro, T., S. Colinart, J.P. Poirot, and C. Sudres

2002 Combined external-beam PIXE and [mu]-Raman characterisation of garnets used in Merovingian jewellery. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* 189 (1-4): 320-327.

Calò, Ambra

2009 The Distribution of Bronze Drums in Early Southeast Asia. Trade Routes and Cultural Spheres. Archaeopress, Oxford.

Campbell Cole, Barbie

2003 Ancient Hard Stone Beads and Seals of Myanmar. In *Ornaments from the Past-Bead Studies After Beck*, edited by Ian Glover, Helen Hughes-Brock, and Julian Henderson, pp. 118-133. The Bead Study Trust, London.

Carneiro, Robert

1970 A Theory on the Origin of the State. Science 169: 733-738.

Carter, Alison

2009 From Prasats to Phnoms: International Collaborative Research in Cambodia. *The SAA Archaeological Record* 9 (3): 11-14.

2010 Trade and Exchange Networks in Iron Age Cambodia: Preliminary Results from a Compositional Analysis of Glass Beads. *Bulletin of the Indo-Pacific Prehistory Association* 30: 178-188.

Carter, Alison, Piphal Heng, Sophady Heng, and Kaseka Phon

2013 Archaeology in Post-Khmer Rouge Cambodia. In *Encyclopedia of Global Archaeology*, edited by Claire Smith, Springer, New York.

Carter, Alison and James Lankton

2012 Analysis and comparison of glass beads from Ban Non Wat And Noen U-Loke. In *The Origins of Angkor Volume 3: The Excavation of Ban Non Wat, The Iron Age*, edited by Charles Higham, pp. 91-114. Fine Arts Department of Thailand, Bangkok.

Cawte, Hayden James

2009 Archaeometallurgical investigations at Puen Baolo and Dragon Field, Savannakhet Province, Laos: Stage one results and recommendations. Report on file with James Cook University, http://eprints.jcu.edu.au/10770/.

Chaisuwan, Boonyarit

2011 Early Contacts between India and the Andaman Coast in Thailand from the Second Century BCE to Eleventh Century CE. In *Early Interactions Between South and*

Southeast Asia. Reflections on Cross-Cultural Exchange, edited by Pierre-Yves Manguin, A. Mani, and Geoff Wade, pp. 83-112. ISEAS Publishing, Singapore.

Chaisuwan, Boonyarit, and Rerai Naiyawat

2009 Thung Tuk. A Settlement Linking Together the Maritime Silk Route. Trio Creation, Songkhla.

Chang Nigel J.

1996 Personal Ornaments on Thai Prehistory: Some Preliminary Observations from Nong Nor, Central Thailand. *Bulletin of the Indo-Pacific Prehistory Association* 14: 140-50.

2001 Personal Ornaments in Thai Prehistory: Nong Nor, Ban Lum Khao, and Noen U-Loke. Unpublished Ph.D dissertation, University of Otago, Dunedin, New Zealand.

Chang, Nigel and Judy Voelker

2003 Ceramic Bangles as Everyday Personal Ornaments. *Bulletin of the Indo-Pacific Prehistory Association* 23: 19-26.

Chapman, Robert and Klavs Randsborg

1981 Approaches to the archaeology of death. In *The Archaeology of Death*, edited by Robert Chapman, Ian Kinnes, and Klavs Randsborg, pp. 1-24. Cambridge University Press, Cambridge.

Chi, Zhang and Hsiao-Chun Hung

2008 The Neolithic of Southern China – Origin, Development, and Dispersal. *Asian Perspectives* 47 (2): 299-329.

Chrea, Vichett, Sotham Sieng, Boly Mak, Vannda Tep, Salorn Phok, and Saroeun Mom 1999 *Mineral Deposits in Cambodia*. General Department of Mineral Resources, Ministry of Industry, Mines, and Energy, Phnom Penh.

Christie, Jan Wisseman

1990 Trade and State Formation in the Malay Peninsula and Sumatra, 300 B.C. - A.D. 700. In *Southeast Asia Port and Polity*, edited by J Kathrithamby-Wells and John Villiers, pp. 39-60. Singapore University Press, Kent Ridge, Singapore.

1995 State Formation in Early Maritime Southeast Asia: A Consideration of the Theories and the Data. *Bigdragen Tot de Taal-, Land- En Volkenkunde* 151: 235-288.

Clark, John E and Michael Blake

1994 The Power of Prestige: Competitive Generosity and the Emergence of Rank Societies in Lowland Mesoamerica. In *Factional Competition and Political Development in the New World*, edited by Elizabeth Brumfiel and John Fox, Cambridge University Press, Cambridge.

Coedès, George

1968 The Indianized States of Southeast Asia. The University of Hawaii Press, Honolulu.

Commission des Moeurs et Coutumes du Cambodge

1967 Recueil des Contes et Legendes Cambodgiens: Relatif à l'Origine historique et Géographique. Edition de l'Institut Bouddhique, Phnom Penh.

Coningham, Robin, Daniella Burroni, Randolph Donahue, and Louise Ford 2006 Stone Objects. In *Anuradhapura: The British-Sri Lankan Excavations at Anuradhapura Salgaha Watta 2*, edited by Robin Coningham, pp. 377-413. Archaeopress, Oxford.

Connelly, R.

2007 The Iron and Bimetallic Artefacts. In *The Origins of the Civilization of Angkor Volume II: The Excavation of Noen U-Loke and Non Muang Kao*, edited by Charles F.W. Higham, Amphan Kijngam, and Sarah Talbont, pp. 431-446. The Thai Fine Arts Department, Bangkok.

Daguan, Zhou

2007 A Record of Cambodia: The land and its people. Silkworm Books, Chiang Mai.

Dalsheimer, N and P Y Manguin

1998 Visnu mitrés et réseaux marchands en Asie du Sud-Est: nouvelles données archéologiques sur le Ier millénaire apr. J.-C.. *Bulletin de l'Ecole française d'Extrême-Orient* 85 (1): 87-123.

D'Altroy, Terence and Timothy Earle

1985 Staple Finance, Wealth Finance and Storage in the Inka Political Economy. *Current Anthropology* 26 (2): 187-206.

Dawson, J.B. and W.E. Stephens

1975 Statistical classification of garnets from kimberlite and associated xenoliths. *The Journal of Geology* 83 (5): 589-607.

Deer, W.A., R.A. Howie, and J. Zussman

1982 Rock Forming Minerals. Volume 1A: Orthosilicates. 2 Longman Group Limited, London.

Dega, Michael

2002 Prehistoric Circular Earthworks of Cambodia. Archaeopress, Oxford.

Dega, Michael and D. Kyle Latinis

2012 A Brief Study of Cambodian Circular Earthwork Ceramics as Explained Through EDXRF Analysis. *Bulletin of the Indo-Pacific Prehistory Association* 31: 63-74.

Demeter, Fabrice

2004a Étude biométrique des individus 21040 du site Prei Khmeng (Bony 3 dite "Paulette"). In *Mission Archéologique Franco-Khmère sur l'Aménagement du Territoire Angkorien (MAFKATA). Campagine 2004 Rapport*, pp. 70-75. École Française d'Extrême-Orient, Siem Reap.

2004b Étude biométrique des individus 21045 et 22035 du site Prei Khmeng. In *Mission Archéologique Franco-Khmère sur l'Aménagement du Territoire Angkorien (MAFKATA)*. *Campagne 2004 Rapport.*, pp. 76-86. École Française d'Extrême-Orient, Siem Reap.

Demeter, Fabrice, Laura L. Shackelford, Anne Marie Bacon, Philippe Duringer, Kira Westaway, Thongsa Sayavongkhamdy, Jose Braga, Phonephanh Sichanthongtip, Phimmasaeng Khamdalavong, Jean-Luc Ponche, Hong Wang, Craig Lundstrom, Elise Patole-Edoumba, and Anne-Marie Karpoff

2012 Anatomically modern human in Southeast Asia (Laos) by 46 ka. *Proceedings of the National Academy of Sciences* 109 (36): 14375-14380.

Dikshit, Moreshwar Gangadhar

1949 Etched Beads in India. Deccan College: Postgraduate and Research Institute, Poona.

Dillian, Carolyn D. and Carolyn L. White

2010 Introduction: Perspectives on Trade and Exchange. In *Trade and Exchange: Archaeological Studies from History and Prehistory*, pp. 3-14. Springer, New York.

Dissanayake, C.B., Rohana Chandrajith, and H.J. Tobschall

2000 The Geology, Mineralogy and Rare Element Geochemistry of the Gem Deposits of Sri Lanka. *Bulletin of the Geological Society of Finland* 72 (1-2): 5-20.

Domett, Kate, Dougald O'Reilly, and H.R. Buckley

2011 Bioarchaeological Evidence for Conflict in Iron Age North-west Cambodia. *Antiquity* 85: 441-458.

Domett, Kate and Dougald O'Reilly

2009 Health in Pre-Angkorian Cambodia: A Bioarchaeological Analysis of the Skeletal Remains from Phum Snay. *Asian Perspectives* 48 (1): 56-79.

Dowling, Nancy H.

1999 A New Date for the Phnom Da Images and its Iimplications for Early Cambodia. *Asian Perspectives* (1): 51-61.

Druce, Stephen, David Bulbeck, and Irfan Mahmud

2005 A Transitional Islamic Bugis Cremation in Bulubangi, South Sulawesi: Its Historical and Archaeological Context. *RIMA: Review of Indonesian and Malaysian Affairs* 39 (1): 1-22.

Dussubieux Laure

2001 L'Apport de l'ablation laser couplée a l'ICP-MS à la caractérisation des verres: Application a l'étude du verre de l'océan Indien. Unpublished Ph.D. dissertation, Université d'Orléans, Orléans, France.

Dussubieux, Laure, Mark Golitko, Patrick Ryan Williams, and Robert J Speakman 2007 Laser Ablation-Inductively Coupled Plasma-Mass Spectrometry Analysis Applied to the Characterization of Peruvian Wari Ceramics. In *Archaeological Chemistry:*Analytical Techniques and Archaeological Interpretation, edited by Glascock, Speakman, and Popelka-Filcoff, pp. 349-363. American Chemical Society, Washington D.C..

Dussubieux, Laure and Bernard Gratuze

2003 Non-Destructive Characterization of Glass Beads: An Application to the Study of Glass Trade Between India and Southeast Asia. In *Fishbones and Glittering Emblems: Southeast Asian Archaeology* 2002, edited by Anna Karlstrom and Anna Kallen, pp. 135-101. Museum of Far Eastern Antiquities, Stockholm.

2010 Glass in Southeast Asia. In 50 Years of Archaeology in Southeast Asia. Essays in honour of Ian Glover, edited by Berenice Bellina, Elisabeth A. Bacus, Thomas Oliver Pryce, and Jan Wisseman Christie, pp. 247-260. River Books, Bangkok.

2013 Glass in South Asia. In *Modern Methods for Analysing Archaeological and Historic Glass*, edited by Koen Janssens, pp. 397-412. Wiley and Sons, West Sussex.

Dussubieux, Laure, James W. Lankton, Bellina-Pryce Berenice, and Boonyarit Chaisuwan 2012 Early Glass Trade in South and Southeast Asia: New Insights from Two Coastal Sites, Phu Khao Thong in Thailand and Arikamedu in South India. In *Crossing Borders: Selected Papers from the 13th International Conference of the European Association of Southeast Asian Archaeologists, Volume 1*, edited by Mai-Lin Tjoa-Bonatz, Andreas Reinecke, and Dominik Bonatz, pp. 307-328. NUS Press, Singapore.

Dzung, Lam Thi My

2009 Sa Huynh Regional and Inter-regional Interactions in the Thu Bon Valley, Quang Nam Province, Central Vietnam. *Bulletin of the Indo-Pacific Prehistory Association* 29: 68-75.

2011 Central Vietnam During the Period from 500 BCE - CE 500. In *Early Interactions Between South and Southeast Asia*, edited by Pierre-Yves Manguin, A. Mani, and Geoff Wade, pp. 3-16. Institute of Southeast Asian Studies, Singapore.

Evans, I H N

1928 On ancient remains from Kuala Selinsing Perak and further notes on remains from Kuala Selising. *Journal of the Federated Malay States Museums* 12 (5): 121-131.

1932 Excavations at Tanjong Rawa, Kuala Selinsing, Perak. *Journal of the Federated Malay States Museums* 15 (3): 79-134.

Eyre, Chureekamol Onsuwan

2011 Social Variation and Dynamics in Metal Age and Protohistoric Central Thailand: A Regional Perspective. *Asian Perspectives* 49 (1): 43-84.

École française d'Extrême-Orient

2011 *Un siècle d'histoire : l'École française d'Extrême-Orient et le Cambodge*. Magellan & Cie, École française d'Extrême-Orient, Paris.

Farges, Francois

1998 Mineralogy of the Louvres Merovingian garnet cloisonne jewelry; origins of the gems of the first kings of France. *American Mineralogist* 83 (3-4): 323.

Fehrenbach, Shawn

2010 Compositional Analysis of 35 Ceramic Sherds from Phum Snay, Prohear, Choeung Ek, and Village 10.8, Kingdom of Cambodia, using Instrumental Neutron Activation Analysis. Report on file with the Ministry of Culture and Fine Arts, Cambodia.

Flad, R. K. and Z. X. Hruby

2007 Specialized Production in Archaeological Contexts: Rethinking Specialization, the Social Value of Products, and the Practice of Production. *Archaeological Papers of the American Anthropological Association* 17 (1): 1-19.

Foster, W.

1906 The English Factories in India, 1612-1621: A Calendar of Documents in the India Office, British Museum and Public Record Office. Clarendon Press, Oxford.

Fox, Jeff and Judy Ledgerwood

1999 Dry-Season Flood-Recession Rice in the Mekong Delta: Two Thousand Years of Sustainable Agriculture?. *Asian Perspectives* 38 (1): 37-50.

Francis Jr., Peter

1986 Baba Ghor and the Ratanpur Rakshisha. *Journal of the Economic and Social History of the Orient* 29 (2): 198-205.

1990 Glass Beads In Asia Part 2: Indo-Pacific Beads. Asian Perspectives 29 (1): 1-23.

1996 Beads, the Bead Trade, and State Development in Southeast Asia. In *Ancient Trades and Cultural Contacts in Southeast Asia*, edited by Nandana Chutiwongs, pp. 139-160. The Office of the National Culture Commission, Bangkok.

2002 Asia's Maritime Bead Trade. 300 B.C. to the Present. University of Hawai'i Press, Honolulu.

2004 Beads and selected small finds from the 1989-1992 excavations. In *The Ancient Port of Arikamedu: New Excavations and Researches 1989-1992*, *Volume 2*, edited by Vimala Begley, pp. 447-604. Ecole Française d'Extreme Orient, Paris.

Frankenstein, S and M J Rowlands

1978 The Internal Structure and Regional Context of Early Iron Age Society in South-Western Germany. *Bulletin of the Institute of Archaeology* 15: 73-112.

Fuller, D., N. Boivin, T. Hoogervorst, and R. Allaby

2011 Across the Indian Ocean: the prehistoric movement of plants and animals. *Antiquity* 85: 544-558.

Gadekar, DR

1977 Sedimentary Structures in the Tertiary Rocks of South Gujarat and Their Environmental Significance. *Journal of the Geological Society of India* 18: 549-557.

Gardner, GB

1937 Ancient beads from the Johore River as evidence of an early link by sea between Malaya and the Roman Empire. *The Journal of the Royal Asiatic Society of Great Britain and Ireland* (3): 467-470.

Gaudes, Rudiger

1993 Kaundinya, Preah Thaong, and the "Nagi Soma": Some Aspects of a Cambodian Legend. *Asian Folklore Studies* 52 (2): 333-358.

Glover, Ian

1989a Early Trade Between India and Southeast Asia: A Link in the Development of a World Trading System. Centre for South-East Asian Studies, Hull.

1989b Early Trade Between India and Southeast Asia: A Link in the Development of a World Trading System. The University of Hull Centre for South-East Asian Studies, Hull. Glover, I C

1993 Other people's pasts--Western archaeologists and Thai prehistory. *Journal of the Siam Society* 81 (1): 45-53.

1996 The Southern Silk Road: Archaeological Evidence for Early Trade Between India and Southeast Asia. In *Ancient Trades and Cultural Contacts in Southeast Asia*, edited by Nandana Chutiwongs, pp. 57-94. The Office of the National Culture Commission, Bangkok, Thailand.

2011 The Dvaravati Gap-Linking Prehistory and History in Early Thailand. *Bulletin of the Indo-Pacific Prehistory Association* 30: 79-86.

Glover, Ian and Bérénice Bellina

2001 Alkaline Etched Beads East of India in the Late Prehistoric and Early Historic Periods. *Bulletin de l'Ecole Française d'Extreme-Orient* 88: 191-215.

2003 Alkaline Etched Beads in Southeast Asia. In *Ornaments from the Past: Bead Studies after Beck*, edited by Ian C Glover, Helen Hughes-Brock, and Julian Henderson, pp. 92-107. The Bead Study Trust, London.

2006 Some National, Regional, and Political Uses of Archaeology in East and Southeast Asia. In *Archaeology of Asia*, edited by Miriam Stark, pp. 17-36. Blackwell, Malden.

2011 Ban Don Ta Phet and Khao Sam Keo: The Earliest Indian Contacts Re-assessed. In *Early Interactions Between South and Southesat Asia. Reflections on Cross-Cultural Exchange*, edited by Pierre-Yves Manguin, A. Mani, and Geoff Wade, ISEAS Publishing, Singapore.

Glover, Ian and Peter Bellwood(editors)

2004 Southeast Asia: From Prehistory to History. RoutledgeCurzon, New York.

Glover, Ian and Julian Henderson

1995 Early Glass in South and South East Asia and China. In *South East Asia and China: Art, Interaction and Commerce*, edited by Rosemary Scott and John Guy, pp. 141-170. Percival David Foundation of Chinese Art, London.

Gorelick, Leonard and A. John Gwinnett

1978 Ancient seals and modern science. Expedition 20 (2): 38-47.

1988 Diamonds from India to Rome and beyond. *American Journal of Archaeology* 92 (4): 547-552.

1989 "Collars" in the Holes of Near Eastern Cylinder Seals. Archaeomaterials 3: 39-46.

Gorelick, L., A.J. Gwinnett, and Ian. C Glover

1996 An Examination of the Methods Used to Make the Semiprecious Stone Beads from Ban Don Ta Phet, Thailand. *Bead Study Trust Newsletter* 28: 8-11.

Gorman, C. F. and P. Charoenwongsa

1976 Ban Chiang: a mosaic of impressions from the first two years. *Expedition* 18 (4): 14-26.

Gratuze, Bernard

1999 Obsidian Characterization by Laser Ablation ICP-MS and its Application to Prehistoric Trade in the Mediterranean and the Near East: Sources and Distribution of Obsidian within the Aegean and Anatolia. *Journal of Archaeological Science* 26: 869-881.

2005 Etude d'Objects en Verre Provenant des sites Cambodgiens de Phum-Snay et Samrong-Sen. Centre National de la Recherche Scientifique,

Griffin, P Bion, Miriam Stark, and Judy Ledgerwood

1996 Research, Education, and Cultural Resource Management at Angkor Borei, Cambodia. *CRM* 19 (3): 37-41.

Groslier, Bernard Phillippe

1966 Archaeologia Mundi: Indochine. Nagel, Geneva.

1966 Découvertes archéologiques récentes au Cambodge. Kambuja 16: 76-81.

Gunawardene, Mahinda and Mahinda Rupasinghe

1986 The Elahera gem field in central Sri Lanka. Gems & Gemology 22 (2): 80-95.

Gupta, Avijit

2005a Landforms of Southeast Asia. In *The Physical Geography of Southeast Asia*, edited by Avijit Gupta, pp. 38-64. Oxford University Press, Oxford.

2005b Rivers of Southeast Asia. In *The Physical Geography of Southeast Asia*, edited by Avijit Gupta, pp. 65-79. Oxford University Press, Oxford.

Gupta, Sunil

2003 From Archaeology to Art in the Material Record of Southeast Asia: The Indianization Phenomenon Reviewed. In *Fishbones and Glittering Emblems: Southeast Asian Archaeology* 2002, edited by Anna Karlstrom and Anna Kallen, pp. 391-404. Museum of Far Eastern Antiquities, Stockholm.

2005 The Bay of Bengal Interaction Sphere (1000 BC - AD 500). *Bulletin of the Indo-Pacific Prehistory Association* 25: 21-30.

Gutman, Pamela and Bob Hudson

2004 The Archaeology of Burma (Myanmar) from the Neolithic to Pagan. *Southeast Asia: From Prehistory to History:* 149-76.

Gwinnett, A.John and Leonard . Gorelick

1979 Ancient Lapidary. *Expedition* 22 (1): 17-32.

1986 Evidence for the Use of a Diamond Drill for Bead Making in Sri-Lanka c. 700-1000 A.D.. *Scanning Electron Microscopy* II: 473-477.

1987a Experimental evidence for the use of a diamond drill in sri lanka ca. Ad. 700-1000. *Archeomaterials* 1 (2): 149-152.

1987b The Change from Stone Drills to Copper Drills in Mesopotamia: An Experimental Perspective. *Expedition* 29 (3): 15-24.

1998 A Brief History of Drills and Drilling. Beads 10-11: 49-56.

Haidle, Miriam Noel

2001 Fragments of Glass Bangles from Krek 52/62 and Their Implications for the Dating of the Mimotien Culture. *Asian Perspectives* 40 (2): 195-208.

2009 Shouldered Adzes, Bifaces, and Chert Prisms: A Characterization of Mimotien Stone Tool Assemblages From Later Cambodian Prehistory. *Bulletin of the Indo-Pacific Prehistory Association* 29: 15-20.

Haidle, Miriam Noel and Udo Neumann

2004 Shiny Expectations? Glass in Mimotien Context. *Bulletin of the Indo-Pacific Prehistory Association* 24: 121-128.

Hall, Kenneth R.

1982 The" Indianization" of Funan: An economic history of Southeast Asia's first state. *Journal of Southeast Asian Studies* 13 (1): 81-106.

1985 Maritime Trade and State Development in Early Southeast Asia. University of Hawaii Press, Honolulu.

Hammerle Esme

2004 An Archaeological Study of Ancient Beads from Cambodia. Unpublished Ph.D. dissertation, Department of Anthropology, University of Hawai'i,

Hannibal-Deraniyagala, Anne Sibylle

2001 Beads from Tissamaharama: A typology of Sri Lankan glass and semi-precious stone beads. In *Ancient Ruhuna*. *Sri Lankan-German Archaeological Project in the Southern Province*. *Volume 1*, edited by H.-J. Weisshaar, H. Roth, and W. Wijeyapala, pp. 203-226. Von Zabern, Mainz am Rhein.

2005 Beads from Anuradhapura and Tissmaharama, Sri Lanka: Trade Contacts in the Early Historic Period. *Journal of Indian Ocean Archaeology* 2: 21-24.

Hansford, S. Howard

1950 Chinese Jade Carving. Lund Humphries & Co. LTD, London.

Hayden, Brian

1998 Practical and Prestige Technologies: The Evolution of Material Systems. *Journal of Archaeological Science* 5 (1): 1-53.

Heger, F.

1902 Alte Metalltrommeln aus sudost Asien. Leipzig, Hiersemann.

Helms, Mary

1992 Long-Distance Contacts, Elite Aspirations, and the Age of Discovery in Cosmological Context. In *Resources, Power, and Interregional Interaction*, edited by Edward Schortman and Patricia Urban, pp. 157-173. Plenum Press, New York.

1993 Craft and the Kingly Ideal: Art, Trade, and Power. University of Texas Press, Austin.

Henderson, Julian

2000 *The Science and Archaeology of Materials. An Investigation of Inorganic Materials.* Routledge, London.

Henderson, Julian, J. A. Evans, H. J. Sloane, M. J. Leng, and C. Doherty 2005 The use of oxygen, strontium, and lead isotopes to provenance ancient glasses in the Middle East. *Journal of Archaeological Science* 32: 665-673.

Hendrickson Mitch

2008 Arteries of Empire: An Operational Study of Transport and Communication in Angkorian Southeast Asia (9th to 15th centuries CE). Unpublished PhD dissertation, Department of Archaeology, University of Sydney.

Heng, Sophady

2004 Recent Excavations at the Archaeological Site Krek, Village 18. Bulletin of the Students of the Department of Archaeology 3: 5-14.

2005 Village 10.8: Preliminary Results of the Excavation of an Iron Age Cemetery in the Red Soil Region, Eastern Cambodia. Report on file with the Ministry of Culture and Fine Arts, Phnom Penh, Cambodia.

Heng, Sophady, Laychour Vin, and Sonetra Seng

2012 *The Memot Archaeological Museum*. The Memot Centre for Archaeology, Phnom Penh.

Heng Piphal

2009 A Political Economy Approach to Pre-Angkor Cambodia. Unpublished Masters Thesis, University of Hawaii at Manoa,

Hickmott, D.D., N. Shimizu, F.S. Spear, and J. Selverstone 1987 Trace-Element Zoning in a Metamorphic Garnet. *Geology* 15 (6): 573-576.

Hickmott Donald Degarmo

1988 Trace Element Zoning in Garnets: Implications for Metamorphic Processes. Unpublished Ph.D. dissertation,

Higham, Charles F.W.

1986 Chronology, Evolution and Diffusion in the Later Southeast Asian Cultural Sequence: Further Comments. *Bulletin of the Indo-Pacific Prehistory Association* 7: 141-7.

1989 *The Archaeology of Mainland Southeast Asia*. Cambridge University Press, Cambridge.

1996 The Bronze Age of Southeast Asia. Cambridge University Press, Cambridge.

2002 Early Cultures of Mainland Southeast Asia. River Books, Bangkok.

2004 Mainland Southeast Asia from the Neolithic to the Iron Age. In *Southeast Asia: From Prehistory to History*, edited by Peter Bellwood and Ian Glover, pp. 41-67. RoutledgeCurzon, New York.

2011a The Bronze Age of Southeast Asia: New Insight on Social Change from Ban Non Wat. *Cambridge Archaeological Journal* 21 (3): 365-389.

2011b The Iron Age of the Mun Valley, Thailand. *The Antiquaries Journal* 91 (1): 101-144.

Higham, Charles, X. Guangmao, and L. Qiang

2011 The Prehistory of a Friction Zone: First Farmers and Hunters-Gatherers in Southeast Asia. *Antiquity* 85: 529-543.

Higham, Charles and Tom Higham

2009 A New Chronological Framework for Prehistoric Southeast Asia, Based on a Bayesian Model from Ban Non Wat. *Antiquity* 83: 125-144.

Higham, Charles and Amphan Kijngam (editors)

1984 Prehistoric Investigations in Northeast Thailand, part iii. B.A.R., Oxford.

2010 The Origins of Angkor IV: The Excavation of Ban Non Wat, Part Two-The Neolithic Occupation. The Thai Fine Arts Department, Bangkok.

2012 The Origins of Angkor IV: Excavation of Ban Non Wat, Part Three- The Iron Age. The Thai Fine Arts Department, Bangkok.

Higham, Charles F.W., Amphan. Kijngam, and Sarah Talbot (editors)

2007 The Origins of the Civilization of Angkor Volume 2: The Excavation of Noen U-Loke and Non Muang Kao. The Thai Fine Arts Department, Bangkok.

Higham, Charles F. W., Y. V. Kuzmin, and G. S. Burr

2010 The AMS 14C dating of Iron Age rice chaff ceramic temper from Ban Non Wat, Thailand: First results and its interpretation. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* 268 (7-8): 1022-1025.

Higham, Charles, and Rachanie Thosarat

1994 *Khok Phanom Di: Prehistoric Adaptation to the World's Richest Habitat*. Harcourt Brace College Publishers, Fort Worth.

2009 The Origins of the Civilization of Angkor. Volume III. The Excavation of Ban Non Wat: Introduction. The Fine Arts Department of Thailand, Bangkok.

2012 Early Thailand: From Prehistory to Sukhothai. River Books, Bangkok.

Higham, Charles F.W. and Rachanie Thosarat(editors)

1993 *The Excavation of Khok Phanom Di. Volume III: The Material Culture (Part 1).* Oxbow Books, London.

Hodder, Ian

1980 Trade and Exchange: Definitions, Identification and Function. In *Models and Methods in Regional Exchange*, edited by Robert E. Fry, Society for American Archaeology, Washington D.C..

Hudson, Bob

2005 A Pyu Homeland in the Samon Valley: a new theory of the origins of Myanmar's early urban system. *Myanmar Historical Commission Conference Proceedings*, *Part 2* 59-79. Universities Historical Research Centre, Yangon.

Hung, Hsiao-Chun and Peter Bellwood

2010 Movement of raw materials and manufactured goods across the South China Sea after 500 BCE: from Taiwan to Thailand, and back. In 50 Years of Archaeology in Southeast Asia. Essays in honour of Ian Glover, edited by Berenice Bellina, Elisabeth A. Bacus, Thomas Oliver Pryce, and Jan Wisseman Christie, pp. 234-246. River Books, Bangkok.

Hung, Hsiao-Chun, Yoshiyuki Lizuka, Peter Bellwood, Kim Dung Nguyen, Berenice Bellina, Praon Silapanth, Eusebio Dizon, Rey Santiago, Ipoi Datan, and Jonathan Manton 2007 Ancient Jades map 3000 years of prehistoric exchange in Southeast Asia. *Proceedings of the National Academy of Sciences* 104 (50): 19745-19750.

Huntingford, G.W.B

1980 The Periplus of the Erythraean Sea. The Hakluyt Society, London.

Ikehara-Quebral R M

2010 An assessment of health in early historic (200 BC To AD 200) inhabitants of Vat Komnou, Angkor Borei, southern Cambodia: A bioarchaeological perspective. Unpublished Ph.D. dissertation, University of Hawaii at Manoa,

Indrawooth, Phasook

2004 The Archaeology of the Early Buddhist Kingdoms of Thailand. In *Southeast Asia: From Prehistory to History*, edited by Peter Bellwood and Ian Glover, pp. 120-148. RoutledgeCurzon, New York.

Insoll, Timothy, David A Polya, Kuldeep Bhan, Duncan Irving, and Kym Jarvis 2004 Towards an understanding of the carnelian bead trade from Western India to sub-Saharan Africa: the application of UV-LA-ICP-MS to carnelian from Gujarat, India, and West Africa. *Journal of Archaeological Science* 31: 1161-1173.

Ishizawa, Yoshiaki

1995 Chinese Chronicles of 1st-5th Century AD, Funan, Southern Cambodia. In *South East Asia and China: Art, Interaction and Commerce*, edited by Rosemary Scott and John Guy, pp. 11-31. University of London, Percival David Foundation of Chinese Art, London.

Jacob, J.M.

1979 Pre-Angkor Cambodia: Evidence from the inscriptions concerning the common people and their environment. In *Early South East Asia: Essays in Archaeology, History, and Historical Geography*, edited by R.B. Smith and W. Watson, pp. 406-424. Oxford University Press, New York.

Jacobsen, Trudy

2008 Lost Goddesses: The Denial of Female Power in Cambodian History. NIAS Press, Copenhagen.

Jacq-Hergoualc'h, Michel

2002 The Malay Peninsula: Crossroads of the Maritime Silk Road. Brill, Leiden.

Jacques, Claude, and Philippe Lafond

2007 The Khmer Empire: Cities and Sanctuaries from the 5th to the 13th Century. River Books, Bangkok.

Javier, E.L.

1997 *Rice Production in Cambodia*, edited by H.J. Nesbitt, pp. 39-81. International Rice Research Institute, Manila.

Junker, Laura Lee

1994 The Development of Centralized Craft Production Systems in A.D. 500-1600 Philippine Chiefdoms. *Journal of Southeast Asian Studies* 25 (1): 1-30.

Kane, Robert, Shane McClure, Robert Kammerling, Dang Khoa Nguyen, Carlo Mora, Saverio Repetto, Duc Khai Nguyen, and John Koivula

1991 Rubies and Fancy Sapphires from Vietnam. Gems & Gemology Fall: 136-155.

Kanungo, Alok Kumar

1996 Beads Among the Juang of India. Beads 8-9: 3-10.

Kelly, Gwendolyn O.

2009 Craft Production and Technology During the Iron Age to Early Historic Transition at Kodumanal, Tamil Nadu. *Tamil Civilization* 23 (Oct-Dec): 1-14.

Kenoyer, Jonathan Mark

1991 The Indus Valley Tradition of Pakistan and Western India. *Journal of World Prehistory* 5 (4): 331-385.

1992a Lapis Lazuli Beadmaking in Afghanistan and Pakistan. Ornament 15 (3): 71-73.

1992b Harappan Craft Specialization and the Question of Urban Segregation and Stratification. *The Eastern Anthropologist* 45 (1-2): 39-54.

1997 Trade and technology of the Indus Valley: new insights from Harappa, Pakistan. *World Archaeology* 29 (2): 262-280.

1998 Ancient Cities of the Indus Valley Civilization. Oxford University Press, Karachi.

2000 Wealth and Socio-Economic Hierarchies of the Indus Valley Civilization. In *Order*, *Legitimacy and Wealth in Early States*, edited by Janet Richards and Mary Van Buren, pp. 90-112. Cambridge University Press, Cambridge.

2003 The Technology of Stone Beads. In *A Bead Timeline: Volume 1: Prehistory to 1200 CE. A Resource for Identification, Classification and Dating*, edited by James Lankton, pp. 14-19. The Bead Society of Greater Washington, Washington D.C..

Kenoyer, Jonathan Mark and Kuldeep K. Bhan

2004 Sidis and the Agate Bead Industry of Western India. In *Sidis and Scholars: Essays on African Indians*, edited by Amy Catlin-Jairazbhoy and Edward A. Alpers, pp. 42-60. Rainbow Publishers, Noida, India.

Kenoyer, Jonathan Mark and Massimo Vidale

1992 A new look at stone drills of the Indus Valley Tradition. In *Materials Issues in Art and Archaeology, III*, edited by P Vandiver, J R Druzick, G S Wheeler, and I Freestone, pp. 495-518. Materials Research Society, Pittsburgh.

Kenoyer, Jonathan Mark, Massimo Vidale, and Kuldeep Kumar Bhan

1991 Contemporary Stone Bead Making in Khambhat India: patterns of craft specialization and organization of production as reflected in the archaeological record. *World Archaeology* 23 (1): 44-63.

1994 Carnelian Bead Production in Khambhat India: An Ethnoarchaeological Study. In *Living Traditions: Studies in the Ethnoarchaeology of South Asia*, edited by B Allchin, pp. 281-306. Oxford and IBH, New Delhi.

Keo, Rathana

2010 Phnom Borei Phnom Da. Books World, Phnom Penh.

Khai, Vo Si

2003 The Kingdom of Funan and the Culture of Oc Eo. In *Art and Archaeology of Fu Nan: Pre-Khmer Kingdom of the Mekong Valley*, edited by James C.M. Khoo, pp. 35-86. Orchid Press, Bangkok.

Khan, A.M., and Charles Norman Seddon

1924 Supplement to the Mirat-i-Ahmadi: With Explanatory Notes and Appendices. Syed Nawab Ali, Baroda.

Kim Nam C.

2010 The Underpinnings of Sociopolitical Complexity and Civilization in the Red River Valley of Vietnam. Unpublished Ph.D. dissertation, Department of Anthropology, University of Illinois at Chicago.

Kim, Nam, Lai Van Toi, and Trinh Hoang Hiep

2010 Co Loa: an investigation of Vietnam's ancient capital. *Antiquity* 84 (326): 1011-1027.

Kipp, Rich and Edward Schortmann

1989 The Political Impact of Trade in Chiefdoms. *American Anthropologist* 91 (2): 370-385.

Kolb, Michael J. and James E. Snead

1997 It's a small world after all: Comparative analyses of community organization in archaeology. *American Antiquity:* 609-628.

Krais, Simone

2010 The Skeletal Remains from Prohear. *Bioarchaeology in Southeast Asia and the Pacific Newsletter* 6: 11-13.

Krigbaum, J.R., A. Bentley, M.T. Stark, M. Pietrusewsky, and W. Belcher

2007 New perspectives on diet, ecology, and residence during the transition to history in the Mekong Delta. Paper presented at the 72nd Annual Society for American Archaeology Meeting, Austin.

Kulke, Hermann

1990 Indian Colonies, Indianization or Cultural Convergence? Reflections on the Changing Image of India's role in South-East Asia. *Onderzoek in Zuidoost-Azie: Agendas voor de Jaren Negentig*: 8-32.

Lamb, Alastair

1965a Some Observations on stone and glass beads in early South-East Asia. *The Journal of Malaysian Branch of the Royal Asiatic Society* 38 (2): 87-124.

1965b Some Glass Beads from the Malay Peninsula. *Man. A Record of Anthropological Science* 65 (30): 36-38.

Lankton, James, Bunchar Pongpanich, and Bernard Gratuze

2009 Chinese Han period glass cup fragments in peninsular Thailand. Paper presented at Paper presented at the 19th Indo Pacific Prehistory Association Congress, Hanoi, Vietnam.

Lankton, James and Laure Dussubieux

2006 Early Glass in Asian Maritime Trade: A Review and an Interpretation of Compositional Analysis. *Journal of Glass Studies* 48: 121-144.

2013 Early Glass in Southeast Asia. In *Modern Methods for Analysing Archaeological and Historic Glass*, edited by Koen Janssens, pp. 413-441. Wiley and Sons, West Sussex.

Lankton, James, Laure Dussubieux, and Bernard Gratuze

2008 Glass from Khao Sam Kaeo: Transferred Technology for an Early Southeast Asian Exchange Network. *Bulletin de l'École française d'Extrême- Orient* 93: 317-351.

Lankton, James W., Laure Dussubieux, and Thilo Rehren

2008 A Study of Mid-First Millennium CE Southeast Asian Specialized Glass Beadmaking Traditions. In *Interpreting Southeast Asia's Past: Monument, Image, and Text*, edited by Elisabeth Bacus, Ian C. Glover, and Peter D. Sharrock, pp. 335-356. NUS Press, Singapore.

Lapteff, Sergey

2006 Stone and Glass beads of Bronze and Early Iron Age in Cambodia. *Journal of Indian Ocean Archaeology* 3: 117-125.

2007 Phum Snay Site Findings and the Birth of Hinduist Kingdoms in Indochina. *Journal of Indian Ocean Archaeology* 4: 67-77.

2009 *Phum Snay and the Origins of Pre-Angkor Cambodia*. The Institute of Practical Oriental Studies, Moscow.

Latinis, Kyle

2004 Prei Khmeng Glass Beads Preliminary EDXRF Report. In *Mission Archaeologique Franco-Khmere sur L'Amenagement du Territoire Angkorien (MAFKATA) Campagne* 2004, pp. 108-130. École Française d'Extrême-Orient, Siem Reap.

Law Randall

2008 Inter-Regional Interaction and Urbanism in the Ancient Indus Valley: A Geologic Provenance Study of Harappa's Rock and Mineral Assemblage. Unpublished Ph.D. dissertation, The University of Wisconsin-Madison, Madison, WI.

2011 Inter-Regional Interaction and Urbanism in the Ancient Indus Valley. Research Institute for Humanity and Nature, Kyoto.

Law, Randall, Alison Carter, Kuldeep Bhan, Arun Malik, and Michael Glascock 2012. INAA of agate sources and artifacts from the Indus, Helmand, and Thailand Regions. In South Asian Archaeology 2007: Proceedings of the 19th Meeting of the European Association of South Asian Archaeology in Ravenna, Italy, July 2007. Volume 1, edited by Dennys Frenez and Maurizio Tosi, pp. 177-184. British Archaeological Reports, Oxford.

Lertcharnrit, Thanik

2006 The Moated Site of Promtin Tai and the Transition from Late Prehistory to Early History in Central Thailand. In *Uncovering Southeast Asia's Past – Selected papers from the Tenth Biennial Conference of the European Association of Southeast Asian*

Archaeologists, *London*, *14th* – *17th September 2004*, edited by Elisabeth Bacus, Ian Glover, and Vincent Pigott, pp. 258-265. NUS Press, Singapore.

2010 The Archaeology of Iron Age Thailand: Recent Investigations in Central Thailand. Paper presented at the 2010 Council on Thai Studies Conference, Madison, WI.

Lien, Le Thi

2005 Gold Plaques and their Cultural Contexts in the Oc Eo Culture. *Bulletin of the Indo-Pacific Prehistory Association* 25: 145-154.

Liu, L, G. A. Lee, L. Jiang, and J. Zhang

2007 Evidence for the Early Beginning (c. 9000 cal. BP) of rice domestication in China: a response. *The Holocene* 17 (8): 1059.

Liu Chin-hsin

2012 Human Skeletal Health and Dietary Assessment of Metal Age Central Thailand: The Impact of Changing Social Complexity and Regional Variation. Unpublished Ph.D. dissertation, Department of Anthropology, University of Florida, Gainesville.

Locock, Andrew J.

2008 An Excel Spreadsheet to Recast Analyses of Garnet into End-Member Components, and a Synopsis of the Crystal Chemistry of Natural Silicate Garnets. *Computers & Geosciences* 34 (12): 1769-1780.

Loofs-Wissow, H.E.

1982. Prehistoric and protohistoric links between the Indochinese Peninsula and the Philippines, as exemplified by two types of ear-ornaments. *Journal of the Hong Kong Archaeological Society* 9: 57-76.

1983 The Distribution of Dongson Drums: Some Thoughts. In *Ethnologie und Geschichte*, edited by P Snoy, pp. 410-417. Wiesbaden.

Luedtke, Barbara

1992 An Archaeologist's Guide to Chert and Flint. UCLA Institute of Archaeology, Los Angeles, CA.

Mabbett, Ian W.

1977a The "Indianization" of Southeast Asia: Reflections on the Historical Sources. *Journal of Southeast Asian Studies* 8 (2): 143-161.

1977b The "Indianization" of Southeast Asia: Reflections on the Prehistoric Sources. *Journal of Southeast Asian Studies* 8 (1): 1-14.

1997 The Indianization of Mainland Southeast Asia: A Reappraisal.. Living a Life in Accord with Dhamma: Papers in Honor of Professor Jean Boisselier on his Eightieth Birthday: 342-55.

Mahoney John J.

1988 Deccan Traps. In *Continental Flood Basalts*, edited by J.D. MacDougall, pp. 151-194. Kluwer Academic Publishers, The Netherlands.

Malleret, Louis

1959a L'Archéologie du Delta du Mékong, Part 1, L'Exploration Archéologique et Les Fouilles d'Oc-Èo. École Française d'Extrême-Orient, Paris.

1959b Ouvrages circulaires en terre dans l'Indochine méridionale. *Bulletin de l'École française d'Extrême-Orient* 49 (2): 409-434.

1960a L'Archéologie du Delta du Mékong, Part 2, La Civilisation Matérielle d'Oc-Èo. École Française d'Extrême-Orient, Paris.

1962 L'Archéologie du Delta du Mékong, Part 3, La Culture du Fou-Nan. École Française d'Extrême-Orient, Paris.

1963 L'Archéologie du Delta du Mékong,, Part 4, La Cisbassac. École Française d'Extrême-Orient, Paris.

Manguin, Pierre-Yves

2000 City-States and City-State Cultures in pre-15th-Century Southeast Asia. In *A Comparative Study of 30 City-State Cultures: An Investigation*, edited by M H Hansen, pp. 409-416. Kangelige Danske Videnskabenes Selskab, Copenhagen.

2004 The Early Maritime Polities of Southeasat Asia. In *Southeast Asia: From Prehistory to History*, edited by Ian Glover and Peter Bellwood, pp. 282-313. RoutledgeCurzon, New York and London.

2009 The Archaeology of Fu Nan in the Mekong River Delta: The Oc Eo culture of Viet Nam. In *Arts of Ancient Viet Nam, From River Plain to Open Sea*, edited by Nancy Tingley, pp. 100-118. Yale University Press, New Haven.

2010 Pan-Regional Responses to South Asian Imputs in Early Southeast Asia. In 50 Years of Archaeology in Southeast Asia. Essays in honour of Ian Glover, edited by Berenice Bellina, Elisabeth A. Bacus, Thomas Oliver Pryce, and Jan Wisseman Christie, pp. 171-182. River Books, Bangkok.

Manguin, Pierre-Yves, A. Mani, and Geoff Wade(editors)

2011 Early Interactions Between South and Southeast Asia: Reflections on Cross-Cultural Exchange. Institute of Southeast Asian Studies, Singapore.

Manson, D V and C M Stockton

1982 Gem-quality grossular garnets. Gems & Gemology 18 (4): 204-213.

Mathis, F., O. Vrielynck, K. Laclavetine, G. Chene, and D. Strivay

2008 Study of the provenance of Belgian Merovingian garnets by PIXE at IPNAS cyclotron. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms* 266 (10): 2348-2352.

Matthews, J. M.

1966 A review of the 'Hoabinhian' in Indo-China. Asian Perspectives 9 (1): 86-95.

McCargo, D and K Hongladarom

2004 Contesting Isan-ness: discourses of politics and identity in Northeast Thailand. *Asian Ethnicity* 5 (2): 219-234.

McCrindle, J.W.

1885 Ancient India as described by Ptolemy. Trübner & Co, London.

McGrath, R. J. and W. E. Boyd

2001 The Chronology of the Iron Age "Moats" of Northeast Thailand. *Antiquity* 75 (288): 349-360.

McNeill, Judith R. and David J. Welch

1991 Regional and Interregional Interaction on the Khorat Plateau. *Bulletin of the Indo-Pacific Prehistory Association* 10: 327-40.

Merh, S. S.

1995 Geology of Gujarat. Geological Society of India, Bangalore.

Miksic, John

2003 The Beginning of Trade in Ancient Southeast Asia: The Role of OC Eo and the Lower Mekong River. In *Art and Archaeology of Fu Nan: Pre-Khmer Kingdom of the Mekong Valley*, edited by James C.M. Khoo, pp. 1-34. Orchid Press, Bangkok.

Mirti, Piero, Marco Pace, Mery Malandrino, and Mariamaddalena Negro Ponzi 2009 Sasanian glass from Veh Ardasir: new evidences by ICP-MS analysis. *Journal of Archaeological Science* 36: 1061-1069.

Mohanty, P. and B. Mishra

1999 Beads from the Archaeological sites of Kalahandi District, Orissa.. *Bead Study Trust Newsletter* 34: 14-15.

Mohanty, R.K.

1999 Significance of a Bead Manufacturing Centre at Mahurjhari, District Nagpur, Maharashtra, India. *Man and Environment* (24): 79-89.

Molina, J, M Sikora, N Garud, J M Flowers, S Rubinstein, A Reynolds, P Huang, S Jackson, B A Schaal, and C D Bustamante

2011 Molecular Evidence for a Single Evolutionary Origin of Domesticated Rice. *Proceedings of the National Academy of Sciences* 108 (20): 8351-8356.

Moore, Elizabeth

2004 Interpreting Pyu material culture: Royal chronologies and finger-marked bricks. *Myanmar Historical Research Journal* 13 : 1-57.

2007 Early Landscapes of Myanmar. River Books, Bangkok.

Moore, Elizabeth and T. Tan

2008 Eyes on the past: Samon and Pyu beads in Myanmar. Arts of Asia 38 (1): 134-141.

Moore, Elizabeth and San Win

2007 The Gold Coast: Suvannabhumi? Lower Myanmar Walled Sites of the First Millennium A.D.. *Asian Perspectives* 46 (1): 203-231.

Morton, Andrew C.

1985 A new approach to provenance studies: electron microprobe analysis of detrital garnets from Middle Jurassic sandstones of the northern North Sea. *Sedimentology* 32: 553-556.

Mudar, Karen

1999 How Many Dvaravati Kingdoms? Locational Analysis of First Millennium A.D. Moated Settlements in Central Thailand. *Journal of Anthropological Archaeology* 18 (1): 1-28.

Muhly, J. D.

1986 The Beginnings of Metallurgy in the Old World. In *The Beginning of the Use of Metals and Alloys*, edited by R. Maddin, pp. 2-20. MIT Press, Cambridge, Mass.

Munsell Color

2012 Munsell Bead Color Book. Munsell Color, Grand Rapids.

Murillo-Barroso, M, T. O. Pryce, B. Bellina, and M. Martinón-Torres 2010 Khao Sam Kaeo-an archaeometallurgical crossroads for trans-asiatic technological traditions. *Journal of Archaeological Science* 37 (7): 1761-1772.

Nesbitt, H.J.

1997 Topography, climate, and rice production. In *Rice production in Cambodia*, edited by H.J. Nesbitt, pp. 15-19. International Rice Research Institute, Manila.

Nesbitt, H. J. and Chan Phaloeun

1997 *Rice Production in Cambodia*, edited by H.J. Nesbitt, pp. 31-37. International Rice Research Institute, Manila.

Nguyen, Khac Su

2004 The Neolithic Cultures of Vietnam. In *Southeast Asia: From Prehistory to History*, edited by Ian C. Glover and Peter Bellwood, pp. 177-188. RoutledgeCurzon, New York.

Nguyen, Kim Dung

1996 The Trang Kenh Jewellery Workshop Site: An Experimental and Microwear Study. *Bulletin of the Indo-Pacific Prehistory Association* 14: 161-165.

2001 Jewellry from late prehistoric sites recently excavated in South Vietnam. *Bulletin of the Indo-Pacific Prehistory Association* 21 : 107-113.

Nguyen, Kim Dung, Can Trinh, Van Thang Dan, Quoc Hien Vu, and Thi Hau Nguyen 1995 Ornaments from Jar Burial Sites in Can Gio. *Khao Co Hoc* 2 : 27-46 (in Vietnamese).

Nitta, Eiji

1991 Archaeological study on the ancient iron-smelting and salt-making industries in the northeast of Thailand: Preliminary report on the excavations of Non Yang and Ban Don Phlong. *Journal of Southeast Asian Archaeology* 11: 1-46.

1997 Iron-Smelting and Salt-Making Industries in Northeast Thailand. *Bulletin of the Indo-Pacific Prehistory Association* 16: 153-160.

1999 Iron and Salt Industries in Isan. In *The Dry Areas in Southeast Asia: Harsh or Benign Environment*, edited by Fukui Hayao, pp. 75-94. Center for Southeast Asian Studies (CSEAS), Kyoto University, Kyoto.

2007 Heger I drums, bronze halberds and ranked societies in the Mekong Basin. *Bulletin of the Indo-Pacific Prehistory Association* 25: 125-128.

Noonsuk, Wannsasarn

2005 The Significance of Peninsular Siam in the Southeast Asian Maritime World During 500 BC to AD 1000. Unpublished Masters Thesis, University of Hawaii at Manoa,

Oka, Rahul and Chapurukha M. Kusimba

2008 The Archaeology of Trading Systems, Part 1: Towards a New Trade Synthesis. *Journal of Archaeological Research* 16: 339-395.

O'Reilly, Dougald J.W.

2000 From the Bronze Age to the Iron Age in Thailand: Applying the Heterarchical Approach. *Asian Perspectives* 39 (1/2): 1-19.

2003 Further Evidence of Heterarchy in Bronze Age Thailand. *Current Anthropology* 44 (2): 300-306.

2004 A Preliminary Report on the Excavation of a Late Prehistoric Cemetery in Northwest Cambodia. *Bulletin of the Indo-Pacific Prehistory Association* 24: 129-132.

2007 Early Civilizations of Southeast Asia. AltaMira, Lanham.

O'Reilly, Dougald J.W and Sytha Pheng

2001 Recent Excavations in Northwest Cambodia. Antiquity 75 (288): 265-266.

O'Reilly, Dougald J.W, Thuy Chanthourn, and Kate Domett

2004 A Preliminary Report on the Excavation of an Iron Age Cemetery at Phum Snay, Banteay Menchey, Cambodia, 2003. *Udaya* (5): 219-225.

Paris, Pierre

1931 Anciens canaux reconnus sur photographies aériennes dans les provinces de Ta-Kev et de Chau-Doc. *Bulletin de l'École Française d'Extrême Orient* 31: 221-224.

1941a Anciens canaux reconnus sur photographies aériennes dans les provinces de Takeo, Châu-dôc, Long-xuyèn et Rch-giá (Complément à la note parue dans le Bulletin de l'École française d'Extrême-Orient, 1931, p. 221 et suivantes). *Bulletin de l'École française d'Extrême-Orient* 41 (1): 365-370.

1941b Autres canaux reconnus à l'Est du Mékong par examen d'autres photographies aériennes (provinces de Châu-dôc et de Long-xuyên). *Bulletin de l'École française d'Extrême-Orient* 41 (1): 371-372.

Parsons, Jeffrey R.

1972 Archaeological Settlement Patterns. Annual Review of Anthropology 1: 127-150.

Perin, Patrick, Thomas Calligaro, Francoise Vallet, Jean-Paul Poirot, and Dominique Bagault 2007 Provenancing Merovingian garnets by PIXE and u-Raman spectrometry. In *Post-Roman towns, trade and settlement in Europe and Byzantium. Volume 1. The heirs of the Roman West*, edited by Joachim Henning, pp. 69-76. Walter de Gruyter, Berlin.

Pham, Minh Huyen

2004 The Metal Age in the North of Vietnam. In *Southeast Asia: From Prehistory to History*, edited by Ian Glover and Peter Bellwood, pp. 189-201. RoutledgeCurzon, New York.

Phon, Kaseka

2004 Phnom Borei and its Relationship to Angkor Borei. Report on file with the Ministry of Culture and Fine Arts, Phnom Penh.

Pigott, Vincent and Gerd Weisgerber

1998 Mining Archaeology in Geological Context. Metallurgica Antiqua 8: 135-162.

Pigott, Vincent C., Andrew Weiss, and Surapol Natapintu

1997 Archaeology of Copper Production: Excavations in the Khao Wong Prachan Valley, Central Thailand. In *South-East Asian Archaeology 1992. Proceedings of the Fourth International Conference of the European Association of Southeast Asian Archaeologists. Rome*, 28th September-4th October 1992, edited by Roberto Ciarla and Fiorella Rispoli, pp. 119-157. Istituto Italiano per l'Africa e l'Oriente, Rome.

Pilditch, Jacqueline S.

1992 The Glass Beads of Ban Bon Noen, Central Thailand. *Asian Perspectives* 31 (2): 171-181.

Polanyi, Karl

1957 The Economy as Instituted Process. In *Trade and Market in the Early Empires*, edited by Karl Polanyi, Conrad M. Arensberg, and Harry W. Pearson, pp. 243-270. The Free Press, Glencoe, IL.

Pongpanich, Bunchar

2009 Beyond Beads. Matichon Publishing House, Bangkok, Thailand.

Possehl, G L

1981 Cambay Beadmaking. Expedition 23 (4): 39-47.

Pottier, Christophe

2001 Prei Khmeng: Synthese et phasage du tertre. In *Mission Archaeologique Franco-Khmere sur L'Amenagement du Territoire Angkorien (MAFKATA). Rapport Preliminaire Sur La Campagne de Fouilles 2001*, École française d' Extrême-Orient, Siem Reap.

- Pryce, T. Oliver, Bellina Bellina-Pryce, and Anna Bennett 2008 The Development of Metal Technologies in the Upper Thai-Malay Peninsula: Initial Interpretation of the archaeometallurgical evidenec form Khao Sam Kaeo. *Bulletin de L'Ecole Français d'Extreme-Orient* 93: 295-315.
- Pryce, T.Oliver, M. Pollard, M. Martinon-Torres, V.C. Pigott, and E. Pernicka 2011 Southeast Asia's First Isotopically Defined Prehistoric Copper Production System: When did Extractive Metallurgy Begin in the Khao Wong Prachan Valley of Central Thailand? *Archaeometry* 53 (1): 146-163.
- Quast, Von Dieter and Ulrich Schüssler 2000 Mineralogische Untersuchungen zur Herkunft der Granate merowingerzeitlicher Cloisonnéarbeiten. *Germania* 78: 75-96 (In German).

Rajan, K

1990 New Light on the Megalithic Culture of the Kongu Region, Tamil Nadu. *Man and Environment* 15 (1): 93-102.

2009 Archaeological Excavations at Porunthal 2009. Pondicherry University, Pondicherry, India.

Rammanat, Thawatchai

2009 Pre-History Ornament and Beads in Thailand Volume 1. Pasark River Basin. Phraram Creation, Bangkok.

Ray, Himanshu Prabha

1996 Early Trans-Oceanic Contacts Between South and Southeast Asia. In *Ancient Trades and Cultural Contacts in Southeast Asia*, edited by Nandana Chutiwongs, pp. 43-94. The Office of the National Culture Commission, Bangkok.

1989 Early Maritime Contacts Between South and Southeast Asia. *Journal of Southeast Asian Studies* 20 (1): 42-54.

2003 The Archaeology of Seafaring in Ancient South Asia. Cambridge University Press, Cambridge.

Reddy, B. M., B. T. Langstieh, V. Kumar, T. Nagaraja, A. N. S. Reddy, A. Meka, A. G. Reddy, K. Thangaraj, and L. Singh

2007 Austro-Asiatic tribes of Northeast India provide hitherto missing genetic link between South and Southeast Asia. *PLoS One* 2 (11): e1141.

Reid, Anthony

1988 Southeast Asia in the Age of Commerce 1450-1680. Volume One, The Lands below the winds. Yale University Press, New Haven.

1995 Humans and Forests in Pre-Colonial Southeast Asia. *Environment and History* 1 (1): 93-110.

Reinecke, Andreas

1996 Bi-Cephalous Animal-Shaped Ear Pendants in Vietnam. *Bead Study Trust Newsletter* 28: 5-7.

2009 Early Cultures (first millennium B.C. to second century A.D.). In *Arts of Ancient Viet Nam: From River Plain to Open Sea*, edited by Nancy Tingley, pp. 23-49. Yale Univeristy Press, New Haven.

Reinecke, Andreas, D.S. Le, and D.P. Le

1999 Zur Vorgeschichte im Nördlichen Mittelvietnam- Ve tien su Binh-Tri-Thien (Bac Trung Bo Viet Nam). Verglag, Mainz.

Reinecke, Andreas, Vin Laychour, and Seng Sonetra

2009 *The First Golden Age of Cambodia: Excavation at Prohear*. German Archaeological Institute, Bonn.

Renfrew, Colin

1969 Trade and culture process in European prehistory. *Current Anthropology* 10 (2/3): 151-169.

1975 Trade as Action at a Distance: Questions of Integration and Communication. In *Ancient Civilizations and Trade*, edited by Sabloff and Lamberg-Karlovsky, pp. 3-59. University of New Mexico Press, Albuquerque.

1996 Peer-Polity Interaction and Social Change. In *Contemporary Archaeology in Theory: A Reader*, edited by Robert W. Preucel and Ian Hodder, pp. 114-164. Blackwell Publishing, Malden, MA.

Renfrew, Colin and Stephan Shennan (editors)

1982 Ranking, Resource, and Exchange: Aspects of the Archaeology of Early European Society. Cambridge University Press, Cambridge.

1996 Peer-Polity Interaction and Social Change. In *Contemporary Archaeology in Theory: A Reader*, edited by Robert W. Preucel and Ian Hodder, pp. 114-164. Blackwell Publishing, Malden, MA.

Reynolds, Craig J.

1995 A New Look at Old Southeast Asia. The Journal of Asian Studies 54 (2): 419-446.

Richter, Anne

2000 Jewelry of Southeast Asia. Harry N. Abrams, New York.

Rispoli, Fiorella

1997 Late Third-Mid Second Millennium B.C. Pottery Traditions in Central Thailand: Some Preliminary Observations in a Wider Perspective. In *South-East Asian Archaeology* 1992: Proceedings of the Fourth International Conference of the European Association of Southeast Asian Archaeologists. Rome, 28th September-4th October 1992, edited by Roberto Ciarla and Fiorella Rispoli, pp. 59-97. Istituto Italiano per l'Africa e l'Oriente, Rome.

2005 To the West and India. East and West 44 (1-4): 243-265.

Ritter, Nils Christoph

2010 From Euphrates to Mekong – Maritime contacts between pre-Islamic Persia and Southeast Asia. Paper presented at the 13th International Conference of the European Association of Southeast Asian Archaeologists, Berlin.

Roll, Tom E., Michael P. Neeley, Robert J. Speakman, and Michael D. Glascock 2005 Characterization of Montana Cherts by LA-ICP-MS. In *Laser Ablation-ICP-MS in Archaeological Research*, edited by Robert Speakman and Hector Neff, pp. 59-74. University of New Mexico Press, Albuquerque.

Rosch, C, R Hock, U Schussler, P Yule, and A Hannibal

1997 Electron microprobe analysis and X-ray dif fraction methods in archaeometry: Investigations on ancient beads from the Sultanate of Oman and from Sri Lanka. *European Journal of Mineralogy* 9: 763-783.

Roux, Valentine

2000 Cornaline de l'Inde: Des pratiques techniques de Cambay aux techno-systèmes de l'Indus. Éditions de la Maison des sciences de l'homme, Paris.

Sabloff, Jeremy A. and C.C. Lamberg-Karlovsky (editors) 1975 *Ancient Civilization and Trade*. University of New Mexico Press, Albuquerque.

Saitowitz, S.J. and Reid, D.L.

2001 Physical and chemical analysis of glass beads and glassy slag from Iron age sites in northeast Thailand: Preliminary Findings. *Australasian Connections and New Directions: Proceedings of the 7th Australasian Archaeometry Conference, University of Auckland* 307-327. University of Auckland, Auckland.

Salisbury, Amy and Ian Glover

1997 New Analyses of Early Glass from Thailand and Vietnam. *Bead Study Trust Newsletter* 30 (Winter): 7-14.

- Sanderson, David CW, Paul Bishop, Miriam Stark, Sally Alexander, and Dan Penny 2007 Luminescence dating of canal sediments from Angkor Borei, Mekong Delta, Southern Cambodia. *Quaternary Geochronology* 2 (1-4): 322-329.
- Sanderson, David CW, Paul Bishop, Miriam Stark, and J. Q. Spencer 2003 Luminescence Dating of Anthropogenically Reset Canal Sediments from Angkor Borei, Mekong Delta, Cambodia. *Quaternary Science Reviews* 22: 1111-1121.
- Sayavongkhamdy, Thongsa, Peter Bellwood, and David Bulbeck 2000 Recent Archaeological Research in Laos. *Bulletin of the Indo-Pacific Prehistory Association* 19: 101-110.
- Sayre, E.V. and R.W. Smith 1961 Compositional Categories of Ancient Glass. *Science* 133 (3467): 1824-1826.

1967 Some Materials of Glass Manufacturing in Antiquity. In *Archaeological Chemistry*, a *Symposium*, *Third Symposium on Archaeological Chemistry*, edited by M. Levey, pp. 279-312. University of Pennsylvania Press, Phildelphia.

- Schortman, Edward and Patricia Urban (editors)
 1992 Resources, Power, and Interregional Interaction. Plenum Press, New York.
- Schussler, U., C. Rosch, and R. Hock
 2001 Beads from ancient Sri Lanka- First results of a systematic material analysis. In

 Ancient Ruhuna. Sri Lankan-German Archaeological Project in the Southern Province.

 Volume 1, edited by H.-J. Weisshaar, H. Roth, and W. Wijeyapala, pp. 227-242. Von
 Zabern, Mainz.
- Shaffer, Jim G.
 1992 The Indus Valley, Baluchistan, and Helmand Traditions: Neolithic through Bronze Age. In *Chronologies in Old World Archaeology, Volume 1*, edited by R. Ehrich, pp. 425-446. Chicago.
- Shigley, James, Brendan Laurs, A.J.A. Janse, Sheryl Elen, and Dona Dirlam 2010 Gem Localities of the 2000s. *Gems & Gemology* Fall: 188-216.
- Smith, Monica L.
 1999 Indianization" from the Indian Point of View: Trade and Cultural Contacts with Southeast Asia in the Early First Millennium CE. *Journal of the Economic and Social History of the Orient* 42 (1): 1-26.
- Sok Keo, Sovannara
 2005 Archaeological excavation and data analysis work project. Iron Age cemetery site in north-west of Cambodia: Secondary report on second excavation work at Krasang

Thmei village site. Report on file with the Ministry of Culture and Fine Arts, Phnom Penh.

Solheim, Wilhem G.

1964 Further relationships of the Sa Huynh--Kalanay Pottery Tradition. *Asian Perspectives* 8 (1): 196-211.

1968 Early bronze in northeastern Thailand. Current Anthropology 9 (1): 59-62.

1972 An Earlier Agricultural Revolution. Scientific American 226 (4): 34-41.

1984 Remarks on the lingling-o and bi-cephalous ornaments. *Journal of the Hong Kong Archaeological Society* 10: 107-111.

Song Sophy

2008 A Study of Glass Beads from Phum Snay Iron Age Archaeological Site and Settlement, Cambodia. Data from excavation in 2001 and 2003. Unpublished Masters Thesis, Master Erasmus Mundus in Quaternario e Preistoria, Universita degli Studi di Ferrara.

Southworth, William A.

2004 The Coastal States of Champa. In *Southeast Asia: From Prehistory to History*, edited by Ian Glover and Peter Bellwood, pp. 209-233. RoutledgeCurzon, New York.

Sovath Bong

2003 The Ceramic Chronology of Angkor Borei, Takeo province, Southern Cambodia. Unpublished Ph.D. dissertation, University of Hawaii at Manoa, Department of Anthropology.

Spear, Frank S. and Matthew J. Kohn

1996 Trace Element Zoning in Garnet as a Monitor of Crustal Melting. *Geology* 24 (12): 1099-1102.

Srisuchat, Amara

1996 Merchants, Merchandise, Markets: Archaeological Evidence in Thailand Concerning Maritime Trade Interaction Between Thailand and Other Countries Before the 16th Century A.D.. In *Ancient Trades and Cultural Contacts in Southeast Asia*, edited by Nandana Chutiwongs, pp. 237-266. The National Office of the Culture Commission, Bangkok.

Stark, Miriam T.

1998 The Transition to History in the Mekong Delta: A View from Cambodia. *International Journal of Historical Archaeology* 2 (3): 175-303.

2001 Some Preliminary Results of the 1999-2000 Archaeological Field Investigations at Angkor Borei, Takeo Province. *Udaya*. *The Journal of Khmer Studies* 2: 19-35.

2003 Angkor Borei and the Archaeology of Cambodia's Mekong Delta. In *Art & Archaeology of Fu Nan. Pre-Khmer Kingdom of the Lower Mekong Valley*, edited by James C M Khoo, pp. 87-106. Orchid Press, Bangkok.

2004 Pre-Angkorian and Angkorian Cambodia. In *Southeast Asia: From Prehistory to History*, edited by Ian Glover and Peter Bellwood, RoutledgeCurzon, London.

2006a Pre-Angkorian Settlement Trends in Cambodia's Mekong Delta and the Lower Mekong Archaeological Project. *Bulletin of the Indo-Pacific Prehistory Association* 26: 98-109.

2006b Early Mainland Southeast Asian Landscapes in the First Millennium A.D. *Annual Review in Anthropoogy* 35 (21): 21-48.

2006c From Funan to Angkor. Collapse and Regeneration in Ancient Cambodia. In *After Collapse: The Regeneration of Complex Societies*, edited by Glenn M Schwartz and John J Nichols, pp. 144-167. The University of Arizona Press, Tucson.

Stark, Miriam and Laure Dussubieux

2002 Paper presented at Paper presented at the 17th Congress of the Indo-Pacific Prehistory Association 9-15 September, 2002, Taipei, Taiwan.

Stark, Miriam T, P Bion Griffin, Chuch Phoeurn, Judy Ledgerwood, Michael Dega, Carol Mortland, Nancy Dowling, James Bayman, Bong Sovath, Tea Van, Chhan Chamroeun, and Kyle Latanis

1999 Results of the 1995-1996 Archaeological Field Investigations at Angkor Borei, Cambodia. *Asian Perspectives* 38 (1): 7-36.

Stark, Miriam, David C. W. Sanderson, and R. G. Bingham 2006 Monumentality in the Mekong: Luminescence Dating and Implications. *Bulletin of the Indo-Pacific Prehistory Association* 26:110-120.

Stark, Miriam T and Bong Sovath

2001 Recent Research on Emergent Complexity in Cambodia's Mekong. *Indo-Pacific Prehistory Association Bulletin* Melaka Papers Vol 5 (21): 85-98.

Stockton, Carol and D. Vincent Manson

1985 A Proposed New Classification for Gem-Quality Garnets. *Gems & Gemology* (Winter): 205-218.

Struever, S.

1964 The Hopewell Interaction Sphere in Riverine-Western Great Lakes Culture History. In *Hopewellian Studies*, edited by J.R. Caldwell and R.L. Hall, pp. 85-106. Illinois State Museum, Springfield.

Talbot, Sarah

2007 The Analysis of the Mortuary Record. In *The Excavation of Noen U-Loke and Non Muang Kao. Volume Two*, edited by C.F.W. Higham, A. Kijngam, and S. Talbot, pp. 305-352. The Thai Fine Arts Department, Bangkok.

Theunissen, Robert

1997 Agate and Carnelian Ornaments from Noen U-Loke, an Iron-Age Settlement in Northeast Thailand. *Bead Study Trust Newsletter* Winter: 4-7.

1998 Agate and Carnelian Ornaments from Noen U-Loke, Northeast Thailand: Some Thoughts on their Social Function and "Value". *Bead Study Trust Newsletter* 32 (Winter): 8-11.

2003 Agate and Carnelian Beads and the Dynamics of Social Complexity in Iron Age Mainland Southeast Asia. Unpublished Ph.D. dissertation, Department of Archaeology and Palaeoanthropology, University of New England, Australia.

2007 The agate and carnelian ornaments. In *The Origins of the Civilization of Angkor Volume 2: The Excavation of Noen U-Loke and Non Muang Kao*, edited by Charles Higham, Amphan Kijngam, and Sarah Talbot, pp. 359-378. The Thai Fine Arts Department, Bangkok.

Theunissen, Robert George, Peter Grave, and Grahame Bailey

2000 Doubts on Diffusion: Challenging the Assumed Indian origin of Iron Age Agate and Carnelian beads in Southeast Asia . *World Archaeology* 32 (1): 84-105.

Tosi, M.

1968 Excavations at Shahr-i Sokhta, a Chalcolithic Settlement in the Iranian Sistan. Preliminary Report on the First Campaign, October-December 1967. *East and West:* 9-66.

Tracy, Robert J., Peter Robinson, and Alan B. Thompson

1976 Garnet composition and zoning in the determination of temperature and pressure of metamorphism, central Massachusetts. *American Mineralogist* 61: 762-775.

Tripati, S and L N Raut

2006 Monsoon wind and maritime trade: a case study of historical evidence from Orissa, India. *Current Science* 90 (6): 864-871.

Turner, W.E.S.

1956a Studies in Ancient Glasses and Glassmaking Processes. Part III. The Chronology of Glassmaking Constituents. *Journal of the Society of Glass Technology* 40: 39-52.

1956b Studies in Ancient Glasses and Glassmaking Processes: Part IV: The Chemical Composition of Ancient Glasses. *Journal of the Society of Glass Technology* 40: 162-186.

United Nations Statistics Division

2011 Composition of Macro Geographical (Continental) Regions, Geographical Sub-Regions, and Selected Economic and Other Groupings. Electronic document, http://millenniumindicators.un.org/unsd/methods/m49/m49regin.htm, accessed December 12, 2011.

Vallibhotama, Srisakra

1992 Early Urban Centres in the Chao Phraya Valley of Centra Thailand. In *Early Metallurgy*, *Trade and Urban Centres in Thailand and Southeast Asia*, edited by Ian Glover, Pornchai Suchitta, and John Villiers, pp. 123-129. White Lotus Press, Bangkok.

Van Leur, J.C.

1955 Indonesian Trade and Society. W. van Hoeve Ltd, Bandung.

Van Long, Pham, Gaston Giuliani, Virginie Garnier, and Daniel Ohnenstetter 2004 Gemstones in Vietnam: A Review. *The Australian Gemmologist* 22 (4)

Vanna, Ly

2007 Chemical Characterization of Glass Beads from the Iron Age Site of Snay, Northwestern Cambodia. In *Regional Diversity in Archaeology: Southeast Asia Region*, edited by Masako Marui, pp. 347-359. Yuzankaku, Japan.

VanPool, Todd, and Robert Leonard

2011 Quantitative Analysis in Archaeology. Wiley-Blackwell, Malden, Ma.

Velde, B. and L. Courtois

1983 Yellow garnets in roman amphorae--a possible tracer of ancient commerce. *Journal of Archaeological Science* 10 (6): 531-539.

Veraprasert, Mayuree

1992 Klong Thom: An Ancient Bead-Manufacturing Location and an Ancient Entrepôt. In *Early Metallurgy, Trade and Urban Centres in Thailand and Southeast Asia*, edited by Ian Glover, Pornchai Suchitta, and John Villiers, pp. 149-162. White Lotus, Bangkok.

Vickery, Michael

1998 Society, Economics, and Politics in Pre-Angkor Cambodia. The 7th and 8th Centuries. The Centre for East Asian Cultural Studies for Unesco, Tokyo.

Vidale, Massimo

1989 Specialized Producers and Urban Elites: on the Role of Craft Industries in Mature Harappan Urban Contexts. In *Old Problems and New Perspectives in the Archaeology of South Asia*, edited by J Mark Kenoyer, pp. 171-182. Wisconsin Archaeological Reports, Madison, WI.

Vidale, Massimo, Jonathan Mark Kenoyer, and Kishor Bhan

1992 A discussion of the concept of "chaîne opératoire" in the study of stratified societies: evidence from ethnoarchaeology and archaeology. In *Ethnoarcheologie: Justification, Problèmes, Limites*, edited by A Gallay, pp. 181-194. Centre De Recherches Archéologiques, Juan-Le-Pins, France.

1993 Ethnoarchaeological Excavations of the Bead Making Workshops of Khambhat: A View From Beneath the Floors. In *South Asian Archaeology*, 1991, edited by A J Gail and G J Mevissen, pp. 273-288. G. J. R. Verlag, Stuttgart.

Vidale, Massimo and Heather Miller

2000 On the Development of Indus Technical Virtuosity and its Relation to Social Structure. In *South Asian Archaeology 1997*, edited by Maurizio Taddei and Giuseppe De Marco, pp. 115-132. IsIAO, Rome.

Weber, Steve, Heather Lehman, Timothy Barela, Sean Hawks, and David Harriman 2010 Rice or Millets: Early Farming Strategies in Prehistoric Central Thailand. *Archaeological and Anthropological Sciences* 2:79-88.

Welch, David

1985 Adaptation to Environmental Unpredictability: Intensive Agriculture and Regional Exchange at Late Prehistoric Centres in the Phimai Region, Thailand. Unpublished Ph.D. dissertation, University of Hawaii, Honolulu,

1989 Late Prehistoric and Early Historic Exchange Patterns in the Phimai Region, Thailand. *Journal of Southeast Asian Studies* 20 (1): 11-26.

Wheatley, Paul

1979 Urban Genesis in Mainland South East Asia. In *Early South East Asia*. *Essays in Archaeology, History, and Historical Geography*, edited by R B Smith and W Watson, pp. 288-303. Oxford University Press, New York.

1982 Presidential Address: India Beyond the Ganges--Desultory Reflections on the Origins of Civilization in Southeast Asia. *The Journal of Asian Studies* 42 (1): 13-28.

1983 Nagara and Commandery. Origins of the Southeast Asian Urban Traditions. The University of Chicago, Chicago.

White, Joyce

1982 Ban Chiang: Discovery of a Lost Bronze Age. The University Museum, University of Pennsylvania, Philadelphia.

1995 Incorporating Heterarchy into Theory on Socio-Political Development: The Case from Southeast Asia. In *Heterarchy and the Analysis of Complex Societies*, edited by Robert Ehrenreich, Carole Crumley, Janet Levy, and William Fitzhugh, pp. 101-123. American Anthropological Association, Arlington, Va.

2008 Dating Early Bronze at Ban Chiang, Thailand. In *From Homo Erectus to the Living Traditions*. Choice of Papers from the 11th International Conference of the European Association of Southeast Asian Archaeologists, edited by Jean-Pierre Pautreau, Anne-Sophie Coupey, Valéry Zeitoun, and Emma Rambault, pp. 91-104. Siam Ratana, Chiang Mai.

2011 Emergence of cultural diversity in mainland Southeast Asia: a view from prehistory. In *Dynamics of Human Diversity: The Case of Mainland Southeast Asia*, edited by N.J. Enfield, Pacific Linguistics, Canberra.

White, Joyce C. and Chureekamol Onsuwan Eyre

2010 Residential Burial and the Metal Age of Thailand. *Archeological Papers of the American Anthropological Association* 20 (1): 59-78.

White, Joyce C. and E. G. Hamilton

2009 The Transmission of Early Bronze Technology to Thailand: New Perspectives. *Journal of World Prehistory* 22 (4): 357-397.

White, Joyce C. and Vincent Pigott

1996 From Community to Craft to Regional Specialization: Intensification of Copper Production in Pre-state Thailand. In *Craft Specialization and Social Evolution: In Memory of V. Gordon Childe*, edited by Bernard Wailes, pp. 151-175. The University Museum of Archaeology and Anthropology, Philadelphia.

Williams-Hunt, PDR

1950 Irregular Earthworks in Eastern Siam: An Air Survey. Antiquity 24 (93): 30-36.

Williams Lucy

1984 A New Approach to the Study of Beadmaking Workshop Practices, with Special Reference to Carnelian and Agate beads from Ban Don Ta Phet, Thailand. Unpublished BA Honor's Thesis, University of London Institute of Archaeology, London.

Winzeler, Robert L

1976 Ecology, Culture, Social Organization, and State Formation in Southeast Asia. *Current Anthropology* 17 (4): 623-640.

Wolters, O. W.

1999 History, Culture, and Region in Southeast Asian Perspectives. Revised Edition. Southeast Asia Program Publications, Cornell.

Workman, DR

1977 Geology of Laos, Cambodia, South Vietnam and the eastern part of Thailand. HMSO, London,

Wright, W.I.

1938 The Composition and Occurrence of Garnets. *American Mineralogist* 23 (7): 436-449.

Yasuda, Yoshinori

2009 Preliminary Report of the Excavation in Phum Snay 2008/2009. International Research Center for Japanese Studies, Kyoto Japan.

Yasuda, Yoshinori and Chuch Phoeurn (editors)

2008 Preliminary Report for the Excavation in Phum Snay 2007. International Research Center for Japanese Studies, Kyoto Japan.

Yi, Seonbok, June-Jeong Lee, Seongnam Kim, Yongwook Yoo, and Dongwan Kim 2008 New Data on the Hoabinhian: Investigations at Hang Cho Cave, Northern Vietnam. *Bulletin of the Indo-Pacific Prehistory Association* 28: 73-9.

Zwaan, P.C.

1982 Sri Lanka: The Gem Island. Gems & Gemology 18 (2): 62-71.

Appendices

Appendix 5.1: Agate and Carnelian beads in this study

In this appendix I present a table of the agate and carnelian beads examined as a part of this study. This table includes:

- Database ID,
- Site Name,
- Context Information,
- Catalogue number as assigned by the excavators,
- Raw Material Type and color description
- Bead Shape
- Drill type
- Polish description
- Exterior surface description
- Quality assessment
- Metric measurements of length, width, thickness, and perforation size.

Several beads from Ban Non Wat are included at end of this table but were not carefully recorded as a part of this study and therefore lack a Database ID number, metric measurements, and clear information on the bead shape and polish. These beads were examined only briefly, but are included here as a quality assessment was made about some of these beads and discussed in more depth in Chapter 5.

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC03035	Angkor Borei, Cambodia	Unit AB7 Block 4S Layer 5 Level 30 Burial 51	3394	Carnelian
AKC03036	Angkor Borei, Cambodia	Unit AB7 Block 5S/4S Layer 4 Level 24 Burial F44	3200	Carnelian
AKC03037	Angkor Borei, Cambodia	Unit AB7 Block 3 Layer 5 Level 7	1163	Carnelian
AKC03038	Angkor Borei, Cambodia	Unit AB7 Block 3 Layer 5 Level 10	1255	Carnelian
AKC03039	Angkor Borei, Cambodia	Unit AB7 Block 5 Layer 4 Level 12	2176	Carnelian
AKC03040	Angkor Borei, Cambodia	Unit AB7 Block 4 Layer 4 Level 14	2182	Carnelian
AKC03041	Angkor Borei, Cambodia	Unit AB7 Block 4 Layer 4 Level 16	2208	Carnelian
AKC03042	Angkor Borei, Cambodia	Unit AB7 Block 2S Layer 7 Level 23	2575 (large)	Carnelian
AKC03043	Angkor Borei, Cambodia	Unit AB7 Block 2S Layer 7 Level 23	2575 (small)	Carnelian
AKC03044	Angkor Borei, Cambodia	Unit AB7 Block 2 Layer 5 Level 11	1278	Carnelian
AKC03045	Angkor Borei, Cambodia	Unit AB7 Block 4 Layer 19 Level 4	2273	Agate
AKC03046	Angkor Borei, Cambodia	Unit AB7 Block 1 Layer 3 Level 5	1080	Quartz
AKC02060	Ban Non Wat, Thailand	BNW 05/06 Burial 312	21071	Agate
AKC02061	Ban Non Wat, Thailand	BNW 05/06 Burial 356	23404	Carnelian
AKC02062	Ban Non Wat, Thailand	BNW 03/04 C3 2:4/S5 Feature 4 Bag 2290	17874	Carnelian
AKC02063	Ban Non Wat, Thailand	BNW 07 E8 3:3 Bag 11767	20455	Agate

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC02064	Ban Non Wat, Thailand	BNW 06/07 D2/E2/F2 II 3:S1 Feature 6	23509	Agate
AKC02065	Ban Non Wat, Thailand	Bag 10612 BNW 05/06 E5 4:1 Burial 356 Bag 7960	17173	Agate
AKC02066	Ban Non Wat, Thailand	BNW 02/03 B4 2:3 Bag 1334 Burial 36	3518	Agate
AKC02067	Ban Non Wat, Thailand	BNW 05/06 E7 3:3 Burial 259 Bag 8324	17391	Carnelian
AKC02068	Ban Non Wat, Thailand	BNW 02/03 B4 2:2 Bag 1332 Burial 36	3520	Carnelian
AKC02069	Ban Non Wat, Thailand	BNW 03/04 C2 2:4 Bag 2558	6034	Agate
AKC02070	Ban Non Wat, Thailand	BNW 06/07 D3 2:1 Bag 10401	22501	Agate
AKC02071	Ban Non Wat, Thailand	BNW 04 B7 3:S1 Burial 203 Bag 5932	11520	Agate
AKC00730	Bit Meas, Cambodia	N/A Looted	N/A	Agate
AKC00732	Bit Meas, Cambodia	N/A Looted	N/A	Carnelian

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC03500	Khao Sam Kaeo, Thailand	N/A	KSK008a	Carnelian
AKC03501	Khao Sam Kaeo, Thailand	N/A	KSK008b	Agate
AKC03502	Khao Sam Kaeo, Thailand	N/A	KSK008c	Agate
AKC03503	Khao Sam Kaeo, Thailand	Hill 4	KSK008d	Agate
AKC03504	Khao Sam Kaeo, Thailand	Hill 4	KSK008e	Agate
AKC03505	Khao Sam Kaeo, Thailand	Hill 3	KSK246a	Agate
AKC03506	Khao Sam Kaeo, Thailand	Hill 3	KSK246b	Agate
AKC03507	Khao Sam Kaeo, Thailand	Hill 2	KSK272a	Agate
AKC03508	Khao Sam Kaeo, Thailand	Hill 2	KSK272b	Agate
AKC03509	Khao Sam Kaeo, Thailand	Hill 2	KSK272c	Agate
AKC03510	Khao Sam Kaeo, Thailand	Hill 3	KSK033a	Carnelian
AKC03511	Khao Sam Kaeo, Thailand	Hill 3	KSK033b	Carnelian
AKC03512	Khao Sam Kaeo, Thailand	Hill 3	KSK033c	Agate
AKC03513	Khao Sam Kaeo, Thailand	Hill 3	KSK033d	Agate
AKC03514	Khao Sam Kaeo, Thailand	Hill 2	KSK133a	Carnelian
AKC03515	Khao Sam Kaeo, Thailand	Hill 2	KSK133b	Carnelian
AKC03516	Khao Sam Kaeo, Thailand	Hill 4	KSK037a	Agate
AKC03517	Khao Sam Kaeo, Thailand	Hill 4	KSK037b	Agate
AKC00647	Krek 52/62, Cambodia	Unit II Square J14 Number 45	45	Carnelian
AKC01950	Phnom Borei, Cambodia	Unit 1 Depth 167 cm	N/A	Carnelian
AKC01951	Phnom Borei, Cambodia	Unit 1 Depth 241 cm	N/A	Carnelian

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC00003	Phum Snay,	Unit B	77	Agate
	Cambodia	Layer 3:3		
		Feature 1		
		Bag 20		
AKC00004	Phum Snay,	Unit C/E	322	Carnelian
	Cambodia	2:2 Feature 1 Burial		
		9		
		Bag 37		
AKC00005	Phum Snay,	Unit C	36	Carnelian
	Cambodia	2:3		
		Bag 6		
AKC00006	Phum Snay,	Bag 6	34	Carnelian
	Cambodia	Unit B		
		2:3		
AKC00007	Phum Snay,	Unit C/E	285	Carnelian
	Cambodia	2:4		
		Bag 7		
AKC00008	Phum Snay,	Unit C/E	257	Carnelian
	Cambodia	2:2 Feature 1		
		Bag 37		
AKC00009	Phum Snay,	Unit C/E	261	Carnelian
	Cambodia	2:2 Feature 1		
		Bag # 37		
AKC00010	Phum Snay,	Unit C/E	265	Carnelian
	Cambodia	2:2 Feature 1		
		Bag 37		
AKC00011	Phum Snay,	Unit C/E	269	Carnelian
	Cambodia	2:2 Feature 1		
		Bag 27		
AKC00012	Phum Snay,	Unit A	62	Carnelian
	Cambodia	3:1 Feature 1		
		Bag # 12		
AKC00013	Phum Snay,	Unit C/E	479	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9		
		Bag 37		

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC00014	Phum Snay,	Unit C/E	313 (a)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Left wrist		
		Bag 37		
AKC00015	Phum Snay,	Unit C/E	313 (b)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Left wrist		
		Bag 37		
		Cat 313		
AKC00016	Phum Snay,	Unit C/E	313 (c)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Left wrist		
		Bag 37		
		Cat 313		
AKC00017	Phum Snay,	Unit C/E	313 (d)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00018	Phum Snay,	Unit C/E	313 (e)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00019	Phum Snay,	Unit C/E	330 (a)	Carnelian
	Cambodia	2:2 Feature 1	, ,	
		Burial 9 Bag 37		
AKC00020	Phum Snay,	Unit C/E	330 (b)	Carnelian
	Cambodia	2:2 Feature 1	, ,	
		Burial 9 Bag 37		
AKC00021	Phum Snay,	Unit C/E	330 (c)	Carnelian
	Cambodia	2:2 Feature 1	, ,	
		Burial 9 Bag 37		
AKC00022	Phum Snay,	Unit C/E	330 (d)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00023	Phum Snay,	Unit C/E	330 (e)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00024	Phum Snay,	Unit C/E	330 (f)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
		•		

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC00025	Phum Snay,	Unit C/E	359(a)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00026	Phum Snay,	Unit C/E	359(b)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00027	Phum Snay,	Unit C/E	359(c)	Carnelian
	Cambodia	2:2 Feature 1	, ,	
		Burial 9 Bag 37		
AKC00028	Phum Snay,	Unit C/E	359(d)	Carnelian
	Cambodia	2:2 Feature 1	()	
		Burial 9 Bag 37		
AKC00029	Phum Snay,	Unit C/E	359(e)	Carnelian
11100002	Cambodia	2:2 Feature 1		Currentur
	0411100414	Burial 9 Bag 37		
AKC00030	Phum Snay,	Unit C/E	359(f)	Carnelian
7111000050	Cambodia	2:2 Feature 1	335(1)	Carnonan
	Cambodia	Burial 9 Bag 37		
AKC00031	Phum Snay,	Unit C/E	359(g)	Carnelian
ARCOOOSI	Cambodia	2:2 Feature 1	339(g)	Carnenan
	Callibodia	Burial 9 Bag 37		
AKC00032	Phum Snay,	Unit C/E	359(h)	Carnelian
AKC00032	Cambodia	2:2 Feature 1	339(II)	Carnenan
	Cambodia			
AKC00033	Dl C	Burial 9 Bag 37	250(:)	Carnelian
AKC00033	Phum Snay,	Unit C/E	359(i)	Carnenan
	Cambodia	2:2 Feature 1		
4 IZ G0000 4	DI C	Burial 9 Bag 37	250()	- T'
AKC00034	Phum Snay,	Unit C/E	359(j)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00035	Phum Snay,	Unit C/E	359(k)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00036	Phum Snay,	Unit C/E	359(1)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00038	Phum Snay,	Unit C/E	359(m)	Carnelian
	Cambodia	2:2 Feature 1		
		Burial 9 Bag 37		
AKC00039	Phum Snay,	Unit C/E	359(n)	Carnelian
MICOUUSS	Cambodia	2:2 Feature 1	339(11)	Carlicitali
	Calliboula	Burial 9 Bag 37		
		Duriar 9 Dag 3/		

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC00040	Phum Snay, Cambodia	Unit C/E 2:2 Feature 1 Burial 9 Bag 37	359(o)	Carnelian
AKC00044	Phum Snay, Cambodia	Unit C/E 2:2 Feature 1 Burial 9 Bag 37	275	Carnelian
AKC00045	Phum Snay, Cambodia	Unit C/E 2:2 Feature 1 Burial 9 Bag 37	321	Carnelian
AKC00046	Phum Snay, Cambodia	Unit A 3:2 Feature 1 Bag 18	76	Carnelian
AKC00047	Phum Snay, Cambodia	Unit A East 2:4 Cat 276 Bag 7	276	Carnelian
AKC00048	Phum Snay, Cambodia	Unit B 3:4 Bag 22	113	Carnelian
AKC00049	Phum Snay, Cambodia	Unit B 3:2 Feature 2 Bag 19	68	Carnelian
AKC00050	Phum Snay, Cambodia	Unit A 2:3 Bag 6	30	Carnelian
AKC00051	Phum Snay, Cambodia	Unit B 3:6 Bag 27	157	Carnelian
AKC00052	Phum Snay, Cambodia	Unit B 3.5 Bag 26	133	Carnelian
AKC00053	Phum Snay, Cambodia	Unit A 3:4 Feature 1 Burial 2 Bag 21	70	Carnelian
AKC00054	Phum Snay, Cambodia	Unit A 3:3 Bag 16	103	Carnelian
AKC00055	Phum Snay, Cambodia	Unit C/E 2:2 Feature 1 Bag 37	268	Carnelian

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC00056	Phum Snay, Cambodia	Unit A West 3:4 Burial 2 Bag 21	364	Carnelian
AKC01721	Prei Khmeng, Cambodia	US# 22021	N/A	Agate
AKC00642	Prohear, Cambodia	Unit B Square LM/143-144	56	Carnelian
AKC00643	Prohear, Cambodia	Unit B Square LM/143-144	51	Carnelian
AKC00644	Prohear, Cambodia	Unit A Square K/107	79	Agate
AKC00645	Prohear, Cambodia	Unit A LM/104-105	10	Agate
AKC00646	Prohear, Cambodia	Unit A Square IK/104-105	8	Agate
AKC00682	Prohear, Cambodia	Unit A K/107	88	Agate
AKC00902	Promtin Tai, Thailand	PTT- S3/2 East 230- 240 cm below datum (bd). Burial 16		Agate
AKC00918	Promtin Tai, Thailand	PTT S3/2 West 240- 250 cm bd Burial 20		Carnelian
AKC00919	Promtin Tai, Thailand	PTT S3/2 West 240- 250 cm bd Burial 20		Carnelian
AKC00920	Promtin Tai, Thailand	PTT S3/2 West 240- 250 cm bd Burial 20		Carnelian
AKC00921	Promtin Tai, Thailand	PTT S3/2 West 240- 250 cm bd Burial 20		Carnelian

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC00922	Promtin Tai, Thailand	PTT S3/2 West 240- 250 cm bd Burial 20		Carnelian
AKC00923	Promtin Tai, Thailand	PTT S3/2 West 240- 250 cm bd Burial 20		Agate
AKC00924	Promtin Tai, Thailand	PTT S3/2 West 240- 250 cm bd Burial 20		Agate
AKC00931	Promtin Tai, Thailand	PTT West Burial 32		Carnelian
AKC00932	Promtin Tai, Thailand	PTT West Burial 32		Carnelian
AKC00933	Promtin Tai, Thailand	PTT West Burial 32		Carnelian
AKC00934	Promtin Tai, Thailand	PTT West Burial 32		Carnelian
AKC00979	Promtin Tai, Thailand	PTT S3/2 East 210- 220 cm bd	45	Agate
AKC00980	Promtin Tai, Thailand	PTT S3/2 East 210- 220 cm bd	45	Carnelian
AKC00990	Promtin Tai, Thailand	PTT S3 East 90-100 cm bd	3	Carnelian
AKC00995	Promtin Tai, Thailand	PTT S3 East 130- 140 cm bd	7	Carnelian
AKC00996	Promtin Tai, Thailand	PTT S3 East 130-140 cm bd	7	Carnelian
AKC00997	Promtin Tai, Thailand	PTT S3 East 130- 140 cm bd	7	Carnelian
AKC00998	Promtin Tai, Thailand	PTT S3 East 130- 140 cm bd	7	Carnelian
AKC00999	Promtin Tai, Thailand	PTT S3 East 130- 140 cm bd	7	Carnelian
AKC01028	Promtin Tai, Thailand	PTT S3/2 East 80- 90 cm bd	32	Carnelian
AKC01038	Promtin Tai, Thailand	PTT S3/2 West 130- 140 cm bd	21	Carnelian

Database ID	Site Name	Context	Catalogue Number	Raw Material
			_	
AKC01042	Promtin Tai, Thailand	PTT S3 West 150- 160 cm bd	24	Agate
AKC01045	Promtin Tai, Thailand	PTT S3 West 160- 170 cm bd	25	Agate
AKC01051	Promtin Tai, Thailand	PTT S3/2 West 190- 200 cm bd (S3L4)	60	Carnelian
AKC01055	Promtin Tai, Thailand	PTT S3/2 West 230- 240 cm bd Burial 20	63	Agate
AKC01060	Promtin Tai, Thailand	PTT S3/2 West 230- 240 cm bd Burial 20	64	Carnelian
AKC01061	Promtin Tai, Thailand	PTT S3/2 West 230- 240 cm bd Burial 20	64	Carnelian
AKC01062	Promtin Tai, Thailand	PTT S3/2 West 230- 240 cm bd Burial 20	64	Agate
AKC01067	Promtin Tai, Thailand	\$3/2 West 240-250 cm bd Burial 9	65	Agate
AKC01075	Promtin Tai, Thailand	PTT S3 East 190- 200 cm bd Burial 20	13	Agate
AKC01087	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 19	72	Agate
AKC01089	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 19	72	Agate
AKC01091	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 18	71	Agate
AKC01094	Promtin Tai, Thailand	PTT S3/2 West 220-230 cm bd Burial 19	74	Agate
AKC01098	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 19	74	Agate

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC01100	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 19	74	Agate
AKC01106	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 19	74	Agate
AKC01108	Promtin Tai,	PTT S3/2 West 220-	74	Agate
	Thailand	230 cm bd Burial 19		C
AKC01110	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 19	74	Agate
AKC01111	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 19	74	Agate
AKC01112	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 19	74	Agate
AKC01114	Promtin Tai, Thailand	PTT S3/2 West 220- 230 cm bd Burial 19	74	Agate
AKC00300	Village 10.8, Cambodia	Unit EXXXIII Square K/85 Associated with Burial 37	25	Carnelian
AKC00301	Village 10.8, Cambodia	Unit EXXXIII Square K/85 Associated with Burial 37	26	Carnelian
AKC00302	Village 10.8, Cambodia	Unit EXXXIII Square K/85 Associated with Burial 37	27	Carnelian
AKC00303	Village 10.8, Cambodia	Unit EXXXII Square I/84 Associated with Burial 34	28	Carnelian
AKC00304	Village 10.8, Cambodia	Unit EXXXIII Square K/85 Associated with Burial 37	28	Carnelian

Database ID	Site Name	Context	Catalogue Number	Raw Material
			8	
AKC00305	Village 10.8,	Unit EXXXII	29	Carnelian
	Cambodia	Square I/84		
		Associated with		
		Burial 34		
AKC00306	Village 10.8,	II 's EVVVII		Carnelian
	Cambodia	Unit EXXXII		
AKC00307	Village 10.8,	Square I/83-4		Carnelian
AKC00307	Cambodia	Unit EXXXII		Carnenan
	Caliloodia	Square I/83-4		
AKC00308	Village 10.8,	Unit EXVIII	44	Agate
	Cambodia	Square N/85		
		Associated with		
		Burial 28		
AKC00309	Village 10.8,	Unit EXVIII	45	Agate
	Cambodia	Square N/85		
		Associated with		
		Burial 28		
AKC00312	Village 10.8,	Unit EXVIII	26	Agate
	Cambodia	Square N/85		
		Associated with		
		Burial 28		
AKC00313	Village 10.8,	Unit EXVIII	24	Agate
	Cambodia	Square N/85		
		Associated with		
		Burial 28		
AKC00314	Village 10.8,	Unit EXVIII	16	Agate
	Cambodia	Square N/85		
		Associated with		
	*****	Burial 28		
AKC00315	Village 10.8,	Unit EXVIII	14	Agate
	Cambodia	Square N/85		
		Associated with		
	*****	Burial 28		
AKC00316	Village 10.8,	Unit EXVIII	17	Agate
	Cambodia	Square N/85		
		Associated with		
A IZ C000217	W:11 100	Burial 28	27	Α
AKC00317	Village 10.8,	Unit EXVIII	25	Agate
	Cambodia	Square N/85 Associated with		
		Associated with Burial 28		
		Duriai 28		

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC00342	Village 10.8,	Unit EI	32	Carnelian
	Cambodia	Square T/92		
		Associated with		
		Burial 3		
AKC00343	Village 10.8,	Unit E	31	Carnelian
	Cambodia	Square 21/94		
		Associated with		
		Burial 1		
AKC00344	Village 10.8,	Unit E	29	Carnelian
	Cambodia	Square 21/94		
		Associated with		
		Burial 1		
AKC00345	Village 10.8,	Unit EI	35	Carnelian
	Cambodia	Square T/92		
		Associated with		
		Burial 3		
AKC00346	Village 10.8,	Unit EI	36	Carnelian
	Cambodia	Square T/92		
		Associated with		
		Burial 3		
AKC00347	Village 10.8,	Unit EI	25	Carnelian
	Cambodia	Square T/92		
		Associated with		
		Burial 3		
AKC00348	Village 10.8,	Unit EI	27	Carnelian
	Cambodia	Square T/92		
		Associated with		
		Burial 3		
AKC00349	Village 10.8,	Unit E	22	Carnelian
	Cambodia	Square 21/94		
		Associated with		
		Burial 1		
AKC00350	Village 10.8,	Unit EI	26	Carnelian
	Cambodia	Square T/92		
		Associated with		
		Burial 3		
AKC00351	Village 10.8,	Unit EI	37	Carnelian
	Cambodia	Square T/92		
		Associated with		
		Burial 3		

Database ID Site Name		atabase ID Site Name Context		Raw Material	
AKC00352	Village 10.8, Cambodia	Unit EI Square T/92 Associated with	24	Carnelian	
AKC00353	Village 10.8, Cambodia	Burial 3 Unit EI Square T/92 Associated with	23	Carnelian	
AKC00354	Village 10.8, Cambodia	Burial 3 Unit EI Square T/92 Associated with	25	Carnelian	
AKC00355	Village 10.8, Cambodia	Burial 3 Unit E Square 21/94 Associated with Burial 1	18	Carnelian	
AKC00356	Village 10.8, Cambodia	Unit EI Square T/92 Associated with Burial 3	38	Carnelian	
AKC00357	Village 10.8, Cambodia	Unit EI T/92 Associated with Burial 4	48	Carnelian	
AKC00358	Village 10.8, Cambodia	Unit E0 R/92	19	Carnelian	
AKC00359	Village 10.8, Cambodia	Unit EI 21/93 Associated with Burial 3	23	Carnelian	
AKC00360	AKC00360 Village 10.8, Cambodia		24	Carnelian	
AKC00361	Village 10.8, Cambodia	Burial 3 Unit E 21/94 Associated with Burial 1	30	Carnelian	
AKC00362	Village 10.8, Cambodia	Unit EI 21/93 Associated with Burial 3	22	Carnelian	

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC00363	Village 10.8,	Unit E	23	Carnelian
	Cambodia	21/94		
		Associated with		
		Burial 1		
AKC00364	Village 10.8,	Unit EXII	21	Carnelian
	Cambodia	Square T/87		
		Associated with		
		Burial 15		
AKC00365	Village 10.8,	Unit EXII	20	Carnelian
	Cambodia	Square T/87		
		Associated with		
		Burial 15		
AKC00366	Village 10.8,	Unit EXVI	7	Carnelian
	Cambodia	R/86		
		Associated with		
		Burial 25		
AKC00367	Village 10.8,	Unit EXVI	8	Carnelian
	Cambodia	R/86		
		Associated with		
		Burial 25		
AKC00368	Village 10.8,	Unit EXVII	19	Carnelian
	Cambodia	Square Q/85		
		Associated with		
		Burial 26		
AKC00431	Village 10.8,	Unit EXXXXIX	6	Carnelian
	Cambodia	Square Ad/87		
		Burial 48		
AKC00432	Village 10.8,	Unit EXXXXIX	6	Carnelian
	Cambodia	Square Ad/87		
		Burial 48		
AKC00433	Village 10.8,	Unit EXXXXIX	6	Carnelian
	Cambodia	Square Ad/87		
		Burial 48		
AKC00434	Village 10.8,	Unit EXXXXIX	6	Carnelian
-	Cambodia	Square Ad/87		-
		Burial 48		
AKC00435	Village 10.8,	Unit EXXXXIX	6	Carnelian
	Cambodia	Square Ad/87		
		Burial 48		

Database ID	Site Name	Context	Catalogue Number	Raw Material
AKC00436	Village	Unit EXXXXIX	6	Carnelian
	10.8,	Square Ad/87		
	Cambodia	Burial 48		
AKC00437	Village	Unit EXXXXIX	6	Carnelian
	10.8,	Square Ad/87		
	Cambodia	Burial 48		
AKC00438	Village	Unit EXXXXIX	6	Carnelian
	10.8,	Square Ad/87		
	Cambodia	Burial 48		
AKC00439	Village	Unit EXXXXIX	6	Carnelian
	10.8,	Square Ad/87		
	Cambodia	Burial 48		
AKC00440	Village	Unit EXXXXIX	6	Carnelian
	10.8,	Square Ad/87		
	Cambodia	Burial 48		

Database ID	Color(s)	Bead Shape	Drill Hole Type	Polish	Exterior surface
AKC03035	Dark Red/Orange with White Inclusions	Spherical	Type 2	Low polish	Smooth surface, but still some imperfections around bead hole
AKC03036	Light Red/Orange with White Inclusions	Rough Spherical	Type 3	Med-high polish	Pop-out, chips on surface
AKC03037	Light Red/Orange	Short Bicone	Type 2	Medium polish	Smooth surface, but with large chip
AKC03038	Light Red/Orange with Dark Inclusions	Rough Spherical	Type 2	Medium polish	Pop-out, chips on surface
AKC03039	Dark Red/Orange with White Inclusions	Spherical	Type 2	High polish	Smooth high- polish surface
AKC03040	Dark Red/Orange	Spherical	Type 2	High polish	Smooth surface, but still some imperfections around bead hole
AKC03041	Dark Red/Orange with White Inclusions	Rough Spherical	Type 3	Low polish	Pop-out, chips on surface
AKC03042	Dark Red/Orange with White Inclusions	Rough Spherical	Type 3	High polish	Pop-out, chips on surface
AKC03043	Dark Red/Orange with White Inclusions	Rough Spherical	Type 3	Med-high polish	Pop-out, chips on surface
AKC03044	Dark Red/Orange	Short Hexagonal Bicone	Type 2	High polish	High polished, nicely made

TD () ***	0.1.43	D 100	D 111 1		494
Database ID	Color(s)	Bead Shape	Drill Hole Type	Polish	Exterior surface
AKC03045	Banded White	Long Barrel	Type 2	Medium polish	Roughly made, nicks and scratches
AKC03046	Clear	Short Hexagonal Faceted (rough)	Type 2	Low polish	Roughly made, nicks and scratches
AKC02060	Brown and Opaque White	Long Barrel	Type 2	High polish	Smooth surface, nice banding
AKC02061	Light Red/Orange	Long Barrel	Type 2	Low polish	Smooth surface, but low polish. Large bead hole
AKC02062	Light Red/Orange with decoration	Long Barrel	Type 2	High polish	Etched bead, but simple
AKC02063	Brown and Opaque White	Rounded Square	Type 2	Med-high polish	High-polish surface, slightly beveled edges?
AKC02064	Black and White Banded	Short Barrel	Type 2	Medium polish	Scratches/imperfections on surface
AKC02065	Black and White Banded	Long Barrel	Type 2	No polish	Nicely shaped, but not polished. Unfinished?
AKC02066	Black and White Banded	Notched Pendant	Type 1	Medium polish	Polished surface, although broken
AKC02067	Light Red/Orange	Spherical	Type 2	Med-high polish	Smooth surface
AKC02068	Light Red/Orange with Dark Inclusions	Long Hexagonal Faceted Barrel	Type 2	Medium polish	Smooth surface, uneven facets and chip at bead hole
AKC02069	Brown and Opaque White	Long Tabular Rectangle	Type 1	Medium polish	Smooth surface, but uneven shape
AKC02070	Brown and Opaque White	Long Cylinder	Type 1	Medium polish	High polish, some scratches on edges

Database ID	Color(s)	Bead Shape	Drill Hole Type	Polish	Exterior surface
AKC02071	Black and White Banded	Short Bicone	Type 2?	Medium polish	Stone had imperfections on surface/nicks
AKC00730	Brown and Opaque White	Short Barrel	Type 2	Low- medium polish	Smooth surface, almost bicone shape?
AKC00732	Dark Red/Orange with Yellow Inclusions	Long Hexagonal Bicone	Type 2	Low- Medium polish	Nice facets, smooth high-polish surface
AKC03500	Red-orange	Long Bicone	Type 5 (Unfinished)	Low polish	Chips on surface
AKC03501	Brown and White Translucent	Long Barrel	Type 5 (Unfinished)	High polish, but ends are not polished	Hole not drilled, chip and imperfections on surface
AKC03502	Banded dark brown and white	Long Unfinished Barrel	Type 5 (Unfinished)	Unfinished	Unfinished
AKC03503	Banded brown and white	Flat Leech Bead	Type 5 (Unfinished)	Unfinished	Unfinished
AKC03504	Brown and White Translucent	Unfinished Tabular Square	Type 5 (Unfinished)	Unfinished	Unfinished
AKC03505	Banded White	Short Barrel	Type 2	High polish	Smooth high-polish surface
AKC03506	Banded brown and white	Long Barrel	Type 2	High polish	Smooth high-polish surface
AKC03507	Banded brown/grey and white	Flat Leech Bead	Type 2	High polish	Smooth, high-polish surface
AKC03508	Banded brown/grey and white	Tabular Truncated Bicone	Type 2	High polish	High polish, small drill hole
AKC03509	Translucent brown grey and opaque white	Long Bicone	Type 2	High polish	Smooth surface, high polish

Database ID	Color(s)	Bead Shape	Drill Hole Type	Polish	Exterior surface
AKC03510	Red-orange	Spherical	Type 5 (Unfinished)	Unfinished	Low-polish, some nicks/chips
AKC03511	Dark red	Hexagonal Flattened Bicone	Type 2	High polish	Smooth, high-polish surface. Nicely beveled edges
AKC03512	Banded greyish brown and white	Long Cylinder	Type 5 (Unfinished)	Unfinished	Unfinished
AKC03513	Banded grey/brown	Short Unfinished Barrel (Truncated?)	Type 5 (Unfinished)	Unfinished	Unfinished
AKC03514	Red Orange	Crescent	Type 2	High polish	Some scratches on surface, unusual shape
AKC03515	Red-orange	Crescent	Type 2	High polish	Some scratches on surface, unusual shape
AKC03516	Onyx	Chamfered Square Disc	Type 2	High polish	Smooth, high-polish surface. May have been burnt?
AKC03517	White and brown	Broken Pendant, 2 notches	Broken	High polish	Smooth surface, nicely shaped.
AKC00647	Light Red/Orange with White Inclusions	Spherical	Type 2	Low-med Polish	Smooth surface, some chips around bead hole
AKC01950	Dark Red with Brown Inclusions	Spherical	Type 2	Low-med Polish	Smooth surface, some nicks/chips
AKC01951	Light Red/Orange with White Inclusions	Spherical	Type 2	Med-high polish	Smooth surface, some nicks/chips
AKC00003	Brown and Opaque White	Long Barrel	Type 2	Low polish	Smooth high-polish surface
AKC00004	Light Red/Orange	Spherical	Type 2	Med polish	High-polish surface, but nicks and chips

Database ID	Color(s)	Bead Shape	Drill Hole	Polish	Exterior surface
Database ID	Color(s)	Dead Shape	Type	ronsn	Exterior surface
AKC00005	Light Red/Orange with White Inclusions	Rough Spherical	Type 3	Low polish	Pop-out, nicks/chips on surface
AKC00006	Dark Red/Orange with White Inclusions	Rough Spherical	Type 1	Low polish	Pop-out, nicks/chips on surface
AKC00007	Dark Red/Orange with Dark Inclusions	Spherical	Type 2	Med-high polish	High-polish but some nicks on surface
AKC00008	Dark Red with Brown Inclusions	Spherical	Type 1	Med-high polish	Smooth surface, high polish
AKC00009	Dark Red with Brown Inclusions	Spherical	Type 2	High polish	High-polish but some nicks on surface
AKC00010	Light Red/Orange with Dark Inclusions	Spherical	Type 2	High polish	Smooth high-polish surface
AKC00011	Light Red/Orange with White Inclusions	Spherical	Type 2	High polish	Smooth high-polish surface
AKC00012	Dark Red/Orange with Dark Inclusions	Rough Spherical	Type 3	Med-high polish	Pop-out, nicks/chips on surface
AKC00013	Dark Red with Brown Inclusions	Spherical	JMK Type 2	Low polish	High-polish but some nicks on surface
AKC00014	Dark Red/Orange with Dark Inclusions	Spherical	Type 2	Low polish	Low polish, surface has numerous nicks/chips
AKC00015	Light Red/Orange	Spherical	Type 2	High polish	Smooth high-polish surface
AKC00016	Dark Red/Orange	Short Hexagonal Bicone, Rough	Type 2	Low polish	Uneven facets, surface had scratches and nicks

Database ID	Color(s)	Bead Shape	Drill Hole	Polish	Exterior surface
Database ID	Color(s)	Dead Shape	Туре	1 Olish	Exterior surface
			Турс		
AKC00017	Dark Red/Orange	Short	Type 2	Low polish	
		Hexagonal			Uneven facets, surface
		Bicone, Rough			had scratches and nicks
AKC00017	Dark Red/Orange	Short	Type 2	Low polish	
		Hexagonal			Uneven facets, surface
		Bicone, Rough			had scratches and nicks
AKC00018	Light	Short	Type 2	Low polish	
	Red/Orange	Hexagonal			Uneven facets, surface
		Bicone, Rough			had scratches and nicks
AKC00019	Dark Red	Spherical	Type 2	Very low	0 0 1
				polish	Surface has numerous
A T/ C/000000	D 1 D 1 11	0.1.1	T 2	TT: 1 1: 1	nicks/chips
AKC00020	Dark Red with	Spherical	Type 3	High polish	High polish, some nicks
	Brown Inclusions				and chips
AKC00021	Light	Rough	Type 2	Low polish	
1111000021	Red/Orange with	Spherical	1740 -	Zo ponon	Pop-out, nicks/chips on
	Dark Inclusions	~F			surface
AKC00022	Dark Red/Orange	Rough	Type 2	Low polish	
	with White	Spherical	71	1	Pop-out, nicks/chips on
	Inclusions	1			surface
AKC00023	Dark Red/Orange	Rough	Type 3	Med polish	
	with Dark	Spherical	71	1	Pop-out, nicks/chips on
	Inclusions	1			surface
AKC00024	Light	Rough	Type 3	High polish	
	Red/Orange	Spherical	71		Pop-out, nicks/chips on
		1			surface
AKC00025	Dark Red/Orange	Short	Type 2	Low polish	
	with White	Hexagonal			Uneven facets, surface
	Inclusions	Bicone, Rough			had scratches and nicks
AKC00026	Dark Red/Orange	Short	Type 2	Low polish	
	with White	Hexagonal			Uneven facets, surface
	Inclusions	Bicone, Rough			had scratches and nicks

Database ID	Color(s)	Bead Shape	Drill Hole Type	Polish	Exterior surface
			Туре		
AKC00027	Dark Red/Orange	Short	Type 2	High polish	
		Hexagonal	• •		Uneven facets, surface
		Bicone, Rough			had scratches and nicks
AKC00028	Dark Red/Orange	Short	Type 2	High polish	
		Hexagonal			Uneven facets, surface
		Bicone, Rough			had scatches and nicks
AKC00029	Dark Red/Orange	Short	Type 2	Low polish	
	with Dark	Hexagonal			Uneven facets, surface
	Inclusions	Bicone, Rough			had scatches and nicks
AKC00030	Light	Short	Type 2	High polish	
	Red/Orange with	Hexagonal			Uneven facets, surface
	White Inclusions	Bicone, Rough			had scatches and nicks
AKC00031	Light	Spherical	Type 2	High polish	
	Red/Orange with				High-polish surface, but
	Dark Inclusions				nicks and chips
AKC00032	Light	Spherical	Type 2	High polish	
	Red/Orange with				High-polish surface, but
	Dark Inclusions				nicks and chips
AKC00033	Dark Red	Spherical	Type 2	Low polish	III ah maliah amerana hasi
					High-polish surface, but
AKC00034	Light	Rough	Type 3	High polish	nicks and chips
AKC00034	Red/Orange with		Type 5	High polish	Pop-out, nicks/chips on
	White Inclusions	Spherical			surface
AKC00035		Subariant	Type 2	High polish	surface
AKC00033	Dark Red/Orange with Dark	Spherical	Type 2	High polish	High-polish surface, but
	Inclusions				nicks and chips
AKC00036	Dark Red/Orange	Spherical	Type 2	High polish	meks and emps
AKCOOOSO	with White	Spherical	1 ype 2	Trigii ponsii	High-polish surface, but
	Inclusions				nicks and chips
AKC00038	Light	Spherical	Type 2	High polish	meks and emps
AKCUUU30	Red/Orange with	Spilerical	1 ype 2	Trigii ponsii	High-polish surface, but
	White Inclusions				nicks and chips
	vv illic Hiclusiolis				meks and emps

Database ID	Color(s)	Bead Shape	Drill Hole	Polish	Exterior surface
			Туре		
AKC00039	Light Red/Orange	Rough Spherical	Type 1	High polish	Pop-out, nicks/chips on surface
AKC00040	Black and White Banded	Rough Spherical	Type 2	High polish	Pop-out, nicks/chips on surface
AKC00044	Dark Red/Orange with White Inclusions	Spherical	Type 2	High polish	Smooth high-polish surface
AKC00045	Dark Red/Orange with Dark Inclusions	Spherical	Type 2	High polish	Smooth high-polish surface
AKC00046	Light Red/Orange	Spherical	Type 2	Low polish	Smooth high-polish surface
AKC00047	Dark Red with Brown Inclusions	Rough Spherical	Type 2	Med-high polish	Pop-out, nicks/chips on surface
AKC00048	Light Red/Orange with White Inclusions	Rough Spherical	Type 1	High polish	Pop-out, nicks/chips on surface
AKC00049	Dark Red with Brown Inclusions	Spherical	Type 3	High polish	Smooth high-polish surface
AKC00050	Dark Red/Orange with White Inclusions	Rough Spherical	Type 3	Med polish	Pop-out, nicks/chips on surface
AKC00051	Dark Red/Orange with White Inclusions	Rough Spherical	Type 3	Low polish	Pop-out, nicks/chips on surface
AKC00052	Dark Red/Orange	Spherical	Type 2	High polish	Smooth high-polish surface
AKC00053	Light Red/Orange with White Inclusions	Short Hexagonal Bicone, Rough?	Type 2	High polish	Uneven facets, surface had scatches and nicks
AKC00054	Light Red/Orange with White Inclusions	Rough Spherical	Type 3	High polish	Pop-out, nicks/chips on surface

Database ID	Color(a)	Dood Chans	Drill Hole	Polish	Exterior surface
Database ID	Color(s)	Bead Shape	Type	Polish	Exterior surface
AKC00055	Dark	Rough Spherical	Type 2	High polish	
	Red/Orange with				Pop-out, nicks/chips
	Dark Inclusions				on surface
AKC01721	Dark	Agate	N/A	N/A	
	Red/Orange with	nodule/manuport			27/4
A IZ C00 C 40	White Inclusions	77 1	T. 2	TT' 1 1' 1	N/A
AKC00642	Dark Red	Hexagonal Flattened Bicone	Type 2	High polish	Smooth surface, even
		Flattened Bicone			beveled edges
AKC00643	Dark Red	Hexagonal	Type 2	High polish	Smooth surface, even
		Flattened Bicone			beveled edges
A IZ C00 C 4 4	D1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	I D 1	T. 2	3.6.12	C 41 C
AKC00644	Black and White Banded	Long Barrel	Type 2	Medium	Smooth surface, some nicks. Nice
	Danded			polish	banding
AKC00645	Brown and	Long Bicone	Type 2	High polish	Smooth surface,
/IIC00043	White Banded	Long Dicone	Type 2	Trigii polisii	some nicks. Nice
	Willie Bullded				banding
AKC00646	Brown and	Long Cylinder	Type 2	Medium	Smooth surface,
	White Banded	<i>C</i> ,	71	polish	especially at ends.
				1	High polish
AKC00682	Brown and	Short Barrel	Type 2	Medium	Uneven shape,
	White Banded			polish	polished surface but
					some nicks/chips
AKC00902	Brown and	Long Barrel	Type 2	Medium	
	White Banded			Polish	Smooth surface
AKC00918	Dark	Short Cylinder	Type 1	High polish	Smooth, high polish
7111000710	Red/Orange	Short Cymider	Турст	Ingh polish	surface but several
	rious orango				chips/scratches
AKC00919	Light	Short Cylinder	Type 1	High polish	1
	Red/Orange with	•			Smooth high-polish
	White Inclusions				surface
AKC00920	Dark	Short Cylinder	Type 1	High polish	
	Red/Orange with				Smooth high-polish
	White Inclusions				surface

Datak ID	Col (-)	Dood Cl	D-::11	Polish	Exterior surface
Database ID	Color(s)	Bead Shape	Drill Hole Type		Exterior surface
AKC00921	Dark Red/Orange	Short Cylinder	Type 2	High polish	
	with White				Smooth high-polish
	Inclusions				surface
AKC00922	Dark Red/Orange with Dark Inclusions	Long Hexagonal Bicone	Type 2	High polish	Smooth high-polish surface
AKC00923	Brown and White Banded	Long Barrel	Type 2	High polish	Smooth surface, high polish
AKC00924	Brown and White Banded	Long Bicone	Type 2	High polish	Smooth surface, high polish
AKC00931	Light Red/Orange	Spherical	Type 1?	High polish	Smooth high-polish surface
AKC00932	Light Red/Orange	Rough Spherical	Type 3	High polish	Pop-out, nicks/chips on surface
AKC00933	Dark Red/Orange with White Inclusions	Rough Spherical	Type 3	High polish	Pop-out, nicks/chips on surface
AKC00934	Dark Red with Brown Inclusions	Short Square	Type 1	Med-high polish	Generally smooth surface, but chips/imperfections around bead hole
AKC00979	Black and White Banded	Long Bicone	Type 2	High polish	Smooth surface, high polish
AKC00980	Light Red/Orange with White Inclusions	Hexagonal Flattened Bicone	Type 2	High polish	High polish, smooth surface
AKC00990	Dark Red/Orange with White Inclusions	Short Bicone	Type 1	Low polish	Smooth surface but some nicks
AKC00995	Light Red/Orange	Rough Spherical	Type 3	High polish	Pop-out, nicks/chips on surface
AKC00996	Dark Red/Orange with White Inclusions	Rough Spherical	Type 3	High polish	Pop-out, nicks/chips on surface

Database ID	Color(s)	Bead Shape	Drill Hole Type	Polish	Exterior surface
AKC00997	Dark Red/Orange	Rough Spherical	Type 3	High polish	Pop-out, nicks/chips on surface
AKC00998	Dark Red/Orange	Spherical	Type 2	Low polish	Round shape, but surface has scratches/nicks
AKC00999	Dark Red/Orange	Spherical	Type 2	Medium polish	Smooth surface, some nicks
AKC01028	Light Red/Orange with White Inclusions	Rough Spherical	Type 2?	Medium polish	Pop-out, nicks/chips on surface
AKC01038	Dark Red	Short Hexagonal Tabular Barrel	Type 2?	High polish	High polish, smooth surface
AKC01042	Brown and White Banded	Short Bicone	Type 2	High polish	Nice bicone shape, surface has nicks/chips
AKC01045	Brown and White Banded	Long Barrel		Medium- high polish	Smooth surface, low polish
AKC01051	Dark Red/Orange	Rough Spherical	Type 3	Medium polish	Pop-out, nicks/chips on surface
AKC01055	Brown and Opaque White	Short Bicone	Type 2	High polish	Smooth surface, some nicks
AKC01060	Dark Red/Orange	Long Hexagonal Faceted Barrel	Type 2?	High polish	High polish, smooth surface
AKC01061	Dark Red/Orange	Long Hexagonal Faceted Barrel	Type 2?	High polish	High polish, smooth surface
AKC01062	Brown and White Banded	Long Barrel	Type 2	High polish	Smooth surface, high polish, finely made.
AKC01067	Dark Brown	Long Bicone	Type 2	High polish	Smooth surface, high polish
AKC01075	Black and White Banded	Long Barrel	Type 1	Med polish	Smooth high-polish surface, some scratches

Database ID	Color(s)	Bead Shape	Drill Hole Type	Polish	Exterior surface
AKC01087	Black and White Banded	Short Barrel	Type 2	High polish	Smooth surface, but a large chip
AKC01089	Brown and White Translucent	Rough Spherical	Type 3	High polish	Pop-out, nicks/chips on surface
AKC01091	Brown and White Banded	Long Cylinder	Type 1	Medium polish	Stone quality is poor, area around one bead hole is heavily worn.
AKC01094	Black and White Banded	Broken Pendant, notch?	Type 2	High polish	Smooth surface, unique shape. Possibly burnt?
AKC01098	Black and White Banded	Long Bicone	Type 2	Medium- high polish	Smooth surface, but large chips
AKC01100	Black and White Banded	Broken fragment, shape unknown	Type 1	Medium- high polish	Portion of pendant?
AKC01106	Black and White Banded	Broken Long Bicone?	Type 2?	Low polish, broken edge us unpolished	Broken bead? Low polish.
AKC01108	Black and White Banded	Broken Pendant	Type 1 or broken Type 2?	Low-med polish	Smooth surface, unique shape. Possibly burnt?
AKC01110	Brown and White Banded	Short Bicone	Type 2	Medium polish	Smooth high-polish surface
AKC01111	Black and White Banded	Short Bicone	Type 2	Medium polish	Smooth surface, but imperfections in the stone. Possibly burnt?
AKC01112	Black and White Banded	Pendant, 1 notch	Type 2	Medium polish	Smooth surface, unique shape. Possibly burnt?
AKC01114	Black and White Banded	Long Barrel	Type 2	Medium polish	Smooth, high-polish surface but large chip at bead hole

Database ID	Color(s)	Bead Shape	Drill Hole	Polish	Exterior surface
			Туре		
AKC00300	Light Red/Orange with Dark Inclusions	Bicone-Barrel	Type 2	High polish	Smooth high-polish surface
AKC00301	Light Red/Orange	Long Bicone	Type 2	High polish	Smooth high-polish surface
AKC00302	Dark Red/Orange	Long Oblate	Type 2	Low polish	Smooth surface but some nicks
AKC00303	Light Red/Orange	Short Barrel	Type 2	Low polish	Smooth high-polish surface
AKC00304	Dark Red/Orange	Short Polygonal Bicone	Type 2	Low polish	High polish, nice facets but chipped/broken around drill hole
AKC00305	Dark Red/Orange	Bicone-Barrel	Type 2	High polish	Smooth high-polish surface
AKC00306	Light Red/Orange	Long Barrel	Type 2	Low polish	Smooth high-polish surface
AKC00307	Light Red/Orange	Long Bicone	Type 2	Medium polish	Smooth high-polish surface
AKC00308	Black and White Banded	Short Barrel	Type 2	Low polish	Smooth high-polish surface
AKC00309	Brown and White Banded	Short Barrel	Type 2	High polish	Smooth high-polish surface
AKC00312	Brown and White Banded	Long Cylinder	Type 2	Med-High polish	Smooth high-polish surface
AKC00313	Brown and White Banded	Short Barrel	Type 2	Med polish	Smooth high-polish surface
AKC00314	Brown and White Banded	Short Barrel	Type 2	High polish	Smooth high-polish surface
AKC00315	Brown and White Banded	Short Barrel	Type 2	High polish	Smooth high-polish surface
AKC00316	Brown and White Banded	Short Barrel	Type 2	High polish	Smooth high-polish surface
AKC00317	Brown and White Banded	Short Barrel	Type 2	High polish	Smooth high-polish surface
AKC00342	Light Red/Orange	Bicone-Barrel	Type 2	Low polish	Smooth high-polish surface

Database ID	Color(s)	Bead Shape	Drill Hole	Polish	Exterior surface
	2 (-)		Туре		
AKC00343	Dark Red/Orange	Short Bicone	Type 2	Low polish	Smooth high-polish surface
AKC00344	Light Red/Orange	Short Bicone	Type 2	Very low polish	Smooth high-polish surface
AKC00345	Dark Red/Orange	Bicone-Barrel	Type 2	Low polish	Smooth high-polish surface
AKC00346	Light Red/Orange	Bicone-Barrel	Type 2	Low polish	Smooth high-polish surface
AKC00347	Dark Red/Orange	Bicone-Barrel	Type 2	Low Polish	Smooth high-polish surface
AKC00348	Light Red/Orange	Short Bicone	Type 2	Low-Med Polish	Smooth high-polish surface
AKC00349	Dark Red/Orange	Short Bicone	Type 2	Low polish	Smooth high-polish surface
AKC00350	Dark Red/Orange	Long Oblate	Type 2	Low polish	Smooth high-polish surface
AKC00351	Light Red/Orange	Bicone-Barrel	Type 2	Low Polish	Smooth high-polish surface
AKC00352	Dark Red/Orange	Short Bicone	Type 2	Low polish	Low polish but smooth surface
AKC00353	Dark Red/Orange	Bicone-Barrel	Type 2	Low polish	Smooth high-polish surface
AKC00354	Dark Red/Orange	Short Oblate	Type 2	Med-High polish	Smooth high-polish surface
AKC00355	Light Red/Orange with Dark Inclusions	Bicone-Barrel	Type 2	Low polish	Smooth high-polish surface
AKC00356	Dark Red/Orange	Bicone-Barrel	Type 2	High polish	Smooth high-polish surface
AKC00357	Dark Red/Orange with White Inclusions	Long Bicone	Type 2	Med polish	Smooth high-polish surface
AKC00358	Light Red/Orange with White Inclusions	Spherical		Low polish	Round shape but surface has nicks/chips

Database ID	ID Color(s) Bead Shape Drill Hole Type Polish		Polish	Exterior surface	
AKC00359	Light Red/Orange with White Inclusions	Short Bicone	Type 2	Low polish	Smooth high-polish surface
AKC00360	Light Red/Orange with Dark Inclusions	Long Bicone	Type 2	Low polish	Smooth high-polish surface
AKC00361	Light Red/Orange with White Inclusions	Short Bicone	Type 2	Very low polish	Smooth high-polish surface
AKC00362	Dark Red/Orange	Bicone-Barrel	Type 2	Low polish	Smooth high-polish surface
AKC00363	Dark Red/Orange	Long Bicone	Type 2 Medium Polish		Smooth high-polish surface
AKC00364	Light Red/Orange with White Inclusions	Long Bicone	Type 2	High polish	Smooth high-polish surface
AKC00365	Light Red/Orange	Short Bicone	Type 2	Low polish	Smooth high-polish surface
AKC00366	Dark Red/Orange with White Inclusions	Bicone-Barrel	Type 2	Low- med polish	Smooth high-polish surface
AKC00367	Dark Red/Orange	Long Octagonal Bicone	Type 2	High polish	High polish, nice facets but chipped/broken around drill hole
AKC00368	Dark Red/Orange with Dark Inclusions	Long Octagonal Bicone	Type 2	Low polish	High polish, smooth surface
AKC00431	Dark Red/Orange with White Inclusions	Bicone-Barrel	Type 2	Medium polish	Smooth high-polish surface
AKC00432	Light Red/Orange	Bicone-Barrel	Type 2	Medium- high polish	Smooth high-polish surface

Database ID	Color(s)	Bead Shape	Drill Hole Type	Polish	Exterior surface
AKC00433	Light Red/Orange	Long Bicone	Type 2	Med-high polish	Smooth high-polish surface
AKC00434	Dark Red/Orange	Long Bicone	Type 2	Med-high polish	Smooth high-polish surface
AKC00435	Dark Red/Orange with White Inclusions	Long Barrel	Type 2	Med-high polish	Smooth high-polish surface
AKC00436	Light Red/Orange with Dark Inclusions	Bicone-Barrel	Type 2	High polish	Smooth high-polish surface
AKC00437	Light Red/Orange	Long Hexagonal Bicone	Type 2	High polish	High polish, smooth surface
AKC00438	Dark Red/Orange with White Inclusions	Long Hexagonal Bicone	Type 2	High polish	High polish, smooth surface
AKC00439	Light Red/Orange	Long Hexagonal Bicone	Type 2	High polish	High polish, smooth surface
AKC00440	Light Red/Orange	Long Hexagonal Bicone	Type 2	High polish	High polish, smooth surface

Database ID	Quality	Interior Perf A	Interior Perf B	Max Length	Max Width	Min Width	Min Width	Thickness (mm)
		(mm)	(mm)	(mm)	(mm)	A (mm)	B (mm)	(11111)
AKC03035	Low-	1.22	1.17	6.35	6.62			
	quality							
AKC03036	Low-	1.54	1.65	10.16	11.75			
	quality							
AKC03037	Low-	1.52	1.52	7.7	6.06	4.39	4.68	
	quality							
AKC03038	Low-	1.44	1.44	5.12	6.12			
	quality							
AKC03039	High-	1.74	1.74	7.49	7.65			
	quality							
AKC03040	Low-	2.09	1.89	7.87	8.36			
	quality							
AKC03041	Low-	1.58	1.57	5.51	6.67			
	quality							
AKC03042	Low-	1.94	1.71	10.26	11.82			
	quality							
AKC03043	Low-	1.78	1.54	8.49	10.47			
	quality							
AKC03044	High-	1.22	1.24	4.59	6.28			
	quality							
AKC03045	Low-	1.94	2.11	19.22	8.42	5.86	0	7.73
	quality							
AKC03046	Low-	1.72	1.75	11.76	7.65	4.16	4.63	5.52
	quality							
AKC02060	High-	1.15	1.18	35.13	7.49	5.71	5.72	
	quality	2.02			0.00			
AKC02061	Low-	3.03	2.87	44.95	8.89	6.75	5.46	
	quality		4.04					
AKC02062	High-	1.72	1.31	16.46	7.93			
A 17 CO 20 C 2	quality	1.22	0.04	10.00	16.6			11.71
AKC02063	High-	1.23	0.94	19.09	16.6			11.71
1 T G0 20 6 1	quality	0.05	0.06	. .	2.00			
AKC02064	Low-	0.87	0.86	5.8	2.98			
ATZ C020 C 7	quality	1.26	1.71	22.52	0.62	(()	E E ((O (0.17
AKC02065	Low-	1.36	1.51	23.52	9.62	6.64	5.56696	8.15
AVC02066	quality	1 27	1.01	10 27	22.11			4.52
AKC02066	High-	1.37	1.01	18.37	23.11			4.53
	quality,							
AKC02067	broken	1.72	1.68	0.50	9.93			
AKC02007	High-	1.72	1.08	9.58	9.93			
	quality							

Database ID	Quality	Interior Perf A	Interior Perf B	Max	Max	Min	Min	Thickness
		(mm)	(mm)	Length (mm)	Width (mm)	Width A	Width B	(mm)
		(111111)	(111111)	(111111)	(11111)	(mm)	(mm)	
AKC02068	Low-quality	1.28	1.7	17.74	5.14	(11111)	(11111)	
AKC02069	Low-quality	1.78	1.78	21.55	9.76			4.95
AKC02070	High- quality, broken	3.06	3.06	28.9	11.08			
AKC02071	Low-quality	1.65	1.63	10.59	5.84	4.34	4.06	
AKC00730	High-quality	1.02	1.37	8.69	5.72			5.13
AKC00732	High-quality	1.08	1.08	19.03	6.53	4.05	3.95	
AKC03500	Low-quality	1.15		15.64	6.91	4.02	4.41	
AKC03501	High-			14.39	6.02	5.23		
	quality, unfinished							
AKC03502	Unfinished			18.2	7.13	3.66		4.5
AKC03503	Unfinished			24.51	14.17	10.81	11.12	4.37
AKC03504	Unfinished			21.06	18.35	16.52	18.02	3.8
AKC03505	High-quality	1.42	1.82	11.53	5.82	4.79	5.25	
AKC03506	High-quality	1.67	1.48	15.61	5.02	3.28	3.73	
AKC03507	High-quality	0.96	0.96	15.49	10.2	4.41	4.46	4.17
AKC03508	High-quality	1.08	1.06	21.62	9.52	6.18	6.12	4.01
AKC03509	High-quality	1.2	1.3	30.9	8.86	5.93	6.08	
AKC03510	Low-quality	1.17		5.05	5.39			
AKC03511	High-quality	1.05	0.85	15.24	9.63	2.72	3.17	3.29
AKC03512	Unfinished			15.7	5.21	4.85	4.76	
AKC03513	Unfinished			11.38	7.36	4.97	5.45	5.52
AKC03514	High-quality	1.12	1.44	24.62				5.18
AKC03515	High-quality			27.9	-			4.14

Database ID	Quality	Interior Perf A	Interior Perf B	Max Length	Max Width	Min Width	Min Width	Thickness (mm)
		(mm)	(mm)	(mm)	(mm)	A (mm)	B (mm)	
AKC03516	High- quality	1.25	1.31	19.1				3.93
AKC03517	High- quality, broken		41.53	17.84	9.85	9.73	5.35	
AKC00647	High- quality	1.6	0.92	7.42	9.4			
AKC01950	High- quality	0.9	1.37	7.94	8.39			
AKC01951	High- quality	1.1	1.29	12.01	12.24			
AKC00003	High- quality	2.15	2.16	35.88				6.28
AKC00004	High- quality	1.35	1.35	7.12				7.36
AKC00005	Low- quality	1.26	1.18	5.8				7.47
AKC00006	Low- quality	1.19	1.5	6.29				7.52
AKC00007	High- quality	1.6	1.7	8.4				8.57
AKC00008	High- quality	1.9	1.9	14.33				14.65
AKC00009	High- quality	1.33	1.36	6.84				7.12
AKC00010	High- quality	1.72	1.71	7.63				8.2
AKC00011	High- quality	1.47	1.48	7.52				7.81
AKC00012	Low- quality	1.37	1.36	6.77				7.17
AKC00013	High- quality	1.9	1.91	15.56				16.51
AKC00014	Low- quality	2.5	2.62	16.32	17.5			
AKC00015	High- quality	2.07	2.08	14.46				14.78
AKC00016	Low- quality	1.96	1.87	16.4	13.06	89		
AKC00017	Low- quality	1.97	1.99	15.13	11.35	78.5		

Database ID	Quality	Interior Perf A (mm)	Interior Perf B (mm)	Max Length (mm)	Max Width (mm)	Min Width A (mm)	Min Width B (mm)	Thickness (mm)
AKC00018	Low- quality	1.96	2.05	15.13	12.11	89.2		
AKC00019	Low- quality	1.99	1.98	17.24	17.54			
AKC00020	Low- quality	1.6	1.52	8.88	9.53			
AKC00021	Low- quality	1.6	1.7	9.11	9.56			
AKC00022	Low- quality	1.62	1.62	8.64	9.35			
AKC00023	Low- quality	1.47	1.4	6.34	8.13			
AKC00024	Low- quality	1.7	1.71	8.42	8.84			
AKC00025	Low- quality	1.75	1.8	16.55	10.21	6.575		
AKC00026	Low- quality	1.78	1.83	15.72	11.33	67		
AKC00027	Low- quality	1.82	1.9	14.29	9.26	5.98752		
AKC00028	Low- quality	1.99	1.89	13.2	11.28	78		
AKC00029	Low- quality	1.88	1.88	14.4	11.84	67.9		
AKC00030	Low- quality	2.18	2.15	15.03	11.22	78.5		
AKC00031	High- quality	1.88	1.93	12.98	13.33			
AKC00032	High- quality	1.68	1.7	12.89	13.98			
AKC00033	High- quality	1.93	1.97	11.75	12.25			
AKC00034	Low- quality	2.08	1.3	9.75	11.11			
AKC00035	High- quality	2.03	1.93	10.22	11			

Database ID	Quality	Interior Perf A (mm)	Interior Perf B (mm)	Max Length (mm)	Max Width (mm)	Min Width A (mm)	Min Width B (mm)	Thickness (mm)
AKC00036	High- quality	1.87	1.89	8.8	9.41			
AKC00038	High- quality	1.83	1.76	8.45	8.71			
AKC00039	Low- quality	1.76	1.1	7.66	9.45			
AKC00040	Low- quality	1.7	1.67	7.41	8.36			
AKC00044	High- quality	1.38	1.43	7.54	7.95			
AKC00045	High- quality	1.56	1.58	8	8.29			
AKC00046	High- quality	1.81	1.87	10.04	10.04			
AKC00047	Low- quality	1.83	1.78	8.54	8.57			
AKC00048	Low- quality	1.57	1.75	9.9	11.37			
AKC00049	High- quality	1.42	2.36	10.33	10.77			
AKC00050	Low- quality	1.61	2.04	8.83	10.59			
AKC00051	Low- quality	1.92	1.98	8.83	10.2			
AKC00052	High- quality	1.51	1.54	9.47	9.58			
AKC00053	Low- quality	1.62	1.09	15.33	9.6	5.23		
AKC00054	Low- quality	1.1	1.15	6.67	7.68			
AKC00055	Low- quality	1.62	1.56	8.53	9.06			
AKC00056	Low- quality	1.25	1.15	14.84	7.06	4.58	4.26	
AKC01721	N/A			20.96	11.43			4.01
AKC00642	High- quality	1.07	0	22.39	10.17	4.6	4.82	4.68
AKC00643	High- quality	1.28	1.32	22.27	8.86	4.37	4.18	4.55

Database ID	Quality	Interior Perf A (mm)	Interior Perf B (mm)	Max Length (mm)	Max Width (mm)	Min Width A (mm)	Min Width B (mm)	Thickness (mm)
AKC00644	High- quality	2.3	1.35	18.37	7.13	4.57	4.48	6.02
AKC00645	High- quality	1.54	1.86	24.5	7.58	4.25	4.6	6.7
AKC00646	High- quality	1.2	1.53	13.74	6.06	5.41	5.8	
AKC00682	Low- quality	1.45	2.56	12.91	8.33	5.14	5.13	7.04
AKC00902	High- quality	1.22	1.55	10.13	4.93	3.95	3.83	
AKC00918	Low- quality	1.32	1.26	5.7	3.88	3.85	3.75	
AKC00919	High- quality	1.68	1.41	7.31	4.29			
AKC00920	High- quality	1.2	1.2	6.82	3.77			
AKC00921	High- quality	1.72	1.7	16.02	8.41	7.3	7.21	
AKC00922	High- quality	1.44	1.33	16.66	9.01	5.55	5.7	
AKC00923	High- quality	1.88	1.98	18.44	8.12	6.54	6.49	
AKC00924	High- quality	1.93	1.94	22.43	10.69	5.93	7.1	
AKC00931	High- quality	1.1	0.98	7.05	7.11			
AKC00932	Low- quality	1.43	1.43	5.44	6.82			
AKC00933	Low- quality	1.27	0.98	6.58	7.28			
AKC00934	Low- quality	1.48	1.49	6.67	4.08			
AKC00979	High- quality	1.24	1.21	11.2	5.84	3.96	4.04	
AKC00980	High- quality	0.9	0.95	10.81	6.05			3.11
AKC00990	High- quality	0.95	1.14	4.26	6.82			
AKC00995	Low- quality	1.56	1.56	7.62	9.67			

Database ID	Quality	Interior Perf A (mm)	Interior Perf B (mm)	Max Length (mm)	Max Width (mm)	Min Width A (mm)	Min Width B (mm)	Thickness (mm)
AKC00996	Low- quality	1.45	1.56	5.43	7.52			
AKC00997	Low- quality	1	1.02	3.51	4.13			
AKC00998	Low- quality	1.08	0.78	4.35	4.94			
AKC00999	High- quality	1.31	0.76	3.92	4.26			
AKC01028	Low- quality	1.68	1.72	6.24	7.27			
AKC01038	High- quality, broken	0.84	0	9.22	4.69	2.23	0	2.44
AKC01042	High- quality	1.64	1.7	12	7.79	3.72	3.12	
AKC01045	High- quality	1.68	1.68	11.32	5.59	3.17	3.9	
AKC01051	Low- quality	1.57	1.6	5.61	6.91			
AKC01055	High- quality	1.48	2.12	17.59	11.82	8.3	8.07	
AKC01060	High- quality, broken	1.12	0	17.38	3.39	2.91	0	
AKC01061	High- quality, broken	1.12	0	8.42	3.68	2.66	0	
AKC01062	High- quality	1.42	1.44	14.53	3.52	3.38	2.84	
AKC01067	High- quality	1.6	1.74	38.4	10.64	6.41	6.9	
AKC01075	High- quality	1.12	1.4	10.23	4.47	3.47	3.64	
AKC01087	High- quality	1.61	1.63	18.45	9.93	6.73	5.5	7.85
AKC01089	Low- quality	1.5	1.4	5.82	8.07			
AKC01091	Low- quality	1.3	150	9.45	5.23	4.61	4.66	

Database ID	Quality	Interior Perf A (mm)	Interior Perf B (mm)	Max Length (mm)	Max Width (mm)	Min Width A (mm)	Min Width B (mm)	Thickness (mm)
AKC01094	High- quality	1.32	1.48	21.52	24.17			5.54
AKC01098	High- quality	1.66	1.63	25		4.66	4.91	7.15
AKC01100	High- quality, broken	1.43	2.45	7.67	14.39			7.42
AKC01106	High- quality, broken	1.65	1.65	12.66	9.79	7.15		
AKC01108	High- quality	1.51	1.47	9.48	20.12			5.29
AKC01110	High- quality	2.23	2.26	16.38	9.85	7.79	7.52	
AKC01111	High- quality	1.68	1.63	21.25	11.34	7.8	8.83	
AKC01112	High- quality	1.67	1.72	0	4.83	17.85	20.09	
AKC01114	High- quality	1.82	1.73	21.11	9.39	6.92	7.51	8.58
AKC00300	High- quality	1.2	1.25	23.75	8.7	4.73	3.4	
AKC00301	High- quality	1.17	0.95	16.9	7.43	3.74	3.51	
AKC00302	High- quality	1.31	1.1	17.34	8.78	4.66	3.78	
AKC00303	High- quality	1.25	1.37	16.43	6.8	4.64	4.8	
AKC00304	High- quality	1.36	1.35	15.63	9.6	4.88	4.76	
AKC00305	High- quality	1.07	1.29	15.6	7.98	4.12	4.61	
AKC00306	High- quality	1.59	1.35	19.08	7.46	4.83	4.08	
AKC00307	High- quality	1.19	1.34	23.21	8.54	3.9	4.11	
AKC00308	High- quality	1.15	1.16	11.38	6.38	4.82	4.67	
AKC00309	High- quality	1.62	1.21	12.27	6.62	5.09	5.21	

Database ID	Quality	Interior Perf A	Interior Perf B	Max Length	Max Width	Min Width	Min Width	Thickness (mm)
		(mm)	(mm)	(mm)	(mm)	A (mm)	B (mm)	(11111)
AKC00312	High- quality	1.34	1.25	10.93	5.17	4.25	3.86	
AKC00313	High- quality	1.36	1.13	11.55	6.21	4.41	4.76	
AKC00314	High- quality	1.18	1.42	11.73	6.42	4.26	4.7	
AKC00315	High- quality	1.23	1.52	13.17	6.01	4.46	4.1	
AKC00316	High- quality	1.58	1.1	11.14	5.62	4.43	4.25	
AKC00317	High- quality	1.61	1.27	12.75	6.06	4.49	3.88	
AKC00342	High- quality	1.33	1.34	31.44	11.45	5.49	5.24	
AKC00343	High- quality	1.36	1.37	19.49	10.53	3.74	4.12	
AKC00344	High- quality	1.76	2	17.7	9.63	4.96	5.18	
AKC00345	High- quality	1.4	1.62	25.23	11.31	4.59	4.74	
AKC00346	High- quality	1.68	1.26	21.7	11.09	5.5	4.61	
AKC00347	High- quality	1.44	1.98	21.35	10.72	4.83	5.59	
AKC00348	High- quality	1.08	1.25	19.57	11.13	5.73	6.49	
AKC00349	High- quality	1.27	1.03	20.62	11.26	5.9	6.03	
AKC00350	High- quality	1.25	1.31	19.61	10.82	3.75	3.9	
AKC00351	High- quality	1.51	1.51	22.76	10.88	5.38	5.05	
AKC00352	High- quality	1.81	1.2	20.18	11.08	7.35	6.87	
AKC00353	High- quality	1.42	1.22	23.32	11.61	4.23	3.78	

Database ID	Quality	Interior	Interior	Max	Max	Min	Min	Thickness
Database ID	Quanty	Perf A	Perf B	Length	Width	Width	Width	(mm)
		(mm)	(mm)	(mm)	(mm)	A (mm)	B (mm)	(11111)
AKC00354	High-	1.61	1.65	13.58	8.18	4.01	3.85	
7111200331	quality	1.01	1.05	13.50	0.10	1.01	3.03	
A I/ C00255	III:-1-	1.42	1.44	21.1	10.75	4.29	4.64	
AKC00355	High-	1.42	1.44	21.1	10.75	4.29	4.04	
	quality							
AKC00356	High-	1.37	1.74	22.52	11.8	4.26	4.52	
	quality							
AKC00357	High-	1.23	1.15	15.87	7.6	2.7	2.96	
/HC00357	quality	1.23	1.13	15.07	7.0	2.7	2.70	
AKC00358	Low-	0.67	0.94	6.37	6.37			
	quality							
AKC00359	High-	1.68	1.71	15.17	9.42	4.79	3.72	
/HC00337	quality	1.00	1.71	15.17	7.42	7.77	3.72	
AKC00360	High-	1.14	1.38	15.37	7.61	3.97	4.43	
	quality							
AKC00361	High-	1.22	1.77	17.83	10.62	5.23	4.96	
711100501	quality	1.22	1.77	17.03	10.02	3.23	4.50	
AKC00362	High-	1.71	1.73	16.59	8.19	4.17	4.84	
	quality							
AKC00363	High-	1.36	1.02	20.79	10.89	4.22	6.05	
AKC00303	quality	1.30	1.02	20.79	10.89	4.22	0.03	
	quanty							
AKC00364	High-	1.34	1.29	20.2	9.84	4.39	4.42	
	quality							
AKC00365	High-	1.33	1.26	19.42	10.26	3.64	3.57	
	quality							
A IZ C002 ((TT: 1	1.31	1.20	24.44	12.25	5.10	0	
AKC00366	High- quality	1.31	1.28	34.44	12.23	5.12	U	
	quanty							
AKC00367	High-	1.38	1.26	26.6	9.68	0	0	
	quality							
AKC00368	High-	1.21	1.68	26.02	10.48	3.81	0	
AKC00306	quality	1.21	1.06	20.02	10.46	3.01	U	
	quanty							
AKC00431	High-	1.01	1.1	15.78	6.57	2.95	3.89	
	quality							
AKC00432	High-	1.16	1.32	16.74	5.79	3.26	3.65	
ANC00432	quality	1.10	1.32	10./4	3.19	3.20	5.05	
				<u> </u>				
AKC00433	High-	1.23	1.02	16.47	6.5	3.31	3.75	
	quality							
_		1	1	I				

Database ID	Quality	Interior Perf A	Interior Perf B	Max Length	Max Width	Min Width	Min Width	Thickness (mm)
		(mm)	(mm)	(mm)	(mm)	A (mm)	B (mm)	
AKC00434	High- quality	1.18	1.01	15.02	6.36	2.94	2.83	
AKC00435	High- quality	1.28	1.22	16.29	5.84	3.77	4.04	
AKC00436	High- quality	1.3	1.24	14.94	6.49	4.29	3.58	
AKC00437	High- quality	1.3	1.11	17.38	5.91	3.7	3.31	
AKC00438	High- quality	0.92	1.02	15.47	5.59	3.64	3.24	
AKC00439	High- quality	0.8	1.08	12.88	5.19	3.18	3.22	
AKC00440	High- quality	1.3	0.91	14.34	5.18	3.7	3.52	

Ban Non Wat Beads not recorded in detail as part of this study.

Context	Cat Number	Raw Material	Color(s)	Bead Shape	Exterior surface	Quality
Burial 36	3520	Carnelian	N/A	Long Hexagonal Faceted Barrel	Smooth surface, uneven facets	Low- quality
Burial 36	3520	Carnelian	N/A	Long Hexagonal Faceted Barrel	Smooth surface, uneven facets	Low- quality
Burial 36	3520	Carnelian	N/A	Long Hexagonal Faceted Barrel	Smooth surface, uneven facets	Low- quality
Burial 36	3537	Carnelian	N/A	Long Triangular Faceted Barrel	Looks good in picture	High- quality
Burial 36	3519	Agate	N/A	Triangular pendant	The picture makes it seem as if the edges are not as smooth, stone is not great quality.	Low- quality
Burial 115	5089	Agate	N/A	Broken Pendant, 1 notch	despite being broken, looks like it's pretty good quality	High- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Higher quality stone?	High- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Higher quality stone?	High- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Higher quality stone?	High- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality

Context	Cat Number	Raw Material	Color(s)	Bead Shape	Exterior surface	Quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11520	Agate	Black and White Banded	Bicone or Barrel	Imperfections on surface/nicks	Low- quality
Burial 203	11525	Agate	N/A	broken pendant?	Imperfections on surface/nicks	Low- quality

Context	Cat Number	Raw Material	Color(s)	Bead Shape	Exterior surface	Quality
Burial 203	11523	Agate	N/A	Notched Pendant	Smooth surface	High- quality
Burial 259	18038	Carnelian	N/A	Spherical	Smooth surface	High- quality
Burial 259	18039	Carnelian	N/A	Spherical	Smooth surface	High- quality
Burial 266	15507	Agate	N/A	Broken pendant	Smooth surface, with repair?	High- quality
Burial 317	17866	Agate	Black and White Banded	Bicone or Barrel	N/A	N/A
Burial 321	21204	Agate	Black and White Banded	Bicone or Barrel	N/A	N/A
Burial 322	21113	Agate	Black and White Banded	Long Barrel	Smooth surface	High- quality
Burial 343	19660	Agate	Black and White Banded	Long Barrel	Smooth surface	High- quality
Burial 471	23022	Agate	N/A	Bicone	Uneven shape	Low- quality

Appendix 6.1: The agate and carnelian artifacts analyzed using LA-ICP-MS.

Site Name	Database ID	Context	Agate/ Carnelian	Bead Shape
Angkor Borei	AKC03035	Burial F51	Carnelian	Spherical
Angkor Borei	AKC03036	Burial F44	Carnelian	Rough Spherical
Angkor Borei	AKC03037	AB7 Block 3 Layer 5 Level 7	Carnelian	Short Bicone
Angkor Borei	AKC03038	AB7 Block 3 Layer 5 Level 10	Carnelian	Rough Spherical
Angkor Borei	AKC03039	AB7 Block 5 Layer 4 Level 12	Carnelian	Spherical
Angkor Borei	AKC03040	AB7 Block 4 Layer 4 Level 14	Carnelian	Spherical
Angkor Borei	AKC03041	AB7 Block 4 Layer 4 Level 16	Carnelian	Rough Spherical
Angkor Borei	AKC03042	AB7 Block 2S Layer 7 Level 23	Carnelian	Rough Spherical
Angkor Borei	AKC03043	AB7 Block 2S Layer 7 Level 23	Carnelian	Rough Spherical
Angkor Borei	AKC03044	AB7 Block 2 Layer 5 Level 11	Carnelian	Hexagonal Short Bicone
Angkor Borei	AKC03045	AB7 Block 4 Layer 19 Level 4	Agate	Long Barrel
Angkor Borei	AKC03046	AB7 Block 1 Layer 3 Level 5	Quartz	Hexagonal Faceted Bicone (rough)
Ban Non Wat	AKC02070	Unit D3 Layer 2 Spit 1	Agate	Long Cylinder
Ban Non Wat	AKC02061	Burial 356	Carnelian	Long Barrel
Ban Non Wat	AKC02060	Burial 312	Agate	Long Barrel
Ban Non Wat	AKC02065	Burial 356	Agate	Long Barrel
Ban Non Wat	AKC02063	Unit E8 Layer 3 Spit 3	Agate	Rounded Square
Ban Non Wat	AKC02069	Unit C2 Layer 2 Spit 4	Agate	Long Tabular Rectangle
Ban Non Wat	AKC02066	Burial 36	Agate	Notched Pendant (broken)
Ban Non Wat	AKC02062	Unit C3 Layer 2 Spit 4 Feature 4	Carnelian	Long Barrel
Ban Non Wat	AKC02064	Unit 3 Feature 6 Bag 10612	Agate	Short Barrel

Site Name	Database ID	Context	Agate/ Carnelian	Bead Shape
Ban Non Wat	AKC02068	Burial 36	Carnelian	Hexagonal Faceted Barrel
Ban Non Wat	AKC02071	Burial 203	Agate	Short Bicone
Ban Non Wat	AKC02067	Burial 259	Carnelian	Spherical
Bit Meas	AKC00730	No context	Agate	Short Barrel
Bit Meas	AKC00732	No context	Carnelian	Long Hexagonal Bicone
Khao Sam Kaeo	AKC03500	Unknown	Carnelian	Long Bicone (Unfinished)
Khao Sam Kaeo	AKC03501	Unknown	Agate	Long Barrel (Unfinished)
Khao Sam Kaeo	AKC03502	Unknown	Agate	Long Barrel (Unfinished)
Khao Sam Kaeo	AKC03503	Hill 4	Agate	Leech Bead (Unfinished)
Khao Sam Kaeo	AKC03504	Hill 4	Agate	Tabular Square (Unfinished)
Khao Sam Kaeo	AKC03505	Hill 3	Agate	Short Barrel
Khao Sam Kaeo	AKC03506	Hill 3	Agate	Long Barrel
Khao Sam Kaeo	AKC03507	Hill 2	Agate	Leech bead
Khao Sam Kaeo	AKC03508	Hill 2	Agate	Tabular Truncated Bicone
Khao Sam Kaeo	AKC03509	Hill 2	Agate	Long Bicone
Khao Sam Kaeo	AKC03510	North Hill 3	Carnelian	Spherical (Unfinished)
Khao Sam Kaeo	AKC03511	North Hill 3	Carnelian	Hexagonal Flattened Bicone
Khao Sam Kaeo	AKC03512	North Hill 3	Agate	Long Cylinder (Unfinished)
Khao Sam Kaeo	AKC03513	North Hill 3	Agate	Short Barrel (Unfinished)
Khao Sam Kaeo	AKC03514	Hill 2	Carnelian	Crescent
Khao Sam Kaeo	AKC03515	Hill 2	Carnelian	Crescent
Khao Sam Kaeo	AKC03516	Hill 4	Agate	Chamfered Square
Khao Sam Kaeo	AKC03517	Hill 4	Agate	Notched pendant (Broken)

Site Name	Database ID	Context	Agate/ Carnelian	Bead Shape
Krek 52/62	AKC00647	Unit II Square J14 GH 1 AH 2	Carnelian	Spherical
Phnom Borei	AKC01950	Unit 1 Level 167 Layer 3	Carnelian	Spherical
Phnom Borei	AKC01951	Unit 1 Level 241 Layer 4	Carnelian	Spherical
Phum Snay	AKC00003	Unit B Layer 3 Spit 3 Feature 1	Agate	Long Barrel
Phum Snay	AKC00016	Burial 9	Carnelian	Hexagonal Faceted Short Bicone (rough)
Phum Snay	AKC00020	Burial 9	Carnelian	Spherical
Phum Snay	AKC00025	Burial 9	Carnelian	Hexagonal Faceted Short Bicone (rough)
Phum Snay	AKC00026	Burial 9	Carnelian	Hexagonal Faceted Short Bicone (rough)
Phum Snay	AKC00035	Burial 9	Carnelian	Spherical
Phum Snay	AKC00044	Burial 9	Carnelian	Spherical
Phum Snay	AKC00053	Burial 2	Carnelian	Hexagonal Faceted Short Bicone (rough)
Phum Snay	AKC00056	Burial 2	Carnelian	Long Barrel
Prei Khmeng	AKC01721	US 22021	Carnelian	Nodule
Prohear	AKC00644	Burial 4	Agate	Long Barrel
Prohear	AKC00646	Burial 2	Agate	Long Cylinder
Prohear	AKC00643	Burial 24	Carnelian	Hexagonal Flattened Bicone
Promtin Tai	AKC01061	Burial 20	Carnelian	Hexagonal Faceted Barrel
Promtin Tai	AKC01062	Burial 20	Agate	Long Barrel
Promtin Tai	AKC00932	Burial 32	Carnelian	Rough Spherical
Promtin Tai	AKC00922	Burial 20	Carnelian	Long Hexagonal Bicone
Promtin Tai	AKC00923	Burial 20	Agate	Long Barrel
Promtin Tai	AKC01108	Burial 19	Agate	Pendant (broken)
Promtin Tai	AKC01111	Burial 19	Agate	Short Bicone
Promtin Tai	AKC00995	S3 East Section 130-130 cmbd	Carnelian	Rough Spherical
Promtin Tai	AKC00999	S3 East Section 130-130 cmbd	Carnelian	Spherical

Site Name	Database ID	Context	Agate/ Carnelian	Bead Shape
Promtin Tai	AKC00902	Burial 16	Agate	Long Barrel
Promtin Tai	AKC00980	S3/2 East Section 210- 220 cmbd	Carnelian	Hexagonal Flattened Bicone
Promtin Tai	AKC01051	S3/2 West Section 190-200 cmbd	Carnelian	Rough Spherical
Village 10.8	AKC00433	Burial 48	Carnelian	Long Bicone
Village 10.8	AKC00437	Burial 48	Carnelian	Long Hexagonal Bicone
Village 10.8	AKC00308	Burial 28	Agate	Short Barrel
Village 10.8	AKC00348	Burial 3	Carnelian	Short Bicone
Village 10.8	AKC00303	Burial 34	Carnelian	Short Barrel
Village 10.8	AKC00364	Burial 15	Carnelian	Long Bicone
Village 10.8	AKC00344	Burial 1	Carnelian	Short Bicone

LA-ICP-MS data for agate and carnelian geologic samples and artifacts Appendix 6.2:

Database ID	Site	SiO2	Na2O	MgO	A12O3	P203	K20	CaO	MnO	Fe2O3	OnO	SnO2
AKC03035	Angkor Borei	%5'66	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%	%0.0	0.1%	0.0%	0.0%
AKC03036	Angkor Borei	%2.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	%0.0	%0.0	0.0%	%0.0
AKC03037	Angkor Borei	%8.66	0.0%	0.0%	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	0.0%	%0.0
AKC03038	Angkor Borei	%2.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
AKC03039	Angkor Borei	%9.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	0.2%	%0.0	%0.0
AKC03040	Angkor Borei	%9.66	%0.0	%0.0	%0.0	0.0%	%0.0	0.2%	%0.0	0.1%	%0.0	%0.0
AKC03041	Angkor Borei	%2'96	%0.0	%0.0	0.1%	0.0%	%0.0	0.2%	%0.0	2.8%	%0.0	%0.0
AKC03042	Angkor Borei	%2.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
AKC03043	Angkor Borei	%2.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
AKC03044	Angkor Borei	%9.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	0.1%	%0.0	%0.0
AKC03045	Angkor Borei	%9.66	%0.0	0.0%	0.1%	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
AKC03046	Angkor Borei	%9.66	%0.0	0.0%	0.1%	%0.0	%0.0	0.2%	%0.0	%0.0	0.0%	%0.0
AKC02060	Ban Non Wat	%5'66	%0.0	0.0%	%0.0	%0.0	%0.0	0.3%	%0.0	%0.0	0.0%	%0.0
AKC02061	Ban Non Wat	99.3%	%0.0	0.3%	%0.0	%0.0	%0.0	0.2%	%0.0	0.1%	%0.0	%0.0
AKC02062	Ban Non Wat	%2.66	%0.0	%0.0	%0.0	0.0%	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
AKC02063	Ban Non Wat	%9.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
AKC02064	Ban Non Wat	%9.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	%0.0	%0.0	0.0%	%0.0
AKC02065	Ban Non Wat	99.4%	0.1%	%0.0	%0.0	%0.0	0.1%	0.2%	%0.0	%0.0	0.0%	%0.0
AKC02066	Ban Non Wat	%9 ′66	%0.0	%0.0	%0.0	%0.0	%0'0	0.2%	%0.0	%0.0	%0.0	%0.0
AKC02067	Ban Non Wat	%L'66	%0.0	%0.0	%0.0	%0.0	%0'0	0.3%	%0.0	%0.0	%0.0	%0.0
AKC02068	Ban Non Wat	%L'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
AKC02069	Ban Non Wat	%9 ′66	%0.0	%0.0	%0.0	%0.0	%0'0	0.3%	%0.0	%0.0	%0.0	%0.0
AKC02070	Ban Non Wat	%9.66	%0.0	0.0%	%0.0	%0.0	%0.0	0.3%	%0.0	0.1%	0.0%	%0.0

SnO2	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	528
CuO	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	
Fe2O3	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	0.1%	%0.0	0.1%	%9.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	
MnO	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%	0.0%	%0.0	
CaO	0.3%	%0.0	%0.0	0.2%	0.2%	0.2%	0.3%	0.1%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	%0.0	0.1%	0.1%	0.1%	0.1%	
K20	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	0.0%	0.1%	%0.0	%0.0	0.0%	0.0%	%0.0	0.1%	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	
P2O3	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	0.0%	0.0%	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%	%0.0	0.0%	
Al2O3	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	0.1%	0.1%	%0.0	%0.0	%0.0	0.0%	0.1%	0.2%	0.1%	0.1%	0.1%	0.0%	%0.0	%0.0	0.0%	%0.0	%0.0	0.1%	%0.0	0.0%	
MgO	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	0.0%	0.0%	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%	%0.0	0.0%	
Na2O	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	
SiO2	%9.66	%6.66	%6.66	%8.66	%L'66	%9.66	%5'66	%L'66	%L'66	%8.66	%L'66	%9.66	%L'66	99.4%	99.1%	%L'66	%9.66	%L'66	%8.66	%9.66	%L'66	%6.66	%6.66	%8.66	%8.66	%8.66	
Site	Ban Non Wat	Bit Meas	Bit Meas	Khao Sam Kaeo	Krek 52/62	Phnom Borei	Phnom Borei	Phum Snay	Phum Snay																		
Database ID	AKC02071	AKC00730	AKC00732	AKC03500	AKC03501	AKC03503	AKC03504	AKC03505	AKC03506	AKC03507	AKC03508	AKC03509	AKC03510	AKC03511	AKC03511	AKC03512	AKC03513	AKC03514	AKC03515	AKC03516	AKC03517	AKC00647	AKC01950	AKC01951	AKC00003	AKC00016	

SnO2	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	529
CuO	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	
Fe2O3	0.1%	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	
MnO	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	
CaO	%0.0	%0.0	0.1%	0.1%	0.0%	0.1%	0.0%	%0.0	0.0%	0.1%	0.1%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.1%	0.2%	0.0%	0.1%	%0.0	
K20	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	0.1%	0.1%	%0.0	%0.0	0.0%	
P203	%0.0	0.0%	%0.0	0.0%	0.0%	0.1%	%0.0	0.0%	0.0%	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%	0.0%	0.0%	
Al203	0.1%	%0.0	%0.0	0.1%	%0.0	0.0%	%0.0	0.1%	0.0%	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.0%	0.0%	%0.0	%0.0	0.1%	%0.0	
MgO	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	
Na2O	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	
SiO2	%8.66	%6.66	%6.66	%8.66	%6.66	%2.66	100.0%	%8.66	%2.66	%8.66	%8.66	%5'66	%2.66	%2.66	%2.66	%9.66	%9.66	%2.66	%2.66	%9.66	%2.66	%2.66	%9.66	%6.66	%8.66	%6.66	
Site	Phum Snay	Prei Khmeng	Prohear	Prohear	Prohear	Promtin Tai	Village 10.8	Village 10.8	Village 10.8																		
Database ID	AKC00020	AKC00025	AKC00026	AKC00035	AKC00044	AKC00053	AKC00056	AKC01721	AKC00643	AKC00644	AKC00646	AKC00902	AKC00922	AKC00923	AKC00932	AKC00980	AKC00995	AKC00999	AKC01051	AKC01061	AKC01062	AKC01108	AKC01111	AKC00303	AKC00308	AKC00344	

Database ID	Site	SiO2	Na2O	$_{ m MgO}$	A12O3	P203	K20	CaO	OuM	Fe2O3	CnO	SnO2
AKC00348	Village 10.8	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	0.0%
AKC00364	Village 10.8	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
AKC00433	Village 10.8	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%
AKC00437	Village 10.8	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	0.0%

Database ID	Li	Be	В	Sc	Ті	Λ	Cr	N	Co	Zn	As
AKC03035	6.841	0.922	689'L	3.262	2.027	2.013	1.003	5.386	0.074	0.840	0.000
AKC03036	3.618	1.539	17.822	2.741	2.452	0.455	1.801	4.608	0.139	2.110	0.404
AKC03037	0.446	1.689	3.982	2.304	2.872	0.924	1.483	4.301	0.103	3.006	3.150
AKC03038	0.329	1.193	14.277	2.837	4.177	0.200	1.422	5.080	0.109	1.298	0.000
AKC03039	0.455	1.284	12.210	2.838	1.494	1.702	1.276	5.111	0.099	1.208	0.000
AKC03040	0.407	1.149	16.926	2.818	1.076	1.322	1.311	5.795	0.163	0.578	1.885
AKC03041	0.950	1.179	4.764	4.589	6.280	41.268	5.255	15.110	7.820	14.423	0.917
AKC03042	0.707	1.297	7.285	2.776	2.828	0.807	1.536	6.347	0.152	1.966	0.459
AKC03043	0.461	1.634	13.045	2.852	2.349	0.411	1.998	6.131	0.163	2.914	0.000
AKC03044	0.088	0.049	16.376	4.211	1.139	1.939	0.113	7.466	0.107	4.071	0.000
AKC03045	0.346	1.003	16.545	3.968	4.595	0.537	0.350	7.176	0.064	4.707	0.000
AKC03046	8.108	0.205	1.308	4.223	16.085	0.785	1.786	8.752	0.281	25.189	766.0
AKC02060	1.247	2.374	15.974	4.248	1.023	0.265	0.501	8.992	0.104	0.442	1.659
AKC02061	1.866	0.000	0.834	4.536	1.972	0.469	5.498	61.219	0.144	3.125	2.242
AKC02062	0.616	1.632	2.824	3.284	11.976	4.375	1.366	6.297	0.251	2.118	2.723
AKC02063	3.038	1.603	27.358	3.245	2.662	0.248	928.0	6.113	0.107	0.752	3.228
AKC02064	1.411	3.006	17.405	2.863	4.579	0.508	0.885	4.067	0.240	4.944	0.577
AKC02065	898.0	0.944	0.681	3.533	10.353	0.765	0.962	5.771	0.128	666'9	1.370
AKC02066	0.949	2.111	9.557	3.445	1.517	0.483	1.247	5.507	0.132	2.318	4.812
AKC02067	0.383	0.982	0.730	3.714	1.836	0.241	0.620	7.534	0.088	299.0	2.157
AKC02068	3.135	1.446	5.120	3.487	1.963	0.447	0.916	6.208	0.157	3.035	2.731
AKC02069	2.352	2.601	19.945	4.184	4.114	0.338	0.824	7.576	0.101	4.618	0.919
AKC02070	0.426	0.804	13.859	4.205	1.142	0.190	0.406	629.2	0.063	0.734	1.230
AKC02071	3.026	1.441	16.530	3.785	3.117	0.576	0.680	7.859	0.123	3.804	1.008
AKC00730	0.227	0.559	12.502	1.846	0.811	0.811	0.291	0.611	0.008	0.564	1.695
AKC00732	0.191	0.729	9.166	1.905	1.581	0.170	0.415	0.455	0.041	0.711	0.053

Database ID	Li	Be	В	Sc	Ti	V	\mathbf{Cr}	N	Co	Zn	As
AKC03500	0.120	0.195	8.239	3.460	0.437	0.158	0.383	5.900	0.037	1.852	3.728
AKC03501	2.370	1.767	15.653	3.294	1.895	0.158	0.415	6.236	0.143	2.745	3.349
AKC03503	0.618	0.174	15.492	5.358	8.826	1.195	0.826	9.018	0.043	5.382	6.879
AKC03504	4.767	0.202	15.870	5.234	2.617	1.821	0.923	8.882	090.0	5.614	2.963
AKC03505	3.820	1.835	10.778	4.775	5.163	0.285	0.636	5.795	0.024	1.476	0.971
AKC03506	2.087	0.034	20.963	4.078	8.015	0.164	0.354	6.603	0.021	1.628	0.239
AKC03507	0.665	0.215	0.892	3.634	0.376	0.041	0.260	6.460	0.011	2.170	1.202
AKC03508	0.583	0.085	1.830	3.600	0.213	0.141	0.337	6.118	0.020	0.829	1.081
AKC03509	0.799	1.209	20.565	4.243	0.202	0.768	0.170	6.488	0.010	0.340	0.415
AKC03510	0.237	0.368	8.690	3.856	6.613	0.498	0.689	10.205	0.128	11.438	1.413
AKC03511	8.949	0.211	1.228	5.678	9.558	0.903	0.962	9.267	0.083	3.954	699.0
AKC03511	1.111	0.282	0.631	3.308	1.351	3.710	0.471	5.411	0.070	1.579	0.244
AKC03512	2.320	1.323	14.899	3.367	2.532	0.383	0.462	6.100	0.073	3.958	0.852
AKC03513	3.210	0.297	908.0	3.567	4.254	0.308	0.558	6.486	0.082	10.495	1.175
AKC03514	0.612	0.151	0.640	4.215	0.722	0.142	0.463	7.050	0.026	0.776	0.490
AKC03515	0.380	0.108	0.589	3.912	0.616	0.078	0.371	7.061	0.023	0.634	0.602
AKC03516	0.224	0.374	11.677	5.392	1.058	0.249	0.661	7.287	0.036	4.049	0.722
AKC03517	2.465	0.682	6.197	5.242	0.744	2.744	0.554	8.764	0.026	1.090	2.877
AKC00647	0.094	0.277	3.489	1.900	2.247	0.328	1.201	1.669	0.059	2.613	0.963
AKC01950	0.324	0.576	14.663	1.663	2.031	0.139	3.294	0.667	0.035	0.787	0.000
AKC01951	2.054	0.424	26.846	1.730	0.619	0.539	0.332	0.446	0.012	1.058	0.000
AKC00003	1.648	0.550	21.401	2.507	0.292	0.197	0.343	0.988	0.004	4.469	0.000
AKC00016	0.995	0.250	18.641	2.271	0.615	0.215	0.337	0.616	0.021	13.084	0.000
AKC00020	0.682	0.477	5.973	2.404	4.053	0.905	0.189	0.991	0.023	29.773	0.000
AKC00025	0.248	0.378	7.312	2.047	0.460	0.223	0.315	0.433	0.009	0.463	0.000
AKC00026	0.125	0.413	11.045	1.964	0.383	0.076	0.656	0.513	0.015	0.681	0.000

Database ID	Ľ	Be	В	Sc	Ti	^	Cr	Ņ	Co	Zn	As
AKC00035	1.116	0.329	24.263	1.808	1.739	0.890	0.758	0.443	0.036	1.139	0.000
AKC00044	0.134	0.214	9.790	1.730	0.102	0.294	0.000	0.420	0.016	2.730	0.000
AKC00053	0.220	0.269	16.620	1.693	1.707	1.559	4.939	0.388	900.0	868.0	0.000
AKC00056	0.086	0.297	2.542	1.812	0.728	0.371	2.345	0.514	0.012	0.271	0.000
AKC01721	0.604	0.553	41.512	2.236	11.173	0.456	0.506	0.540	0.049	1.776	3.202
AKC00643	1.005	0.821	12.920	2.450	0.481	3.334	0.432	1.637	980.0	2.964	1.418
AKC00644	1.633	0.888	15.339	1.781	0.224	0.226	0.348	0.506	0.040	0.525	0.223
AKC00646	0.332	0.260	13.382	1.920	0.328	0.117	0.296	0.561	0.031	0.437	0.993
AKC00902	0.939	1.521	13.613	3.013	2.319	0.238	1.579	6.240	0.104	1.960	3.345
AKC00922	0.181	1.164	2.861	3.114	1.387	0.704	1.097	5.846	0.081	0.908	0.612
AKC00923	0.555	1.727	18.038	3.129	0.897	0.572	1.363	7.451	0.115	0.933	0.000
AKC00932	0.239	1.379	6.020	3.113	3.048	0.268	1.143	7.175	0.115	1.226	0.381
AKC00980	0.557	0.920	1.664	3.263	0.948	0.132	0.930	7.532	0.077	0.454	1.378
AKC00995	3.026	2.040	6.523	2.978	6.934	0.450	1.443	5.213	0.358	4.023	4.416
AKC00999	0.607	1.786	4.955	2.912	3.901	0.367	1.381	6.095	0.099	3.116	3.875
AKC01051	1.448	1.173	5.088	3.855	1.227	0.288	1.581	5.878	0.107	2.519	5.318
AKC01061	1.676	2.278	7.836	2.671	1.354	1.165	1.323	5.516	0.271	4.906	5.856
AKC01062	1.004	2.716	15.869	2.600	1.572	969.0	0.881	5.093	0.089	1.189	2.254
AKC01108	1.305	1.442	5.393	2.476	1.226	1.406	1.190	5.287	0.073	1.363	1.213
AKC01111	1.339	0.893	23.051	2.508	1.663	0.895	0.863	4.006	0.074	2.282	5.915
AKC00303	1.095	669.0	4.111	1.902	0.883	0.252	0.388	0.333	0.037	1.197	2.799
AKC00308	2.070	1.790	18.957	1.805	6.788	0.319	0.936	0.780	0.049	902.0	1.153
AKC00344	0.045	0.277	1.055	1.879	5.272	0.122	0.458	0.446	0.018	0.756	2.502
AKC00348	0.397	0.397	13.445	1.930	1.761	0.318	0.532	969.0	0.023	1.019	1.641
AKC00364	0.157	0.292	3.910	1.795	2.785	0.084	0.196	0.356	0.022	0.290	4.435
AKC00433	0.900	0.833	10.292	1.821	0.965	0.137	0.603	0.655	0.052	0.483	1.016

Database	Ľi	Be	В	Sc	Ti	Λ	1 O	Ni	C_0	Zn	As
П											
AKC00437	0.915	0.339	16.129	1.828	1.236	0.632	995.0	0.973	0.046	0.764	1.044

Database ID	Rb	Sr	\mathbf{Zr}	qN	\mathbf{Ag}	In	Sb	Cs	Ba	La	Ce
AKC03035	2.029	1.952	0.241	0.039	0.133	0.078	0.516	0.029	9.731	0.058	0.025
AKC03036	0.367	1.512	0.098	0.063	0.170	0.035	0.854	0.035	1.031	0.065	0.063
AKC03037	0.119	0.231	0.159	0.067	0.306	0.038	0.330	0.017	0.374	0.048	0.051
AKC03038	0.116	0.552	0.174	690'0	0.137	0.027	0.667	0.021	1.423	0.033	0.045
AKC03039	0.223	0.584	0.089	0.051	0.098	0.031	0.540	0.029	0.552	0.055	0.054
AKC03040	0.429	0.464	890.0	0.048	690.0	0.019	0.478	0.019	1.458	0.045	0.053
AKC03041	0.462	2.826	0.956	0.032	0.084	0.045	0.614	0.019	6.532	0.557	2.050
AKC03042	0.387	0.779	0.126	0.084	0.208	0.028	0.671	0.038	1.798	0.044	0.073
AKC03043	0.357	1.040	0.118	0.089	0.274	0.036	0.658	0.023	929.0	690.0	0.127
AKC03044	0.222	0.460	0.109	600.0	0.016	900.0	0.627	0.010	0.842	0.019	0.051
AKC03045	1.002	0.832	0.583	0.034	0.412	0.019	0.940	0.042	1.062	0.093	0.178
AKC03046	1.291	1.648	0.759	0.217	1.037	0.130	1.155	0.145	4.519	0.196	0.590
AKC02060	0.342	1.098	0.065	0.040	0.077	0.044	1.458	0.013	2.691	0.027	0.035
AKC02061	0.830	0.359	0.143	0.037	0.192	0.020	0.123	0.199	1.568	0.022	0.037
AKC02062	0.369	0.357	0.214	0.108	0.153	0.028	0.340	890.0	1.436	0.188	0.220
AKC02063	0.610	1.034	0.104	060'0	0.103	0.036	1.436	0.036	2.240	0.064	0.083
AKC02064	0.635	1.262	0.201	0.075	0.398	0.065	1.075	0.082	4.062	0.112	0.263
AKC02065	1.868	2.738	0.195	080.0	0.079	0.016	0.325	0.028	13.209	0.064	0.178
AKC02066	1.965	892.0	0.174	0.070	0.102	0.047	0.655	0.136	2.713	0.034	0.102
AKC02067	0.506	098.0	0.099	0.049	0.100	0.023	0.093	0.038	4.206	0.075	090.0
AKC02068	0.093	692'0	0.084	0.045	0.141	0.029	0.298	0.041	4.149	0.036	0.043
AKC02069	0.362	0.640	0.102	0.075	0.268	0.054	0.652	0.065	1.274	0.082	0.083
AKC02070	0.113	1.087	0.113	0.035	0.048	0.021	928.0	0.023	7.008	0.085	0.596
AKC02071	0.478	0.670	0.109	620.0	0.124	0.024	0.405	0.041	5.342	0.179	0.450
AKC00730	0.172	0.636	890.0	0.101	7.839	0.002	0.454	900'0	9.579	0.019	0.033
AKC00732	0.232	0.910	0.062	0.004	0.050	0.005	0.183	0.010	1.939	0.016	0.066

Database ID	Rb	Sr	Zr	Nb	\mathbf{Ag}	In	qs	Cs	Ba	La	Ce
AKC03500	0.119	0.883	0.104	0.008	0.067	0.016	909.0	0.014	0.500	0.051	0.095
AKC03501	0.349	1.327	0.137	0.027	0.246	0.045	0.533	0.044	0.519	0.047	0.122
AKC03503	0.734	0.838	0.294	0.050	0.133	0.013	0.258	0.031	1.833	0.578	1.672
AKC03504	1.133	1.266	0.271	0.100	0.103	0.022	0.358	0.049	4.078	0.279	0.955
AKC03505	0.641	1.712	0.055	0.024	0.105	0.021	0.750	0.021	0.858	0.014	690.0
AKC03506	0.746	0.812	0.204	0.022	0.076	0.006	0.048	0.012	2.480	0.050	0.217
AKC03507	0.409	0.274	0.052	0.016	0.065	0.034	0.125	0.011	0.902	0.057	0.247
AKC03508	0.385	0.227	0.081	0.009	0.062	0.006	0.089	0.024	0.997	0.075	0.330
AKC03509	0.144	0.292	0.038	0.013	0.014	0.004	0.244	0.003	0.729	0.313	1.759
AKC03510	0.565	0.301	0.198	690.0	0.893	0.027	1.224	090.0	1.168	0.299	0.534
AKC03511	2.507	0.820	0.560	980.0	0.725	0.044	0.298	0.082	3.075	0.375	1.147
AKC03511	0.518	0.539	0.110	0.013	0.029	0.002	0.031	600.0	4.612	0.194	0.558
AKC03512	0.533	0.418	0.135	0.026	3.810	0.025	0.791	0.019	1.483	0.307	966'0
AKC03513	1.133	0.482	0.123	0.169	1.338	0.043	0.454	0.033	1.964	0.067	0.210
AKC03514	0.694	0.518	0.124	0.008	0.100	0.005	0.031	0.012	7.976	0.103	0.357
AKC03515	0.561	0.472	0.040	0.013	0.186	0.011	0.032	600'0	8.754	0.102	0.443
AKC03516	1.395	0.618	0.037	0.026	3.330	0.051	0.207	0.035	0.961	0.177	0.737
AKC03517	0.220	0.643	0.051	0.019	0.208	0.003	0.499	0.014	6.590	0.104	0.473
AKC00647	0.457	0.441	0.161	0.172	0.061	0.008	0.140	0.014	0.583	0.015	0.049
AKC01950	0.1111	0.526	0.161	0.000	0.081	0.002	0.367	0.005	1.520	0.028	0.034
AKC01951	0.035	1.737	0.354	0.000	0.028	0.003	0.651	800.0	2.285	0.095	0.125
AKC00003	0.191	1.697	0.115	0.136	0.087	0.012	1.391	0.038	5.803	0.087	0.201
AKC00016	0.062	0.839	0.082	0.000	0.019	0.003	0.212	600'0	1.251	0.013	0.016
AKC00020	0.184	1.270	0.225	0.202	0.019	0.003	608.0	0.031	4.108	0.036	0.099
AKC00025	0.928	0.518	0.129	0.116	0.013	0.003	0.166	900'0	0.481	0.027	0.044
AKC00026	0.052	0.453	0.101	0.074	0.035	0.003	0.299	0.016	1.618	0.032	0.039

0.073 0.033 1.982 0.000 1.079 2.398 1.578	0.633 0.633 1.208 0.166 0.457 0.887 1.054 1.521 1.972 0.802	0.030 0.028 0.024 0.042 0.042 0.066 0.072 0.080	0.027 0.000 0.000 0.036 0.086 0.086 0.047	0.078 0.019 0.024 0.014 0.059 0.961 1111.217 0.588	0.003 0.002 0.002 0.003 0.001 0.002	1.028	0.010	7.646	0.086	0.119
0.033 1.982 0.000 1.079 2.398 1.578 0.223	.633 .208 .1166 .1457 .1887 .054 .972 .972	0.030 0.028 0.024 0.042 0.042 0.066 0.072 0.072	0.000 1.332 0.000 0.036 0.185 0.007 0.086	0.019 0.024 0.014 0.059 0.961 111.217 0.588	0.002 0.002 0.003 0.001 0.002	0.091	0.005	11.709	0.143	0.056
1.982 0.000 1.079 2.398 1.578 0.223	.208 .166 .1457 .887 .054 .972 .972	0.028 0.024 0.0316 0.042 0.066 0.072 0.316	0.000 0.036 0.086 0.086 0.047	0.024 0.014 0.059 0.961 1111.217 0.588 0.136	0.002 0.003 0.001 0.002	1				
0.000 1.079 2.398 1.578 0.223	.166 .457 .887 .054 .521 .972 .802	0.024 0.816 0.042 0.066 0.072 0.316 0.080	0.000 0.036 0.185 0.007 0.086 0.047	0.014 0.059 0.961 111.217 0.588 0.136	0.003	0.356	900.0	1.581	0.012	0.011
1.079 2.398 1.578 0.223	.457 .887 .054 .054 .972 .972	0.816 0.042 0.066 0.072 0.316 0.080	0.036 0.185 0.007 0.086 0.047	0.059 0.961 111.217 0.588 0.136	0.001	0.350	0.005	0.344	0.009	0.008
2.398 1.578 0.223	.887 .054 .521 .972 .802	0.042 0.066 0.072 0.316 0.080	0.185 0.007 0.086 0.047 0.043	0.961 111.217 0.588 0.136	0.002	2.172	0.042	2.505	0.077	0.211
0.223	.054 .521 .972 .802	0.066 0.072 0.316 0.080	0.007 0.086 0.047 0.043	0.588		0.163	0.032	2.716	0.097	0.067
0.223	.972	0.072 0.316 0.080	0.086	0.588	0.005	0.761	0.012	2.320	0.050	0.083
	.802	0.080	0.047	0.136	0.004	0.261	900.0	2.214	0.015	0.016
AKC00902 3.085 1.	.802	0.080	0.043	0.122	0.061	1.036	0.088	5.105	0.049	0.087
AKC00922 0.286 0.	1/2/	0.100		0.133	0.020	0.447	600.0	2.731	0.041	0.052
AKC00923 0.371 2.	+ 7 + :	0.129	0.045	0.072	0.061	0.848	900.0	2.689	0.022	0.081
AKC00932 0.663 1.	1.123	0.108	0.039	0.095	0.061	0.158	0.023	3.399	0.043	0.049
AKC00980 0.654 0.	0.392	0.073	0.024	0.095	0.013	0.077	0.013	3.602	0.053	0.168
AKC00995 0.258 1.	1.402	0.168	0.075	0.295	0.041	0.391	0.031	7.711	0.043	0.107
AKC00999 0.192 0	0.362	0.121	0.074	0.187	0.052	0.713	0.056	0.643	0.033	0.071
AKC01051 0.339 1.	1.281	0.090	0.083	0.144	0.040	0.217	0.014	1.341	0.029	0.052
AKC01061 0.390 0.	0.921	660.0	0.124	0.304	0.105	1.489	0.035	0.901	0.058	0.105
AKC01062 0.413 0.	0.704	0.102	0.050	0.121	0.053	806.0	0.020	0.737	0.037	0.053
AKC01108 1.378 4.	4.014	0.105	0.067	0.439	0.025	2.115	0.031	14.898	0.038	0.037
AKC01111 1.506 2	2.206	0.111	0.044	0.189	0.017	0.593	0.030	2.592	0.039	0.059
AKC00303 0.205 0.	0.344	0.074	0.010	0.023	0.003	0.533	800.0	0.728	0.048	0.125
AKC00308 0.465 3.	3.681	0.220	0.263	0.043	0.002	0.622	0.014	1.219	0.091	0.219
AKC00344 0.199 0.	0.935	7.250	0.250	0.027	0.002	0.188	0.014	1.630	0.021	0.055
AKC00348 0.071 0.	0.582	0.085	0.063	0.034	0.003	0.417	0.004	0.778	600.0	0.024
AKC00364 0.125 0.	0.298	0.064	0.063	0.022	0.002	0.215	0.004	1.014	0.008	0.023
AKC00433 0.218 0.	0.551	0.048	0.161	0.045	0.005	0.974	0.008	0.404	0.008	0.021

Database ID Rb	Sr	Zr	NP	\mathbf{Ag}	In	qS	Cs	Ba	La	Ce
AKC00437 0.231	969.0	0.120	0.143	0.111	0.004	0.530	0.007	1.176	0.020	0.021

Database ID	Pr	Та	γn	Y	Pb	Bi	Ω	M	Mo	PΝ	Sm
AKC03035	0.024	0.049	0.198	0.382	1.522	0.065	0.037	0.092	0.148	0.141	0.116
AKC03036	0.033	890.0	0.577	980.0	0.391	0.054	0.034	0.124	0.238	0.132	0.159
AKC03037	0.036	0.074	1.013	0.058	1.419	990.0	0.051	0.154	0.206	0.148	0.000
AKC03038	0.025	0.084	0.743	0.097	0.523	0.055	0.722	1.248	0.163	0.179	0.184
AKC03039	0.049	0.033	0.614	0.105	0.570	0.040	0.048	960'0	0.306	0.193	0.167
AKC03040	0.017	0.107	0.206	0.078	0.322	690.0	0.034	0.107	0.156	0.099	0.123
AKC03041	0.445	0.000	0.070	4.614	0.692	0.026	0.048	0.087	0.177	2.621	1.267
AKC03042	0.021	0.074	0.438	060.0	0.634	0.077	0.085	0.138	0.226	0.107	0.199
AKC03043	0.038	0.082	969.0	0.150	1.319	0.141	0.051	0.127	0.293	0.114	0.192
AKC03044	0.005	0.005	0.123	0.032	0.411	0.008	0.035	0.020	0.011	0.019	0.012
AKC03045	0.035	0.011	0.707	0.657	2.593	0.116	0.031	0.029	0.070	0.083	0.050
AKC03046	0.087	0.065	7.018	0.131	6.758	0.415	0.202	0.107	0.184	0.223	0.125
AKC02060	0.018	0.025	0.282	0.262	0.116	0.028	0.029	0.071	0.077	0.080	0.277
AKC02061	0.019	0.045	0.248	0.040	0.466	0.029	0.022	2.563	0.133	0.349	0.000
AKC02062	890.0	990'0	0.311	0.388	0.645	660'0	4.253	0.164	0.225	0.229	0.272
AKC02063	0.023	0.320	0.857	0.072	0.211	0.048	0.144	3.344	0.200	0.106	1.320
AKC02064	0.063	890.0	0.947	1.563	1.993	0.082	0.104	0.771	0.152	0.195	0.196
AKC02065	0.032	0.188	0.720	0.109	0.564	0.028	0.046	0.100	0.115	0.099	0.100
AKC02066	0.027	0.194	0.208	1.391	0.299	0.046	0.071	0.853	0.214	0.145	0.205
AKC02067	0.026	0.028	0.203	0.173	0.188	0.055	0.032	0.093	2.113	0.111	0.113
AKC02068	0.026	0.278	0.318	0.048	0.800	0.051	0.043	0.117	0.240	0.114	0.122
AKC02069	0.031	0.074	0.673	1.085	1.329	0.050	0.095	0.362	0.195	0.133	0.232
AKC02070	0.056	0.028	0.174	0.088	989.0	0.025	0.023	0.045	0.107	0.238	0.107
AKC02071	0.048	0.258	0.448	0.162	0.804	0.038	0.412	1.360	0.130	0.162	0.204
AKC00730	0.007	900'0	0.025	0.080	0.463	0.016	0.021	0.015	0.012	0.016	0.018
AKC00732	0.011	0.010	0.029	0.142	0.222	0.015	0.018	0.021	0.013	0.040	0.035

Database ID	Pr	Та	Au	Y	Pb	Bi	Ω	M	Mo	PΝ	Sm
AKC03500	0.014	0.020	0.442	0.023	1.202	0.052	800.0	0.035	0.054	090.0	0.120
AKC03501	0.015	0.040	1.764	0.542	4.689	0.095	0.026	080.0	0.142	0.121	0.297
AKC03503	0.073	0.015	0.572	0.095	4.205	0.083	0.027	0.051	0.198	0.278	0.056
AKC03504	0.053	0.057	0.722	0.067	1.462	0.114	0.014	0.148	0.150	0.169	0.167
AKC03505	0.015	0.011	0.176	0.934	0.454	0.034	900.0	0.019	0.028	0.038	0.020
AKC03506	0.015	0.030	0.101	0.046	0.330	0.012	0.008	0.042	0.056	0.124	0.044
AKC03507	0.022	900'0	0.418	0.045	0.280	0.057	900.0	0.025	0.032	0.044	0.022
AKC03508	0.020	0.019	0.334	0.039	0.421	0.022	0.027	0.034	0.020	0.088	0.017
AKC03509	0.137	0.007	0.019	0.295	1.830	0.012	0.027	0.024	0.024	0.354	0.082
AKC03510	0.058	0.021	6.992	0.062	5.283	5.882	0.042	0.062	0.053	0.170	0.041
AKC03511	0.089	0.040	1.119	0.129	3.267	0.260	0.034	0.058	0.079	0.222	690.0
AKC03511	0.079	0.014	0.023	0.235	1.789	0.050	0.029	0.017	0.031	0.229	0.054
AKC03512	0.042	0.014	0.188	0.245	2.211	0.128	0.036	0.067	0.033	0.133	0.021
AKC03513	0.022	0.021	2.446	0.072	4.082	0.105	0.039	92000	0.092	0.072	0.055
AKC03514	0.036	0.010	980.0	0.073	1.143	0.008	0.005	0.039	0.028	0.071	0.037
AKC03515	0.037	0.009	0.072	0.070	1.173	0.005	0.014	0.047	0.039	0.091	0.064
AKC03516	0.044	0.058	0.165	0.088	1.295	0.027	0.057	0.136	0.061	0.158	0.100
AKC03517	0.026	0.054	0.325	0.120	0.499	0.052	0.020	0.126	0.018	0.171	0.172
AKC00647	0.007	0.007	0.044	0.137	0.318	0.016	1.229	0.039	0.021	0.028	0.019
AKC01950	0.008	900'0	0.026	0.043	0.176	0.011	0.017	0.030	0.035	0.025	0.016
AKC01951	0.012	0.008	090.0	0.043	0.176	0.013	0.019	0.024	600.0	0.039	0.026
AKC00003	0.021	0.009	0.018	0.227	0.168	0.011	0.009	0.052	0.010	0.056	0.023
AKC00016	0.004	900'0	0.024	0.025	690.0	0.010	0.007	0.018	200'0	0.018	0.016
AKC00020	0.018	0.007	0.023	0.567	0.122	0.014	0.016	0.036	0.052	0.070	0.031
AKC00025	0.005	900'0	0.022	0.031	0.075	600.0	800.0	0.019	800.0	0.024	0.015
AKC00026	0.005	900.0	0.018	0.031	0.127	0.014	0.009	0.041	0.193	0.021	0.028

Database ID	Pr	Та	Au	Y	Pb	Bi	Ω	W	\mathbf{Mo}	Nd	Sm
AKC00035	0.016	0.007	0.022	0.099	0.251	0.011	0.257	0.027	0.016	0.061	0.028
AKC00044	0.036	0.013	0.023	0.100	0.360	0.006	0.091	0.015	0.010	0.149	0.031
AKC00053	0.004	0.039	0.024	0.037	0.031	0.011	0.014	0.033	0.035	0.014	0.014
AKC00056	0.008	0.005	0.019	0.151	0.031	0.009	600.0	0.033	0.010	0.035	0.026
AKC01721	0.010	0.005	0.012	0.034	0.152	0.007	0.021	0.012	0.024	0.070	0.013
AKC00643	0.056	0.004	0.029	0.310	0.447	0.009	0.019	0.055	0.044	0.250	0.079
AKC00644	0.010	0.008	0.031	0.325	2.724	0.012	0.007	0.020	0.017	0.036	0.030
AKC00646	0.004	0.004	0.028	0.008	0.175	0.010	0.005	0.027	0.018	0.015	0.021
AKC00902	0.031	0.109	0.967	0.237	1.005	0.227	0.000	3.063	0.151	0.125	0.155
AKC00922	0.024	0.031	0.181	0.173	0.250	0.035	0.127	0.100	0.136	0.146	0.109
AKC00923	0.019	0.033	0.270	1.791	0.250	0.030	0.044	0.000	0.127	0.102	0.138
AKC00932	0.028	0.045	0.424	0.095	0.397	0.046	0.026	0.107	0.315	0.111	0.170
AKC00980	0.031	0.028	0.079	0.114	0.428	0.029	0.028	0.056	0.110	0.138	0.167
AKC00995	0.041	0.085	1.125	0.065	1.277	0.202	1.019	0.252	0.184	0.165	0.163
AKC00999	0.035	0.048	1.474	0.120	1.164	0.358	0.000	0.156	0.174	0.165	0.129
AKC01051	0.023	0.032	0.245	0.084	1.153	0.039	0.167	0.067	0.197	060.0	0.135
AKC01061	0.046	0.074	1.430	0.101	1.664	0.262	0.000	0.177	0.355	0.175	0.193
AKC01062	0.020	0.133	0.561	0.920	902.0	0.301	0.000	0.492	0.220	0.119	0.119
AKC01108	0.034	0.024	0.166	0.330	0.371	0.030	0.154	0.000	0.134	0.084	0.099
AKC01111	0.016	0.033	0.144	0.067	0.087	0.037	0.153	0.079	0.201	0.109	0.109
AKC00303	0.020	0.005	0.016	0.238	0.109	900.0	900.0	0.016	0.010	0.111	0.026
AKC00308	0.034	800.0	0.024	0.816	0.194	0.013	0.011	0.292	0.023	0.103	0.041
AKC00344	0.009	900.0	0.052	0.050	0.501	0.015	0.100	0.020	0.008	0.017	0.019
AKC00348	0.004	900.0	0.031	0.030	680.0	0.008	0.007	0.017	0.009	0.023	0.017
AKC00364	0.003	0.005	0.039	0.028	0.085	0.008	600.0	0.016	0.010	0.014	0.018
AKC00433	0.005	900.0	0.038	0.054	890.0	0.017	0.022	0.031	0.017	0.025	0.023

Sm	0.031	
S	0.0	
PΝ	0.043	
Mo	0.016	
W	0.091	
n	0.014	
Bi	0.011	
Pb	0.114	
Y	0.194	
Au	0.042	
Ta	0.047	
Pr	900.0	
Database ID	AKC00437	

AKC03035 0.028 0.123 0.017 0.086 0.026 0.093 0.122 0.053 0.019 8.638 AKC03036 0.039 0.522 0.032 0.138 0.041 0.111 0.053 0.049 0.159 0.049 0.118 0.049 0.118 0.049 0.118 0.049 0.118 0.049 0.118 0.049 0.118 0.049 0.118 0.049 0.118 0.049 0.049 0.129 0.049 0.049 0.129 0.049 0.049 0.118 0.029 0.114 0.026 0.083 0.044 0.129 0.049 0.136 0.029 0.114 0.026 0.083 0.034 0.136 0.029 0.136 0.049 0.183 0.020 0.114 0.026 0.083 0.034 0.136 0.049 0.184 0.017 0.029 0.049 0.184 0.017 0.029 0.184 0.029 0.049 0.184 0.029 0.049 0.184 0.114 0.029 <	Database ID	Eu	Cq	Tb	Dy	Ho	Er	Tm	AV	Lu	Hf	Th
0.039 0.252 0.032 0.138 0.041 0.111 0.057 0.033 0.032 0.169 0.053 0.151 0.044 0.150 0.041 0.122 0.052 0.183 0.049 0.122 0.040 0.003 0.150 0.044 0.150 0.048 0.092 0.046 0.192 0.049 0.122 0.051 0.050 0.029 0.150 0.048 0.092 0.046 0.192 0.049 0.122 0.051 0.030 0.014 0.056 0.097 0.044 0.016 0.018 0.018 0.018 0.018 0.018 0.018 0.018 0.018 0.018 0.018 0.019 0.012 0.049 0.018 0.029 0.049 0.022 0.049 0.022 0.049 0.022 0.049 0.022 0.049 0.022 0.049 0.022 0.049 0.022 0.041 0.022 0.041 0.022 0.049 0.022 0.049 0.022	AKC03035	0.028	0.123	0.017	980'0	0.026	0.092	0.043	0.122	0.052	0.093	1.111
0.053 0.151 0.044 0.150 0.041 0.122 0.052 0.183 0.049 0.122 0.040 0.020 0.029 0.150 0.048 0.092 0.046 0.192 0.040 0.135 0.051 0.031 0.137 0.029 0.150 0.048 0.093 0.044 0.019 0.049 0.136 0.031 0.132 0.020 0.114 0.026 0.083 0.034 0.136 0.049 0.126 0.031 0.132 0.020 0.114 0.026 0.083 0.034 0.136 0.049 0.126 0.031 0.132 0.020 0.043 0.034 0.136 0.026 0.049 0.136 0.150 0.049 0.187 0.026 0.043 0.043 0.043 0.043 0.043 0.049 0.150 0.049 0.118 0.034 0.012 0.044 0.013 0.043 0.044 0.019 0.043 0.044 <td>AKC03036</td> <td>0.039</td> <td>0.252</td> <td>0.032</td> <td>0.138</td> <td>0.041</td> <td>0.111</td> <td>0.057</td> <td>0.233</td> <td>0.032</td> <td>0.169</td> <td>8.638</td>	AKC03036	0.039	0.252	0.032	0.138	0.041	0.111	0.057	0.233	0.032	0.169	8.638
0.040 0.0040 0.029 0.150 0.092 0.046 0.192 0.040 0.126 0.051 0.051 0.027 0.157 0.056 0.097 0.044 0.010 0.046 0.126 0.031 0.182 0.020 0.114 0.026 0.083 0.034 0.136 0.024 0.126 0.049 0.182 0.020 0.114 0.026 0.083 0.034 0.136 0.024 0.136 0.150 0.049 0.183 0.026 0.106 0.043 0.081 0.092 0.080 0.152 0.068 0.0449 0.188 0.020 0.146 0.061 0.032 0.047 0.209 0.083 0.054 0.015 0.020 0.040 0.020 0.047 0.020 0.043 0.022 0.083 0.022 0.059 0.054 0.014 0.020 0.020 0.020 0.044 0.017 0.022 0.059 0.054 0.014<	AKC03037	0.053	0.151	0.044	0.150	0.041	0.122	0.052	0.183	0.049	0.122	8.907
0.051 0.137 0.027 0.157 0.056 0.097 0.044 0.201 0.046 0.126 0.031 0.182 0.020 0.114 0.026 0.083 0.034 0.136 0.024 0.092 0.0318 1.120 0.197 1.289 0.187 0.053 0.055 0.058 0.150 0.049 0.183 0.026 0.106 0.043 0.083 0.092 0.080 0.192 0.035 0.049 0.188 0.020 0.146 0.061 0.032 0.047 0.209 0.043 0.164 0.164 0.154 0.044 0.015 0.020 0.040 0.047 0.029 0.049 0.022 0.049 0.022 0.044 0.015 0.020 0.047 0.020 0.047 0.020 0.049 0.022 0.099 0.032 0.059 0.059 0.040 0.020 0.020 0.020 0.044 0.017 0.022 0.089 0.0	AKC03038	0.040	0.000	0.029	0.150	0.048	0.092	0.046	0.192	0.040	0.393	6.997
0.031 0.182 0.020 0.114 0.026 0.083 0.034 0.136 0.024 0.092 0.318 1.120 0.197 1.289 0.187 0.574 0.063 0.575 0.058 0.150 0.049 0.183 0.026 0.106 0.043 0.092 0.080 0.192 0.038 0.164 0.077 0.188 0.030 0.146 0.061 0.132 0.047 0.209 0.043 0.125 0.047 0.188 0.030 0.146 0.061 0.033 0.025 0.008 0.003 0.088 0.092 0.088 0.025 0.008	AKC03039	0.051	0.137	0.027	0.157	0.056	0.097	0.044	0.201	0.046	0.126	7.451
0.318 1.120 0.197 1.289 0.187 0.574 0.063 0.575 0.058 0.150 0.049 0.183 0.026 0.106 0.043 0.092 0.080 0.192 0.053 0.164 0.077 0.188 0.030 0.146 0.061 0.032 0.004 0.062 0.080 0.093 0.063 0.015 0.016 0.003 0.012 0.003 0.004 0.017 0.083 0.003 0.004 0.017 0.082 0.009 0.032 0.008 0.003 0.005 0.008 0.003 0.008 0.003 0.005 0.008 0.003 0.004 0.008 0.003 0.004 0.008 0.003 0.008 0.003 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009	AKC03040	0.031	0.182	0.020	0.114	0.026	0.083	0.034	0.136	0.024	0.092	0.030
0.049 0.183 0.026 0.106 0.043 0.092 0.080 0.192 0.035 0.164 0.077 0.188 0.030 0.146 0.061 0.132 0.047 0.209 0.043 0.025 0.004 0.016 0.034 0.012 0.003 0.004 0.017 0.083 0.004 0.017 0.089 0.0093 0.064 0.017 0.089 0.0093 0.0064 0.017 0.089 0.0093 0.0064 0.017 0.089 0.0093 0.0064 0.017 0.089 0.0091 0.0093 0.0064 0.017 0.089 0.0093 0.0064 0.017 0.008 0.0091 0.0099 0.0199 0.0199 0.0199	AKC03041	0.318	1.120	0.197	1.289	0.187	0.574	0.063	0.575	0.058	0.150	0.031
0.077 0.188 0.030 0.146 0.061 0.132 0.047 0.209 0.043 0.022 0.004 0.016 0.016 0.003 0.003 0.003 0.005 0.009 0.008 0.015 0.016 0.003 0.017 0.064 0.017 0.082 0.009 0.008 0.019 0.034 0.017 0.053 0.063 0.061 0.075 0.089 0.009 0.098 0.019 0.095 0.040 0.093 0.063 0.061 0.075 0.075 0.099 0.099 0.019 0.091 0.020 0.083 0.062 0.070 0.026 0.017 0.029 0.099 0.019 0.091 0.020 0.043 0.025 0.076 0.024 0.017 0.026 0.099 0.017 0.033 0.094 0.027 0.048 0.124 0.041 0.024 0.014 0.024 0.014 0.044 0.199 0.023 <td>AKC03042</td> <td>0.049</td> <td>0.183</td> <td>0.026</td> <td>0.106</td> <td>0.043</td> <td>0.092</td> <td>0.080</td> <td>0.192</td> <td>0.035</td> <td>0.164</td> <td>9.580</td>	AKC03042	0.049	0.183	0.026	0.106	0.043	0.092	0.080	0.192	0.035	0.164	9.580
0.004 0.016 0.003 0.003 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.009 0.032 0.009 0.003 0.063 0.061 0.017 0.022 0.009 0.003 0.063 0.061 0.017 0.022 0.009 0.003 0.009 0.003 0.004 0.004 0.003 0.063 0.061 0.017 0.022 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.008 0.009 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.008 0.009 0.008 0.009 0.009 0.009 0.009 0.009 0.009 0.009 0.009 0.009 0.009 0.009 0.009 0.009 0.009 0.009 <th< td=""><td>AKC03043</td><td>0.077</td><td>0.188</td><td>0.030</td><td>0.146</td><td>0.061</td><td>0.132</td><td>0.047</td><td>0.209</td><td>0.043</td><td>0.222</td><td>15.951</td></th<>	AKC03043	0.077	0.188	0.030	0.146	0.061	0.132	0.047	0.209	0.043	0.222	15.951
0.015 0.034 0.017 0.057 0.027 0.064 0.017 0.082 0.009 0.032 0.059 0.095 0.040 0.093 0.063 0.061 0.075 0.052 0.085 0.099 0.019 0.020 0.083 0.025 0.070 0.026 0.117 0.029 0.081 0.019 0.021 0.083 0.025 0.076 0.026 0.117 0.029 0.081 0.033 0.097 0.228 0.074 0.023 0.068 0.028 0.074 0.029 0.079 0.081 0.043 0.224 0.049 0.227 0.048 0.124 0.041 0.226 0.173 0.117 0.045 0.199 0.051 0.164 0.068 0.144 0.048 0.156 0.119 0.159 0.021 0.091 0.018 0.263 0.194 0.118 0.046 0.049 0.159 0.021 0.011 0.021 0.164 <td>AKC03044</td> <td>0.004</td> <td>0.016</td> <td>0.003</td> <td>0.012</td> <td>0.003</td> <td>0.008</td> <td>0.003</td> <td>0.025</td> <td>800.0</td> <td>0.008</td> <td>0.093</td>	AKC03044	0.004	0.016	0.003	0.012	0.003	0.008	0.003	0.025	800.0	0.008	0.093
0.059 0.095 0.040 0.093 0.063 0.061 0.075 0.052 0.085 0.099 0.019 0.019 0.020 0.083 0.025 0.070 0.026 0.117 0.029 0.081 0.033 0.097 0.228 0.074 0.023 0.068 0.028 0.074 0.029 0.081 0.043 0.254 0.049 0.227 0.048 0.124 0.041 0.226 0.173 0.017 0.045 0.138 0.023 2.609 0.342 0.000 0.038 0.156 0.119 0.049 0.159 0.117 0.029 0.117 0.049 0.159 0.117 0.049 0.159 0.114 0.048 0.150 0.159 0.159 0.144 0.048 0.150 0.049 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159 0.159	AKC03045	0.015	0.034	0.017	0.057	0.027	0.064	0.017	0.082	600.0	0.032	17.189
0.019 0.091 0.020 0.083 0.025 0.070 0.026 0.117 0.029 0.081 0.033 0.097 0.228 0.074 0.023 0.068 0.028 0.074 0.024 0.094 0.043 0.054 0.027 0.048 0.124 0.026 0.173 0.117 0.043 0.254 0.048 0.124 0.041 0.226 0.173 0.117 0.160 0.138 0.023 2.609 0.342 0.000 0.038 0.156 0.119 0.119 0.144 0.048 0.170 0.049 0.159 0.045 0.194 0.068 0.144 0.048 0.170 0.049 0.159 0.021 0.091 0.018 0.164 0.055 0.184 0.144 0.045 0.049 0.159 0.022 0.137 0.025 0.104 0.105 0.045 0.142 0.045 0.144 0.045 0.045 0.143 0.032 <td>AKC03046</td> <td>0.059</td> <td>0.095</td> <td>0.040</td> <td>0.093</td> <td>0.063</td> <td>0.061</td> <td>0.075</td> <td>0.052</td> <td>0.085</td> <td>0.099</td> <td>210.633</td>	AKC03046	0.059	0.095	0.040	0.093	0.063	0.061	0.075	0.052	0.085	0.099	210.633
0.033 0.097 0.228 0.074 0.023 0.068 0.028 0.074 0.094 0.074 0.098 0.068 0.028 0.074 0.094 0.079 0.049 0.077 0.048 0.124 0.041 0.226 0.173 0.117 0.117 0.117 0.017 0.017 0.017 0.017 0.019 0.017 0.019 0.019 0.023 0.194 0.118 0.046 0.097 0.038 0.194 0.118 0.046 0.097 0.038 0.194 0.118 0.046 0.097 0.038 0.194 0.118 0.046 0.097 0.038 0.194 0.118 0.046 0.097 0.038 0.194 0.118 0.046 0.097 0.038 0.194 0.194 0.118 0.046 0.049 0.038 0.194 0.018 0.046 0.049 0.031 0.049 0.136 0.049 0.136 0.049 0.013 0.044 0.049 0.049 0.049 0.049 0.043 <th< td=""><td>AKC02060</td><td>0.019</td><td>0.091</td><td>0.020</td><td>0.083</td><td>0.025</td><td>0.070</td><td>0.026</td><td>0.117</td><td>0.029</td><td>0.081</td><td>0.022</td></th<>	AKC02060	0.019	0.091	0.020	0.083	0.025	0.070	0.026	0.117	0.029	0.081	0.022
0.043 0.254 0.049 0.227 0.048 0.124 0.041 0.226 0.173 0.117 0.160 0.138 0.023 2.609 0.342 0.000 0.038 0.156 0.119 0.209 0.045 0.138 0.023 2.609 0.342 0.000 0.038 0.156 0.119 0.209 0.021 0.091 0.018 0.263 0.194 0.118 0.045 0.049 0.159 0.047 0.171 0.029 0.161 0.055 0.155 0.045 0.200 0.045 0.136 0.032 0.137 0.025 0.090 0.023 0.079 0.026 0.000 0.031 0.045 0.027 0.162 0.023 0.124 0.191 0.166 0.038 0.142 0.045 0.143 0.024 0.182 0.025 0.045 0.169 0.063 0.041 0.063 0.141 0.015 0.049 0.143 0.025 <td>AKC02061</td> <td>0.033</td> <td>0.097</td> <td>0.228</td> <td>0.074</td> <td>0.023</td> <td>890.0</td> <td>0.028</td> <td>0.074</td> <td>0.024</td> <td>0.094</td> <td>4.461</td>	AKC02061	0.033	0.097	0.228	0.074	0.023	890.0	0.028	0.074	0.024	0.094	4.461
0.160 0.138 0.023 2.609 0.342 0.000 0.038 0.156 0.119 0.209 0.045 0.194 0.051 0.068 0.144 0.048 0.170 0.049 0.159 0.021 0.091 0.018 0.263 0.194 0.118 0.046 0.097 0.038 0.194 0.047 0.171 0.029 0.161 0.055 0.155 0.045 0.200 0.045 0.136 0.032 0.137 0.025 0.090 0.023 0.079 0.026 0.000 0.031 0.004 0.027 0.162 0.090 0.023 0.079 0.026 0.000 0.031 0.045 0.143 0.027 0.162 0.023 0.045 0.169 0.063 0.045 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049 0.049	AKC02062	0.043	0.254	0.049	0.227	0.048	0.124	0.041	0.226	0.173	0.117	1.750
0.045 0.199 0.051 0.164 0.068 0.144 0.048 0.170 0.049 0.159 0.021 0.091 0.018 0.263 0.194 0.118 0.046 0.097 0.338 0.194 0.047 0.041 0.023 0.194 0.118 0.045 0.038 0.194 0.118 0.032 0.171 0.029 0.161 0.055 0.079 0.045 0.000 0.045 0.142 0.136 0.027 0.162 0.023 0.079 0.026 0.000 0.031 0.000 0.027 0.162 0.023 0.106 0.038 0.142 0.143 0.043 0.044 0.182 0.022 0.045 0.169 0.063 0.340 0.049 0.315 0.023 0.118 0.016 0.055 0.014 0.050 0.102 0.141 0.015 0.142 0.049 0.125 0.023 0.118 0.018 0.024 0.105 <td>AKC02063</td> <td>0.160</td> <td>0.138</td> <td>0.023</td> <td>2.609</td> <td>0.342</td> <td>0.000</td> <td>0.038</td> <td>0.156</td> <td>0.119</td> <td>0.209</td> <td>2.029</td>	AKC02063	0.160	0.138	0.023	2.609	0.342	0.000	0.038	0.156	0.119	0.209	2.029
0.021 0.091 0.018 0.263 0.194 0.118 0.046 0.097 0.338 0.194 0.047 0.171 0.029 0.161 0.055 0.155 0.045 0.000 0.045 0.136 0.032 0.137 0.025 0.090 0.023 0.079 0.026 0.000 0.031 0.000 0.027 0.162 0.023 0.124 0.191 0.106 0.038 0.142 0.031 0.003 0.044 0.182 0.022 0.045 0.063 0.063 0.049 0.340 0.049 0.315 0.020 0.108 0.016 0.055 0.014 0.050 0.049 0.049 0.049 0.049 0.043 0.023 0.118 0.018 0.054 0.014 0.005 0.102 0.049 0.015 0.065 0.016 0.003 0.018 0.004 0.013 0.004 0.005 0.015 0.005 0.016 0.005 0.01	AKC02064	0.045	0.199	0.051	0.164	890.0	0.144	0.048	0.170	0.049	0.159	0.119
0.047 0.171 0.029 0.161 0.055 0.155 0.045 0.045 0.036 0.045 0.036 0.036 0.031 0.036 0.032 0.137 0.023 0.079 0.026 0.000 0.031 0.000 0.027 0.162 0.023 0.191 0.106 0.038 0.142 0.054 0.143 0.044 0.182 0.0220 0.045 0.045 0.169 0.063 0.340 0.049 0.315 0.020 0.108 0.016 0.025 0.014 0.050 0.049 0.015 0.063 0.023 0.118 0.018 0.014 0.105 0.102 0.141 0.015 0.141 0.015 0.063 0.003 0.018 0.004 0.013 0.004 0.015 0.005 0.016 0.005 0.016 0.006 0.032 0.005 0.005 0.014 0.003 0.015 0.005 0.016 0.005 0.016 0.0	AKC02065	0.021	0.091	0.018	0.263	0.194	0.118	0.046	0.097	0.338	0.194	0.039
0.032 0.137 0.025 0.090 0.023 0.079 0.026 0.000 0.031 0.000 0.027 0.162 0.023 0.124 0.191 0.106 0.038 0.142 0.054 0.143 0.044 0.182 0.022 0.045 0.065 0.069 0.045 0.069 0.063 0.049 0.015 0.020 0.108 0.016 0.055 0.014 0.050 0.101 0.063 0.114 0.105 0.105 0.063 0.003 0.018 0.004 0.013 0.004 0.015 0.005 0.016 0.006 0.032 0.018 0.005 0.004 0.013 0.004 0.015 0.005 0.016	AKC02066	0.047	0.171	0.029	0.161	0.055	0.155	0.045	0.200	0.045	0.136	1.291
0.027 0.162 0.023 0.124 0.191 0.106 0.038 0.142 0.054 0.143 0.044 0.182 0.0220 0.045 0.065 0.0169 0.063 0.340 0.049 0.315 0.020 0.108 0.016 0.055 0.014 0.050 0.022 0.141 0.015 0.063 0.023 0.118 0.018 0.541 0.114 0.105 0.102 1.869 0.125 0.266 0.003 0.018 0.004 0.013 0.004 0.015 0.005 0.016 0.006 0.032 0.005 0.005 0.014 0.003 0.016 0.005 0.016	AKC02067	0.032	0.137	0.025	060'0	0.023	0.079	0.026	0.000	0.031	0.000	1.140
0.044 0.182 0.0220 0.045 0.169 0.063 0.340 0.049 0.315 0.020 0.108 0.016 0.055 0.014 0.050 0.141 0.015 0.063 0.023 0.118 0.018 0.541 0.114 0.105 0.102 1.869 0.125 0.266 0.003 0.018 0.004 0.013 0.004 0.015 0.005 0.016 0.006 0.032 0.005 0.005 0.004 0.003 0.014 0.003 0.005 0.005 0.005	AKC02068	0.027	0.162	0.023	0.124	0.191	0.106	0.038	0.142	0.054	0.143	1.074
0.020 0.108 0.016 0.055 0.014 0.050 0.022 0.141 0.015 0.063 0.023 0.118 0.018 0.541 0.114 0.105 0.102 1.869 0.125 0.266 0.003 0.018 0.004 0.013 0.004 0.015 0.005 0.016 0.006 0.032 0.005 0.005 0.014 0.003 0.021 0.006 0.021	AKC02069	0.044	0.182	0.028	0.220	0.045	0.169	0.063	0.340	0.049	0.315	5.405
0.023 0.118 0.018 0.541 0.114 0.105 0.102 1.869 0.125 0.266 0.003 0.018 0.004 0.013 0.004 0.015 0.005 0.016 0.006 0.032 0.005 0.005 0.014 0.003 0.021 0.006 0.021	AKC02070	0.020	0.108	0.016	0.055	0.014	0.050	0.022	0.141	0.015	0.063	0.024
0.003 0.018 0.004 0.013 0.004 0.013 0.005 0.005 0.016 0.006 0.032 0.005 0.005 0.014 0.003 0.021 0.006 0.021	AKC02071	0.023	0.118	0.018	0.541	0.114	0.105	0.102	1.869	0.125	0.266	0.967
0.006 0.032 0.005 0.025 0.005 0.014 0.003 0.021 0.006 0.021	AKC00730	0.003	0.018	0.003	0.018	0.004	0.013	0.004	0.015	0.005	0.016	0.011
	AKC00732	900.0	0.032	0.005	0.025	0.005	0.014	0.003	0.021	900'0	0.021	0.010

Th	1.042	9.871	0.385	1.556	0.017	0.053	0.148	0.191	0.021	6.256	0.273	0.016	0.077	3.668	0.010	0.007	990.0	1.419	0.016	0.009	0.014	0.011	0.010	0.020	0.009	0.012
JH	0.045	0.080	0.071	0.047	0.013	0.013	0.032	0.025	0.016	0.051	0.054	0.046	0.022	0.089	0.020	0.058	0.048	0.095	0.034	0.018	0.025	0.023	0.029	0.019	0.016	0.019
Lu	800.0	0.021	0.018	0.053	0.016	0.012	0.007	0.019	900.0	0.019	0.025	900.0	0.005	0.016	0.004	0.014	0.029	0.049	0.007	0.005	0.012	0.010	0.007	900.0	0.005	0.005
Ay	0.013	0.126	0.056	0.207	0.133	0.093	0.130	0.150	0.018	0.041	0.047	0.038	0.044	0.017	0.010	0.016	0.087	0.195	0.036	0.018	0.020	0.020	0.016	0.041	0.027	0.030
Tm	0.009	0.017	0.015	0.034	0.019	0.013	0.028	0.020	0.011	0.024	0.021	600.0	0.012	0.015	0.005	0.004	0.016	0.026	0.005	0.005	0.005	0.007	0.004	0.007	0.004	0.004
Er	0.028	0.087	0.051	0.043	0.072	0.032	0.017	0.011	0.037	0.025	0.072	0.021	0.026	090.0	0.067	900.0	0.091	0.050	0.025	0.012	0.017	0.017	0.012	0.043	0.012	0.013
Ho	0.012	0.022	0.010	0.053	0.014	0.007	0.003	0.005	0.014	0.026	0.020	0.008	900.0	0.017	0.004	0.005	0.037	0.024	0.074	0.005	0.004	0.010	0.004	0.013	0.004	0.004
Dy	0.067	0.047	0.051	0.171	0.050	0.023	600.0	0.044	0.039	0.035	0.074	0.045	0.037	0.108	0.018	0.026	0.070	0.136	0.035	0.017	0.019	0.026	0.013	890.0	0.012	0.014
Tb	0.028	0.035	0.011	0.024	0.005	0.021	0.007	900.0	0.009	0.012	0.029	0.007	0.021	0.019	0.010	0.008	0.025	0.014	0.005	0.003	0.004	900.0	0.002	0.008	0.004	0.004
РS	0.081	0.188	0.071	0.258	0.026	0.057	690.0	0.037	0.065	0.077	0.072	890.0	090.0	0.167	0.025	0.025	0.091	0.167	0.021	0.013	0.015	0.022	0.010	0.028	0.012	0.013
Eu	0.015	0.036	0.014	0.021	600.0	0.013	0.004	0.005	0.010	0.036	0.036	0.007	0.028	0.049	0.014	0.013	0.052	0.021	900'0	0.007	0.005	800.0	0.003	900'0	0.004	0.004
Database ID	AKC03500	AKC03501	AKC03503	AKC03504	AKC03505	AKC03506	AKC03507	AKC03508	AKC03509	AKC03510	AKC03511	AKC03511	AKC03512	AKC03513	AKC03514	AKC03515	AKC03516	AKC03517	AKC00647	AKC01950	AKC01951	AKC00003	AKC00016	AKC00020	AKC00025	AKC00026

Database ID	Eu	рS	Tb	Dy	Ho	Er	Tm	AV	Lu	Hf	Th
AKC00035	0.005	0.025	0.004	0.024	0.009	0.013	0.004	0.029	900.0	0.019	0.015
AKC00044	0.010	0.020	0.007	0.024	0.005	0.011	0.003	0.016	0.004	0.011	900.0
AKC00053	0.004	0.014	0.003	0.015	0.004	0.013	0.004	0.025	0.007	0.044	0.009
AKC00056	0.007	0.019	0.005	0.032	0.008	0.022	0.005	0.034	0.005	0.020	0.010
AKC01721	0.002	0.010	0.002	0.017	0.003	0.009	0.002	0.018	0.003	0.023	0.021
AKC00643	0.023	0.059	0.018	0.102	900.0	0.027	900.0	0.052	900.0	0.023	0.009
AKC00644	0.007	0.041	0.005	0.040	900.0	0.015	0.004	0.020	0.005	0.017	0.012
AKC00646	0.004	0.016	0.003	0.015	0.000	0.009	900.0	0.022	0.005	0.018	0.013
AKC00902	0.043	0.257	0.026	0.141	0.000	0.081	0.041	0.170	0.057	0.093	0.470
AKC00922	0.031	0.139	0.020	0.112	0.030	0.075	0.032	0.135	0.029	0.083	2.775
AKC00923	0.027	0.170	0.031	0.208	0.040	0.179	0.035	0.230	0.030	0.170	4.019
AKC00932	0.031	0.146	0.031	0.095	0.031	0.110	0.044	0.000	0.030	0.106	5.950
AKC00980	0.030	0.091	0.019	0.107	0.027	990.0	0.018	0.084	0.099	0.053	0.354
AKC00995	0.055	0.225	0.024	0.119	0.000	0.089	0.046	0.728	0.079	0.483	8.341
AKC00999	0.034	0.150	0.034	0.118	0.000	0.077	0.043	0.139	0.053	0.000	9.016
AKC01051	0.030	0.105	0.016	0.112	0.034	0.088	0.024	0.111	0.043	0.122	1.013
AKC01061	0.081	0.214	0.035	0.170	0.172	0.130	0.054	0.197	0.048	0.000	5.368
AKC01062	0.122	0.181	0.024	0.124	0.000	0.160	0.039	0.189	0.043	0.000	9.245
AKC01108	680.0	660'0	0.022	0.093	0.027	0.149	0.028	0.137	0.030	0.000	1.303
AKC01111	0.033	0.119	0.016	0.117	0.021	0.087	0.019	0.109	0.000	0.080	0.019
AKC00303	0.005	0.036	0.004	0.039	900.0	0.022	0.003	0.021	0.005	0.015	0.008
AKC00308	0.015	0.050	0.007	0.071	0.014	0.055	0.011	0.123	0.012	0.027	0.018
AKC00344	0.002	0.013	0.003	0.018	0.004	0.011	0.004	870.0	0.004	0.022	0.008
AKC00348	0.001	0.017	0.004	0.023	0.004	0.009	0.002	0.017	0.005	0.021	0.009
AKC00364	0.001	0.012	0.002	0.017	0.003	0.010	0.003	0.015	0.004	0.015	0.010
AKC00433	0.007	0.018	0.003	0.023	0.000	0.016	0.005	0.025	900.0	0.021	0.059

Th	0.557	
JH	0.027	
Lu	0.007	
AV	0.026	
Tm	0.004	
Er	0.014	
0H	600.0	
Dy	0.044	
Tb	0.005	
рЭ	0.044	
Eu	0.010	
Database ID	AKC00437	

Database ID	SiO2	Na2O	$M_{\rm gO}$	A1203	P203	K20	CaO	MnO	Fe2O3	CnO	SnO2
$Kandek_1$	%9.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.1%	%0.0	0.1%	%0'0	%0.0
Kandek_2	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
Kandek_3	%2.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	0.0%	0.0%	%0.0	%0.0
Kandek_4	%9.66	%0.0	%0.0	0.0%	%0.0	%0.0	0.3%	0.0%	0.0%	%0.0	%0.0
Kandek_5	%2.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	0.0%	0.0%	%0.0	%0.0
Kandek_6	%2'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
Kandek_7	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
Kandek_8	%2'66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	0.0%	0.0%	%0.0	%0.0
Kandek_9	%8.66	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
Kandek_10	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
Kandek_11	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	0.0%	0.0%	%0.0	%0.0
Kandek_12	%2'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	0.0%	0.0%	%0.0	%0.0
Kandek_13	%2'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	0.1%	%0.0	%0.0
Kandek_14	%9.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.3%	%0.0	%0.0	%0.0	0.0%
$Kandek_15$	%9.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	0.0%	0.0%	%0.0	%0.0
MardakBet_1	%2.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.1%	0.0%	0.0%	%0.0	%0.0
MardakBet_2	%9.66	0.1%	%0.0	0.1%	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	0.0%
MardakBet_3	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
MardakBet_4	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	0.0%	%0.0	%0.0
MardakBet_5	%2.66	0.1%	%0.0	0.1%	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
MardakBet_6	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0'0	%0.0
$MardakBet_7$	%6.66	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	0.0%	0.0%	%0.0	%0.0
MardakBet_8	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
MardakBet_9	%L'66	%0.0	%0.0	0.0%	%0.0	%0.0	0.2%	0.0%	0.0%	%0.0	%0.0
$MardakBet_10$	%L'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	0.0%	0.0%	%0'0	%0.0
MardakBet_11	%5'66	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	%0.0	0.0%
$MardakBet_12$	%2.66	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	%0.0	0.0%

Database ID	SiO2	Na2O	M_{gO}	A12O3	P2O3	K20	CaO	MnO	Fe2O3	OnO	SnO2
MardakBet_13	%L'66	0.1%	0.0%	0.0%	%0.0	%0.0	0.2%	0.0%	0.0%	%0.0	%0.0
MardakBet_14	%2.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.1%	%0.0	%0.0
MardakBet_15	%9.66	0.1%	%0.0	0.1%	%0.0	%0.0	0.2%	0.0%	0.1%	%0.0	%0.0
Ratanpur_1	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
Ratanpur_2	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
Ratanpur_3	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
Ratanpur_4	%8.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
Ratanpur_5	%2.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
Ratanpur_6	%L'66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	%0.0	0.0%	%0.0	%0.0
Ratanpur_7	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
Ratanpur_8	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
Ratanpur_9	%2.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
Ratanpur_10	%2.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.1%	%0.0	%0.0
Ratanpur_12	%L'66	%0.0	0.0%	0.1%	0.0%	0.0%	0.2%	0.0%	0.0%	%0.0	0.0%
Ratanpur_14	%5'66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	0.0%
RTPUnheated	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0
RTPHeatedOnce	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.0%
RTPHeated	%8.66	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.0%
Mahurjhari_1	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.0%	%0.0	%0.0
Mahurjhari_2	%2.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
Mahurjhari_3	%L'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	0.0%	%0.0	%0.0	%0.0
Mahurjhari_4	%4.66	%0.0	%0.0	0.2%	%0.0	%0.0	0.2%	0.0%	0.2%	%0.0	%0.0
Mahurjhari_5	%9'86	%0.0	0.1%	0.4%	%0.0	0.1%	0.3%	%0.0	0.4%	%0.0	%0.0
Mahurjhari_6	%L'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	0.0%	0.0%	%0.0	%0.0
Mahurjhari_7	99.2%	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	0.0%	0.5%	%0.0	%0.0
Mahurjhari_8	%8.66	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
Mahurjhari_9	%L'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	0.0%

SnO2	0.0%	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	0.0%	0.0%	%0.0	%0.0	%0.0	0.0%	%0.0	0.0%	0.0%	%0.0	0.0%	0.0%	%0.0	0.0%
OnO	%0.0	%0.0	%0.0	%0.0	0.5%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0
Fe2O3	%0.0	0.1%	%0.0	%0.0	0.2%	0.1%	2.5%	%0.0	%0.0	0.1%	0.1%	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.7%	0.1%	%0.0	%0.0	%0.0	0.1%	0.1%	0.0%
MnO	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%
CaO	0.2%	0.2%	0.2%	0.2%	0.3%	0.2%	0.3%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.3%	0.3%	0.3%	0.1%	0.2%	0.1%	0.2%	0.2%	0.1%	0.3%	0.2%
K20	%0.0	%0.0	0.0%	0.1%	0.1%	0.0%	%9.0	%0.0	%0.0	%0.0	0.0%	0.0%	%0.0	%0.0	%0.0	0.0%	0.1%	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
P203	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
A1203	%0.0	0.1%	%0.0	0.1%	0.2%	0.1%	%9.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	0.1%	0.3%	%0.0	0.1%	0.1%	0.0%	%0.0	0.1%	0.0%	0.1%	0.1%	0.0%
MgO	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	0.4%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%	%0.0	0.0%	%0.0
Na2O	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
SiO2	%2.66	%9.66	%8.66	%5.66	%2.86	%9.66	%9.26	%2'66	%1.66	%9.66	%9.66	%9.66	%2.66	%2.66	%1.66	%9.66	99.3%	%9.66	%9.66	99.2%	%L'66	%6.66	%2.66	%L'66	%2.66	%5.66	%8.66
Database ID	Mahurjhari_10	Mahurjhari_12	Mahurjhari_13	Mahurjhari_14	Mahurjhari_15	Mahurjhari_16	Mahurjhari_17	Mahurjhari_18	Mahurjhari_19	Mahurjhari_20	Mahurjhari_21	Mahurjhari_22	Mahurjhari_23	Mahurjhari_24	Mahurjhari_25	Mahurjhari_26	Paithan_1	Paithan_2	Paithan_3	Paithan_4	Paithan_5	Paithan_6	Paithan_7	Paithan_8	Paithan_9	Paithan_10	Paithan_11

SnO2	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0
CuO	0.0%	0.0%	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
Fe2O3	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	0.1%	0.2%	%0.0	%0.0	%0.0	0.1%	%0.0	0.1%	%0.0	0.1%	%0.0	0.1%	%0.0	0.1%	0.1%
MnO	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
CaO	0.2%	0.2%	0.2%	0.3%	%0.0	0.3%	0.2%	0.1%	0.2%	0.2%	0.2%	0.2%	0.2%	%0.0	0.2%	0.3%	0.1%	0.2%	%0.0	0.1%	%0.0	0.1%	%0.0	0.1%	0.1%	0.1%	0.1%
K20	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
P203	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
A12O3	0.2%	0.1%	%0.0	0.1%	%0.0	%0.0	0.1%	0.1%	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	0.1%	0.1%	0.0%	0.1%	%0.0	%0.0	%0.0	0.1%	%0.0	0.1%	0.1%	%0.0	0.1%
MgO	0.0%	0.0%	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
Na2O	0.1%	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	0.1%	%0.0	0.1%	0.1%	0.1%	0.1%	0.1%	%0.0
SiO2	%5.66	%L'66	%L'66	%5'66	%6.66	%9.66	%2.66	%2.66	%9.66	%2.66	%2.66	%5.66	%9.66	%2.66	%9.66	%5.66	%8.66	%5.66	%8.66	%2.66	%6.66	%9.66	%8.66	%9.66	%9.66	%5.66	%9.66
Database ID	Paithan_12	Paithan_13	Paithan_14	Paithan_15	Undari_1	Undari_2	Undari_3	Undari_4	Undari_5	Undari_6	Undari_7	Undari_8	Undari_9	Undari_10	Undari_11	Undari_12	Undhari_JMK1	Undhari_JMK2	Shahr-i-Sokhta_1	Shahr-i-Sokhta_2	Shahr-i-Sokhta_3	Shahr-i-Sokhta_4	Shahr-i-Sokhta_5	Shahr-i-Sokhta_6	Shahr-i-Sokhta_7	Shahr-i-Sokhta_8	Shahr-i-Sokhta_9

22	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
SnO2	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	0.0%	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%	0.0%	%0.0	0.0%	0.0%	%0.0	%0.0	0.0%	%0.0	0.0%
CnO	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0'0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
Fe2O3	0.0%	%0.0	%0.0	0.1%	0.0%	0.1%	%0.0	0.1%	0.1%	0.7%	1.2%	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.3%	0.3%
MnO	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	0.0%	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%
CaO	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	0.1%	0.1%	0.1%	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	0.3%
K20	%0.0	%0.0	0.0%	0.0%	%0.0	%0.0	%0.0	%0.0	0.1%	1.1%	0.3%	%0.0	0.7%	%0.0	%0.0	0.0%	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	0.0%
P203	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%
A12O3	%0.0	%0.0	%0.0	%0.0	0.1%	0.1%	%0.0	%0.0	1.0%	2.6%	1.8%	%0.0	2.3%	%0.0	%0.0	0.1%	%8.0	%0.0	%0.0	0.1%	%0.0	%0.0	0.1%	0.7%	0.1%	%0.0	0.0%
MgO	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	0.1%	0.1%	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%
Na2O	%0.0	0.1%	%0.0	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0	0.0%	%0.0	0.0%
SiO2	%6.66	%8.66	%8.66	%8.66	%8.66	%L'66	%8.66	%9.66	%9.86	95.3%	96.4%	%6.66	96.4%	%6.66	%6.66	%8.66	%0.66	%6.66	%6.66	%6.66	%6.66	%6.66	%8.66	%0.66	%8.66	99.4%	99.4%
Database ID	Shahr-i-Sokhta_10	Shahr-i-Sokhta_11	Shahr-i-Sokhta_12	Shahr-i-Sokhta_13	Shahr-i-Sokhta_14	Shahr-i-Sokhta_15	Shahr-i-Sokhta_16	Shahr-i-Sokhta_17	BanKhaoMogul_1	BanKhaoMogul_2	BanKhaoMogul_4	BanKhaoMogul_5	BanKhaoMogul_6	BanKhaoMogul_7	BanKhaoMogul_9	BanKhaoMogul_10	BanKhaoMogul_11	BanKhaoMogul_12	BanKhaoMogul_13	BanKhaoMogul_15	BanKhaoMogul_16	BanKhaoMogul_17	BanKhaoMogul_18	BanKhaoMogul_20	BanKhaoMogul_21	KonTum_1	KonTum_2

Database ID	SiO2	Na2O	MgO	A12O3	P203	K20	CaO	MnO	Fe2O3	OnO	SnO2
KonTum_3	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0
KonTum_4	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0	%0.0
KonTum_5	%2.66	0.0%	0.0%	%0.0	%0.0	%0.0	0.3%	0.0%	0.0%	%0.0	%0.0
KonTum_6	%6.66	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.0%	%0.0	%0.0
KonTum_7	%9.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.3%	%0.0	0.1%	%0.0	%0.0
KonTum_8	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	0.0%	%0.0	%0.0
KonTum_9	%9.66	%0.0	0.0%	%0.0	%0.0	%0.0	0.2%	%0.0	0.1%	%0.0	%0.0
GiaLai_1	%5'86	%0.0	0.2%	0.4%	%0.0	%0.0	0.1%	%0.0	0.7%	%0.0	%0.0
GiaLai_2	98.4%	%0.0	0.2%	0.5%	%0.0	%0.0	0.1%	%0.0	%8.0	%0.0	%0.0
GiaLai_3	98.4%	%0.0	0.1%	0.5%	%0.0	%0.0	0.3%	%0.0	0.7%	%0.0	0.0%
GiaLai_4	98.2%	0.0%	0.2%	0.5%	%0.0	%0.0	0.3%	%0.0	%8.0	%0.0	%0.0
DongNai_1	%5'66	%0.0	%0.0	0.1%	%0.0	%0.0	0.3%	%0.0	0.1%	%0.0	%0.0
DongNai_2	%9.66	%0.0	%0.0	0.1%	%0.0	%0.0	0.2%	%0.0	0.1%	%0.0	%0.0
DongNai_3	%9.66	%0.0	0.0%	%0.0	%0.0	%0.0	0.2%	%0.0	0.1%	%0.0	%0.0
DongNai_4	%2.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0
DongNai_5	99.4%	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	0.4%	%0.0	%0.0
DongNai_6	%5'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	0.3%	%0.0	0.0%
Pacitan_1	%2'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.2%	%0.0	%0.0
Pacitan_2	%5'66	%0.0	0.0%	%0.0	%0.0	%0.0	0.1%	%0.0	0.3%	%0.0	%0.0
Pacitan_3	%9.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.2%	%0.0	%0.0
Pacitan_4	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
Pacitan_5	%L'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	0.0%	0.1%	%0.0	%0.0
Pacitan_6	%L'66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.2%	%0.0	%0.0
Pacitan_7	%6.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0
Pacitan_8	%8.66	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.1%	%0.0	%0.0
Pacitan_9	99.3%	%0.0	%0.0	%0.0	%0.0	0.0%	0.1%	0.0%	0.5%	0.0%	0.0%

Database ID	Li	Be	В	Sc	Τi	^	Cr	Z	Co	Zn	As
$Kandek_1$	2.43	0.46	27.73	0.41	20.60	4.59	1.50	1.78	0.59	1.21	1.17
Kandek_2	0.91	0.73	9.27	3.62	0.56	0.26	0.17	6.61	0.01	0.64	0.00
Kandek_3	2.43	0.59	15.22	3.75	3.96	0.57	0.35	08.9	0.05	1.67	0.58
Kandek_4	0.28	92.0	5.81	4.66	1.28	0.10	1.21	8.35	0.08	0.87	1.99
Kandek_5	1.71	0.23	26.78	4.04	0.77	0.21	6.02	8.60	0.03	2.24	13.36
Kandek_6	2.19	0.88	18.75	4.43	1.30	0.77	0.15	8.22	60.0	1.47	0.39
Kandek_7	0.33	0.14	23.41	3.29	0.53	0.27	3.06	5.74	0.03	0.77	0.00
Kandek_8	68.0	0.30	27.74	3.32	66.9	0.97	1.02	6.05	0.17	3.12	0.93
Kandek_9	2.88	0.85	7.78	0.36	3.40	0.37	0.00	1.37	0.08	1.07	2.14
Kandek_10	0.12	0.27	7.56	3.05	5.56	1.14	0.21	5.41	0.11	0.73	0.00
Kandek_11	0.32	0.51	68.05	0.33	1.41	1.81	0.00	1.20	0.10	1.46	0.00
Kandek_12	0.67	0.21	10.90	3.99	1.01	1.72	0.32	7.23	0.10	1.40	0.00
Kandek_13	0.10	0.43	5.62	3.38	1.34	0.24	0.40	5.65	0.08	29.0	0.37
Kandek_14	1.14	06.0	13.93	4.54	1.23	0.29	0.92	7.82	80.0	0.56	2.03
Kandek_15	3.75	0.35	16.45	3.49	4.86	0.24	0.33	6.47	0.12	1.04	0.64
MardakBet_1	0.51	0.31	12.86	4.98	89.9	0.58	0.59	0.70	0.18	1.44	06.0
MardakBet_2	1.64	0.27	22.05	0.54	7.57	2.71	1.11	08.0	0.31	2.88	0.38
MardakBet_3	0.25	0.18	8.12	4.98	2.56	0.43	0.52	0.55	0.04	0.84	0.81
MardakBet_4	0.13	0.22	4.19	0.61	1.25	1.01	0.51	0.54	0.04	62.0	1.18
MardakBet_5	13.81	0.29	5.87	2.31	1.32	0.10	0.18	3.44	0.03	0.23	66.0
MardakBet_6	0.23	0.12	4.30	0.97	2.50	0.84	0.57	0.71	0.03	0.39	1.64
$MardakBet_7$	0.25	0.15	4.74	1.00	1.62	0.83	0.40	0.48	0.02	0.31	0.87
MardakBet_8	0.28	1.02	28.15	6.20	4.38	06.0	0.23	2.75	90.0	0.65	1.54
MardakBet_9	0.91	0.11	10.76	4.26	2.82	0.32	0.23	3.71	0.03	0.52	0.74
MardakBet_10	2.59	0.25	6.10	1.25	0.21	1.40	0.23	3.18	0.02	0.21	1.47
MardakBet_11	1.12	0.52	31.43	1.83	8.75	3.67	2.00	3.53	0.41	4.18	5.26
MardakBet_12	1.85	0.26	21.21	3.87	0.28	0.36	0.53	2.55	0.05	0.23	0.00

As	1.87	6.35	2.36	15.89	1.25	0.00	0.73	2.19	0.35	0.00	1.08	4.23	4.86	3.07	3.60	09.0	0.93	0.00	0.00	0.97	0.38	1.28	1.72	0.00	0.39	0.00	0.51
Zn	1.07	2.12	5.06	1.25	0.26	0.65	0.78	0.50	0.87	0.54	0.47	1.31	1.41	4.53	7.37	0.52	0.32	1.46	1.57	3.99	62.0	2.25	14.92	8.21	0.91	1.55	2.42
Co	0.10	0.11	0.15	90.0	0.04	0.02	0.04	0.04	0.13	90.0	0.02	0.10	0.10	0.17	0.14	90.0	60.0	0.05	0.07	0.14	0.05	0.22	1.57	0.07	0.27	90.0	0.16
ï	4.86	4.24	5.10	3.89	3.82	4.22	3.51	2.83	2.96	3.71	2.80	4.35	4.22	7.27	6.63	0.79	0.94	08.0	4.37	5.19	5.56	6.47	8.60	6.17	4.61	5.17	4.58
Cr	0.34	1.12	0.32	0.29	60.0	0.12	0.31	0.28	0.47	09.0	0.15	0.46	1.36	1.19	1.42	0.74	09.0	0.75	0.24	0.53	0.24	0.63	2.70	0.43	0.48	0.19	09.0
Λ	0.71	1.10	1.28	0.95	0.38	0.47	0.19	0.59	1.33	1.24	0.26	0.71	1.33	2.43	4.82	1.15	1.42	99.0	0.50	1.03	0.45	3.03	6.74	0.84	4.01	66.0	0.81
Τi	2.49	4.12	6.73	1.49	0.23	1.03	0.85	1.59	13.88	7.63	0.25	3.95	2.02	35.79	24.60	69.0	0.20	1.09	18.87	10.24	2.18	38.31	130.80	1.87	2.31	1.57	3.65
Sc	4.87	1.81	6.20	2.20	1.86	1.76	1.51	1.42	1.67	1.54	1.25	1.61	1.70	2.64	2.54	1.89	1.84	1.93	3.19	3.07	3.16	3.16	3.49	3.53	2.63	2.80	2.41
В	39.28	6.03	33.64	2.41	27.90	32.98	10.42	2.76	82.9	9.16	12.76	13.89	16.81	22.95	20.90	11.37	9.62	4.96	8.53	8.43	10.17	3.69	4.43	23.87	8.55	6.15	8.50
Be	0.78	0.26	0.51	0.29	0.28	0.23	0.35	0.33	0.15	0.28	0.36	0.39	0.36	0.48	0.48	0.61	69.0	0.77	0.21	0.13	0.07	0.32	0.20	0.21	0.18	1.47	0.15
Li	0.81	0:30	3.24	0.22	1.62	1.48	2.02	9.21	1.70	1.32	0.77	0.70	0.53	0.55	99:9	1.21	0.84	0.46	1.19	0.24	80.0	47.44	2.94	1.83	0.45	0.33	0.20
Database ID	MardakBet_13	MardakBet_14	MardakBet_15	Ratanpur_1	Ratanpur_2	Ratanpur_3	Ratanpur_4	Ratanpur_5	Ratanpur_6	Ratanpur_7	Ratanpur_8	Ratanpur_9	Ratanpur_10	Ratanpur_12	Ratanpur_14	RTPUnheated	RTPHeatedOnce	RTPHeated	Mahurjhari_1	Mahurjhari_2	Mahurjhari_3	Mahurjhari_4	Mahurjhari_5	Mahurjhari_6	Mahurjhari_7	Mahurjhari_8	Mahurjhari_9

As	1.02	1.26	0.17	06.0	62.0	1.24	29.0	0.00	0.42	1.13	1.06	0.00	1.05	0.26	2.74	1.41	3.16	2.08	1.45	1.55	0.00	0.00	0.00	1.15	0.92	2.75	0.46
Zn	1.44	3.53	0.50	4.66	14.76	3.44	8.75	3.30	10.02	1.84	5:35	4.00	3.54	1.48	1.48	2.15	3.48	1.71	3.76	1.39	0.82	0.49	08.0	2.17	0.46	0.51	0.74
Co	0.07	0.11	0.03	0.10	0.42	0.12	1.90	60.0	0.07	0.22	0.12	0.11	0.18	0.05	0.03	0.15	0.11	0.13	0.15	0.03	90.0	0.07	0.03	0.03	0.15	0.22	0.03
ïZ	4.92	5.09	5.69	4.33	10.89	4.73	7.18	5.79	6.93	5.34	4.82	6.37	5.51	5.37	6.35	5.22	8.23	6.40	76.7	1.01	5.36	0.88	5.70	5.27	1.44	8.80	6.14
Cr	0.29	0.42	0.20	0.78	1.09	0.61	1.00	0.38	0.32	0.26	0.61	0.34	0.36	0.19	0.16	0.44	1.49	66.0	1.51	3.12	0.19	00.00	0.35	0.55	2.03	0.85	0.28
Λ	1.13	0.61	0.21	1.66	5.36	0.92	31.59	89.0	99.0	1.63	2.10	29.0	0.72	0.33	1.22	1.46	0.62	1.32	0.33	92.0	6.04	1.17	0.23	0.13	2.32	0.95	0.65
Ti	3.86	6.17	1.68	11.19	44.54	7.19	25.64	5.48	4.99	10.60	7.98	1.71	8.22	3.08	0.95	56.36	1.49	7.83	2.61	3.10	2.22	3.05	0.79	0.83	4.40	1.37	1.72
Sc	2.72	3.23	2.76	2.65	2.75	2.82	2.63	4.16	5.01	3.09	2.64	3.90	2.94	3.52	3.20	2.70	4.35	3.96	4.19	0.38	3.30	0.41	3.92	3.21	0.37	4.75	3.52
В	14.38	5.71	3.82	14.93	11.79	25.30	2.22	15.42	9.48	25.14	27.82	15.97	18.17	16.29	15.71	3.22	5.37	10.82	11.62	42.77	4.48	47.96	11.81	8.10	27.13	12.04	2.57
Be	0.14	0.37	60.0	0.94	0.19	0.16	0.34	0.13	0.14	0.32	0.21	0.20	0.15	80.0	0.17	0.37	1.33	76.0	1.34	0.18	0.11	86.0	0.17	0.61	1.23	1.32	0.36
Ľ	0.12	0.22	0.05	11.06	1.18	2.50	37.20	0.75	0.51	0.93	1.59	98.0	0.07	0.92	1.04	11.62	14.75	2.89	2.82	3.06	3.07	0.24	2.53	2.30	1.91	5.24	0.16
Database ID	Mahurjhari_10	Mahurjhari_12	Mahurjhari_13	Mahurjhari_14	Mahurjhari_15	Mahurjhari_16	Mahurjhari_17	Mahurjhari_18	Mahurjhari_19	Mahurjhari_20	Mahurjhari_21	Mahurjhari_22	Mahurjhari_23	Mahurjhari_24	Mahurjhari_25	Mahurjhari_26	Paithan_1	Paithan_2	Paithan_3	Paithan_4	Paithan_5	Paithan_6	Paithan_7	Paithan_8	Paithan_9	Paithan_10	Paithan_11

Database ID	Ľ	Be	В	Sc	Τi	Λ	Cr	Ņ	Co	Zu	As
Paithan_12	9.05	0.56	23.28	3.49	3.09	0.30	0.37	90.9	0.02	1.00	0.71
Paithan_13	2.04	0.29	14.07	4.29	1.75	0.84	0.65	8.10	90.0	3.22	0.00
Paithan_14	68.0	0.21	10.11	4.10	66.0	1.01	0.19	6.94	0.01	0.40	0.00
Paithan_15	5.26	1.79	20.45	5.10	3.31	86.0	0.88	9.27	60.0	1.01	3.73
Undari_1	1.43	0.61	23.65	0.31	4.52	0.30	0.00	1.03	0.12	0.57	1.04
Undari_2	0.33	0.75	10.35	4.98	1.29	2.10	0.97	9.02	80.0	0.54	2.02
Undari_3	4.67	0.22	4.38	3.50	7.80	98.0	0.43	5.48	0.08	5.74	1.63
Undari_4	10.37	0.30	5.04	0.33	09.0	08.0	80.0	09.0	0.07	0.23	2.74
Undari_5	0.15	0.16	20.26	4.72	4.88	1.36	0.37	8.71	0.14	0.93	0.00
Undari_6	0.05	0.12	23.50	4.38	1.53	0.27	0.31	8.04	0.04	0.91	0.13
Undari_7	0.51	0.95	4.82	4.03	2.13	3.65	98.0	7.00	0.11	0.33	3.68
Undari_8	17.92	0.33	4.02	4.19	2.73	1.46	0.43	8.34	0.30	4.55	0.00
Undari_9	1.18	0.55	16.07	3.21	1.04	0.85	1.05	6.23	0.12	1.04	0.00
Undari_10	2.78	0.35	4.53	0.38	1.21	1.08	62.0	0.87	0.15	0.36	0.00
Undari_11	4.16	69'0	8.93	4.69	89.0	1.10	0.16	8.54	6.03	1.00	0.00
Undari_12	2.04	0.21	18.06	5.20	12.51	1.08	0.64	9.47	0.12	3.43	0.41
Undhari_JMK1	80.0	0.33	14.78	2.36	29.0	0.87	0.34	4.15	0.03	0.84	0.71
Undhari_JMK2	0.32	0.22	5.72	2.45	5.85	0.45	0.57	5.05	0.31	1.01	0.45
Shahr-i-Sokhta_1	0.56	1.12	43.41	1.10	0.40	0.02	0.39	0.37	0.01	0.32	3.24
Shahr-i-Sokhta_2	0.51	2.22	96.94	1.11	5.04	1.23	69.0	0.61	90'0	2.08	9.21
Shahr-i-Sokhta_3	0.31	1.16	36.46	66.0	0.24	0.02	67.0	0.54	0.01	95.0	99.0
Shahr-i-Sokhta_4	1.32	1.63	86.69	0.65	8.93	0.56	0.74	1.04	60.0	3.33	0.79
Shahr-i-Sokhta_5	0.41	1.48	46.85	0.59	0.45	0.33	0.37	0.28	0.01	1.18	96.0
Shahr-i-Sokhta_6	0.73	2.90	96.23	69.0	8.06	0.74	0.94	0.71	90.0	3.98	8.63
Shahr-i-Sokhta_7	0.62	1.10	58.46	0.56	3.85	0.97	1.00	0.45	60.0	3.93	2.21
Shahr-i-Sokhta_8	0.56	1.48	39.32	0.51	3.99	1.00	1.11	99.0	0.11	1.84	2.66
Shahr-i-Sokhta_9	0.95	1.80	41.93	0.82	12.22	1.29	1.32	1.79	0.24	4.98	1.55

As	1.02	47.09	1.69	7.16	0.36	7.42	0.74	2.90	1.78	0.52	2.10	1.31	2.04	1.94	1.25	1.43	1.45	1.97	1.52	1.74	1.65	4.25	337	6.53	0.82	0.82	0.82
7 n	0.58	0.35	5.99	0.52	0.58	1.80	1.82	3.10	3.22	8.88	2.53	0.39	4.89	0.57	0.92	0.62	0.65	0.28	0.25	0.35	0.29	0.27	1.68		0.72	0.72	0.72 0.52 2.93
C_0	0.01	0.01	0.10	0.01	0.02	60.0	0.04	0.05	0.26	0.79	0.30	0.01	0.38	0.01	0.03	0.01	0.04	0.02	0.01	0.02	0.01	0.01	0.02		0.01	0.01	0.01
Z	0.50	0.36	1.11	09.0	0.55	1.37	0.64	0.51	0.77	1.44	0.82	0.52	0.87	0.62	08.0	0.59	0.38	0.51	0.54	0.36	0.56	0.62	0.55		0.42	0.30	0.42 0.30 8.26
Ċ	0.43	0.34	0.59	0.27	0.25	1.27	0.49	0.81	0.85	3.85	4.81	0.50	2.36	0.46	0.47	0.44	0.24	0.18	0.35	0.19	0.24	0.23	0.34		0.22	0.22	0.22 0.14 0.39
>	0.04	0.03	0.44	0.05	0.02	0.23	0.07	0.44	3.58	37.74	39.30	0.12	10.37	90.0	0.05	0.07	0.10	0.05	0.07	0.07	0.04	0.02	0.11		1.01	1.01	1.01 0.62 0.96
ΙL	0.23	0.25	3.49	0.30	0.33	2.92	1.30	4.04	62.22	356.70	208.84	1.08	232.21	1.07	0.57	1.06	1.81	0.32	0.71	1.88	0.61	0.17	12.68		4.46	4.46	4.46 1.76 1.35
Sc	0.92	0.63	69.0	0.72	0.61	0.65	0.59	0.61	1.60	3.01	1.61	1.01	2.20	1.02	1.11	1.11	0.95	1.07	0.88	0.79	08.0	0.82	0.87		0.83	0.83	0.83 0.76 4.71
В	34.57	64.89	39.34	118.27	34.71	35.31	21.44	93.11	1.70	2.14	1.39	1.48	1.63	4.37	1.87	3.35	1.79	7.12	10.59	7.36	60.9	11.98	10.41		1.91	1.91	1.91 0.96 3.42
Be	1.19	0.30	2.17	2.56	1.34	1.05	0.74	2.09	1.93	1.82	1.64	2.47	2.41	1.01	1.55	0.62	3.59	1.55	1.61	1.57	0.95	1.64	1.58		3.34	3.34	3.34 0.66 0.57
Li	0.51	9.02	0.85	0.51	0.95	1.58	0.19	0.59	51.21	31.56	16.69	0.33	38.21	0.48	0.84	2.76	58.04	0.19	0.14	0.26	0.16	0.18	0.35		63.88	63.88	63.88 17.09 0.21
Database ID	Shahr-i-Sokhta_10	Shahr-i-Sokhta_11	Shahr-i-Sokhta_12	Shahr-i-Sokhta_13	Shahr-i-Sokhta_14	Shahr-i-Sokhta_15	Shahr-i-Sokhta_16	Shahr-i-Sokhta_17	BanKhaoMogul_1	BanKhaoMogul_2	BanKhaoMogul_4	BanKhaoMogul_5	BanKhaoMogul_6	BanKhaoMogul_7	BanKhaoMogul_9	BanKhaoMogul_10	BanKhaoMogul_11	BanKhaoMogul_12	BanKhaoMogul_13	BanKhaoMogul_15	BanKhaoMogul_16	BanKhaoMogul_17	BanKhaoMogul_18		BanKhaoMogul_20	BanKhaoMogul_20 BanKhaoMogul_21	BanKhaoMogul_20 BanKhaoMogul_21 KonTum_1

As	0.00	0.00	5.12	0.00	2.15	0.00	0.00	1.31	0.00	0.48	0.62	1.21	0.59	0.77	0.75	0.34	9.02	0.00	0.00	0.00	1.71	0.50	2.96	0.00	0.00	0.00
Zn	1.43	3.55	15.10	0.57	0.81	1.53	1.33	6.53	4.97	1.75	2.40	2.33	1.52	0.50	1.58	62.0	0.93	3.06	2.16	2.06	2.30	1.65	2.65	1.05	0.46	2.48
Co	90.0	0.30	9.49	0.02	0.07	80.0	0.20	5.08	5.63	0.87	1.08	0.15	0.10	0.02	0.17	0.03	0.07	0.21	0.17	0.12	90.0	0.05	0.13	60.0	0.03	0.77
ï	0.82	29.0	13.80	1.54	9.92	5.76	7.41	20.71	23.89	16.04	18.36	11.73	10.25	8.80	69'9	5.27	5.38	2.44	2.62	2.47	2.49	2.82	2.76	2.06	1.75	1.38
Cr	00.00	0.00	1.49	0.00	0.39	0.13	0.28	0.28	0.70	0.65	0.75	08.0	1.35	0.40	0.59	0.23	0.42	1.76	1.86	1.64	0.41	0.36	0.74	0.22	0.42	0.58
^	0.04	0.00	0.36	0.12	0.15	0.16	0.11	9.04	9.55	12.45	24.94	0.11	0.15	90.0	0.04	0.65	90.0	0.18	0.23	0.18	80.0	0.29	60.0	0.07	0.13	2.24
Τi	66.0	0.70	2.84	0.58	1.64	1.41	98.0	26.17	26.95	9.48	10.27	1.56	0.78	1.59	1.13	0.32	0.33	0.22	0.15	0.30	0.75	0.62	09.0	0.17	0.05	99.8
Sc	0.34	0.31	4.54	0.39	5.38	3.15	4.22	0.52	0.59	4.83	5.26	7.11	5.91	4.91	3.77	3.46	3.41	1.44	1.42	1.31	1.17	1.23	1.24	1.16	1.11	1.27
В	1.94	2.08	2.45	2.23	2.64	1.76	2.72	1.10	92.0	29.0	0.30	6.04	3.49	3.01	2.07	1.72	2.54	27.81	26.55	25.81	28.39	28.11	31.31	27.20	25.52	27.91
Be	0.18	0.28	1.53	0.50	0.55	0.07	0.21	0.52	0.51	0.30	0.24	0.25	0.41	0.17	0.18	0.37	60.0	0.27	0.17	0.13	0.30	0.14	0.35	0.29	0.18	0.20
Li	60.0	90.0	0.59	0.15	0.34	0.85	0.05	0.16	0.16	60.0	0.12	0.22	0.10	0.18	60.0	1.71	0.03	0.18	0.11	80.0	1.03	66.0	0.27	0.35	0.17	09.0
Database ID	KonTum_3	KonTum_4	KonTum_5	KonTum_6	KonTum_7	KonTum_8	KonTum_9	GiaLai_1	GiaLai_2	GiaLai_3	GiaLai_4	DongNai_1	DongNai_2	DongNai_3	DongNai_4	DongNai_5	DongNai_6	Pacitan_1	Pacitan_2	Pacitan_3	Pacitan_4	Pacitan_5	Pacitan_6	Pacitan_7	Pacitan_8	Pacitan_9

Ce	0.48	0.01	0.12	0.04	0.05	90.0	0.03	0.15	0.03	0.12	0.21	0.03	0.15	0.03	0.07	0.14	0.44	80.0	0.05	0.07	0.10	0.04	0.15	90.0	0.04	0.32	0.04
La	0.27	0.00	90.0	0.03	0.02	0.03	0.01	80.0	0.01	0.04	0.13	0.01	90.0	0.04	0.03	60.0	0.13	0.02	0.02	0.04	0.02	0.03	0.05	0.04	0.02	0.12	0.02
Ba	2.71	1.44	2.15	0.31	1.23	1.66	0.51	0.95	3.79	0.95	09.0	1.25	0.30	0.77	1.41	1.80	8.99	86.0	0.54	4.62	0.87	1.12	99.0	144.63	0.20	2.24	32.31
Cs	0.05	0.01	0.02	0.02	0.03	0.02	0.01	0.02	0.01	0.01	0.02	0.01	0.00	0.03	0.02	0.02	90.0	0.01	0.02	0.03	0.02	0.02	0.01	0.04	0.01	0.02	0.01
qs	0.24	90.0	0.21	0.63	1.28	0.45	0.11	0.42	0.18	90.0	62.0	0.61	0.54	0.31	0.36	0.61	0.10	60.0	0.07	0.34	0.07	0.07	76.0	0.15	0.23	0.41	0.19
In	0.02	0.01	0.02	0.03	0.03	0.02	0.00	0.00	0.01	0.00	0.01	0.00	0.01	0.02	0.01	0.01	0.01	0.00	0.01	0.03	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Ag	0.02	0.03	0.12	80.0	0.42	0.04	0.01	0.05	0.03	0.02	0.02	0.02	0.04	0.05	0.03	0.01	0.05	0.01	0.03	0.11	0.03	0.01	0.05	0.05	0.05	0.38	0.05
qN	0.11	0.01	0.02	0.10	0.02	0.03	0.01	0.02	0.03	0.02	0.03	0.01	0.01	0.05	0.04	0.03	0.03	0.01	0.02	0.03	0.02	0.03	0.02	0.02	0.02	90.0	0.01
Zr	0.87	0.03	0.23	80.0	0.07	0.19	0.03	0.21	0.03	80.0	60.0	0.19	0.18	60.0	0.56	0.17	09.0	0.07	0.04	1.08	0.04	0.03	0.13	0.93	0.03	69.0	0.05
Sr	96.0	0.74	0.97	0.58	0.61	1.77	0.27	0.83	1.42	0.89	0.42	99.0	0.58	0.52	1.92	1.18	3.06	1.67	0.49	1.04	0.54	0.57	0.62	8.06	0.93	1.40	0.76
Rb	0.38	0.24	0.27	80.0	0.62	0.32	0.07	0.20	06.0	0.21	0.36	0.12	0.07	0.40	0.71	0.26	1.20	0.13	0.12	0.48	0.17	0.15	0.18	0.32	0.18	29.0	0.15
Database ID	Kandek_1	Kandek_2	Kandek_3	Kandek_4	Kandek_5	Kandek_6	Kandek_7	Kandek_8	Kandek_9	Kandek_10	Kandek_11	Kandek_12	Kandek_13	Kandek_14	Kandek_15	MardakBet_1	MardakBet_2	MardakBet_3	MardakBet_4	MardakBet_5	MardakBet_6	MardakBet_7	MardakBet_8	MardakBet_9	MardakBet_10	MardakBet_11	MardakBet_12

Ce	0.17	0.03	0.19	0.05	0.04	0.04	0.02	0.05	60.0	0.04	0.02	0.04	80.0	0.15	0.31	0.01	90.0	0.03	80.0	0.13	0.02	0.39	1.06	0.10	0.07	0.03	0.08
La	90.0	0.02	0.05	0.02	0.02	0.02	0.01	0.01	90.0	0.01	0.01	0.03	0.05	90.0	0.13	0.01	60.0	0.04	0.05	0.05	0.01	0.13	0.39	0.04	0.07	0.01	0.02
Ba	0.28	89.0	1.09	0.37	1.35	1.54	1.03	2.52	1.25	09.0	06.0	1.70	1.57	2.13	13.97	1.03	69.0	4.05	1.55	0.95	0.39	3.29	4.50	0.83	1.20	0.47	2.17
Cs	0.02	0.01	0.04	0.01	0.01	0.01	0.01	0.02	0.03	0.02	0.01	0.01	0.02	0.03	0.04	0.01	0.00	0.01	0.02	0.04	0.01	0.05	0.16	0.03	0.01	0.01	0.01
qs	1.28	0.17	0.83	0.18	0.42	0.41	0.27	0.17	29.0	0.50	0.26	0.44	0.42	0.87	1.14	0.39	0.17	0.36	0.41	0.27	0.23	0.23	0.17	06.0	0.44	0.44	0.34
In	0.02	0.01	90.0	0.01	0.00	0.00	0.01	0.00	0.02	0.01	0.01	0.02	0.03	0.02	0.03	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.05	0.03	0.02	0.01	0.02
$\mathbf{A}\mathbf{g}$	0.29	0.14	0.33	0.03	0.03	0.05	80.0	0.02	60.0	60.0	0.07	0.13	0.11	0.45	1.05	0.05	0.02	0.25	0.04	60.0	0.01	60.0	0.53	0.29	0.02	0.04	0.19
qN	0.02	0.03	0.05	0.01	0.01	0.01	0.01	0.01	0.05	0.03	0.01	0.03	0.02	0.07	0.07	0.18	80.0	0.14	0.04	0.03	0.01	0.25	0.37	0.03	0.01	0.02	0.02
Zr	0.22	0.23	0.58	0.16	90.0	0.07	0.14	0.03	0.29	90.0	0.05	0.10	0.23	0.27	2.47	0.04	0.14	0.14	0.19	0.31	90.0	2.50	2.75	0.15	60.0	80.0	0.10
Sr	0.65	0.52	0.84	0.30	0.78	0.71	99.0	1.35	0.97	0.65	0.55	0.59	0.53	1.05	2.66	0.72	0.59	3.58	0.74	1.02	0.37	0.91	3.84	0.61	0.97	0.34	1.22
Rb	0.26	0.21	0.67	80.0	0.35	0.34	0.53	0.84	0.39	0.18	80.0	0.23	0.29	0.30	0.41	0.22	0.24	0.21	0.20	0.31	0.12	66.0	2.08	0.41	0.17	0.12	0.15
Database ID	MardakBet_13	MardakBet_14	MardakBet_15	Ratanpur_1	Ratanpur_2	Ratanpur_3	Ratanpur_4	Ratanpur_5	Ratanpur_6	Ratanpur_7	Ratanpur_8	Ratanpur_9	Ratanpur_10	Ratanpur_12	Ratanpur_14	RTPUnheated	RTPHeatedOnce	RTPHeated	Mahurjhari_1	Mahurjhari_2	Mahurjhari_3	Mahurjhari_4	Mahurjhari_5	Mahurjhari_6	Mahurjhari_7	Mahurjhari_8	Mahurjhari_9

Database ID	Rb	Sr	Zr	Nb	$\mathbf{A}\mathbf{g}$	In	Sb	Cs	Ba	La	Ce
Mahurjhari_10	0.11	0.33	80.0	0.01	90.0	0.03	0.37	0.01	0.56	0.02	0.02
_12	0.21	86.0	0.18	0.02	90.0	0.02	0.48	0.02	0.73	60.0	0.17
Mahurjhari_13	80.0	0.49	80.0	0.01	0.02	00.00	0.18	0.01	1.32	0.01	0.03
Mahurjhari_14	1.12	1.24	0.23	90.0	0.46	0.02	0.41	90.0	2.39	90.0	0.15
_15	1.29	1.81	1.99	0.12	0.10	0.00	0.37	0.03	2.52	0.40	0.63
Mahurjhari_16	0.34	0.87	0.25	0.02	0.15	0.03	1.18	0.03	1.42	0.02	80.0
Mahurjhari_17	25.61	4.35	3.01	0.29	0.03	90.0	0.04	0.12	14.27	0.16	0.42
Mahurjhari_18	0.19	0.57	0.23	0.03	0.08	0.01	06.0	0.02	1.27	0.03	60.0
Mahurjhari_19	0.21	0.82	0.16	0.01	0.20	00.00	0.50	0.01	19.0	0.03	80.0
Mahurjhari_20	0.17	0.57	0.23	0.02	0.08	0.03	0.58	0.02	1.49	0.04	0.12
Mahurjhari_21	0.37	0.92	0.18	0.03	0.14	0.02	0.82	0.04	2.59	0.04	60.0
Mahurjhari_22	0.24	0.63	80.0	0.02	0.15	0.01	0.77	0.02	0.49	0.04	0.07
Mahurjhari_23	0.24	0.39	0.14	0.07	0.08	0.02	0.10	0.01	1.01	0.04	80.0
Mahurjhari_24	0.11	0.63	0.16	0.01	0.05	0.01	0.43	0.01	08.0	0.02	0.04
Mahurjhari_25	60'0	0.43	90.0	0.01	80.0	0.01	0.53	0.01	08.0	0.02	0.05
Mahurjhari_26	08.0	92.0	66.0	0.14	0.10	0.00	0.25	0.04	1.70	0.07	0.31
Paithan_1	1.05	3.92	0.78	0.05	0.22	0.05	0.53	0.03	5.41	60.0	0.07
Paithan_2	0.17	1.50	0.12	0.05	0.08	0.02	0.28	0.11	1.50	0.05	0.14
Paithan_3	0.53	1.01	0.15	0.10	0.15	0.04	0.27	90'0	1.02	0.04	90.0
Paithan_4	0.14	3.52	0.31	0.01	0.05	0.01	0.54	0.01	3.10	0.05	0.05
Paithan_5	69'0	0.54	29.0	0.05	6.03	0.01	0.10	0.01	08.0	0.02	0.03
Paithan_6	0.12	68.0	0.10	0.02	0.04	0.01	0.83	0.02	1.53	90.0	0.16
Paithan_7	0.57	0.87	0.04	0.02	0.02	0.01	0.07	0.02	1.18	0.02	0.05
Paithan_8	0.17	0.65	0.04	0.05	0.10	0.03	0.71	0.02	1.40	0.02	90.0
Paithan_9	0.28	3.11	0.23	0.04	80.0	0.01	0.78	0.02	2.90	90.0	0.20
Paithan_10	0.22	4.35	0.19	90.0	0.05	0.02	0.31	0.01	8.84	0.05	80.0
Paithan_11	0.03	0.31	0.04	0.01	0.01	0.00	0.15	0.00	0.54	0.02	0.05

Database ID	Rb	Sr	Zr	NP	Ag	In	qs	Cs	Ba	La	Ce
Paithan_12	1.04	4.00	0.16	0.11	0.05	0.00	0.13	0.04	1.04	0.02	0.04
Paithan_13	0.20	1.45	90.0	0.03	0.04	0.01	0.28	0.01	2.80	0.03	0.13
Paithan_14	0.11	69.0	0.24	0.01	0.04	0.00	0.38	0.00	0.72	0.02	0.05
Paithan_15	0.37	1.49	0.16	60.0	0.11	0.04	1.24	0.03	1.08	0.10	0.23
Undari_1	0.13	0.85	60.0	0.02	0.04	0.01	0.81	0.03	0.85	0.07	0.17
Undari_2	0.07	0.51	80.0	0.05	0.05	0.02	0.57	0.02	9.02	0.02	0.02
Undari_3	0.36	0.78	0.23	0.02	90.0	0.01	80.0	0.02	0.83	0.04	80.0
Undari_4	0.29	0.79	60.0	0.02	0.03	0.00	0.25	0.01	0.87	0.02	0.03
Undari_5	0.11	0.65	0.12	0.02	0.02	0.01	0.50	0.01	0.41	0.04	60.0
Undari_6	0.07	0.28	0.07	0.01	0.03	0.01	0.43	0.01	0.30	0.03	0.05
Undari_7	90.0	0.50	0.10	0.05	90.0	0.02	0:30	0.02	0.47	0.03	0.03
Undari_8	0.51	1.80	0.81	90.0	0.24	0.02	0.53	0.04	3.37	0.07	0.22
Undari_9	0.12	0.52	0.07	0.03	0.05	0.02	1.13	0.01	0.91	0.01	0.02
Undari_10	89.0	0.78	0.46	0.02	0.01	0.00	90.0	0.02	1.16	0.01	0.01
Undari_11	0.39	06.0	0.05	0.02	60.0	0.01	0.37	0.01	2.72	0.02	0.04
Undari_12	0.37	0.83	0.34	90.0	0.12	0.03	0.55	0.04	2.90	80.0	0.15
Undhari_JMK1	0.29	0.95	0.05	0.01	0.02	0.02	90.0	0.01	0.35	0.02	0.03
Undhari_JMK2	0.73	2.09	0.25	0.03	0.02	0.00	0.13	0.04	1.30	0.07	0.23
Shahr-i-Sokhta_1	0.19	0.33	0.05	0.24	0.01	0.00	1.41	0.02	0.07	0.00	0.00
Shahr-i-Sokhta_2	0.28	4.56	0.23	0.15	0.02	0.00	2.70	0.02	0.73	90.0	0.11
Shahr-i-Sokhta_3	0.12	3.11	0.03	0.02	0.02	00.0	2.02	0.01	0.12	0.02	0.01
Shahr-i-Sokhta_4	0.75	5.55	69.0	0.65	0.03	00.0	1.51	0.05	3.63	20.0	0.31
Shahr-i-Sokhta_5	0.11	06.0	0.04	0.10	0.03	0.00	1.67	0.01	0.07	0.01	0.01
Shahr-i-Sokhta_6	0.31	7.60	0.40	0.10	90.0	0.01	1.63	0.04	2.35	90'0	0.17
Shahr-i-Sokhta_7	0.25	4.02	0.27	80.0	0.04	0.02	1.05	0.04	1.41	6.03	0.11
Shahr-i-Sokhta_8	0.40	3.03	0.15	0.11	0.05	0.03	1.30	0.07	0.63	0.05	0.10
Shahr-i-Sokhta_9	1.13	95.9	0.53	0.15	0.04	0.03	1.02	0.17	5.97	0.14	0.36

Ce	0.02	0.01	60.0	0.02	0.02	60.0	0.02	0.26	1.61	20.27	4.56	0.07	10.61	0.02	0.02	0.02	0.10	0.01	0.01	0.02	0.04	0.02	0.18	0.21	0.04	0.14	0.06
La	0.02	0.01	0.04	0.01	0.01	90.0	0.01	0.12	0.94	9.70	3.34	0.02	5.16	0.02	0.01	0.01	0.02	0.01	0.00	0.02	0.02	0.03	0.11	0.13	0.02	0.04	0.02
Ba	0.15	1.09	09.0	0.12	0.17	17.40	0.30	3.28	176.82	110.27	235.23	0.56	106.41	1.54	3.63	4.74	81.59	1.34	0.87	4.89	3.05	1.03	93.61	84.00	11.05	2.55	1.32
Cs	0.03	0.02	0.05	0.02	0.03	0.07	0.02	0.04	0.35	0.42	0.82	0.02	0.58	0.02	0.01	0.03	0.26	0.01	0.01	0.01	0.01	0.01	0.02	0.24	0.03	0.01	0.01
Sb	1.60	0.40	4.46	2.28	1.75	1.83	0.39	2.31	0.87	0.52	1.81	15.16	0.58	2.26	1.94	1.86	5.99	1.90	5.00	3.17	2.12	3.15	2.27	6.41	1.61	0.10	0.05
In	0.03	0.01	0.01	0.01	0.02	0.03	0.01	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.01	0.00	0.00	0.01	0.01	0.00
\mathbf{Ag}	0.04	0.03	0.03	0.05	0.03	0.04	0.04	0.03	60.0	0.07	90.0	0.07	90.0	0.03	0.03	0.03	0.03	0.03	0.07	0.02	0.03	0.02	0.02	0.03	0.02	0.04	0.02
qN	0.04	0.03	0.04	80.0	0.03	0.10	0.03	0.16	86.0	2.30	3.36	0.22	2.99	0.11	0.15	0.13	0.03	0.13	0.10	1.25	60.0	0.02	0.11	60.0	60.0	0.03	0.01
Zr	0.03	88.40	0.50	0.11	0.05	0.18	1.24	0.25	21.54	29.76	24.38	99.0	50.11	86.0	0.84	1.81	0.33	2.81	1.18	1.46	1.20	0.44	0.79	0.40	0.21	0.10	0.03
Sr	0.24	0.28	2.20	0.41	0.42	8.07	1.24	20.22	53.60	40.33	36.62	0.75	41.97	09.0	1.33	1.39	13.58	66.0	0.47	2.38	98.0	0.78	9.02	12.82	2.29	0.47	0.44
Rb	0.15	0.21	0.45	0.07	0.30	0.36	0.11	0.21	3.57	19.62	14.93	0.10	11.80	0.36	0.31	0.67	2.51	90.0	0.03	0.14	0.15	0.10	0.44	2.11	0.33	0.31	0.35
Database ID	Shahr-i-Sokhta_10	Shahr-i-Sokhta_11	Shahr-i-Sokhta_12	Shahr-i-Sokhta_13	Shahr-i-Sokhta_14	Shahr-i-Sokhta_15	Shahr-i-Sokhta_16	Shahr-i-Sokhta_17	BanKhaoMogul_1	BanKhaoMogul_2	BanKhaoMogul_4	BanKhaoMogul_5	BanKhaoMogul_6	BanKhaoMogul_7	BanKhaoMogul_9	BanKhaoMogul_10	BanKhaoMogul_11	BanKhaoMogul_12	BanKhaoMogul_13	BanKhaoMogul_15	BanKhaoMogul_16	BanKhaoMogul_17	BanKhaoMogul_18	BanKhaoMogul_20	BanKhaoMogul_21	KonTum_1	KonTum_2

KonTum_5 0.18 KonTum_5 0.29 VonTum_6 0.46							!)
	0.53	0.03	0.01	0.03	0.00	80.0	0.01	0.74	0.01	0.02
5_	0.40	0.03	0.01	0.02	00.00	90.0	0.01	0.56	0.01	0.02
9	0.48	0.15	80.0	0.18	0.20	0.42	0.04	1.45	90.0	90.0
٥,	0.93	0.04	0.03	0.05	0.01	0.14	0.01	1.49	0.01	0.01
KonTum_7 0.25	0.38	0.07	0.03	0.04	0.01	0.10	0.01	1.72	0.02	0.02
KonTum_8 0.30	0.46	0.04	0.01	90.0	0.01	0.14	0.01	0.54	00.0	0.02
KonTum_9 0.24	0.32	0.05	0.01	0.01	0.00	0.04	0.00	0.82	0.01	0.01
GiaLai_1 0.55	7.17	20.35	1.05	0.05	0.01	0.17	0.10	92.9	0.52	0.18
GiaLai_2 0.64	7.53	22.56	1.31	0.02	0.00	90.0	0.11	4.48	0.13	0.03
GiaLai_3 0.90	4.85	3.33	0.58	0.01	00.00	0.02	0.11	3.36	0.14	0.27
GiaLai_4 1.15	7.62	4.13	69.0	0.01	0.01	0.07	0.12	11.05	0.26	0.53
DongNai_1 0.36	0.51	0.10	0.01	0.15	0.02	0.12	0.01	4.09	0.05	0.07
DongNai_2 0.28	0.36	0.05	0.03	0.03	0.02	60.0	0.01	1.83	0.01	0.03
DongNai_3 0.37	0.40	0.04	0.01	0.00	0.00	0.07	0.01	1.63	0.01	0.02
DongNai_4 0.33	0.37	60'0	0.02	0.05	00.0	0.12	0.01	3.79	0.01	0.02
DongNai_5 0.59	0.74	0.04	0.01	0.02	0.00	0.02	0.01	2.04	0.01	0.04
DongNai_6 0.29	0.53	0.03	0.00	0.01	0.00	0.01	0.01	10.24	0.02	0.04
Pacitan_1 0.25	0.57	0.02	0.05	0.05	0.01	2.54	0.01	0.15	0.04	0.05
Pacitan_2 0.18	0.62	0.01	0.00	0.03	00.0	2.48	0.01	0.17	0.04	90.0
Pacitan_3 0.12	0.46	90.0	0.01	0.03	00.0	2.05	00'0	0.13	0.03	0.03
Pacitan_4 0.20	0.57	0.22	0.01	0.18	0.00	1.49	0.01	0.33	0.03	60.0
Pacitan_5 0.23	0.58	0.16	0.04	0.14	0.01	1.43	0.01	0.63	0.03	0.10
Pacitan_6 0.18	0.29	90.0	0.03	0.07	0.01	1.41	0.01	0.33	0.03	0.10
Pacitan_7 0.27	0.37	0.03	0.04	0.16	0.04	1.76	0.02	0.42	0.04	0.11
Pacitan_8 0.04	89.0	0.04	90.0	0.07	0.02	2.84	0.01	0.21	0.05	0.07
Pacitan_9 0.15	8.23	0.54	0.05	0.41	0.01	2.70	0.07	109.32	0.16	0.30

Database ID	Pr	Та	Au	Y	Pb	Bi	Ω	W	Mo	PΝ	Sm
Kandek_1	0.07	0.01	0.02	0.40	1.42	0.02	0.12	0.03	0.02	0.31	0.11
Kandek_2	00.00	0.01	0.16	0.07	0.62	0.03	0.02	0.03	0.02	0.01	0.02
Kandek_3	0.03	0.01	0.25	0.14	0.41	0.03	0.01	0.05	0.04	0.10	0.04
Kandek_4	0.02	0.04	1.60	90.0	0.17	0.03	2.00	1.40	0.00	0.20	0.10
Kandek_5	0.02	0.02	2.23	0.02	1.31	0.11	0.03	0.03	0.04	0.02	0.03
Kandek_6	0.02	0.01	0.36	0.08	0.44	90.0	0.02	0.01	0.03	0.04	0.04
Kandek_7	0.00	0.00	0.05	0.02	0.17	0.00	0.01	0.01	0.01	0.01	0.01
Kandek_8	0.02	0.01	60.0	0.09	1.05	0.01	0.01	0.02	0.03	0.07	0.02
Kandek_9	0.01	0.01	0.04	0.07	0.10	0.03	0.02	0.04	0.04	0.02	0.05
Kandek_10	0.01	00.00	0.04	0.14	0.24	0.01	0.01	0.02	0.02	0.03	0.03
Kandek_11	0.02	0.01	0.10	0.04	0.36	0.01	0.00	0.03	0.01	0.07	0.02
Kandek_12	0.01	0.01	0.11	90.0	0.51	0.02	0.01	0.04	0.02	0.03	0.01
Kandek_13	0.02	0.01	60.0	0.14	0.29	0.01	0.00	0.01	0.02	60.0	0.02
Kandek_14	0.02	0.03	0.43	0.04	90.0	0.03	0.03	0.10	0.13	0.16	0.10
Kandek_15	0.01	0.01	0.13	0.05	0.33	0.01	0.00	90.0	0.03	0.04	0.04
MardakBet_1	0.04	90.0	0.13	0.10	0.51	0.03	0.03	0.11	0.03	0.15	0.17
MardakBet_2	80.0	0.01	90.0	0.17	0.72	0.02	0.37	0.04	0.03	0.19	90.0
MardakBet_3	0.01	0.05	90.0	0.05	0.16	0.03	0.03	0.04	0.02	60.0	0.13
MardakBet_4	0.01	0.04	0.08	0.03	0.35	0.01	0.11	0.26	0.03	0.05	0.14
MardakBet_5	0.02	0.01	0.03	0.07	0.17	0.01	0.01	0.04	0.05	0.05	0.04
$MardakBet_6$	0.01	0.01	0.12	0.03	0.32	0.03	0.13	0.03	0.02	0.04	0.03
MardakBet_7	0.03	0.02	0.17	0.02	0.24	0.04	0.20	0.14	0.01	90.0	0.12
MardakBet_8	0.03	0.00	0.04	0.14	0.26	0.01	0.19	0.04	90.0	90.0	0.04
MardakBet_9	0.01	0.01	0.02	90.0	0.33	0.01	0.02	0.01	0.04	90.0	90.0
MardakBet_10	00.00	0.00	90.0	0.03	60.0	0.01	0.01	0.01	80.0	0.03	0.02
MardakBet_11	0.04	0.02	0.15	0.18	1.00	0.04	0.32	0.04	0.06	0.13	0.04
MardakBet_12	0.00	0.00	0.02	0.05	0.36	0.00	0.25	0.02	0.05	0.03	0.01

Database ID	Pr	Ta	Au	Y	Pb	Bi	Ω	M	Mo	pN	Sm
MardakBet_13	0.02	90.0	0.33	60.0	0.84	0.02	0.11	0.03	0.03	0.04	0.07
MardakBet_14	0.01	0.01	0.07	0.04	66.0	0.04	60.0	0.04	0.02	0.03	0.04
MardakBet_15	0.05	0.02	1.14	0.12	2.89	1.49	0.25	90.0	90.0	0.19	0.05
Ratanpur_1	0.02	0.01	0.02	0.12	0.12	0.01	0.01	0.01	0.02	0.05	0.02
Ratanpur_2	0.00	00.00	0.10	0.03	0.23	0.00	0.00	0.01	0.01	0.02	0.01
Ratanpur_3	0.01	0.00	90.0	0.03	0.37	0.01	0.01	0.01	0.01	0.02	0.01
Ratanpur_4	0.01	00.00	0.30	0.02	0.36	0.02	0.01	0.03	0.02	0.01	0.02
Ratanpur_5	0.01	0.00	60'0	0.39	0.11	0.01	0.01	0.02	0.02	0.04	0.05
Ratanpur_6	0.02	0.01	0.10	0.10	0.41	0.01	0.07	0.02	0.04	0.07	0.05
Ratanpur_7	0.01	0.00	0.40	0.03	0.34	0.01	0.02	0.02	0.01	0.04	0.01
Ratanpur_8	0.01	0.01	0.12	0.02	0.17	0.01	0.01	0.03	0.04	0.04	0.04
Ratanpur_9	0.01	0.01	0.22	0.11	0.38	0.01	0.01	0.04	80.0	90.0	0.05
Ratanpur_10	0.02	0.03	0.27	90.0	0.91	0.03	0.05	0.04	0.04	90.0	0.04
Ratanpur_12	0.03	0.02	0.58	0.13	3.57	0.12	0.02	0.07	0.07	0.10	0.05
Ratanpur_14	0.12	0.03	98'0	0.71	3.48	0.18	0.05	0.08	90'0	0.31	0.20
RTPUnheated	0.00	0.01	0.03	0.02	0.05	0.02	0.01	0.04	0.03	0.02	0.03
RTPHeatedOnce	0.04	0.01	0.02	0.11	0.08	0.02	0.03	0.03	0.02	0.14	0.04
RTPHeated	0.01	0.02	0.03	0.16	0.21	0.02	0.02	0.02	0.03	90.0	0.03
Mahurjhari_1	0.01	0.00	0.28	0.08	0.27	0.01	0.01	0.01	0.02	0.04	0.02
Mahurjhari_2	0.02	0.01	98.0	0.11	05.0	0.01	0.02	0.03	6.03	90'0	0.02
Mahurjhari_3	0.00	0.00	0.10	0.02	0.14	0.00	00.00	0.01	0.01	0.01	0.00
Mahurjhari_4	0.05	0.01	1.08	0.49	0.50	0.07	90.0	0.05	0.10	0.13	0.04
Mahurjhari_5	0.18	0.02	1.05	0.78	3.47	90.0	0.07	90.0	0.04	0.64	0.15
Mahurjhari_6	0.02	0.02	2.14	0.07	7.24	0.22	60.0	0.02	90.0	80.0	0.03
Mahurjhari_7	0.04	0.00	0.03	0.63	0.27	0.01	0.01	0.02	0.04	0.12	90.0
Mahurjhari_8	0.01	0.01	0.41	0.57	0.22	0.03	0.21	0.02	0.01	0.03	0.03
Mahurjhari_9	0.02	0.01	0.75	90.0	1.48	0.04	0.01	0.03	0.03	80.0	0.04

Au Y Pb
0.10
0.13 0.02 0.20
0.96 0.55 1.98
0.14 0.64 8.38
1.01 0.09 1.40
0.50 0.44 0.57
0.74 0.07 1.26
0.10 0.06 0.33
0.20 0.10 0.87
0.43 0.08 1.07
0.56 0.17 0.69
0.06 0.88
0.26 0.04 0.35
0.06 0.06 0.62
0.80 0.15 0.70
90.0
0.16 0.10 0.42
2.73 0.08 0.58
0.05 0.09 0.17
0.21 0.10 0.25
0.30 0.31 0.63
0.19 0.09 0.48
1.10 0.06 1.45
0.05 0.33 0.67
0.22 0.06 0.13
0.04 0.03 0.19

Database ID	Pr	Та	Au	Ā	Pb	Bi	Ω	W	Mo	PN	Sm
Paithan_12	0.01	0.01	0.14	0.12	0.11	0.01	0.04	0.04	0.02	0.02	90.0
Paithan_13	0.02	0.01	0.22	0.07	0.72	0.03	60.0	0.01	0.01	0.04	0.02
Paithan_14	0.01	00.00	0.02	0.03	60.0	0.02	0.01	0.01	0.01	0.02	0.01
Paithan_15	0.04	0.05	0.23	0.11	0.45	0.05	0.05	0.11	0.14	0.13	0.16
Undari_1	0.03	0.02	0.03	0.17	0.24	0.01	0.35	60.0	0.03	0.07	0.03
Undari_2	0.04	0.03	0.10	90.0	90.0	90.0	0.03	90.0	0.14	0.10	60.0
Undari_3	0.01	0.01	0.19	0.05	0.59	0.02	0.01	0.02	0.03	0.04	0.02
Undari_4	0.00	0.01	0.02	0.05	80.0	0.02	0.05	0.04	0.01	0.02	0.02
Undari_5	0.02	0.01	0.10	0.05	0.16	0.01	0.02	0.01	0.02	0.04	0.02
Undari_6	0.01	0.01	0.50	0.02	0.70	0.03	0.01	0.01	0.02	0.02	0.02
Undari_7	0.02	0.04	0.18	0.12	0.07	0.23	0.03	0.09	0.15	0.12	0.13
Undari_8	0.04	0.02	08.0	0.15	2.33	0.10	90.0	0.07	0.04	0.07	0.03
Undari_9	0.01	0.01	0.19	0.07	92.0	0.03	0.02	90.0	0.03	0.03	0.02
Undari_10	0.00	0.01	0.01	80.0	80.0	0.01	0.14	0.03	0.01	0.02	0.01
Undari_11	0.01	0.01	0.31	0.07	0.56	0.02	0.02	0.02	0.04	0.02	0.01
Undari_12	0.03	0.02	1.21	0.14	2.76	0.10	0.05	0.04	0.03	0.07	0.03
Undhari_JMK1	0.00	0.01	0.12	0.19	0.24	0.01	0.12	0.02	0.04	0.02	0.03
Undhari_JMK2	0.02	00.00	0.02	0.11	98.0	0.00	0.00	0.01	0.02	0.07	0.02
Shahr-i-Sokhta_1	00.00	0.01	0.14	0.07	0.12	0.01	89.0	0.04	0.01	0.02	0.03
Shahr-i-Sokhta_2	0.01	0.01	0.15	0.15	1.35	0.03	34.09	0.19	80.0	90.0	0.03
Shahr-i-Sokhta_3	0.01	0.07	0.04	0.04	0.14	0.01	0.91	0.24	0.02	20.0	0.24
Shahr-i-Sokhta_4	0.02	0.03	0.29	61.0	1.19	0.03	98.9	0.11	20.0	0.07	0.02
Shahr-i-Sokhta_5	0.00	0.03	0.07	60.0	1.57	0.02	5.62	0.07	0.05	0.12	80.0
Shahr-i-Sokhta_6	0.03	0.03	0.14	0.12	5.04	0.04	18.54	0.13	0.12	0.14	0.12
Shahr-i-Sokhta_7	0.03	0.02	0.38	0.13	12.05	0.03	3.86	0.07	0.10	0.05	0.04
Shahr-i-Sokhta_8	0.04	0.04	0.19	0.11	3.47	90.0	14.69	0.11	0.10	80.0	0.05
Shahr-i-Sokhta_9	90.0	0.04	0.14	0.14	1.98	0.07	2.90	0.16	0.14	0.14	0.13

Sm	0.23	0.10	80.0	0.12	0.11	0.12	60.0	0.21	0.16	2.24	0.55	0.20	1.11	80.0	0.13	90.0	0.07	0.17	60.0	0.03	0.12	0.07	0.16	0.04	0.13	60.0	0.02
Nd	0.35	0.08	0.08	0.07	0.11	0.08	90.0	0.26	0.61	9.84	2.40	0.18	3.90	0.26	0.09	0.16	90.0	0.07	0.05	0.02	0.09	0.05	0.15	0.11	0.13	0.09	0.05
Mo	0.03	0.03	90.0	0.05	0.02	0.21	0.02	0.13	0.16	0.15	0.39	0.03	0.21	80.0	0.03	90.0	0.02	0.02	0.04	0.01	0.03	0.03	0.05	0.01	0.02	60.0	0.01
W	0.17	0.11	0.08	0.13	90.0	0.08	60.0	0.22	1.78	0.34	0.09	1.77	0.15	1.85	0.21	0.00	0.05	80.0	0.10	0.27	0.73	0.17	90.0	0.09	0.07	90.0	0.02
Ω	2.25	2.48	0.05	27.63	1.39	2.62	0.26	13.58	0.45	4.35	1.09	0.05	3.59	0.26	0.07	0.04	0.04	0.15	0.16	0.46	0.22	0.05	0.15	0.07	0.11	0.02	0.04
Bi	0.14	0.07	0.03	0.07	0.05	0.04	0.01	0.04	80.0	0.14	80.0	0.15	0.07	1.21	0.04	0.45	0.03	0.02	0.03	0.01	0.05	0.03	0.12	0.02	0.03	0.03	0.01
Pb	0.28	0.18	0.77	0.62	0.12	0.71	0.34	96.0	1.78	1.52	3.19	0.22	2.07	0.55	0.18	0.32	0.45	0.16	0.16	0.43	0.21	0.14	0.51	29.0	0.23	0.25	0.25
Y	60.0	0.00	0.03	0.10	0.12	0.12	0.01	0.41	2.60	17.93	9.57	0.01	50.62	0.01	0.03	0.01	0.03	0.01	0.01	0.02	0.01	0.01	90.0	0.12	0.07	0.23	0.16
Au	0.21	0.11	0.12	0.13	0.13	0.14	0.07	0.11	1.81	0.45	2.07	69.0	0.12	2.70	0.26	0.48	0.19	0.19	0.22	0.14	0.40	0.11	0.13	0.26	0.23	90.0	0.01
Ta	0.04	0.02	0.02	0.04	0.04	0.04	0.01	0.03	0.12	0.14	0.13	0.16	0.13	1.65	0.04	0.29	0.02	0.05	0.03	0.10	0.10	0.01	0.03	0.04	0.01	0.02	0.02
Pr	0.03	0.01	0.02	0.01	0.01	0.04	0.01	0.05	0.19	2.89	0.74	0.01	1.19	0.01	0.03	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.03	0.01	0.03	0.01
Database ID	Shahr-i-Sokhta_10	Shahr-i-Sokhta_11	Shahr-i-Sokhta_12	Shahr-i-Sokhta_13	Shahr-i-Sokhta_14	Shahr-i-Sokhta_15	Shahr-i-Sokhta_16	Shahr-i-Sokhta_17	BanKhaoMogul_1	BanKhaoMogul_2	BanKhaoMogul_4	BanKhaoMogul_5	BanKhaoMogul_6	BanKhaoMogul_7	BanKhaoMogul_9	BanKhaoMogul_10	BanKhaoMogul_11	BanKhaoMogul_12	BanKhaoMogul_13	BanKhaoMogul_15	BanKhaoMogul_16	BanKhaoMogul_17	BanKhaoMogul_18	BanKhaoMogul_20	BanKhaoMogul_21	KonTum_1	KonTum_2

Database ID	Pr	Ta	Au	Y	Pb	Bi	n	W	Mo	PΝ	Sm
KonTum_3	0.01	0.02	0.10	0.31	0.39	0.02	0.07	0.04	0.01	0.02	0.03
KonTum_4	0.01	0.02	0.43	0.25	0.12	0.01	0.05	0.03	0.02	0.01	0.02
KonTum_5	90.0	0.59	2.83	0.19	2.08	0.24	90.0	0.18	0.41	0.29	0.22
KonTum_6	0.01	0.05	0.12	0.45	0.14	0.03	0.33	0.08	0.03	0.03	0.04
KonTum_7	0.01	00.00	0.10	0.28	0.12	0.02	0.02	0.05	0.52	80.0	80.0
KonTum_8	0.01	00.00	0.12	90.0	9.02	0.02	0.01	0.02	0.01	0.01	0.03
KonTum_9	0.00	0.01	0.01	0.19	0.14	0.01	0.00	0.01	0.01	0.01	0.01
GiaLai_1	90.0	0.01	0.02	0.20	90.0	0.01	0.07	0.02	0.02	0.20	0.04
GiaLai_2	0.02	0.01	0.02	0.13	0.03	0.01	60.0	0.04	0.01	80.0	0.02
GiaLai_3	0.04	00.00	0.01	0.05	0.01	0.00	0.10	0.01	0.02	0.16	0.04
GiaLai_4	80.0	0.01	0.01	0.14	0.02	0.01	0.07	0.03	0.02	0.24	0.07
DongNai_1	0.02	0.05	08.0	0.14	0.67	0.21	0.01	0.19	0.34	0.43	0.07
DongNai_2	0.01	0.05	0.11	1.11	0.12	0.02	0.01	0.05	60.0	60'0	0.10
DongNai_3	0.00	0.00	0.03	0.45	0.11	0.01	0.03	0.01	0.01	0.01	0.03
DongNai_4	0.01	0.01	0.28	0.22	0.22	0.03	0.02	0.07	0.04	0.02	0.02
DongNai_5	0.01	0.01	0.31	0.39	90.0	0.01	0.02	0.02	0.02	0.01	0.01
DongNai_6	0.01	0.01	0.02	0.11	0.26	0.01	00.00	0.02	0.02	0.02	0.02
Pacitan_1	0.01	0.01	80.0	0.04	0.42	0.04	0.59	0.03	0.02	6.03	0.02
Pacitan_2	0.01	0.01	20.0	0.05	0.23	0.02	90.0	0.02	0.01	0.04	0.02
Pacitan_3	0.01	0.01	0.04	0.04	0.38	0.01	0.01	0.02	0.01	0.02	0.01
Pacitan_4	0.01	0.02	80.0	0.39	1.04	0.03	0.12	0.03	0.03	0.05	0.03
Pacitan_5	0.01	0.01	0.26	0.52	0.22	0.03	0.02	0.27	0.02	0.04	0.03
Pacitan_6	0.01	0.01	97.0	0.43	2.07	0.02	0.10	0.04	0.07	0.04	0.03
Pacitan_7	0.02	0.05	0.47	0.54	0.91	0.05	0.15	0.14	0.16	0.13	0.04
Pacitan_8	0.01	0.03	50.0	80.0	0.23	0.02	0.10	0.14	0.07	50.0	0.03
Pacitan_9	90.0	0.01	90.0	0.43	0.58	0.01	0.07	0.05	0.02	0.19	0.07

Eu	Gd Tb	Dy	Ho	Er	Tm	AP	Lu	Hf	Th
60.0	0.02	60.0	0.02	0.04	0.01	0.04	0.01	0.03	0.10
0.02	00.00	0.01	00.00	0.01	0.00	0.03	0.01	0.01	3.16
0.04	0.01	0.03	0.01	0.03	0.01	0.03	0.01	0.03	0.54
0.11	0.02	0.12	0.04	0.07	0.03	0.11	0.04	1.97	9.10
0.03	0.01	0.03	0.01	0.02	0.01	0.03	0.02	0.03	4.60
0.02	0.01	0.03	0.02	0.02	0.01	0.03	0.01	0.02	0.30
0.02	0.00	0.01	0.00	0.01	0.00	0.02	0.01	0.01	0.07
0.04	0.01	0.04	0.01	0.03	0.01	0.03	0.01	0.01	0.03
0.02	0.00	0.04	0.01	0.04	0.00	90.0	0.01	0.02	0.02
0.02	0.00	0.03	0.01	0.02	0.00	0.02	0.00	0.01	0.01
0.04	0.01	0.03	0.01	0.01	0.01	0.04	0.00	0.02	0.02
0.02	0.00	0.02	00.00	0.02	0.01	0.02	0.01	0.02	0.03
0.04	0.01	90.0	0.01	0.03	0.00	0.03	0.00	0.03	0.00
0.00	0.02	0.10	0.02	60.0	0.07	0.10	0.03	0.27	1.05
0.04	0.01	0.03	0.01	0.03	0.00	90.0	00'0	0.02	0.19
0.10	0.02	90.0	0.03	0.05	0.02	80.0	0.02	0.05	0.05
90.0	0.01	0.04	0.01	0.03	0.01	0.03	0.01	0.02	0.05
0.13	0.02	0.02	0.02	0.05	0.01	0.07	0.00	0.18	0.03
0.12	0.02	0.15	0.02	0.04	0.02	0.13	0.01	0.05	0.03
0.05	0.01	0.04	0.01	0.03	0.01	0.03	0.01	0.05	0.02
0.04	0.01	0.02	0.01	0.02	0.01	0.03	0.01	0.03	0.02
0.15	0.02	0.16	0.04	60.0	0.04	0.20	0.03	0.37	80.0
0.05	0.01	0.03	0.01	0.02	0.01	0.02	0.01	0.01	0.01
0.02	0.01	0.04	0.01	0.02	0.01	0.04	0.01	0.03	0.05
0.01	00.00	0.03	00.00	0.01	0.00	0.01	0.00	0.02	0.13
0.05	0.01	0.04	0.01	0.03	0.01	0.04	0.01	0.03	0.04
0.04	0.01	0.02	0.00	0.01	0.00	0.01	0.00	0.01	0.19

0.06 0.01 0.01 0.01 0.01	0.06 0.01 0.01 0.04 0.03 0.03 0.03 0.04	9 1 1 1 2 4 8 1 1 2 3 4 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	 	
		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.06 0.01 0.01 0.01 0.03 0.03 0.03 0.03 0.03	0.06 0.01 0.01 0.01 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.03 0.00 0.03 0.00
0.00	0.00 0.			
	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		
0.01	0.00 0.004 0.003 0.004 0.004 0.004	0.01 0.03 0.04 0.08 0.08 0.03 0.03 0.03		
0.01				0.01 0.02 0.02 0.01 0.01 0.03 0.03 0.03 0.00

Database ID	Eu	РS	Tb	Dy	Ho	Er	Tm	ΛÞ	Γn	Hf	Th
Mahurjhari_10	0.01	0.02	0.01	0.02	0.01	0.02	0.01	0.03	0.01	0.01	69.0
Mahurjhari_12	0.01	0.02	0.01	0.02	0.01	0.02	0.00	0.02	0.01	0.01	0.51
Mahurjhari_13	0.01	0.01	0.00	0.01	0.00	0.01	0.00	0.02	0.00	0.01	0.05
Mahurjhari_14	0.02	0.05	0.01	0.05	0.03	0.04	0.01	0.04	0.01	0.02	1.98
Mahurjhari_15	0.03	90.0	0.02	0.13	0.03	0.07	0.01	0.08	0.01	0.05	90.0
Mahurjhari_16	0.01	90.0	0.02	90.0	0.01	0.01	0.01	0.03	0.03	0.02	2.08
Mahurjhari_17	0.02	90.0	0.01	90.0	0.02	0.04	0.01	90.0	0.01	0.03	0.12
Mahurjhari_18	0.01	0.02	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	1.52
Mahurjhari_19	00.00	0.01	0.00	0.01	0.00	0.01	0.00	0.01	0.00	0.01	0.01
Mahurjhari_20	0.01	90.0	li0.01	0.02	0.01	0.02	0.01	0.02	0.01	0.01	0.04
Mahurjhari_21	0.01	0.02	0.01	0.03	0.02	0.02	0.01	0.03	0.01	0.02	1.34
Mahurjhari_22	0.01	0.03	0.01	0.02	0.01	0.02	0.00	0.02	0.01	0.01	1.43
Mahurjhari_23	0.01	0.03	0.01	0.02	0.01	0.02	0.01	0.02	0.01	0.02	0.62
Mahurjhari_24	00.00	0.01	0.00	0.01	00.00	0.01	0.00	0.01	0.00	0.01	1.79
Mahurjhari_25	0.01	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.13
Mahurjhari_26	0.01	0.03	0.01	0.03	0.01	0.02	0.01	0.02	0.00	0.03	2.06
Paithan_1	90.0	0.31	0.04	1.64	0.04	0.13	0.04	0.18	0.05	0.17	1.23
Paithan_2	0.04	0.28	0.05	0.22	0.21	60.0	0.22	1.26	0.03	1.27	99.0
Paithan_3	60'0	0.17	0.04	0.46	0.33	0.15	0.23	0.22	0.10	09.0	5.22
Paithan_4	0.01	0.01	0.00	0.02	0.00	0.02	0.00	0.02	0.00	0.02	0.04
Paithan_5	00.00	0.02	0.00	0.01	0.01	0.01	0.00	0.02	0.01	0.01	0.14
Paithan_6	0.01	0.04	0.01	0.03	0.02	0.02	0.01	0.03	0.01	0.02	0.10
Paithan_7	0.01	0.02	0.00	0.02	0.01	0.01	0.01	0.02	0.01	0.01	0.39
Paithan_8	0.23	0.05	0.01	0.05	0.01	0.03	0.01	0.04	0.01	90.0	3.51
Paithan_9	0.02	0.07	0.01	90.0	0.02	0.03	0.01	0.03	0.01	0.02	0.02
Paithan_10	0.03	0.11	0.02	60.0	0.02	80.0	0.02	0.10	0.03	0.11	0.33
Paithan_11	0.01	0.02	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.02	80.0

Database ID	Eu	Cd	Tb	Dy	Ho	Er	Tm	ΛÞ	пŢ	JH	Th
Paithan_12	00.00	0.01	0.00	0.02	0.00	0.02	0.00	0.03	0.01	0.01	0.01
Paithan_13	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.00	0.01	1.26
Paithan_14	0.00	0.01	0.00	0.01	00.00	0.01	0.00	0.01	0.00	0.01	0.00
Paithan_15	0.05	0.13	0.03	0.14	0.03	60.0	0.03	0.14	0.05	1.19	90.0
Undari_1	0.02	0.04	0.01	0.03	0.01	0.02	0.01	0.03	0.01	0.02	1.65
Undari_2	0.03	0.12	0.02	1.17	0.02	80.0	0.02	1.70	0.03	00.0	0.17
Undari_3	0.01	0.02	0.00	0.02	0.01	0.01	0.01	0.01	0.00	0.02	0.30
Undari_4	00.00	0.01	0.00	0.01	0.00	0.01	0.01	0.02	0.00	0.02	0.03
Undari_5	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.02	0.01	1.39
Undari_6	0.01	0.01	0.00	0.01	0.00	0.01	0.00	0.01	0.00	0.01	0.27
Undari_7	0.03	0.14	0.02	0.16	0.03	80.0	0.03	0.15	0.04	3.35	86.0
Undari_8	0.01	0.04	0.02	0.04	0.03	0.03	0.01	0.03	0.01	0.04	1.50
Undari_9	0.01	0.02	0.01	0.02	0.00	0.01	0.00	0.02	0.01	0.01	0.23
Undari_10	0.01	0.01	0.00	0.01	0.00	0.02	0.00	0.02	0.00	0.01	0.02
Undari_11	00.00	0.01	0.00	0.01	0.01	0.01	0.01	0.01	00.0	0.01	1.00
Undari_12	0.02	0.05	0.01	0.03	0.02	0.02	0.01	0.03	0.01	0.02	1.29
Undhari_JMK1	0.01	0.02	0.00	0.02	0.01	0.02	0.00	0.07	0.01	0.02	0.34
Undhari_JMK2	0.00	0.02	0.00	0.02	0.01	0.01	0.00	0.02	0.00	0.01	0.04
Shahr-i-Sokhta_1	0.01	0.03	0.00	0.01	0.01	0.02	0.01	0.05	0.01	0.02	90.0
Shahr-i-Sokhta_2	0.01	0.26	0.05	0.02	0.03	0.03	0.01	0.34	60.0	0.18	0.04
Shahr-i-Sokhta_3	90.0	0.22	0.05	0.07	0.01	80.0	0.02	0.12	0.01	0.12	0.05
Shahr-i-Sokhta_4	0.01	90.0	0.01	0.07	0.02	0.05	0.01	0.11	0.02	80.0	0.07
Shahr-i-Sokhta_5	0.04	0.13	0.02	90.0	0.02	90.0	0.01	0.12	0.03	0.10	0.04
Shahr-i-Sokhta_6	0.05	0.12	0.03	0.07	0.02	90.0	0.02	0.12	0.02	60'0	0.05
Shahr-i-Sokhta_7	0.04	0.05	0.02	90.0	0.02	0.03	0.01	60.0	0.02	60'0	0.05
Shahr-i-Sokhta_8	0.04	0.06	0.03	60.0	0.04	80.0	0.04	0.12	50.0	0.05	90.0
Shahr-i-Sokhta_9	0.03	0.16	0.03	0.07	0.03	90.0	0.03	0.12	0.03	0.23	0.11

Database ID	Eu	РS	Tb	Dy	Ho	Er	Tm	AV	Lu	Hf	Th
Shahr-i-Sokhta_10	0.15	0.45	0.04	90.0	0.01	90.0	0.01	60.0	0.02	0.26	0.04
Shahr-i-Sokhta_11	0.03	90.0	0.02	0.10	0.02	0.04	0.02	0.24	0.01	0.61	0.03
Shahr-i-Sokhta_12	0.03	60.0	0.01	90.0	0.02	0.04	0.01	0.05	0.01	0.03	60.0
Shahr-i-Sokhta_13	0.03	80.0	0.02	0.04	0.01	0.03	0.01	0.11	0.02	90.0	0.04
Shahr-i-Sokhta_14	0.05	0.19	0.02	0.10	0.02	0.03	0.01	0.12	0.02	0.25	0.04
Shahr-i-Sokhta_15	0.05	60.0	0.04	0.08	0.07	60.0	0.04	0.08	0.03	0.15	60.0
Shahr-i-Sokhta_16	80.0	0.07	0.02	0.03	0.01	0.04	0.01	0.07	0.01	0.13	0.03
Shahr-i-Sokhta_17	90.0	0.31	0.07	0.41	0.04	0.10	0.03	0.59	0.07	0.14	0.05
BanKhaoMogul_1	0.05	0.19	0.05	0.36	0.10	0.61	0.05	0.37	90.0	0.56	89.0
BanKhaoMogul_2	0.44	2.28	0.35	2.23	0.49	1.56	0.24	1.89	0.32	99.0	1.26
BanKhaoMogul_4	0.12	92.0	0.16	1.14	0.29	0.72	0.15	1.03	0.11	0.42	1.36
BanKhaoMogul_5	0.03	0.28	0.03	0.10	0.02	80.0	80.0	0.65	0.22	0.19	0.05
BanKhaoMogul_6	0.25	1.62	0.47	3.59	1.40	4.78	0.79	6.23	1.03	0.58	0.93
BanKhaoMogul_7	90.0	0.72	60.0	0.21	0.03	0.23	0.04	0.20	0.23	0.37	0.10
BanKhaoMogul_9	0.02	0.16	0.02	0.12	0.04	90.0	0.04	0.14	0.03	0.04	0.03
BanKhaoMogul_10	0.02	0.29	0.10	0.04	0.11	0.00	0.11	0.18	0.11	0.47	2.53
BanKhaoMogul_11	0.01	90.0	0.01	0.03	0.01	0.07	0.02	0.04	0.03	0.03	0.02
BanKhaoMogul_12	0.02	0.07	0.03	0.21	0.02	0.05	0.03	0.18	0.03	0.05	0.40
BanKhaoMogul_13	0.03	90.0	0.01	60.0	0.02	80.0	0.03	0.07	0.05	80.0	90.0
BanKhaoMogul_15	0.01	0.13	0.01	0.03	0.01	0.04	0.03	0.08	0.02	0.04	0.02
BanKhaoMogul_16	60.0	0.24	0.05	0.18	90.0	0.31	60.0	0.12	90.0	0.41	60.0
BanKhaoMogul_17	0.02	90.0	0.01	60.0	0.01	0.03	0.02	0.04	0.02	0.07	0.04
BanKhaoMogul_18	0.02	0.05	0.02	90.0	0.02	0.11	0.05	0.04	0.03	90.0	0.03
BanKhaoMogul_20	0.02	0.05	0.01	0.04	6.03	0.03	0.01	0.15	0.02	0.04	80.0
BanKhaoMogul_21	0.05	0.14	0.01	90.0	0.04	0.03	0.01	90.0	0.02	0.05	0.03
KonTum_1	0.04	0.11	0.01	0.10	0.02	0.07	0.02	0.10	0.02	60.0	0.03
KonTum_2	0.01	0.01	0.00	0.03	0.00	0.02	0.00	0.02	0.02	0.04	0.10

Database ID	Eu	рS	Tb	Dy	Ho	Er	Tm	AV	Lu	Hf	Th
KonTum_3	0.00	0.02	0.00	0.03	0.01	0.02	0.00	0.02	0.00	0.02	0.03
KonTum_4	0.01	0.01	0.01	0.02	0.01	0.02	0.00	0.02	0.00	0.01	0.04
KonTum_5	0.08	0.39	0.05	0.20	0.10	0.21	90.0	0.26	90.0	1.10	8.11
KonTum_6	0.01	0.02	0.01	0.04	0.01	0.04	0.01	90.0	0.02	0.02	0.30
KonTum_7	0.03	80.0	0.01	80.0	0.02	0.07	0.02	0.10	0.02	00.0	0.02
KonTum_8	0.00	0.02	0.00	0.01	0.00	0.01	0.00	0.01	0.00	0.01	0.85
KonTum_9	0.00	0.01	0.00	0.02	0.01	0.01	0.00	0.03	0.00	0.01	0.00
GiaLai_1	0.02	0.05	0.01	0.05	0.01	0.02	0.01	0.02	0.00	0.15	0.01
GiaLai_2	0.01	0.02	0.00	0.04	0.01	0.02	0.01	0.04	0.01	0.16	0.02
GiaLai_3	0.01	0.03	0.00	0.01	00.00	0.01	0.00	0.01	0.00	0.01	0.00
GiaLai_4	0.02	90.0	0.01	0.04	0.01	0.01	0.01	0.02	0.00	0.02	0.01
DongNai_1	0.05	0.15	0.08	0.17	0.07	0.04	0.05	0.20	90.0	0.15	1.12
DongNai_2	0.04	0.15	0.03	0.11	0.03	0.14	0.01	60.0	0.02	0.05	0.35
DongNai_3	0.00	0.02	0.00	90.0	0.01	90.0	0.01	0.11	0.02	0.01	0.01
DongNai_4	0.02	6.03	0.00	0.03	0.01	0.02	0.01	0.05	0.01	0.01	0.07
DongNai_5	0.00	0.02	0.00	0.04	0.01	0.05	0.01	0.09	0.01	0.01	88.0
DongNai_6	0.01	0.02	0.01	0.03	0.00	0.01	0.00	0.01	0.00	0.02	0.01
Pacitan_1	0.01	0.02	0.00	0.02	0.01	0.01	0.01	0.04	0.01	0.03	2.91
Pacitan_2	0.00	0.02	0.01	0.02	0.01	0.01	0.00	0.02	0.00	0.02	0.40
Pacitan_3	0.00	0.01	0.00	0.01	00.0	0.01	0.00	0.02	0.01	0.02	62.0
Pacitan_4	0.01	0.03	0.01	0.03	0.01	0.01	0.01	0.02	0.01	0.02	3.57
Pacitan_5	0.00	0.02	0.01	0.04	0.01	00.0	0.00	0.02	0.01	00.0	0.85
Pacitan_6	0.02	0.04	0.01	0.03	0.01	0.02	0.01	0.04	0.03	0.03	3.10
Pacitan_7	90.0	60'0	0.02	90'0	0.02	90.0	0.01	0.11	0.03	0.17	7.35
Pacitan_8	0.01	90.0	0.01	0.02	0.01	0.03	0.03	0.04	0.02	0.11	0.10
Pacitan_9	0.03	0.07	0.01	60.0	0.02	90.0	0.01	0.03	0.01	0.04	90.0

Appendix 6.3:Standardized Canonical Discriminant Function Coefficients for Scatterplots in Chapter 6 generated using Canonical Discriminant Analysis

Figure 6.19	Function 1	Function 2	Function 3
Ag	-0.718	0.145	-1.303
Al	-0.103	-1.058	-0.29
Ba	0.343	-0.145	-0.077
Be	-0.189	0.075	0.235
Bi	-0.641	0.161	0.364
Ce	0.7	-0.797	-0.675
Cs	-0.024	0.111	0.154
Cu	-0.142	-0.062	-0.851
La	-0.575	0.592	1.195
Li	0.197	0.106	0.652
Lu	0.229	-0.714	-0.599
Mg	-0.14	1.555	1.154
Na	-0.083	0.815	0.17
Ni	0.006	-1.077	1.577
Sb	0.006	-0.158	0.172
Sc	0.095	1.021	-0.799
Si	0.114	0.652	0.506
Sm	-0.086	0.327	-0.256
Sn	1.756	0.033	0.065
Ta	0.22	-0.472	0.999
Tb	-0.249	0.524	-0.187
Ti	-0.216	-0.623	-0.679
U	-0.232	0.386	0.351
V	0.139	-0.181	-0.162
W	0.23	-0.035	0.042
Yb	0.221	0.012	-0.234
Zr	-0.418	0.257	-0.274

Figure 6.20	Function 1	Function 2
Log Ag	0.37	0.585
Log Al	0.387	-0.561
Log Au	0.033	-0.393
Log B	0.055	0.132
Log Ba	-0.212	0.094
Log Bi	0.108	0.16
Log Co	0.065	0.858
Log Cs	0.032	-0.32
Log Dy	0.043	-0.205
Log Eu	-0.176	0.249
Log In	0.155	0.04
Log Li	-0.027	0.136
Log La	0.163	0.082
Log Mg	-0.239	0.614
Log Na	-0.145	0.748
Log Nd	0.033	-0.177
Log Ni	0.155	0.794
Log Pb	0.273	-0.416
Log Sb	0.049	-0.768
Log Sc	-0.181	-0.244
Log Si	0.017	0.597
Log Sn	-1.596	-0.086
Log Sr	-0.024	-0.503
Log Tb	-0.081	-0.204
Log Th	0.189	0.054
Log Ti	-0.062	0.196
Log Y	0.227	0.345
Log Zn	0.182	-0.18
Log Zr	0.221	-0.887

Figures 6.21 and 6.22	Function 1	Function 2
Log Ag	0.454	0.711
Log Al	0.328	-0.529
Log Au	-0.047	-0.334
Log B	0.044	0.148
Log Ba	-0.2	0.124
Log Bi	0.145	0.118
Log Co	0.031	0.863
Log Cs	-0.006	-0.405
Log Dy	0.083	-0.181
Log Eu	-0.072	0.282
Log In	0.153	-0.003
Log Li	-0.004	0.236
Log La	0.152	0.119
Log Mg	-0.101	0.387
Log Na	-0.098	0.658
Log Nd	-0.024	-0.173
Log Ni	0.004	0.845
Log Pb	0.285	-0.371
Log Sb	0.053	-0.813
Log Sc	-0.075	-0.248
Log Si	0.029	0.507
Log Sn	-1.557	-0.094
Log Sr	-0.016	-0.421
Log Tb	-0.131	-0.233
Log Th	0.189	0.01
Log Ti	-0.041	0.216
Log Y	0.163	0.36
Log Zn	0.116	-0.191
Log Zr	0.2	-0.903

Figure 6.23	Function 1	Function 2
Log Ag	-0.669	-0.113
Log Al	-0.578	-0.99
Log Au	-0.258	-0.814
Log B	-0.26	-0.016
Log Ba	0.365	0.034
Log Bi	-0.265	0.146
Log Ca	0.179	0.088
Log Co	0.246	-0.55
Log Cu	-0.104	0.135
Log Eu	0.152	0.318
Log In	0.046	0.55
Log La	0.025	-0.308
Log Li	0.482	-0.067
Log Mg	0.2	1.511
Log Na	0.101	1.098
Log Nd	-0.087	-0.095
Log Ni	-0.029	-0.788
Log Sc	0.17	0.592
Log Si	0.288	0.588
Log Sn	1.714	0.044
Log Sr	-0.127	-0.199
Log Th	-0.152	0.017
Log Tm	-0.178	0.099

Figure 6.26-6.28	Function 1	Function 2	Function 3
Log Ag	1.075	-0.648	0.149
Log Au	-0.03	0.178	-0.569
Log B	0.89	0.261	0.208
Log Ba	-1.386	-0.654	-2.06
Log Bi	-0.492	0.104	-0.594
Log Co	-0.239	-0.753	0.297
Log Mn	1.222	-0.441	-0.325
Log Mg	-1.953	-2.473	0.008
Log Pr	0.663	1.183	1.79
Log Rb	0.582	0.125	0.902
Log Si	0.678	0.076	1.329
Log Sr	1.336	2.476	1.522
Log Ti	-0.407	0.993	0.989
Log Tm	-0.458	0.178	-0.345
Log Y	1.156	-0.186	-1.335

Appendix 6.4: Determining elements to use in data analysis

As discussed in Chapter 4, each individual agate/carnelian sample was ablated at 10 different points on the sample and the results from these ablations were then averaged together to produce a single result. However, I discovered that many of the 55 elements were heterogeneously dispersed within the sample. This resulted in a high relative standard deviation (RSD) for the average of the ten ablations. Scholars have noted that the heterogeneous objects may be difficult to characterize using LA-ICP-MS (e.g. Roll et al. 2005:60). One way I hoped to overcome some of this difficulty was by analyzing numerous samples from a single source. This would allow for a better understanding of the variation within a single geological source.

Fortunately, it did not appear that the heterogeneity of agate and carnelian prevented me from obtaining meaningful results. Nevertheless, I did want a way to identify the elements that were less variable and which were more variable. For this reason, I selected four to five samples from each source, for a total of 62 samples, and looked more closely at the relative standard deviation produced during the ten point ablations. For each element I counted how many of the selected samples had an RSD between 0-10.99%, 11-20.99%, 21-30.99%, 31-40.99%, 41-50.99%, and over 50% (Table 6.4.1). Four elements B, Ca, Sc, and Ni, were the most homogeneously distributed, as at least 60% of the 62 geologic samples had an RSD of 10.5% or less for these elements. The elements Na, Sr, and Sb were also relatively homogeneous with over 60% of the geologic samples having an RSD of 20.5% or less. Lastly, I also included Be, Mg, K, Mn, Rb, Y, and Sn in the group of less variable elements, as over 60% of the geologic samples had an RSD of 30.5% or less. Other samples were more heterogeneously distributed, with the most variable elements being Au, Ta, Th, and W, which had over half of the geologic

samples with an RSD of 50.5% or more. Other elements that were commonly omitted due to a lack of data include Cl, As, Se, and P. These data is summarized in Table 6.4.2. While doing exploratory data analysis, I first focused on those elements I classified as being less variable. However, other more variable elements were also found to be important in distinguishing between sources and these were included in the statistical analyses discussed in Chapter 6 as well.

	0% or		10.5-	20.5-	30.5-	40.5-	Over	
	NA	0-10.5%	20.5%	30.5%	40.5%	50.5%	50.5	Total
Ag	0	0	5	6	14	10	27	62
Al	0	9	11	10	14	6	12	62
As	20	1	4	3	5	8	21	62
Au	0	0	2	2	9	8	41	62
В	0	39	11	12	0	0	0	62
Ba	0	7	16	10	13	5	11	62
Be	0	10	24	18	8	1	1	62
Bi	0	0	5	17	11	8	21	62
Ca	0	38	17	5	2	0	0	62
Ce	0	7	10	15	3	13	14	62
Со	0	3	11	9	12	7	20	62
Cr	7	4	9	14	7	5	16	62
Cs	0	5	16	12	8	8	13	62
Cu	0	3	8	11	11	8	21	62
Dy	0	2	14	12	12	8	14	62
Er	2	3	11	16	11	7	12	62
Eu	0	0	9	12	11	9	21	62
Fe	6	9	12	10	5	5	15	62
Gd	0	0	8	14	17	6	17	62
Hf	0	0	7	8	12	6	29	62
Но	0	2	12	12	9	10	17	62
In	0	0	1	9	14	9	29	62
K	0	14	19	8	9	5	7	62
La	0	5	12	13	10	11	11	62
Li	0	7	6	12	14	9	14	62
Lu	0	1	10	9	9	10	23	62
Mg	0	15	20	14	8	1	4	62
Mn	1	18	18	5	6	2	12	62
Mo	1	4	6	15	11	10	15	62
Na	0	26	22	7	2	4	1	62
Nb	3	5	10	12	9	5	18	62

	0% or		10.5-	20.5-	30.5-	40.5-	Over	
	NA	0-10.5%	20.5%	30.5%	40.5%	50.5%	50.5	Total
Nd	0	4	12	13	12	9	12	62
Ni	0	41	14	4	3	0	0	62
P	18	3	5	8	6	1	21	62
Pb	0	1	6	14	15	11	15	62
Pr	0	3	8	15	14	8	14	62
Rb	0	13	17	15	6	4	7	62
Sb	0	21	18	14	5	2	2	62
Sc	0	53	5	3	1	0	0	62
Sm	0	1	10	13	11	9	18	62
Sn	0	11	24	13	8	3	3	62
Sr	0	18	20	11	5	2	6	62
Ta	2	2	0	4	10	5	39	62
Tb	0	0	12	16	6	10	18	62
Th	1	0	0	1	2	7	51	62
Ti	0	2	6	9	19	4	22	62
Tm	3	4	7	10	10	7	21	62
U	1	5	11	12	7	4	22	62
V	1	5	13	14	11	6	12	62
\mathbf{W}	3	3	4	3	6	11	32	62
Y	0	11	19	11	8	1	12	62
Yb	0	4	11	15	10	5	17	62
Zn	0	4	9	17	10	9	13	62
Zr	0	4	10	14	11	8	15	62

Table 6.4.1: Number of geologic samples for which the RSD of each element was 0-10.99%, 11-20.99%, 21-30.99%, 31-40.99%, 41-50.99%, and over 50%.

Les	s Variable Elei	nents	Variable Elements	Most
				Variable
				Elements
60% of	60% of	60% of samples	Samples with RSD	50% of
samples with	samples with	with an RSD	between 30.5% and 50.5%	samples with
an RSD under	an RSD	under 30.5%		an RSD over
10.5%	under 20.5%			50.5%
B, Ca, Ni, Sc	Na, Sb, Sr	Be, K, Mg, Mn,	Ag, Al, Ba, Bi, Ce, Co,	Au, Ta, Th,
		Rb, Sn, Y	Cr, Cs, Cu, Dy, Er, Eu, Fe,	W
			Gd, Hf, Ho, In, La,	
			Li, Lu, Mo, Nb, Nd, Pb,	
			Pr, Sm, Tb, Ti, Tm, U, V,	
			Yb, Zn, Zr	

Table 6.4.2: A list of the less variable, variable, and most variable elements identified during LA-ICP-MS of agate and carnelian geologic samples. Based on the data in Table 6.4.1 above.

Appendix 6.5: Distinguishing between Agate and Carnelian Geologic Sources

Following LA-ICP-MS analysis, a series of bivariate plots and Canonical Discriminant Analyses (CDA) were used to identify elements that assisted in distinguishing between the various agate and carnelian geologic sources. Some sources were clearly distinct from the Deccan Trap agates and other geologic sources. For example, the Mahurjhari source samples were easily identifiable by the high levels of Sn (300-3400 ppm) (Figure 6.5.1). The Gia Lai samples were also notable for their high levels of Mg (approx 800-1200 ppm) and Ni (18-24ppm) (Figure 6.5.2). The Shahr-i-Sokhta samples had generally higher levels of U (0.2-34ppm) and B (21-118 ppm) but low Ni (0.38-1.37ppm) (Figure 6.5.3). Ban Khao Mogul is distinct from the other groups with slightly lower levels of B (.96-12ppm) and higher levels of Sb (0.5-15ppm) (Figure 6.5.4).




Figure 6.5.1: Bivariate scatterplot of Mg vs. Sn, showing the high levels of Sn in the Mahurjhari samples. Values in both axes have been log₁₀ transformed.




Figure 6.5.2:Bivariate scatterplot of Mg vs. Ni showing the high levels of both elements in the Gia Lai samples. Values in both axes have been \log_{10} transformed.




Figure 6.5.3:Bivariate scatterplot of B vs. U showing the high levels of both elements in the Shahr-i-Sokhta samples. Values in both axes have been \log_{10} transformed.




Figure 6.5.4: Bivariate scatterplot of B vs. Sb showing the high levels Sb and slightly lower levels of B in the Ban Khao Mogul samples. Values in both axes have been log₁₀ transformed.

Although bivariate plotting was able to discriminate between some of the different geologic sources, there was also considerable overlap between the compositions of the different sources, especially those from the Deccan Traps. In order to better distinguish between these sources, a CDA was performed including all 12 of the geologic sources and using the elements: B, Be, Ca, Co, Cu, K, Mg, Mn, Na, Rb, Sb, Sc, Si, Sn, Sr, U, and Y. Figure 6.5.5 shows these sources plotted by their first and second discriminant function. Table 6.5.1 lists the standardized canonical discriminant function coefficients. The cross-validation rate for this analysis was 77.1%, a moderately good result as several of the Deccan Trap sources were misclassified with one another while the Kon Tum and Dong Nai sources were also misclassified with one another. However, the Gia Lai, Ban Khao Mogul, Shahr-i-Sokhta, Mahurjhari, and Indonesian sources appear to be compositionally distinct.




Figure 6.5.5: Geologic sources from South and Southeast Asia plotted by their first and second discriminant functions.

	Function 1	Function 2		Function 1	Function 2
Log B	-0.108	-0.032	Log Rb	0.277	-0.261
Log Be	-0.102	-0.01	Log Sb	-0.218	-0.278
Log Ca	0.256	0.027	Log Sc	0.057	-0.178
Log Co	0.293	-0.269	Log Si	1.812	0.024
Log Cu	0.024	-0.139	Log Sn	-0.12	1.208
Log K	0.167	0.141	Log Sr	-0.268	-0.014
Log Mg	0.497	-0.026	Log U	0.005	-0.263
Log Mn	0.027	0.232	Log Y	0.525	0.018
Log Na	0.14	-0.163			

Table 6.5.1: Standardized canonical discriminant function coefficients generated using canonical discriminant analysis for Figure 6.5.5.

Due to the overlap between the Deccan Traps sources, a second CDA was performed in which all of the Deccan Trap agate sources with the exception of Mahurjhari were treated as a single source group. An excellent cross-validation rate of 96.2% was achieved (Figure 6.5.6 Table 6.5.2), confirming that the low cross-validation rate in the previous analysis was largely

due to overlap between the Deccan Trap sources. One Deccan Trap sample was classified as belonging to the Dong Nai source, four samples from Kon Tum were also misclassified as belonging to the Dong Nai sources as well as one additional sample that was classified with the Deccan Trap sources.




Figure 6.5.6: Results from a second CDA in which the Deccan Trap agate sources were treated as a single source. Sources are plotted by their first and second discriminant functions.

	Function 1	Function 2		Function 1	Function 2
Log Al	0.217	-0.094	Log Na	0.051	0.556
Log B	0.054	0.268	Log Rb	0.343	-0.061
Log Be	0.11	-0.156	Log Sb	0.233	-0.816
Log Ca	0.204	0.725	Log Sc	-0.014	-0.383
Log Co	0.254	0.374	Log Si	0.119	0.723
Log Cu	0.246	0.254	Log Sn	-1.317	-0.13
Log K	-0.242	-0.476	Log Sr	-0.139	-0.605
Log Mg	0.091	0.043	Log U	0.332	-0.421
Log Mn	-0.257	0.193	Log Y	0.034	0.67

Table 6.5.2: Standardized canonical discriminant function coefficients generated using canonical discriminant analysis for Figure 6.5.6

As noted above, the Dong Nai samples were purchased via an online gemstone dealer and I was told that the raw materials came from Dong Nai in southern Vietnam, but that they were worked in the city of Da Nang in central Vietnam. Although this may be true, the continued overlap between the Kon Tum and Dong Nai sources may indicate another story. Kon Tum province is geographically closer to Da Nang than Dong Nai and without further verification we must consider that the Dong Nai samples are not actually from this location and may in fact be from a source located in central Vietnam. However, this can only be demonstrated with further fieldwork, therefore I will continue to treat these two geologic sources as distinct from one another, despite their overlap.

It is not surprising that the agate and carnelian source samples from the Deccan Traps appear to be compositionally similar to one another. As noted in Chapter 6, the Deccan Traps are a massive geological formation and the sources sampled may belong to secondary deposits. Nevertheless, I was interested in determining if I could better differentiate between these sources and therefore focused my next phase of analysis on these samples alone. Three samples, Khandek 11, Khandek 14, and Mardak Bek12 were removed due to missing values. CDA of the remaining source samples required a greater number of elements in order to achieve reasonable separation between the sources. The elements used in CDA were: Ag, Al, Au, B, Ba, Be, Bi, Ce, Co, Cu, Eu, Gd, In, La, Li, Lu, Mg, Mn, Na, Nb, Nd, Ni, Rb, Sc, Si, Sm, Sn, Sr, Ta, Tb, Th, Ti, U, V, W, Yb, Zn, and Zr. Despite this, the cross-validation rate between the sources was fairly low at 66.7% (Figure 6.5.7 and Table 6.5.3). With the exception of the Mahurjhari samples, all of the Deccan Trap agates overlapped (misclassified) with one another.




Figure 6.5.7: The Deccan Trap agate sources plotted by their first and second discriminant functions.

	Function 1	Function 2		Function 1	Function 2
Log Ag	-0.625	0.672	Log Nb	-0.127	-0.516
Log Al	-0.641	-0.903	Log Nd	0.167	-0.29
Log Au	-0.233	-0.893	Log Ni	-0.025	-0.998
Log B	0.009	-0.187	Log Rb	0.276	0.128
Log Ba	0.296	0.207	Log Sc	0.275	1.102
Log Be	-0.177	-0.196	Log Si	0.335	0.333
Log Bi	-0.307	0.453	Log Sm	-0.028	0.618
Log Ce	0.393	-0.04	Log Sn	1.954	0.021
Log Co	0.03	0.08	Log Sr	-0.221	-0.756
Log Cu	-0.291	0.322	Log Ta	0.218	-0.378
Log Eu	0.507	0.466	Log Tb	-0.457	-0.032
Log Gd	-0.185	0.033	Log Th	-0.31	-0.022
Log In	-0.035	0.371	Log Ti	-0.368	0.167
Log La	-0.323	-0.351	Log U	-0.137	0.597
Log Li	0.584	-0.027	Log V	-0.034	-0.336
Log Lu	0.154	-0.473	Log W	0.339	-0.145
Log Mg	0.315	1.547	Log Yb	-0.021	0.053
Log Mn	0.435	0.169	Log Zr	-0.465	0.054
Log Na	0.092	1.071	Log Zn	-0.325	-0.694

Table 6.5.3 Standardized canonical discriminant function coefficients generated using canonical discriminant analysis for Figure 6.5.7

I believe that overlap and misclassification of the Deccan Traps sources is not a limitation of LA-ICP-MS, but instead reflects the difficulty of distinguishing between the geochemically analogous Deccan Traps agate sources. I had hoped that the different sources would be compositionally distinct from one another, allowing for a more fine-grained analysis of agate exploitation over time and space. It is possible that analyses of additional samples from individual sources may increase the ability to distinguish between these sources. However for the remainder of this study I can only confidently determine if artifacts belonged or not to the broader Deccan Traps source group, and not the individual sources within this group.

Appendix 7.1:Glass bead data recorded as a part of this study

Glass beads were recorded in a FileMaker Pro database and are presented in table form here. Each site is reported in a separate table in order to accommodate the different context recording systems. In some cases, groups of glass beads were recorded individually. However, as the study progressed I found this was inefficient and began experimenting with the most efficient way to record groups of beads. I was prevented from recording the different glass bead types individually at Promtin Tai, due to time constraints. Therefore, some of the beads from this site within a single catalog number were recorded as a group, with measurements taken on certain beads as time allowed. The Ban Non Wat and Noen U-Loke beads make up several tables. One table incudes beads from Noen U-Loke that are currently held in the Phimai museum, some of which no longer have contextual information. Beads from Ban Non Wat that are currently in storage with Dr. Rachanie Thosarat were also recorded quickly within a single afternoon. For this reason, only bead color, quantity, context, and shape were recorded and presented in a table here. Beads from Ban Non Wat and Noen U-Loke that were analyzed using LA-ICP-MS were recorded more carefully into a FileMaker Pro database and this information is presented in a separate table.

The glass bead recording system was recently updated in order to quickly and easily record glass beads from Angkor Borei. With the assistance from Juliana Johnson, a volunteer high-school student from Shabazz High School, Madison WI, beads were entered into the database by sorting them into general color and size categories. Roundness was not recorded, as this line of evidence did not appear to be significant, except when discussing beads that had unrounded edges (see Chapter 7). In the course of recording glass beads for this study, I

found that most Indo-Pacific beads had approximately the same length as width measurements, making them roughly spherical or oblate, or had a smaller (thinner) length than width. Beads that were longer, or barrel or tubular shaped were more unusual. For this reason size categories for the beads were were determined by comparing the bead widths to a bead size chart that contained circles of different sizes (Figure 7.1.1). Measurements for tubular or barrel shaped beads were taken separately and noted in the "Notes" section of the FileMaker Pro database. This method has provided the quickest and most efficient way to record large groups of glass beads thus far, and will likely be used in future studies of glass beads. All measurements in the following tables are in millimeters.




Figure 7.1.1: Millimeter size chart used to record Indo-Pacific beads of different sizes. Taken from http://www.kmversteeg.com/edtec541/final/size.htm

Appendix 7.1a: Glass Beads from Angkor Borei

Notes	With red stripes. Also found with stone bead (AKC03044)					6.46 mm long	4.16mm long, with dark stripes			
Glass Width Category (mm)	m	3	4.5	2.5	3.5	2.5	2.5	S	6.5	5.5
Glass	Opaque Orange	Opaque Orange	Opaque Red	Opaque Red	Opaque Red	Opaque Red	Opaque Red	Opaque Light Blue	Opaque Dark Green	Opaque Dark Green
Glass	1	1	1	1	1	1	-	1	1	1
Burial #										
Level	11	11	11	11	11	11	=	11	11	11
Layer	v	5	5	5	5	5	5	5	S	5
Block	2	2	2	2	2	2	2	2	2	2
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	Ξ	11	11	11	11	11	11	11	11	11
Bead	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Catalogue Number	1278	1278	1278	1278	1278	1278	1278	1278	1278	1278
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02501	AKC02501	AKC02501	AKC02501	AKC02501	AKC02501	AKC02501	AKC02501	AKC02501	AKC02501

Notes						2.93 mm long	see also: AKC03043 and AKC03042				
Glass Width Category (mm)	4.5	4	4	3.5	ς,	2.5	5.5	5.5	5.5	4.5	2
Glass	Opaque Light Green	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Dark Blue	Opaque Dark Blue	Opaque Yellow	Opaque Yellow	Opaque Red
Glass Quantity	1	1	1	1	5	1	1	1	1	1	1
Burial #											
Level	11	22	22	22	22	22	23	23	20	20	20
Layer	2	7	7	7	7	7	7	7	7	7	7
Block	2	2S	2S	2S	2S	2S	2S	2S	2N	2N	2N
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	111	6	6	6	6	6	2	2	4	4	4
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Catalogue Number	1278	2481	2481	2481	2481	2481	2575	2575	1675	1675	1675
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02501	AKC02502	AKC02502	AKC02502	AKC02502	AKC02502	AKC02504	AKC02504	AKC02505	AKC02505	AKC02505

_	$^{\sim}$	_
٠.	u	•
,	-,	-

											1	(
Notes												
Glass Width Category (mm)	æ	4.5	7	3	2.5	4	3.5	2	3.5	3.5	7	2.5
Glass	Opaque Dark Green	Opaque Dark Blue	Opaque Black	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Light Green	Opaque Light Blue	Opaque Yellow	Opaque Red	Opaque Yellow
Glass Quantity	1	1	1	1	1	1	1	1	1	1	1	1
Burial #												
Level	20	20	20	20	20	20	20	19	19	19	19	19
Layer	7	7	7	7	7	7	7	7	7	7	7	7
Block	2N	2S	2S	2S	2S	2S	2S	2S	2S	2S	2S	2S
Unit	AB7	Ab7	Ab7	Ab7	Ab7	Ab7	Ab7	AB7	AB7	AB7	AB7	AB7
Quantity	4	10	10	10	10	10	10	8	8	8	8	8
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Catalogue Number	1675	1649	1649	1649	1649	1649	1649	1574	1574	1574	1574	1574
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02505	AKC02506	AKC02506	AKC02506	AKC02506	AKC02506	AKC02506	AKC02507	AKC02507	AKC02507	AKC02507	AKC02507

							Ø						598
Notes		3.38 mm long	3.38 mm long				Segmented beads				Fragments	Fragments	
Glass Width Category (mm)	c,	3.5	3.5	3.5	< 2	< 2	< 2	< 2	< 2	< 2			
Glass Color	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Black	Purple	Purple	Opaque Light Green	Opaque Orange	Opaque Black	Opaque Yellow	Opaque Light Green	
Glass Quantity	-	-	-	-	6	_	3	21	115	6	-	-	
Burial #					F36	F36	F36	F36	F36	F36			
Level	19	19	19	19	23	23	23	23	23	23	10	10	
Layer	7	7	7	7	7	7	7	7	7	7	S	5	
Block	2S	2S	2S	2S	2N/3N	2N/3N	2N/3N	2N/3N	2N/3N	2N/3N	7	2	
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	
Quantity	∞	∞	∞	∞	186	186	186	186	186	186	10	10	
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific?	Indo- Pacific?	Indo- Pacific?	Indo- Pacific?	Indo- Pacific?	Indo- Pacific?	Indo- Pacific	Indo- Pacific	
Catalogue Number	1574	1574	1574	1574	2791	2791	2791	2791	2791	2791	1242	1242	
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	
Database ID	AKC02507	AKC02507	AKC02507	AKC02507	AKC02510	AKC02510	AKC02510	AKC02510	AKC02510	AKC02510	AKC02511	AKC02511	

Notes				Dark streaks in glass						4.44 mm long
Glass Width Category (mm)	4.5	S.	3	6.5	2	3	3	4	4.5	3
Glass	Opaque Light Green	Opaque Dark Green	Opaque Light Green	Opaque Dark Green	Trans/Sem i-Trans Light Blue	Transluce nt Dark Blue	Opaque Red	Opaque Light Blue	Opaque Dark Green	Trans/Sem i-Trans Light Blue
Glass	1	1	1	1	1	1	1	1	1	1
Burial #										
Level	10	10	10	10	10	10	10	11	11	17
Block Layer	S	S	S	5	5	S	5	5	S	7
Block	2	2	2	2	2	2	2	2	2	2S
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	10	10	10	10	10	10	10	2	2	2
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Catalogue Number	1242	1242	1242	1242	1242	1242	1242	1277	1277	1468
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02511	AKC02511	AKC02511	AKC02511	AKC02511	AKC02511	AKC02511	AKC02513	AKC02513	AKC02514

Notes		2 additional pieces of stone/unknown material? not measured.				6.90 mm long	Also included 3 tooth pendants		Dark streaks in orange bead		
Glass Width Category (mm)	3.5	4	2	2	3.5	5	2	2	3	7	2
Glass	Opaque Yellow	Transluce nt Dark Blue	Opaque Red	Trans/Sem i-Trans Light Blue	Opaque Light Green	Opaque Red	Opaque Light Green	Opaque Black	Opaque Orange	Opaque Red	Opaque Orange
Glass Quantity	1	1	1	1	1	1	10	2	1	3	6
Burial #							F36	F36	F36	F36	F36
Level	17	14	14	14	14	14	23	23	23	23	23
Layer	7	9	9	9	9	9	7	7	7	7	7
Block Layer	2S	2	2	2	2	2	2N/3N	2N/3N	2N/3N	2N/3N	2N/3N
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	2	5	5	5	5	5	23	23	23	23	23
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Catalogue Number	1468	1375	1375	1375	1375	1375	2794	2794	2794	2794	2794
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02514	AKC02515	AKC02515	AKC02515	AKC02515	AKC02515	AKC02516	AKC02516	AKC02516	AKC02516	AKC02516

Notes			Also found with one copper bead		Fragments				Has both red and green stripes (Indo-Pacific bead). One copper bead not recorded	
Glass Width Category (mm)	2	3	4	3.5		2.5	3.5	3.5	5.5	7
Glass	White/Cre am	Opaque Yellow	Opaque Yellow	Opaque Dark Blue	Opaque Light Green	Opaque Red	Opaque Red	Opaque Light Blue	Black w/ multipule stripes	Transluce nt Yellow
Glass	1	1	1	1	1	1	1	1	-	1
Burial #	F36									
Level	23	17	∞	∞	∞	∞	∞	∞	∞	10
	7	7	S	S	S	5	5	S	v	5
Block Layer	2N/3N	2	2	2	2	2	2	2	2	3
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	23	1	7	7	7	7	7	7	7	1
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific?
Catalogue Number	2794	1507	1181	1181	1181	1181	1181	1181	1181	1255
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02516	AKC02517	AKC02518	AKC02518	AKC02518	AKC02518	AKC02518	AKC02518	AKC02518	AKC02519

Notes				3.41 mm long	Brighter yellow color than other bead				
Glass Width Category (mm)	2.5	3.5	3	3	< 2	3.5	3.5	3	3
Glass	Opaque Dark Green	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Red	Opaque Light Green
Glass	1	2	1	1	9	1	1	1	1
Burial #									
Level	21	21	21	21	22	22	13	13	13
	7	7	7	7	7	7	S	5	S
Block Layer	2S	2S	2S	2S	2N	2N	7	2	2
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	5	5	5	5	7	7	3	3	3
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Catalogue Number	1768	1768	1768	1768	2494	2494	1346	1346	1346
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02520	AKC02520	AKC02520	AKC02520	AKC02521	AKC02521	AKC02522	AKC02522	AKC02522

Notes									4.66 mm long			
Glass Width Categor y (mm)	< 2	< 2	< 2	3	2.5	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2	2	3	4	4.5	< 2
Glass	White/Cre am	Opaque Red	Opaque Orange	Opaque Yellow	Opaque Yellow	Opaque Red	Opaque Orange	Opaque Light Green	Opaque Red	Opaque Yellow	Opaque Light Green	Opaque Red
Glass Quantity	43	1	1	5	3	5	1	1	1	1		1
Burial #	F5	F5	F5									F36
Level	19	19	19	23	23	23	23	23	23	18	4	23
	7	7	7	7	7	7	7	7	7	7	2	7
Block Layer	2N	2N	2N	2S	2S	2S	2S	2S	2S	2N	2	2n/3n
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	45	45	45	16	16	16	16	16	16	-	-	2
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	
Catalogue Number	1635	1635	1635	2563	2563	2563	2563	2563	2563	1541	1049	2782
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02523	AKC02523	AKC02523	AKC02524	AKC02524	AKC02524	AKC02524	AKC02524	AKC02524	AKC02525	AKC02526	AKC02527

Notes				3.55 mm long	4.12 mm long	4.18 mm long			Dark streaks in glass	Dark streaks in glass	
Glass Width Categor y (mm)	2	S	8	3.5	3.5	3	2	£	S	9	4
Glass	Opaque Light Green	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Yellow	Opaque Red	Opaque Orange	Trans/Sem i-Trans Light Blue	Opaque Orange	Opaque Orange	Transluce nt Dark Blue
Glass Quantity	1			-	1	1	5	-		-	3
Burial #	F36					F22	F22				
Level	23	21	21	21	21	23	23	6	7	7	12
Layer	7	7	7	7	7	7	7	5	S	5	S
Block	2n/3n	2S	2S	2S	2S	2N	2N	2	2	2	2
Uni	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	2	4	4	4	4	9	9	-	2	2	49
Bead Shape		Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific			Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Catalogue Number	2782	1770	1770	1770	1770	2634	2634	1205	1152	1152	1314
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02527	AKC02528	AKC02528	AKC02528	AKC02528	AKC02529	AKC02529	AKC02530	AKC02531	AKC02531	AKC02533 AKC02534

	ı	1					l		l		
Notes											
Glass Width Categor y (mm)	3.5	3	4	5	4	3.5	5	4.5	3.5	< > 2	3.5
Glass	Transluce nt Dark Blue	Trans/Sem i-Trans Light Blue	Transluce nt Dark Blue	Opaque Yellow	Opaque Yellow	Opaque Red	Opaque Red	Opaque Red	Opaque Red	Opaque Red	Opaque Light Green
Glass Quantit y	2	1	5	1	3	14	1	3	2	-	2
Burial #											
Level	12	12	12	12	12	12	12	12	12	12	12
Layer	5	5	5	5	5	5	5	5	5	5	5
Block	2	2	2	2	2	2	2	2	2	2	2
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	49	49	49	49	49	49	49	49	49	49	49
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1314	1314	1314	1314	1314	1314	1314	1314	1314	1314	1314
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534

	Λ	-
h		r
v	v	٧.

Notes		6.88 mm long				10.09				
Glass Width Categor y (mm)	4	S	3	ς.	2	2	3.5	4.5	3	2
Glass	Trans/Sem i-Trans Light Blue	Trans/Sem i-Trans Light Blue	Trans/Sem i-Trans Light Blue	Trans/Sem i-Trans Light Blue	Transluce nt Dark Blue	Opaque Red	Opaque Red	Transluce nt Dark Blue	Opaque Yellow	Opaque Red
Glass Quantit y	3	1	1	-	1		2	1	1	1
Level Burial#									F1	F1
Level	12	12	12	12	12	12	12	12	20	17
Layer	2	S	S	5	S	S	S	S	7	7
Block	2	2	2	2	2	2	2	2	2S	2n
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	49	49	49	49	49	49	49	49	1	-1
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1314	1314	1314	1314	1314	1314	1314	1314	1710	1491
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02533 AKC02534	AKC02535	AKC02536

Notes	half fragment				fragments		1 small piece of clay also found with these beads.			Fragments	Slag? L: 7.47 W:5.06 AB106N	AB107J
Glass Width Categor y (mm)		3.5	3	4		4	4	3	< 2	N/A	S	2
Glass	Opaque Red	Opaque Red	Opaque Light Green	Opaque Red	Opaque Yellow	Opaque Red	Opaque Yellow	Opaque Yellow	Opaque Orange	N/A	Opaque Black	Opaque Yellow
Glass Quantit y	1	1	1	1	1	1	1		-	N/A	-	1
Burial#							F1	F1	F1	F37	F37	F37
Level	18	13	5	5	19	19	17	17	17	28	23	23
Layer	7	5	3	3	7	7	7	7	7	7	7	7
Block	2S	2	1	1	2N	2N	2n	2n	2n	2/3S	2S	2S
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	_	-	2	2	2	2	3	3	3	0	8	∞
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Fragments	Indo- Pacific	Indo- Pacific
Cat Number	1545	1345	1080	1080	1569	1569	1523	1523	1523	2819	2766	2766
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02537	AKC02538	AKC02539	AKC02539	AKC02540	AKC02540	AKC02541	AKC02541	AKC02541	AKC02542	AKC02543	AKC02543

Notes	AB108V	AB109R			Found with bone tooth pendant				Large hole	a few are slightly less than 2mm	Also found with 10 gold beads (approx 2mm)
Glass Width Categor y (mm)	3	< > 2	2	2	3	c		2	4	2	< > 2
Glass	Opaque Green- Yellow	Opaque Red	Opaque Red	Opaque Yellow	Opaque Black	Opaque Light Green	Opaque Orange	Opaque Yellow	Opaque Light Green	Opaque Black	Opaque Orange
Glass Quantit y	-	1	2	2	1	1	1	1	1	35	46
Burial #	F37	F37	F37	F37	F31	F43b	F39	F39	F26	F44	F44
Level	23	23	23	23			24	24	21	28	28
Layer	7	7	7	7			7	7	7	∞	∞
Block	2S	2S	2S	2S	Z	3/4	38	38	38	5S/4S	5S/4S
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	∞	∞	∞	8	1	1	2	2	1	81	81
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Spherical	Spherical
Cat Number	2766	2766	2766	2766	2451	3151	2880	2880	2385	3199	3199
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02543	AKC02543	AKC02543	AKC02543	AKC02545	AKC02546	AKC02547	AKC02547	AKC02548	AKC02549	AKC02549

Notes			AB099J	Fragments		Unrounded edges		weathered, minty green			
Glass Width Categor y (mm)	4	2	3		2.5	2	7	2.5	2	2	2
Glass	Trans/Sem i-Trans Light Blue	Opaque Light Green	Opaque Yellow	Opaque Light Green	Opaque Yellow	Opaque Orange	Opaque Dark Blue	Opaque Light Green	Opaque Orange	Opaque Red	Opaque Orange
Glass Quantit y	-	-	-	1	-	-	-	-	-	1	1
Burial#	F39	F39	F30	F52	F20	F25	F17	F3	F3	F8	F8
Level	24	24	23	26			19	19	19	20	20
Layer	7	7	5	5			7	7	7	7	7
Block	38	38	5S	SN	3N	N4	П	Z	N	3N	3N
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	7	2	1	1	1	1	1	2	2	8	3
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2913	2913	2731	3391	2753	2414	1863	1797	1797	1701	1701
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02550	AKC02550	AKC02551	AKC02552	AKC02553	AKC02554	AKC02555	AKC02556	AKC02556	AKC02557	AKC02557

Notes		L: 8.11 (opaque)	L: 6.95 W:9.35 AB118V	AB079R				L:8.22		See also other beads from F10 in Tag 2373	2
Glass Width Categor y (mm)	7	2	6	3	2	7	2	2	< × × × × × × × × × × × × × × × × × × ×	2	Opaque Light Green
Glass	Opaque Black	Blue- Green	Opaque Dark Green	Opaque Red	Opaque Yellow	Opaque Orange	Opaque Orange	Opaque Red	Trans/Sem i-Trans Light Blue	Opaque Yellow	2
Glass Quantit y	1	1	1	1	1	-	П	1	1	2	2
Burial#	F8	F39	F44	F11	F2	F4	F43a	F42	F8	F10	F10
Level	20		24	17	19	18	25	26	20	22	22
Layer	7		5	7	7	7	7	5	7	5	5
Block Layer	3N	38	5S/4S	18	Z	18	3/4S	4 N	3N	4S	4S
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	3	1	1	-	1	1	1	1	1	4	4
Bead Shape	Indo- Pacific	Indo- Pacific	Short Barrel	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1701	2910	3138	1552	1807	1606	3092	3065	1677	2363	2363
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02557	AKC02558	AKC02559	AKC02560	AKC02561	AKC02562	AKC02563	AKC02564	AKC02565	AKC02566	AKC02566

Notes	Other beads from F10 in Tag 2363					slag? Opaque	One bead broken			Alsou found with 2 gold beads (<2mm)	plus numerous broken frags
Glass Width Categor y (mm)	< 2	2.5	2	< 2	2		2.5	< > 2	< 2	2	2
Glass Color	Red/Oran ge	Opaque Yellow	Opaque Light Green	Opaque Light Green	Opaque Light Green	White/Cre am	Opaque Yellow	Red/Oran ge	Opaque Light Green	Opaque Light Green	Opaque Light Green
Glass Quantit y	3	2	4	1	1	1	4	7	4	Т	24
Burial#	F10	F10	F4	F4	F4	F4	F20	F39	F39	F39	F27
Level			19	19	19	19	23	24	24	24	23
Block Layer			7	7	7	7	7	7	7	7	5
			18	18	18	18	3N	3S	3S	3S	4S
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	5	5	5	5	2	2	4	6	6	6	32
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2373	2373	1872	1872	1875	1875	1828	2920	2920	2920	2511
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02567	AKC02567	AKC02568	AKC02568	AKC02569	AKC02569	AKC02570	AKC02571	AKC02571	AKC02571	AKC02572

Notes	L:3.33		L:3.41 AB087J	L: 4.07 AB088J	L: 4.71 AB089O			plus numerous broken frags			
Glass Width Categor y (mm)	5.5	3	9	5	4.5	5	9	2	2	2	< 2
Glass	Opaque Yellow	Opaque Black	Opaque Yellow	Opaque Yellow	Opaque Orange	Opaque Orange	Opaque Yellow	Opaque Light Green	Opaque Black	Opaque Light Green	Opaque Light Green
Glass Quantit y	1	-	-	П	П	П	П	1	1	2	4
Burial#	F27	F8	F8	F8							
Level	23	23	23	23	23	23	23	23	20	20	20
Layer	S	S	S	5	S	5	5	S	7	7	7
Block	4S	3N	3N	3N							
Unit	AB7	AB7	AB7	AB7							
Quantity	32	32	32	32	32	32	32	32	25	25	25
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific							
Cat Number	2511	2511	2511	2511	2511	2511	2511	2511	1700	1700	1700
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei							
Database ID	AKC02572	AKC02573	AKC02573	AKC02573							

Notes			L: 4.42 AB103R	AB101V	AB100V	AB102O	broken	broken			
Glass Width Categor y (mm)	< 2	< 2	5	2	2	4			4.5	4	3
Glass	Opaque Orange	Opaque Red	Opaque Red	Opaque Light Green	Opaque Light Green	Opaque Orange	Opaque Red	Opaque Light Green	Opaque Yellow	Opaque Yellow	Opaque Orange
Glass Quantit y	12	9	1	1	1		-	1	2	-	16
Burial #	F8	F8	F35	F35	F35	F35	F35	F35	F35	F35	F35
Level	20	20	24	24	24	24	24	24	24	24	24
Layer	7	7	5	S	S	S	S	S	S	S	S
Block	3N	3N	4S	4S	4S	4S	48	4S	4S	4S	4S
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	25	25	213	213	213	213	213	213	213	213	213
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1700	1700	2732	2732	2732	2732	2732	2732	2732	2732	2732
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02573	AKC02573	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575

6	1	4
---	---	---

		I		1	1	1						1
Notes		L: 3.21		Many broken frags				L:3.23. Also found with 4 gold beads (<2mm)		off-white, dirty with black on surface		
Glass Width Categor y (mm)	3.5	5.5	4.5	2	2	< > 2	\ \ \ \ \ \	\ \ 2	2	2	2	2
Glass	Opaque Red	Opaque Red	Opaque Red	Opaque Light Green	Opaque Black	Opaque Yellow	Opaque Orange	Opaque Orange	Opaque Black	Opaque Orange	Opaque Black	White/Cre am
Glass Quantit y	5		7	129	42	2	-	1	14	42	2	1
Burial #	F35	F35	F35	F35	F35	F35	F35	F35	F48	F48	F48	F48
Level	24	24	24	24	24	24	24	24	25	25	25	25
Layer	5	5	S	S	5	S	5	S	5	5	S	S
Block	48	4S	4S	4S	4S	4S	4S	4S	NS	SN	SN	SN
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	213	213	213	213	213	213	213	213	99	56	4	4
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2732	2732	2732	2732	2732	2732	2732	2732	3284	3284	3278	3278
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02574 AKC02575	AKC02576	AKC02576	AKC02577	AKC02577

Notes						AB1140	AB116V	AB115V	AB1170	Heavily weathered glass (?) hexagonal short barrel bead. L: 12.08 W: 13.12 IPA: 2:05 IPB: 2.43
Glass Width Categor y (mm)	< 2	7	2	< 2	2	2	< > 2	2	2	
Glass	Opaque Orange	Opaque Black	Opaque Orange	Opaque Red	Opaque Light Green	Opaque Orange	Opaque Light Green	Opaque Light Green	Opaque Orange	White/Cre am
Glass Quantit y	_	7	6	2	13	1	1	1	1	_
Burial #	F48	F26	F26	F26	F26	F26	F26	F26	F26	
Level	25	23	23	23	23	23	23	23	23	16
Layer	5	7	7	7	7	7	7	7	7	7
Block Layer	SN	2N/3N	2N/3N	2N/3N	2N/3N	AB7 2N/3N	2N/3N	2N/3N	2N/3N	2
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	4	35	35	35	35	35	35	35	35	1
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Hexagonal short barrel
Cat Number	3278	2792	2792	2792	2792	2792	2792	2792	2792	1432
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02577	AKC02578	AKC02578	AKC02578	AKC02578	AKC02578	AKC02578	AKC02578	AKC02578	AKC02580

tes				arks on ce?						eathered, ical	elieved to but was	elieved to but was ss
Notes				Black marks on surface?						broken, weathered, spherical	Broken. Believed to be garnet but was glass	Broken. Believed to be garnet but was glass
Glass Width Categor y (mm)	2	< 2	2	2	7	4	5	5	4	10		
Glass Color	Opaque Light Green	Opaque Yellow	Opaque Yellow	White/Cre am	Opaque Red	Opaque Red	Opaque Red	Trans/Sem i-Trans Light Blue	Opaque Yellow	Opaque Dark Green	Purple Transluce nt	Purple Transluce nt
Glass Quantit y	1	1	6	1	1	1	2	1	_	-	1	1
Burial #	F31	F31	F31									
Level	20	20	20	21	12	12	12	12	12	12		
Block Layer	7	L	7	7	5	5	5	5	S	5		
	IN	NI	IN N	3N	7	7	2	2	2	2		
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7		
Quantity	11	11	11	1	L	L	<i>L</i>	L	7	7	1	1
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific?	Indo- Pacific?
Cat Number	2448	2448	2448	1827	1313	1313	1313	1313	1313	1313	1386	1314
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02581	AKC02581	AKC02581	AKC02582	AKC02583	AKC02583	AKC02583	AKC02583	AKC02583	AKC02583	AKC02584	AKC02585

									υ		
Notes	L: 6.74				L: 3.02	L: 5.55	L: 4.76	L: 5.37	L: 8.36 W:8.45. Spherical shape, one end is slightly pointed. Not IP?		
Glass Width Categor y (mm)	S	3.5	5.5	6.5	6.5	2.5	3	6.5	8.5	4.5	3.5
Glass	Transluce nt Dark Blue	Opaque Yellow	Transluce nt Dark Blue	Transluce nt Dark Blue	Transluce nt Dark Blue	Opaque Red	Opaque Orange	Transluce nt Dark Blue	Transluce nt Dark Blue	Opaque Yellow	Opaque Yellow
Glass Quantit y	1	1	3	3	1	1	1	1	1	1	1
Burial#	F16	F16	F16	F16							
Level	20	20	20	20	«	∞	∞	4	12	12	12
Layer	7	7	7	7	S	5	5	2	S	5	S
Block	2N	2N	2N	2N	8	3	8	5	8	8	3
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	∞	8	∞	&	3	3	3		13	13	13
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1767	1767	1767	1767	1191	1191	1191	2066	1326	1326	1326
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02586	AKC02586	AKC02586	AKC02586	AKC02587	AKC02587	AKC02587	AKC02588	AKC02589	AKC02589	AKC02589

Notes									L: 2.6. Believed to be garnet but found was glass		
Glass Width Categor y (mm)	2.5	2.5	2.5	3.5	5	5.5	4.5	6.5	5.5	4	8
Glass	Opaque Light Green	Opaque Orange	Opaque Red	Opaque Red	Opaque Red	Opaque Red	Trans/Sem i-Trans Light Blue	Trans/Sem i-Trans Light Blue	Purple	Blue- Green	Trans/Sem i-Trans Light Blue
Glass Quantit y	1	1	3	1	1	1	1	-	1	1	_
Burial#											
Level	12	12	12	12	12	12	12	12	7	7	7
Layer	5	5	5	5	5	5	5	S	33	3	3
Block Layer	3	3	3	3	3	3	3	S.	S	5	S
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	13	13	13	13	13	13	13	13	С	3	3
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1326	1326	1326	1326	1326	1326	1326	1326	2111	2111	2111
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02589	AKC02589	AKC02589	AKC02589	AKC02589	AKC02589	AKC02589	AKC02589	AKC02590	AKC02590	AKC02590

Notes	L: 2.93. Believed to be garnet but found was glass	Broken. Measurements- L: 11.81 W:6.4 Thickness: 4.46 IP:		Broken square barrel	Measurements: L: 10.83 W: 14.29 IPA: 3.86 IPB: 4.02	fragments	L: 5.10	L: 5.46	L: 6.23
Glass Width Categor y (mm)	4		S				7	6.5	7.5
Glass	Purple	Opaque Yellow	Trans/Sem i-Trans Light Blue	Transluce nt Dark Blue	Opaque Yellow	Trans/Sem i-Trans Light Blue	Opaque Dark Green	Transluce nt Dark Blue	Opaque Yellow
Glass Quantit y	-		-	1	1	-	1	1	1
Burial #									
Level	17	15	15	15	∞	9	9	9	9
Layer	7	9	9	9	8	3	8	8	3
Block Layer	2N	2	2	2	2	2	2	2	2
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	-	8	ε	3	1	4	4	4	4
Bead Shape	Indo- Pacific	Indo- Pacific?	Indo- Pacific?	Indo- Pacific?	Wound faience?	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1467	1402	1402	1402	2126	1120	1120	1120	1120
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02591	AKC02592	AKC02592	AKC02592	AKC02593	AKC02594	AKC02594	AKC02594	AKC02594

Notes	L: 5.42	broken fragments				L: 20.07 W: 24.69		Weathered		
Glass Width Categor y (mm)	6.5	N/A	2.5	6.5	4.5		4	3.5	5.5	2
Glass	Transluce nt Dark Blue	Trans/Sem i-Trans Light Blue	Opaque Black	Opaque Yellow	Opaque Yellow	Opaque Light Green	Opaque Light Green	Opaque Orange	Opaque Yellow	Opaque Light Green
Glass Quantit y	-	-		-	_	-	1		-	-
Burial #										
Level	7	13	13	13	13	13	13	11	11	11
Layer	5	9	9	9	9	9	9	S	5	5
Block	33	3	3	3	3	E.	3	3	3	3
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	1	9	9	9	9	9	9	1	7	7
Bead Shape	Indo- Pacific	Indo- Pacific?	Indo- Pacific?	Indo- Pacific?	Indo- Pacific?	Indo- Pacific?	Indo- Pacific?	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1163	1358	1358	1358	1358	1358	1358	1289	1292	1292
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02595	AKC02596	AKC02596	AKC02596	AKC02596	AKC02596	AKC02596	AKC02597	AKC02598	AKC02598

													,
Notes												dark stripes	
Glass Width Categor y (mm)	4	4.5	3.5	3	2	3.5	4	9	3.5	3	3	4	4
Glass	Transluce nt Dark Blue	Opaque Red	Opaque Red	Opaque Red	Opaque Red	Opaque Red	Opaque Red	Opaque Light Green	Opaque Light Green	Opaque Light Green	Opaque Red	Opaque Red	Opaque Yellow
Glass Quantit y	1	1	1	1	1	1	1	1	1	1	1	1	1
Burial#													
Level	11	11	11	11	11	12	13	11	11	11	11	11	11
Layer	5	5	5	5	5	5	9	9	9	9	9	9	9
Unit Block Layer	3	3	3	3	3	3	8	3	3	3	8	3	3
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	7	7	7	7	7	1	-	8	8	8	∞	8	∞
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat	1292	1292	1292	1292	1292	1325	1357	1386	1386	1386	1386	1386	1386
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02598	AKC02598	AKC02598	AKC02598	AKC02598	AKC02599	AKC02600	AKC02601	AKC02601	AKC02601	AKC02601	AKC02601	AKC02601

		I			1					1	
Notes	6.27			5.67 mm							
Glass Width Categor y (mm)	3	4	< 2	4	5	3	2	3.5	4	3	4.5
Glass	Opaque Orange	Trans/Se mi-Trans Light Blue	Opaque Light Green	Opaque Light Blue	Opaque Red	Opaque Yellow	Opaque Yellow	Opaque Red	Opaque Yellow	Opaque Red	Trans/Se mi-Trans Light Blue
Glass Quantit y	-	-	1	1	1			1	1	1	
Burial #											
Level	11	11	15	16	16	16	17	17	18	19	20
Layer	9	9	9	7	7	7	7	7	7	7	7
Unit Block Layer	3	ĸ	П	3	3	3	3	3	3	3n	35
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	∞	∞	1	1	2	2	2	2	1	-	3
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1386	1386	1397	1429	1428	1428	1451	1451	1478	1506	1613
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02601	AKC02601	AKC02602	AKC02604	AKC02605	AKC02605	AKC02607	AKC02607	AKC02609	AKC02610	AKC02611

r	ı	ı — —		1			1					
Notes												
Glass Width Categor y (mm)	2	3.5	4.5	\$	2	2.5	< 2	3	2	3	3	3
Glass	Opaque Yellow	Opaque Yellow	Transluce nt Dark Blue	Transluce nt Dark Blue	Opaque Light Green	Opaque Light Green	White/Cr eam	Opaque Orange	Opaque Yellow	Opaque Red	Opaque Red	Opaque Red
Glass Quantit y	1	1	1	1	1	1	1	1	1	1	1	1
Burial #										10	10	10
Level	20	20	22	22	22	22	22	22	22	9	9	9
Layer	7	7	7	7	7	7	7	7	7	S	S	5
Unit Block Layer	35	35	35	35	35	35	35	35	35	3	3	3
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	3	3	7	7	7	7	7	7	7	5	5	5
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1613	1613	2487	2487	2487	2487	2487	2487	2487	1255	1255	1255
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02611	AKC02611	AKC02612	AKC02612	AKC02612	AKC02612	AKC02612	AKC02612	AKC02612	AKC02613	AKC02613	AKC02613

Notes										8.22 mm long
Glass Width Categor y (mm)	3	2.5	2.5	2	S	ς,	S	4	3.5	2.5
Glass	Trans/Se mi-Trans Light Blue	Opaque Light Green	Opaque Light Green	Opaque Yellow	Opaque Dark Blue	Opaque Light Green	Opaque Dark Blue	Opaque Red	Opaque Yellow	Opaque Yellow
Glass Quantit y	-	-				-		-		
Burial#	10	10								
Level	9	9	21	23	6	6	6	6	6	6
Layer	\$	5	7	7	5	5	5	S	5	5
Block	E	3	35	35	3	3	3	3	3	3
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	S	5	1	П	9	9	9	9	9	9
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1255	1255	1732	2635	1223	1223	1223	1223	1223	1223
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02613	AKC02613	AKC02614	AKC02615	AKC02616	AKC02616	AKC02616	AKC02616	AKC02616	AKC02616

Notes				8.01 mm long								
Glass Width Categor y (mm)	3.5	4	4.5	2	2.5	2	7	3	4.5	33	3.5	4
Glass	Trans/Sem i-Trans Light Blue	Opaque dark blue	Opaque Yellow	Opaque Dark Blue	Opaque Red	Opaque Orange	Opaque Red	Opaque Red	Opaque Light Blue	Opaque Light Blue	Opaque Red	Opaque Orange
Glass Quantit y	-	-	-		1	1	3	2	2	2	7	1
Burial#												
Level	6	S	9	9	4	4	16	16	16	16	16	16
	S	4	4	4	2	2	4	4	4	4	4	4
Unit Block Layer	E	3	3	Е	3	3	9	9	9	9	9	9
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	_	1	2	2	7	2	18	18	18	18	18	18
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1222	1101	1135	1135	1066	1066	2208	2208	2208	2208	2208	2208
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02618	AKC02619	AKC02620	AKC02620	AKC02621	AKC02621	AKC02622	AKC02622	AKC02622	AKC02622	AKC02622	AKC02622

Notes			6.75 mm long		5.23 mm long		orange stripes				
Glass Width Categor y (mm)	4.5	3.5	3.5	3.5	κ	3	4	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	С	2.5	2.5
Glass	Opaque Red	Opaque Black	Opaque Orange	blue w/ pinkish stripes	Opaque Light Blue	Opaque Yellow	Opaque Yellow	Opaque Orange	Opaque Yellow	Opaque Light Green	Opaque Yellow
Glass Quantit y	-	1		-	-	-				-	1
Burial #											
Level	16	16	16	16	16	16	25	23	20	20	20
Layer	4	4	4	4	4	4	5	5	5	5	5
Unit Block Layer	9	9	9	9	9	9	SN	5S	5	S	5
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	18	18	18	18	18	18	-	-	4	4	4
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2208	2208	2208	2208	2208	2208	3216	2446	2326	2326	2326
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02622	AKC02622	AKC02622	AKC02622	AKC02622	AKC02622	AKC02623	AKC02624	AKC02625	AKC02625	AKC02625

Notes	Weathered								Also found with a slag piece			
Glass Width Categor y (mm)	2	3	2	2	3.5	< 2	4	E	4	3	4	4
Glass	Opaque Orange	Opaque Red	Opaque Light Green	Opaque Black	Opaque Light Green	Opaque Light Green	Opaque Yellow	Opaque Light Green	Opaque Red	Opaque Red	Opaque Yellow	Transluce nt Dark Blue
Glass Quantit y	1	1	1	1	1	1	1	1	1	3	2	2
Burial #												
Level	20	19	18	18	18	18	18	18	18	16	16	16
Layer	v	S	4	4	4	4	4	4	4	4	4	4
Unit Block Layer	5	S	5	5	2	5	5	2	5	5	5	S
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	4	-	7	7	7	7	7	7	7	14	14	14
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2326	2306	2292	2292	2292	2292	2292	2292	2292	2251	2251	2251
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02625	AKC02626	AKC02627	AKC02627	AKC02627	AKC02627	AKC02627	AKC02627	AKC02627	AKC02628	AKC02628	AKC02628

Notes				5.50 mm long								7.57 mm long
Glass Width Categor y (mm)	2	4.5	3.5	4	3	3.5	3	3.5	3	3	4	4
Glass	Opaque Light Blue	Opaque Light Blue	Opaque Red	Opaque Red	Transluce nt Dark Blue	Opaque Light Green	Opaque Yellow	Opaque Red	Trans/Sem i-Trans Light Blue	Opaque Red	Opaque Red	Opaque Orange
Glass Quantit y	1	1	1	1	1	1	1	2	3	2	2	1
Burial#												
Level	16	16	16	16	16	16	16	15	15	15	15	15
	4	4	4	4	4	4	4	4	4	4	4	4
Unit Block Layer	S	S	S	5	5	5	5	S	5	S	S	5
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	14	14	14	14	14	14	14	17	17	17	17	17
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2251	2251	2251	2251	2251	2251	2251	2237	2237	2237	2237	2237
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02628	AKC02628	AKC02628	AKC02628	AKC02628	AKC02628	AKC02628	AKC02629	AKC02629	AKC02629	AKC02629	AKC02629

	ı	1	1	1		ı		1	ı	1		_
Notes				L: 5.02				broken				
Glass Width Categor y (mm)	2.5	8	2.5	4	3.5	8	4.5	9	8	2.5	< 2	3.5
Glass	Trans/Sem i-Trans Light Blue	Opaque Orange	Opaque Red	Opaque Red	Opaque Yellow	Opaque Red	Opaque Light Green	Trans/Sem i-Trans Light Blue	Opaque Red	Opaque Red	Opaque Red	Purple
Glass Quantit y	1	1	1	1	1	1	1	1	1	1	1	1
Burial#												
Level	15	15	15	15	15	15	15	41	14	14	13	13
Layer	4	4	4	4	4	4	4	4	4	4	4	4
Unit Block Layer	\$	S	S	5	5	5	5	v	5	S	S	5
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	17	17	17	17	17	17	17	3	3	3	6	6
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2237	2237	2237	2237	2237	2237	2237	2222	2222	2222	2190	2190
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02629	AKC02629	AKC02629	AKC02629	AKC02629	AKC02629	AKC02629	AKC02630	AKC02630	AKC02630	AKC02631	AKC02631

Notes											
Glass Width Categor y (mm)	4	4.5	3.5	2.5	4	2	2.5	3	4	4	3
Glass	Opaque Orange	Opaque Orange	Opaque Red	Opaque Red	Trans/Sem i-Trans Light Blue	Opaque Yellow	Opaque Light Green	Opaque Orange	Opaque Red	Opaque Light Green	Opaque Light Green
Glass Quantit y	-	1	1	1	1	1	1	1	1	1	1
Burial #											
Level	13	13	13	13	13	13	13	5	11	11	11
Layer	4	4	4	4	4	4	4	3	4	4	4
Unit Block Layer	5	5	S	5	5	S	5	5	S	S	5
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	6	6	6	6	6	6	6	1	3	3	3
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2190	2190	2190	2190	2190	2190	2190	2088	2159	2159	2159
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02631	AKC02631	AKC02631	AKC02631	AKC02631	AKC02631	AKC02631	AKC02632	AKC02633	AKC02633	AKC02633

	1										
Notes							Dark streaks in glass				
Glass Width Categor y (mm)	4.5	4.5	4	2.5	2.5	3	3.5	2.5	3	3.5	3
Glass	Opaque Yellow	Opaque Orange	Opaque Red	Opaque Light Blue	Opaque Red	Opaque Yellow	Opaque Red	Opaque Yellow	Opaque Red	Opaque Light Green	Opaque Light Green
Glass Quantit y	4	3	П	3	6	3	3	1	1	-	1
Burial#											
Level	4	4	4	4	4	4	4	4	4	4	4
Layer	10	10	10	10	10	10	10	10	10	10	10
Unit Block Layer	S	S	S	S	S	S	S	S	S	S	S
Unit	AB7	AB7	AB7	AB7	AB7						
Quantity	36	36	36	36	36	36	36	36	36	36	36
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific						
Cat Number	2210	2210	2210	2210	2210	2210	2210	2210	2210	2210	2210
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei						
Database ID	AKC02636 AKC02637	AKC02636 AKC02637	AKC02636 AKC02637	AKC02636 AKC02637	AKC02636 AKC02637						

_	1	\sim
O	3	Z

Notes												
Glass Width Categor y (mm)	4.5	3	3.5	< 2		3	2	2.5		< 2	3	2
Glass	Opaque Dark Blue	Transluce nt Dark Blue	Opaque Light Blue	Opaque Orange		Transluce nt Dark Blue	Opaque Light Blue	Opaque Yellow		Opaque Red	Opaque Yellow	Trans/Sem i-Trans Light Blue
Glass Quantit y	-	1	1	1		1				1	-	-
Burial #												
Level	4	4	4	27	20	20	20	33	6	19	19	21
Layer	10	10	10	5	4	4	4	9	3	4	4	S
Block	5	5	5	48	4	4	4	4S	4	4	4	4
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	36	36	36	1	7	2	7	1		2	2	8
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2210	2210	2210	2984	2291	2291	2291	3402	2123	2265	2265	2342
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02636 AKC02637	AKC02636 AKC02637	AKC02636 AKC02637	AKC02638	AKC02639	AKC02640	AKC02640	AKC02641	AKC02642	AKC02643	AKC02643	AKC02644

Notes											
Glass Width Categor y (mm)	2	2	5.5	2	< 2	9	3	e.	4.5	ε	3
Glass	Transluce nt Light Green	Opaque Light Green	Opaque Light Green	Opaque Orange	Opaque Orange	Transluce nt Dark Blue	Opaque Orange	Opaque Dark Blue	Opaque Dark Blue	Opaque Red	Opaque Light Green
Glass Quantit y	1	1	1	1	1	1	1	П		1	1
Burial #											
Level	21	21	14	14	24	13	15	15	17	17	17
Layer	v	S	4	4	S	4	4	4	4	4	4
Unit Block Layer	4	4	4	4	4S	4	4	4	4	4	4
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	3	3	2	2	1	1	2	7	4	4	4
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2342	2342	2169	2169	2500	2163	2191	2191	2231	2231	2231
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02644	AKC02644	AKC02646	AKC02646	AKC02647	AKC02648	AKC02649	AKC02649	AKC02650	AKC02650	AKC02650

Notes			4.96 mm long	Dark streaks in glass							
Glass Width Categor y (mm)	3	3	3	4.5	2	4.5	2	4	3	3	3
Glass	Opaque Light Blue	Opaque Light Green	Opaque Light Blue	Opaque Red	Opaque Orange	Opaque Light Green	Opaque Light Green	Transluce nt Dark Blue	Trans/Sem i-Trans Light Blue	Opaque Red	Opaque Light Green
Glass Quantit y	1	1	1	1	1	1	1	1	1	2	2
Burial #											
Level	17	21	21	22	22	4	4	16	16	15	15
Layer	4	5	5	5	5	17	18	4	4	4	4
Unit Block Layer	4	4	4	N4	74 N	4	4	4	4	4	4
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	4	2	2	7	2	П		2	2	10	10
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2231	2302	2302	2380	2380	2232	2252	2217	2217	2198	2198
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02650	AKC02652	AKC02652	AKC02653	AKC02653	AKC02654	AKC02655	AKC02656	AKC02656	AKC02657	AKC02657

Notes							3.56 mm long					
Glass Width Categor y (mm)	3.5	5.5	4	3.5	4	3	2.5	2.5	3	2	3	2.5
Glass	Opaque Light Blue	Opaque Light Blue	Opaque Light Green	Transluce nt Dark Blue	Opaque Orange	Opaque Red	Opaque Red	Opaque Orange	Opaque Yellow	Opaque Light Green	Opaque Red	Opaque Black
Glass Quantit y	2	1	1	1	1	1	1	1	1	1	1	5
Burial #												
Level	15	15	15	15	15	15	15	15	15	25	40	23
Layer	4	4	4	4	4	4	4	4	4	∞	6	7
Unit Block Layer	4	4	4	4	4	4	4	4	4	11S	18	N
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	10	10	10	10	10	10	10	10	10	1	1	16
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2198	2198	2198	2198	2198	2198	2198	2198	2198	2549	3041	2452
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02657	AKC02657	AKC02657	AKC02657	AKC02657	AKC02657	AKC02657	AKC02657	AKC02657	AKC02659	AKC02660	AKC02661

Notes											
Glass Width Categor y (mm)	2	3.5	< 2	< 2	2.5	2.5	2	< 2	2	< > 2	3
Glass	Opaque Orange	Opaque Light Green	Opaque Orange	Opaque Red	Opaque Red	Opaque Light Green	Opaque Red	Opaque Yellow	Opaque Light Green	Opaque Orange	Opaque Yellow
Glass Quantit y	11	1	1	-	1	1	-	1	1	П	1
Burial #											
Level	23	22	22	22	22	21	21	21	19	18	17
Layer	7	7	7	7	7	7	7	7	7	7	7
Unit Block Layer	Z	18	Z	Z	IN	18	18	Z	Z	Z	18
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	16	1	3	3	3	2	2	1	1	-	1
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	2452	2439	2427	2427	2427	2414	2414	5396	1687	1559	1524
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02661	AKC02662	AKC02663	AKC02663	AKC02663	AKC02664	AKC02664	AKC02666	AKC02667	AKC02668	AKC02669

Notes											
Glass Width Categor y (mm)	2.5	3.5	2	3.5	4.5	3	2.5	2.5	3.5	8	3
Glass	Trans/Sem i-Trans Light Blue	Opaque Red	Opaque Red	Opaque Dark Green	Opaque Orange	Transluce nt Dark Blue	Opaque Yellow	Trans/Sem i-Trans Light Blue	Opaque Orange	Opaque Dark Green	Opaque Red
Glass Quantit y	1	7	2	1	-	1	2	-	1	8	2
Burial #											
Level	16	16	16	16	16	16	16	16	16	16	13
Layer	7	7	7	7	7	7	7	7	7	7	5
Unit Block Layer	11S	18	18	18	18	18	18	11S	18	-	1
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	13	13	13	13	13	13	13	13	13	3	2
Bead	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1459	1459	1459	1459	1459	1459	1459	1459	1459	1456	1337
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02670	AKC02670	AKC02670	AKC02670	AKC02670	AKC02670	AKC02670	AKC02670	AKC02670	AKC02671	AKC02672

Notes			AB011BT	AB010BT					4.32 mm long		AB006P
Glass Width Categor y (mm)	7	5.5	4	4	2.5	3	2	3	3	2	3
Glass	Opaque Light Blue	Opaque Red	Transluce nt Dark Blue	Opaque Light Blue	Opaque Red	Opaque Yellow	Transluce nt Dark Blue	Opaque Red	Trans/Sem i-Trans Light Blue	Opaque Yellow	Black w/ multipule stripes
Glass Quantit y	1	1	1	1	1	2	1	1	1	1	1
Burial#											
Level		3	7	7	9	4	4	4	4	4	6
Unit Block Layer		2	3	3	3	2	2	2	2	2	ς.
Block		1	1	1	1	1	-	1	1	1	1
Unit		AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity		-	2	2	1	9	9	9	9	9	∞
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1203	1020	1145	1145	1114	1031	1031	1031	1031	1031	1120
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02673	AKC02674	AKC02675	AKC02675	AKC02676	AKC02679	AKC02679	AKC02679	AKC02679	AKC02679	AKC02680

	ı	1		1			1	ı	1	,
Notes	AB002BT	AB007R	AB009BC	AB003BT	AB004J	AB008V	AB005BC	AB056BT	3.96 mm long; AB057BT	AB055BT
Glass Width Categor y (mm)	4.5	3.5	2.5	2.5	2	4	4	2.5	3	4
Glass	Transluce nt Dark Blue	Opaque Red	Trans/Sem i-Trans Light Blue	Trans/Sem i-Trans Light Blue	Opaque Yellow	Opaque Light Green	Transluce nt Dark Blue	Trans/Sem i-Trans Light Blue	Blue- Green	Opaque Dark Blue
Glass Quantit y	1	1	1	1	П	1	1	1	1	1
Burial #										
Level	6	6	6	6	6	6	6	12	12	12
Layer	S	S	5	S	S	S	S	5	S	S
Unit Block Layer	-	-	1		-	-	-		-	1
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	8	∞	8	∞	∞	∞	&	4	4	4
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat	1120	1120	1120	1120	1120	1120	1120	1302	1302	1302
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02680	AKC02680	AKC02680	AKC02680	AKC02680	AKC02680	AKC02680	AKC02681	AKC02681	AKC02681

													640
Notes	AB058J	AB085V	AB084R	AB086J	AB09TV	AB0963	AB098J	AB095N	AB082R		AB083V	AB068B	
Glass Width Categor y (mm)	4	\ \ \	7	2	2	4	8	8	3.5	< 2		4	
Glass	Opaque Yellow	Opaque Light Green	Opaque Red	Opaque Yellow	Opaque Light Green	Opaque Light Blue	Opaque Yellow	Purple	Opaque Red	Opaque Light Green	Opaque Light Green	Opaque Dark Green	
Glass Quantit y	-	-	-		-	-	-	-	1	1			
Burial #													
Level	12	23	23	23	24	24	24	24	18	18	18	13	
Layer	S	7	7	7	∞	∞	∞	∞	7	7	7	S	
Block Layer	-	18	18	18	18	18	18	18	18	18	18	-	
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	
Quantity	4	3	3	3	4	4	4	4	3	3	3	6	
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	
Cat Number	1302	2471	2471	2471	2534	2534	2534	2534	1571	1571	1571	1335	
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	
Database ID	AKC02681	AKC02684	AKC02684	AKC02684	AKC02685	AKC02685	AKC02685	AKC02685	AKC02686	AKC02686	AKC02686	AKC02687	

Notes	AB065BT	AB06UBT	AB066J		AB060R	AB061R	AB062V	AB063J	7.27 mm long AB0270	AB026BT	AB028R	AB029R
Glass Width Categor y (mm)	4	4	3	2.5	4	3	3.5	N/A	3.5	4	4	3
Glass	Opaque Light Blue	Transluce nt Dark Blue	Opaque Yellow	Opaque Light Blue	Opaque Red	Opaque Red	Opaque Light Green	Unknown	Opaque Orange	Blue- Green	Opaque Red	Opaque Red
Glass Quantit y	-	1	1		П	1	1	1	_	1	1	1
Burial#												
Level	13	13	13	13	13	13	13	13	10	10	10	10
	S	5	5	S	v	5	5	S	5	v	S	5
Unit Block Layer	-	1	1	-	-	1			-	-	1	1
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	6	6	6	6	6	6	6	6	4	4	4	4
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1335	1335	1335	1335	1335	1335	1335	1335	1232	1232	1232	1232
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02687	AKC02687	AKC02687	AKC02687	AKC02687	AKC02687	AKC02687	AKC02687	AKC02688	AKC02688	AKC02688	AKC02688

Notes	AB018BT	AB020J	AB017V	AB021V	AB012BC	AB013B	AB025BC	AB024R	AB0152BC	7.34 mm long; AB014O	AB019O
Glass Width Categor y (mm)	3.5	3.5	3.5	4	6.5	5.5	ε	2	4	3	2.5
Glass	Trans/Sem i-Trans Light Blue	Opaque Yellow	Opaque Light Green	Opaque Light Green	Opaque Black	Opaque Light Blue	Transluce nt Dark Blue	Opaque Orange	Opaque Dark Blue	Opaque Orange	Opaque Orange
Glass Quantit y	1	1	1	1	1	1	1	1	1	1	1
Burial #											
Level	∞	∞	∞	∞	∞	∞	∞	∞	∞	∞	~
Layer	S	5	5	5	5	5	5	5	5	5	5
Unit Block Layer	-	-	-	-		-	-	1	-	-	1
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	14	14	14	14	14	14	14	14	14	14	14
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1169	1169	1169	1169	1169	1169	1169	1169	1169	1169	1169
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02689	AKC02689	AKC02689	AKC02689	AKC02689	AKC02689	AKC02689	AKC02689	AKC02689	AKC02689	AKC02689

												1
Notes	AB022R	AB016R	AB023BC	7.30 mm long; AB069R	AB073BT	AB07UR	AB075V	AB071O	AB076J	AB072V	AB070BT	AB078V
Glass Width Categor y (mm)	2.5	4.5	7	3	4	4	4	4	4	4	4	3
Glass	Opaque Red	Opaque Red	unknown	Opaque Red	Opaque Light Blue	Opaque Red	Opaque Light Green	Opaque Orange	Opaque Yellow	Opaque Light Green	Opaque Light Blue	Opaque Light Green
Glass Quantit y	-	-	-	1	-	_		-	-	-	-	1
Burial#												
Level	8	∞	∞	14	14	14	14	41	14	14	14	14
Layer	S	S	5	9	9	9	9	9	9	9	9	9
Unit Block Layer	-	-	П	1	1	-	-	-	-	-	1	-
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	14	14	14	11	11	=======================================	11	11	11	11	11	11
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1169	1169	1169	99£1	1366	1366	1366	1366	1366	1366	1366	1366
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02689	AKC02689	AKC02689	AKC02691	AKC02691	AKC02691	AKC02691	AKC02691	AKC02691	AKC02691	AKC02691	AKC02691

	ts								(s)	
Notes	AB077V; Fragments	ABOUUBT	AB050O	AB0USN	AB0U9V	AB051R	AB046V	AB048V (broken)	AB047V (fragments)	
Glass Width Categor y (mm)	N/A	5	3.5	3	2.5	2.5	3.5	4.5	N/A	3
Glass	Opaque Light Green	Trans/Sem i-Trans Light Blue	Opaque Orange	Opaque Black	Opaque Light Green	Opaque Red	Opaque Light Green	Opaque Light Green	Opaque Light Green	Opaque Orange
Glass Quantit y	1	1	1	1	1	1	1	1	1	1
Burial#										
Level	14	12	12	12	12	12	12	12	12	12
Layer	9	S	S	S	S	5	S	5	S	5
Block	-	1	-			-		1		-1
Unit	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7	AB7
Quantity	11	10	10	10	10	10	10	10	10	10
Bead Shape	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific	Indo- Pacific
Cat Number	1366	1301	1301	1301	1301	1301	1301	1301	1301	1301
Site Name	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei	Angkor Borei
Database ID	AKC02691	AKC02692	AKC02692	AKC02692	AKC02692	AKC02692	AKC02692	AKC02692	AKC02692	AKC02692

Notes		One clay piece and one gold bead also found.
) r		One
Glass Width Categor y (mm)	3.5	4
Glass Color	Trans/Sem i-Trans Light Blue	Trans/Sem i-Trans Light Blue
Glass Quantit y		1
Burial #		
Level	12	12
Layer	S	5
Block	1	1
Unit	AB7	AB7
Quantity Unit Block Layer Level Burial# Glass Quantit	10	10
Bead Shape	Indo- Pacific	Indo- Pacific
Cat Number	1301	1301
Database Site Name ID	Angkor Borei	Angkor Borei
Database ID	AKC02692 Angkor Borei	AKC02692

Appendix 7.1b: Glass beads from Phnom Borei

Database ID	Site Name	Catalogue Number	Bead Shape	Total # of beads	Glass Color	Glass Color Notes	Opacity
AKC01901	Phnom Borei	N/A	Indo-Pacific Bead	11	Red	Reddish- Brown	Opaque
AKC01902	Phnom Borei	N/A	Indo-Pacific Bead	11	Red	Reddish- Brown	Opaque
AKC01903	Phnom Borei	N/A	Indo-Pacific Bead	11	Red	Reddish- Brown	Opaque
AKC01904	Phnom Borei	N/A	Indo-Pacific Bead	11	Red	Reddish- Brown	Opaque
AKC01905	Phnom Borei	N/A	Indo-Pacific Bead	11	Red	Reddish- Brown	Opaque
AKC01906	Phnom Borei	N/A	Indo-Pacific Bead	11	Red	Reddish- Brown	Opaque
AKC01907	Phnom Borei	N/A	Indo-Pacific Bead	11	Yellow		Opaque
AKC01908	Phnom Borei	N/A	Indo-Pacific Bead	11	Yellow		Opaque
AKC01909	Phnom Borei	N/A	Indo-Pacific Bead	11	Dark Blue	Dark Turquoise	Semi- Translucent
AKC01910	Phnom Borei	N/A	Indo-Pacific Bead	Ξ	Black/blue?	Corroded? Has a white coating	Opaque
AKC01912	Phnom Borei	N/A	Large Indo Pacific Bead	1	Dark Blue	Intense blue color	Translucent

Opacity	Translucent	Opaque	Opaque	Opaque	Transparent	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Semi- Translucent	Opaque	Opaque	Opaque	Opaque	Opaque
Glass Color Notes	Dark Turquoise				Light turquoise								Shiny surface	Dark Turquoise					
Glass Color	Dark Blue	Red	Red	Red	Light Blue	Light Green	Orange	Yellow	Red	Red	Red	Red	Red	Dark Blue	Yellow	Yellow	Red	Red	Red
Total # of beads	1	1	1	1	1	1	7	7	7	7	7	7	7	6	6	6	6	6	6
Bead Shape	Indo-Pacific Bead	Indo-Pacific Micro Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead											
Catalogue Number	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Site Name	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei				
Database ID	AKC01913	AKC01914	AKC01915	AKC01916	AKC01917	AKC01918	AKC01919	AKC01920	AKC01921	AKC01922	AKC01923	AKC01924	AKC01925	AKC01926	AKC01927	AKC01928	AKC01929	AKC01930	AKC01931

Opacity	Opaque	Opaque	Opaque Translucent	Opaque	Opaque	Semi- Translucent	Opaque										
Glass Color Notes			Opaque in the middle with translucent edges			Dark Turquoise										Shiny surface	Shiny surface
Glass Color	Red	Red	White	Black	Black	Dark Blue	Light Green	Orange	Red								
Total # of beads	6	6	6	15	15	15	15	15	15	15	15	15	15	15	15	15	15
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Unknown	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Site Name	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei
Database ID	AKC01932	AKC01933	AKC01934	AKC01935	AKC01936	AKC01937	AKC01938	AKC01939	AKC01940	AKC01941	AKC01942	AKC01943	AKC01944	AKC01945	AKC01946	AKC01947	AKC01948

 }	ne
Opacity	Opaque
Glass Color Notes	Shiny surface
Glass Color	Red
Total # of beads	51
Bead Shape	Indo-Pacific Bead
Catalogue Number	N/A
Site Name	Phnom Borei
Database ID	AKC01949

Notes	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)
Max. Width	2.73	2.54	2.89	2.68	5.06	3.93	4.85	4.96
Max. Length	2.13	1.84	1.92	2.02	2.33	2.04	3.48	2.51
Interior Perforati on B								
Interior Perforatio n A	1.05	0.73	1.21	1.06	1.67	1.27	1.54	1.53
Roundne ss Factor	R1	R1	R1	R1	R2	R2	R2	R2
Depth	30/40	30/40	30/40	30/40	30/40	30/40	30/40	30/40
Level	150-160	150-160	150-160	150-160	150-160	150-160	150-160	150-160
Excavation Unit	II (Speed 3)							
Database ID	AKC01901	AKC01902	AKC01903	AKC01904	AKC01905	AKC01906	AKC01907	AKC01908

Notes	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)	Group of 10 glass bead. Also found with these was one stone pebble (burnishing stone?)	In report called a "dark brown bead"							Group of 7 glass beads						
Max. Width	3.83	4.47	6.26	3.78	2.85	3.53	3.13	3	1.53	3.92	4.67	5	4.38	3.4	2.43	2.47
Max. Length	3.65	2	6.03	3.3	2.21	1.59	2.74	1.1	1.48	4.79	3.6	2.74	2.63	2.54	1.91	1.14
Interior Perforati on B																
Interior Perforatio n A	1.03	1.81	1.8	96.0	0.87	1.17	1.05	98.0	0	1.32	1.46	1.74	1.21	1.42	0	0.77
Roundne ss Factor	R2	R2	R2	R2	R1	R2	R2	R1	R1	R2	R2	R2	R2	R2	R2	R1
Depth	30/40	30/40		40-50 cm	30-40		02-09	90-100	70-80 cm							
Level	150-160	150-160	192	169.5 (- 120)	150-160		180-190			140-150	140-150	140-150	140-150	140-150	140-150	140-150
Excavation Unit	II (Speed 3)	II (Speed 3)	II	II	I	Surface Collection	Ι	Test Pit	Test Pit	II						
Database ID	AKC01909	AKC01910	AKC01912	AKC01913	AKC01914	AKC01915	AKC01916	AKC01917	AKC01918	AKC01919	AKC01920	AKC01921	AKC01922	AKC01923	AKC01924	AKC01925

Notes	9 glass beads, found with a piece of bronze	9 glass beads, found with a piece of bronze	9 glass beads, found with a piece of bronze	9 glass beads, found with a piece of bronze	9 glass beads, found with a piece of bronze	9 glass beads, found with a piece of bronze
Max. Width	3.4	2.27	3.62	3.53	3.61	3.13
Max. Length	2.29	2.23	3.08	2.49	2.93	2.15
Interior Perforati on B						
Interior Perforatio n A	0.65	0	1.25	1.34	1.2	1.09
Roundne ss Factor	R	RI	R2	RI	R2	RI
Depth	10-20 cm	10-20 cm	10-20 cm	10-20 cm	10-20 cm	10-20 cm
Level						
Excavation Unit						
Database ID	AKC01926	AKC01927	AKC01928	AKC01929	AKC01930	AKC01931

Notes	9 glass beads, found with a piece of bronze	9 glass beads, found with a piece of bronze	9 glass beads, found with a piece of bronze	15 glass beads, found with a possible piece of charcoal and broken bone.	15 glass beads, found with a possible piece of charcoal and broken bone.	15 glass beads, found with a possible piece of charcoal and broken bone.	15 glass beads, found with a possible piece of charcoal and broken bone.	15 glass beads, found with a possible piece of charcoal and broken bone.	15 glass beads, found with a possible piece of charcoal and broken bone. Two beads stuck together?	653
Max. Width	2.42	2.82	3.27	4.06	4.5	3.82	5.3	4.24	3.48	
Max. Length	2.58	2.51	2.81	4.55	2.71	1.9	3.07	3.26	4.86	
Interior Perforati on B									0.93	
Interior Perforatio n A	0.94	0.68		1.48	1.36	1.31	1.67	1.71	1.05	
Roundne ss Factor	R	R2	AN A	R2	R2	R1	R1	R1	R2	
Depth	10-20 cm	10-20 cm	10-20 cm	20-30	20-30	20-30	20-30	20-30	20-30	
Level										
Excavation Unit	Ι	Ι	Ι	I	Ι	Ι	Ι	Ι	Ι	
Database ID	AKC01932	AKC01933	AKC01934	AKC01935	AKC01936	AKC01937	AKC01938	AKC01939	AKC01940	

Database ID	Excavation Unit	Level	Depth	Roundne ss Factor	Interior Perforatio	Interior Perforati	Max. Length	Max. Width	Notes
					H H	g uo			
AKC01941	Г		20-30	R1	1.8		4.38	4.11	15 glass beads, found with a possible piece of charcoal and broken bone.
AKC01942	П		20-30	R1	8.0		3.36	3.15	15 glass beads, found with a possible piece of charcoal and broken bone.
AKC01943	П		20-30	R1	1.23		2.48	3.08	15 glass beads, found with a possible piece of charcoal and broken bone.
AKC01944	П		20-30	R2	1.12		2.76	2.93	15 glass beads, found with a possible piece of charcoal and broken bone.
AKC01945	П		20-30	R1	1.01		1.85	3.04	15 glass beads, found with a possible piece of charcoal and broken bone.
AKC01946	П		20-30	R1	86.0		3.18	3.04	15 glass beads, found with a possible piece of charcoal and broken bone.
AKC01947	П		20-30	R1	1.06		2.52	3.96	15 glass beads, found with a possible piece of charcoal and broken bone.
AKC01948	П		20-30	R1	0.74		2.1	2.78	15 glass beads, found with a possible piece of charcoal and broken bone.
AKC01949	_		20-30	R1	0.64		2.42	2.51	15 glass beads, found with a possible piece of charcoal and broken bone.

655

Appendix 7.1c: Glass Beads from Prei Khmeng

Site Name	Bead Shape	Total # of beads	Context Notes	Glass Colors	Glass Color Notes	Opacity
Inc	Indo-Pacific Seed Bead	1	PKB4-100	Yellow	shiny	Transparent
Inc	Indo-Pacific Seed Bead	1	PKB4-101	Dark Blue	matte	Translucent
Inde	Indo-Pacific Micro Bead	1	PKB4-102	Orange	Light orange color	Opaque
Inde	Indo-Pacific Seed Bead	1	PKB4-103	Dark Blue		Translucent Transparent
Inde	Indo-Pacific Seed Bead	1	PKB4-104	Black	shiny	Opaque
Indo	Indo-Pacific Seed Bead	1	PKB4-105	Yellow		Transparent
Indo-	Indo-Pacific Micro Bead	1	PKB4-106	Orange		Opaque
[-opu]	Indo-Pacific Micro Bead	1	PKB4-107	Black		Opaque
-opuI	Indo-Pacific Seed Bead	1	PKB4-108	Dark Blue	matte	Translucent Transparent
Indo-	Indo-Pacific Micro Bead	1	PKB4-109	Orange		Opaque
[-opu]	Indo-Pacific Micro Bead	1	PKB4-110	Orange		Opaque
I-opuI	Indo-Pacific Micro Bead	1	PKB4-111	Black	shiny	Opaque
-opuI	Indo-Pacific Seed Bead	1	PKB4-112	Yellow		Transparent
I-opuI	Indo-Pacific Micro Bead	1	PKB4-113	Black	shiny	Opaque
[-opu]	Indo-Pacific Micro Bead	1	PKB4-114	Black	shiny	Opaque
I-opuI	Indo-Pacific Micro Bead	1	PKB4-115	Orange		Opaque
-opuI	Indo-Pacific Seed Bead	1	PKB2BD01	Dark Blue		Translucent
Indo	Indo-Pacific Seed Bead	1	PKB2BD02	Dark Blue		Translucent
						Transparent
Indc	Indo-Pacific Seed Bead		PKB2BD03	Dark Blue		Translucent Transparent
Inde	Indo-Pacific Seed Bead	1	PKB2BD05	Dark Blue		Translucent
						Iransparent

Database ID	Site Name	Bead Shape	Total # of beads	Context Notes	Glass Colors	Glass Color Notes	Opacity
AKC01521	Prei Khmenø	Indo-Pacific Seed Bead	-	PKB2BD06	Dark Blue		Translucent
			,				Transparent
AKC01522	Prei Khmeng	Indo-Pacific Seed Bead	1	PKB2BD07	Dark Blue		Translucent Transparent
AKC01523	Prei Khmeng	Indo-Pacific Seed Bead	1	PKB2BD07	Dark Blue		Translucent
AKC01524	Prei Khmeng	Indo-Pacific Seed Bead?	-	PKB2BD07	Yellow		Unknown
AKC01643	Prei Khmeng	Larger Indo-Pacific Bead	4	PKM 03 24030 Perle PV 1	Orange	matte	Opaque
AKC01644	Prei Khmeng	Indo-Pacific Micro Bead	4	PKM 03 24030 Perle PV 1	Orange	matte	Opaque
AKC01645	Prei Khmeng	Indo-Pacific Seed Bead	4	PKM 03 24030 Perle PV 1	Yellow		Opaque
AKC01646	Prei Khmeng	Indo-Pacific Seed Bead	4	PKM 03 24030 Perle PV 1	Light Blue	Turquoise	Transparent
AKC01647	Prei Khmeng	Indo-Pacific Micro Bead	4	PKM 03 24013 Perle PV1	Orange	matte	Opaque
AKC01648	Prei Khmeng	Indo-Pacific Seed Bead	4	PKM 03 24013 Perle PV1	Red		Opaque
AKC01649	Prei Khmeng	Indo-Pacific Seed Bead	4	PKM 03 24013 Perle PV1	Dark Blue		Translucent
AKC01650	Prei Khmeng	Indo-Pacific Micro Bead	4	PKM 03 24013 Perle PV1	Light Green		Opaque
AKC01651	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Dark Blue	Navy, shiny	Opaque
AKC01652	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Yellow		Opaque
AKC01653	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Yellow		Opaque
AKC01654	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Yellow		Opaque
AKC01655	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Yellow		Opaque
AKC01656	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Yellow		Opaque
AKC01657	Prei Khmeng	Indo-Pacific Seed Bead	20	PKM 03 21025 object 2	Yellow		Opaque
AKC01658	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Dark blue		Semi-Translucent
AKC01659	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Dark blue		Semi-Translucent
AKC01660	Prei Khmeng	Indo-Pacific Seed Bead	20	PKM 03 21025 object 2	Dark blue		Semi-Translucent
AKC01661	Prei Khmeng	Indo-Pacific Seed Bead	20	PKM 03 21025 object 2	Dark blue		Semi-Translucent
AKC01662	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Dark blue		Semi-Translucent

AKC01663	Site Name	Bead Shape	Total # of beads	Context Notes	Glass Colors	Glass Color Notes	Opacity
	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Dark blue		Semi-Translucent
AKC01664	Prei Khmeng	Indo-Pacific Seed Bead	50	PKM 03 21025 object 2	Dark blue		Semi-Translucent
AKC01665	Prei Khmeng	Indo-Pacific Long Tube	1	PKM 03 22009 (2)	Red	Dark red	Opaque
AKC01666	Prei Khmeng	Indo-Pacific Micro Bead	П	PKM03 22026 (2) bead	Light Blue	Light Turquoise	Translucent Transparent
AKC01667	Prei Khmeng	Indo-Pacific Micro Bead	_	PKM03 22022 Bead 7	Dark Blue	Navy blue	Translucent Transparent
AKC01668	Prei Khmeng	Indo-Pacific Seed Bead	2	PKM 03 22018 (9)	Dark Green	shiny	Opaque
AKC01669	Prei Khmeng	Indo-Pacific Seed Bead	2	PKM 03 22018 (9)	Dark Blue	Dark Turquoise	Translucent Transparent
AKC01670	Prei Khmeng	Indo-Pacific Seed Bead	1	PKM 03 21010	Dark Blue	Navy blue	Transparent
AKC01671	Prei Khmeng	Indo-Pacific Seed Bead	1	PKM 03 21062	Orange	shiny	Opaque
AKC01672	Prei Khmeng	Indo-Pacific Seed Bead	2	PKM 03 21031 PV3	Yellow		Opaque
AKC01673	Prei Khmeng	Indo-Pacific Micro Bead	2	PKM 03 21031 PV3	Orange	shiny	Opaque
AKC01674	Prei Khmeng	Indo-Pacific Seed Bead	1	PKM 03 21039	Red		Opaque
AKC01675	Prei Khmeng	Indo-Pacific Micro Bead	1	PKM 0321060	Orange		Opaque
AKC01676	Prei Khmeng	Indo-Pacific Micro Bead	1	PKM 03 21030 PV 3	Light Blue	light turquoise	Transparent
AKC01677	Prei Khmeng	Indo-Pacific Long Tube	1	PKM 03 21044 PV1	Light Green		Opaque
AKC01678	Prei Khmeng	Indo-Pacific Seed Bead	1	PKM 03 21024 TAMIS	Orange		Opaque
AKC01679	Prei Khmeng	Indo-Pacific Bead	4	PKM 03 21052	Orange	matte	Opaque
AKC01680	Prei Khmeng	Indo-Pacific Micro Bead	4	PKM 03 21052	Orange	matte	Opaque
AKC01681	Prei Khmeng	Indo-Pacific Micro Bead	4	PKM 03 21052	Orange	matte	Opaque
AKC01682	Prei Khmeng	Indo-Pacific Micro Bead	4	PKM 03 21052	Orange	shiny	Opaque
AKC01683	Prei Khmeng	Indo-Pacific Bead	2	PKM 03 21038 PV. 1	Dark Blue		Transparent
AKC01684	Prei Khmeng	Indo-Pacific Seed Bead	2	PKM 03 21038 PV. 1	Dark Blue		Transparent
AKC01685	Prei Khmeng	Indo-Pacific Bead	1	PKM 03 21038	Orange	matte	Opaque
AKC01686	Prei Khmeng	Indo-Pacific Long Tube	1	PKM 03 21052	Red		Opaque

Opacity	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Transparent	Translucent	Opaque	Opaque	Opaque	Opaque Semi-Translucent	Opaque	Opaque
Glass Color Notes									Difficult to determine color	shiny				with red trim	
Glass Colors	Orange	Light Green	Vellow	Unknown	Red	Red	Orange	Dark Blue	Dark Blue	Red	Yellow	Yellow	Dark Blue	Black/Red	Yellow
Context Notes	PKM 03 21065	PKM 01 12102	PKM 01 16016	PKM 01 16016	PKM 01 15006	PKM 01 12087 mislabled as "cornaline?"	PKM 01 15062	PKM 01 12096	PKM 01 12067	PKM 01 12085 mislabeled as "cornaline?"	PKM 01 15021 beads on right hand	PKM01 16016 23.601 bead in burial			
Total # of beads	1	1	1	1	1	1	1	1	1	1	4	4	4	4	-
Bead Shape	Larger Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead?	Indo-Pacific Bead?	Indo-Pacific Seed Bead	Larger Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead?	Larger Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Long Tube	JMK06- Short Bicone	Indo-Pacific Long Tube
Site Name	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng
Database ID	AKC01687	AKC01688	AKC01689	AKC01690	AKC01691	AKC01692	AKC01693	AKC01694	AKC01695	AKC01696	AKC01697	AKC01698	AKC01699	AKC01700	AKC01701

																659
Opacity	Transparent	Transparent	Transparent	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Transparent	Transparent	
Glass Color Notes	Navy blue	Navy blue	Navy blue				matte		green-yellow	green-yellow					Light Turquoise	
Glass Colors	Dark Blue	Dark Blue	Dark Blue	Light Green	Yellow	Orange	Red	Orange	Light Green	Light Green	Red	Orange	Red	Dark Blue	Light Blue	
Context Notes	PKM 01 16016 beads from shoulder of small skeleton	PKM 01 16016 beads from shoulder of small skeleton	PKM 01 16016 beads from shoulder of small skeleton	PKM 03 23097/98 -3- perde	PKM 03 23039/ 40-1 24102/03	PKM 03 23039/ 40-1 24102/03	PKM 03 23031 - 1 Tamigant	PKM 03 22030	PKM 03 23025-1	PKM 03 23025-1	PKM 2003 23037	PKM 03 23037 -3	PKM 03 23037 -3	PKM 03 23037	PKM 03 23037	
Total # of beads	11	11	11	-	7	7	-	1	2	2	1	4	4	4	4	
Bead Shape	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Micro Bead	Indo-Pacific Seed Bead	Indo-Pacific Long Tube	Unknown	Unknown	Indo-Pacific Seed Bead	Indo-Pacific Long Tube	Larger Indo-Pacific Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	
Site Name	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	
Database ID	AKC01702	AKC01703	AKC01704	AKC01705	AKC01706	AKC01707	AKC01708	AKC01709	AKC01710	AKC01711	AKC01712	AKC01713	AKC01714	AKC01717	AKC01718	

r Opacity	se, Opaque	Opaque	Translucent Semi-Translucent	Translucent Semi-Translucent	ise Semi-Translucent	Semi-Translucent Opaque	Opaque	Semi-Translucent	Semi-Translucent	Opaque	Opaque	Opaque	Opaque	Opaque	Semi-Translucent Translucent
Glass Color Notes	Light Turquoise, shiny		Navy blue	Navy blue	Light Turquoise	Dark Blue- Green?						shiny	shiny	shiny	
Glass Colors	Light Blue	Red	Dark Blue	Dark Blue	Light Blue	Dark Blue?	Red	Dark Blue	Dark Blue	Red	Red	Black	Black	Black	Brown
Context Notes	PKM 03 23037	PKM 03 23037	PKM 03 21040	PKM 03 21040	PKM 03 21040	PKM 03 21040 Associated with burial of BONY 3	PKM 03 21040 PV7	PKM 03 21040 PV7	PKM 03 21040 PV7	PKM03 21040 PV3 petit tas	PKM03 21040 PV3 petit tas	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	Associated with Burial of
Total # of beads	4	4	4	4	4	4	3	3	3	2	2	135	135	135	135
Bead Shape	Indo-Pacific Bead	Indo-Pacific Micro Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Micro Bead	Indo-Pacific Micro Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead
Site Name	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng
Database ID	AKC01719	AKC01720	AKC01722	AKC01723	AKC01724	AKC01725	AKC01726	AKC01727	AKC01728	AKC01729	AKC01730	AKC01731	AKC01732	AKC01733	AKC01734

Database ID	Site Name	Bead Shape	Total # of	Context Notes	Glass	Glass Color	Opacity
			Deads		Colors	Notes	
AKC01735	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Brown		Semi-Translucent
				Associated with Burial of BONY 3			Translucent
AKC01736	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Brown		Semi-Translucent
				Associated with Burial of BONY 3			Translucent
AKC01737	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Brown		Semi-Translucent
				Associated with Burial of			Translucent
AKC01738	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Yellow		Opague
	0		1	Associated with Burial of			
				BONY 3			
AKC01739	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Yellow		Opaque
				Associated with Burial of			
				BONY 3			
AKC01740	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Yellow		Opaque
				Associated with Burial of			
				BONY 3			
AKC01741	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Yellow		Opaque
				Associated with Burial of			
				BONY 3			
AKC01742	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Yellow		Translucent
				Associated with Burial of BONY 3			
AKC01743	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Yellow		Translucent
				Associated with Burial of			
				BONY 3			
AKC01744	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9	Red		Opaque
				Associated with Burial of			
				BOINT 3			(
AKC01745	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Red		Opaque
				DOINT 3			

Opacity	Opaque	Opaque	Semi-Translucent	Semi-Translucent		Semi-Translucent	Semi-Translucent	Translucent Transparent	Translucent Transparent	Translucent Transparent	Translucent Transparent
Glass Color Notes			Light Turquoise	Light Turquoise		light blue-green turquoise	light blue-green turquoise	Intense blue color	Intense blue color		
Glass Colors	Dark Green	Dark Green	Light Blue	Light Blue		Light Blue	Light Blue	Dark Blue	Dark Blue	Dark Blue	Dark Blue
Context Notes	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3
Total # of beads	135	135	135	135	135	135	135	135	135	135	135
Bead Shape	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Bead	Indo-Pacific Bead	Larger Indo-Pacific Bead (JMK 04-Short Barrel)	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead
Site Name	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng
Database ID	AKC01746	AKC01747	AKC01748	AKC01749	AKC01750	AKC01751	AKC01752	AKC01753	AKC01754	AKC01755	AKC01756

Database ID	Site Name	Bead Shape	Total # of	Context Notes	Glass	Glass Color	Opacity
			beads		Colors	Notes	
AKC01757	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Dark Blue	Navy blue	Translucent
AKC01758	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Dark Blue	Navy blue	Translucent
AKC01759	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Dark Blue	Navy blue	Translucent
AKC01760	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Dark Blue	Navy blue	Translucent
AKC01761	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Dark Blue	Navy blue	Translucent
AKC01762	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Dark Blue	Navy blue	Translucent
AKC01763	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Dark Blue	Navy blue	Translucent
AKC01764	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Black		Transparent Translucent
AKC01765	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Black		Transparent Translucent
AKC01766	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Black		Transparent Translucent
AKC01767	Prei Khmeng	Indo-Pacific Seed Bead	135	PKM03 21040 object No 9 Associated with Burial of BONY 3	Grey		Opaque

		ıt	ıt				ıt														664
Opacity	Translucent Transparent	Translucent Semi-Translucent	Translucent Semi-Translucent	Translucent	Translucent	Opaque	Translucent Semi-Translucent	Translucent	Translucent	Translucent	Translucent	Opaque									
Glass Color Notes					violet/brown?										Dark orange	Dark orange					
Glass Colors	Black	Black	Black	Black	Brown	Black	Dark Blue	Yellow	Yellow	Yellow	Yellow	Yellow	Orange								
Context Notes	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM03 21040 object No 9 Associated with Burial of BONY 3	PKM 03 21045	PKM 03 21045	PKM 03 21045	PKM 03 21045	PKM 03 21045	PKM 03 21045	PKM 03 21045	PKM 03 21045 Object 1									
Total # of beads	135	135	135	135	23	23	23	23	23	23	23	1078	1078	1078	1078	1078	1078	1078	1078	1078	
Bead Shape	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Seed Bead	Indo-Pacific Micro Bead									
Site Name	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	
Database ID	AKC01768	AKC01769	AKC01770	AKC01771	AKC01772	AKC01773	AKC01774	AKC01775	AKC01776	AKC01777	AKC01778	AKC01779	AKC01780	AKC01781	AKC01782	AKC01783	AKC01784	AKC01785	AKC01786	AKC01787	

Database ID	Site Name	Bead Shape	Total # of	Context Notes	Glass	Glass Color	Opacity
			peads		Colors	Notes	
AKC01788	Prei Khmeng	Indo-Pacific Micro Bead	1078	PKM 03 21045 Object 1	Orange		Opaque
AKC01789	Prei Khmeng	Indo-Pacific Micro Bead	1078	PKM 03 21045 Object 1	Orange		Opaque
AKC01790	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01791	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01792	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01793	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01794	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01795	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01796	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01797	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01798	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01799	Prei Khmeng	Indo-Pacific Micro Bead	649	PKM 03 21045	Black		Opaque
AKC01807	Prei Khmeng	Indo-Pacific Bead?	6	PKM Bony 2 burial	Multiple	Yellow, green, black, blue	
AKC01808	Prei Khmeng	Indo-Pacific Seed Bead	7	PKM Bony 2 burial	Dark Blue		Translucent Transparent
AKC01809	Prei Khmeng	Indo-Pacific Seed Bead	7	PKM Bony 2 burial	Dark Blue		Translucent
							Hansparent

	_	1
h	n	r
v	v	L

1	1	-
O	n	1

							(; So (;	ls,							() () ()	ls,						(
Notes			Hole is too small to measure.				Beads are associated with some sort of metal (?) object and several beads are embedded in it. Also present are few bronze pieces (ring or bracelet?)	Measured 1 dark blue bead, 6 of 23 yellow beads, and 7 of 26 light blue beads.							Beads are associated with some sort of metal (?) object and several beads are embedded in it. Also present are few bronze pieces (ring or bracelet?)	Measured 1 dark blue bead, 6 of 23 yellow beads, and 7 of 26 light blue beads.						
Thickness																						
Max. Width	3.16	3.23	1.42	2.67	2.89	2.34	3.66		2.58	3.07	2.73	3.3	2.57	2.76	2.79		2.71	3.64	2.86	3.08	3.05	3.02
Max. Length	2.06	2.01	1.65	1.59	1.78	1.3	2.23		2.72	2.06	2.04	1.59	2.18	2.15	2.1		1.72	1.82	1.37	1.58	1.99	1.62
Interior Perf.	6.0	1.11	0	0.78	0.88	29.0	1.17		0	0.91	69.0	1.09	0	9.0	0.81		96.0	1.2	6.0	0.92	8.0	0.91
Roundness Factor	R2	R2	R2	R2	R2	R2	R2		R2	R2	R2	R2	R3	R3	R2		R2	R2	R2	R2	R2	R2
Database ID	AKC01645	AKC01646	AKC01647	AKC01648	AKC01649	AKC01650	AKC01651		AKC01652	AKC01653	AKC01654	AKC01655	AKC01656	AKC01657	AKC01658		AKC01659	AKC01660	AKC01661	AKC01662	AKC01663	AKC01664

Notes		Fragment, unable to measure				In layer associated with abandonment of domestic activities and accumulation of mound. Ceramics also found.	Posthole/pit	Large layer in which burials were found	Large layer in which burials were found	Posthole context	Hole is too small to measure	context: posthole	Posthole context		Posthole context	"La Fosse" part of group of stratigraphic units associated with one another: 21052-21044-21038								Posthole context	
Thickness																									
Max. Width	2.89	N/A	2.25	2.7	3.18	2.83	2.38	3.56	2.13	4.38	1.58		2.19	2.98	2.26	3.36	2.24	1.84	1.82	4.61	0	3.94	2.65	6.65	4.74
Max. Length	5.61	N/A	1.18	1.95	1.65	1.77	1.1	2.54	1.29	2.15	1.85		0.88	4.56	2.03	2.41	1.07	1	2.26	2.81	0	2.78	5.42	4.16	2.73
Interior Perf.	0.97	N/A	99.0	0.71	1.07	0.93	0.58	0.71	0.57	1.45	N/A		0.81	66.0	0.79	1.1	92.0	N/A	N/A	1.16	0	1.17	0	1.85	0
Roundness Factor	R2	N/A	R1	R3	R2	R1	R1	R3	R1	R1	R1		R1	R2	R1	R1	R1	R1	R1	R1	N/A	R2	R1	R2	R1
Database ID	AKC01665	AKC01666	AKC01667	AKC01668	AKC01669	AKC01670	AKC01671	AKC01672	AKC01673	AKC01674	AKC01675		AKC01676	AKC01677	AKC01678	AKC01679	AKC01680	AKC01681	AKC01682	AKC01683	AKC01684	AKC01685	AKC01686	AKC01687	AKC01688

(()	
664	
007	

N/A Fragmented bead Fragmented bead Fragmented bead Fragmented bead Area with 2 complete pots in a layer above a burial? Occupation phase, found with charcoal (?) A.14 Posthole context Posthole context May be associated with a brick hearth?		X X 4 6 6 X 4 6 6 6 6 6 6 1	N/A N/A 0.89 1.29 1.01 0.97 N/A 1.39 0.83 0.65 0.65 1.18 N/A
	N/A 2.6 6.29 4.14 4.14 8.39 8.39 8.39 8.31 8.31 8.31 8.31 8.31	//A 31 31 31 31 31 31 31 31 31 31 31 31 31	
	2.6 6.29 4.14 4.14 N/A N/A 6.32 6.32 4.35 2.25 2.25 5.95 5.95 3.13	31 .53 .45 .44 .44 .84 .84 .84 .84 .84 .84 .32 .33	
6.29 4.14 3.95 N/A 6.32	6.29 3.95 3.95 3.95 6.32 6.32 4.31 4.31 5.95 5.95 5.95 5.95 5.95	53 45 145 145 144 144 184 184 184 184 184 184	
4.14 3.95 N/A 6.32	3.95 3.95 N/A N/A 6.32 4.31 4.35 2.25 2.25 6.46 6.46 6.46 6.59 3.13	.5. 7A / A / A / A / A / A / A / A / A / A	
3.95 N/A 6.32	3.95 N/A N/A 6.32 4.35 2.25 2.25 5.95 3.13	7/A 1/A 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4	
N/A 6.32	N/A 6.32 6.32 4.31 2.25 2.25 6.46 6.46 5.95 3.13	7/A 64 64 84 84 87 39 34	
6.32	6.32 4.31 2.25 2.25 6.46 6.46 5.95 3.13	64 444 84 82 52 53 59 747 34	
	4.35 4.35 2.25 2.25 6.46 5.95 3.13	84 84 84 52 59 59 47 34	
4.31	4.35 2.25 2.26 6.46 5.95 3.13 2.45		
4.35	2.25 6.46 6.95 3.13 3.13	.12 .52 .59 .47 .34	
2.25	6.46 5.95 3.13 2.45	.59 .34 .12	
6.46	3.13	.12	
5.95	3.13	.34	
3.13	2.45	.12	
2.45			0.75 1.12
2.71	2.71	∞.	0.88 1.8
4.16	4.16	.84	1.01
4.43	4.43	.65	1.08 2.65
2.34	2.34	.21	0.83 1.21
2.96	2.96	99:	1.04
3.52	3.52	.18	1.34 7.18
4.86 2.18	4.86	.56	N/A 5.56
3.81 4.41	3.81	.87	8.87
2.91	2.91	.56	1.02
3.32	3.32	.55	1.04 6.55

6	7	\sim
O	/ '	u

Notes						Burial context	Burial context	Burial context	Burial context	Note on inventory says: 3 nerles en verre dans le sediment proche du	squelette	From a burial context.					From a group of 135 beads. Measuered 3 of 9 black beads, 4 of 16 brown/violet beads, 5 of 16 opaque yellow beads, 2 translucent yellow beads, 2 of 5	opaque red beads, 2 of 7 light blue beads, 2 larger light bluebeads, 2 of 5 dark green beads, 2 of 6 blue-	green beads, 2 of 5 dark blue beads, 7 of 28 dark	were fragments of blue glass beads.					
Thickness										3	2d 0						From a beads, yellow	opaque light blu	green	(1147))					
Max. Width	6.9	2.61	2.67	4.11	1.67	3.04	2.99	2.26	0	2.22			2.49	0	1.48	1.6	2.15				2.14	1.91	2.65	3.06	3.23
Max. Length	7.78	1.13	1.2	2.86	1.15	1.81	1.83	1.13	1.45	1.26			1.53	1.49	1.19	1.24	1.19				2.65	1.19	2.01	2.19	2.15
Interior Perf.	1.27	8.0	0.78	1.15	0	1.05	1.01	8.0	0	0.82			0.78	N/A	N/A	N/A	0.91				9.0	0.64	0.75	0.75	0.94
Roundness Factor	R2	R1	R1	R1	R1	R2	R1	R1	R1	R1			R1	R1	R1	R1	R1				R2	R1	R1	R2	R1
Database ID	AKC01714	AKC01717	AKC01718	AKC01719	AKC01720	AKC01722	AKC01723	AKC01724	AKC01725	AKC01726			AKC01727	AKC01728	AKC01729	AKC01730	AKC01731				AKC01732	AKC01733	AKC01734	AKC01735	AKC01736

AKC01737 R1 121 1.89 3.62 AKC01738 R2 1.06 1.89 3.12 AKC01739 R2 0.93 1.64 2.64 AKC01740 R2 0.83 1.64 2.64 AKC01741 R2 0.81 1.91 2.98 AKC01743 R1 0.88 1.96 2.72 AKC01744 R2 0.85 1.75 3 AKC01745 R2 0.9 2.43 1.99 From a group of 135 beads. Measured 3 of 9 black beads. Accordance and accordance	Database ID	Roundness Factor	Interior Perf.	Max. Length	Max. Width	Thickness	Notes
R2 106 189 312 R2 0.97 2.85 3.21 R2 0.83 1.64 2.64 R1 0.88 1.96 2.72 R2 0.85 1.96 2.72 R2 0.85 1.75 3.3 R2 0.99 2.41 3.11 From a group of 135 beads. Measuered 3 of 9 blue beads, 2 of 16 pague yellow beads, 2 of 6 blue beads, 2 o	AKC01737	R1	1.21	1.89	3.62		
R2 0.97 2.85 3.21 R2 0.83 1.64 2.64 R1 0.88 1.91 2.98 R1 0.88 1.90 2.72 R2 0.85 1.75 3.9 R2 0.9 2.41 3.11 From a group of 135 beads. Measured 3 of 9 blac R2 0.9 2.41 3.11 From a group of 135 beads. Measured 3 of 9 blac R2 0.9 2.41 3.11 From a group of 135 beads. Measured 3 of 9 blac R2 0.9 2.41 3.11 From a group of 135 beads. Measured 3 of 9 blac R2 0.9 2.43 1.99 Preads, 2 of 16 propare R3 0.9 2.43 1.99 Preads, 2 of 5 dark blue beads, 3 of 9 blac R4 0.77 1.21 2.56 2.78 R1 0.77 1.21 2.56 2.52 R1 0.81 1.51 3.06 2.52 R1	AKC01738	R2	1.06	1.89	3.12		
R2 0.83 1.64 2.64 R1 0.88 1.91 2.98 R2 0.81 1.91 2.98 R2 0.85 1.75 3.39 R2 0.85 1.75 3.3 R2 0.9 2.41 3.11 R2 0.9 2.43 1.99 From a group of 135 beads. Measuered 3 of 9 blace beads. 2 of 1 blace beads. 2 of 1 blace beads. 2 of 1 blace beads. 2 of 2 blace beads. 2 of 5 blace beads. 2 of 6 blace beads. 2 of 8 blace	AKC01739	R2	0.97	2.85	3.21		
R2 0.81 1.91 2.98 R1 0.88 1.96 2.72 R2 1.15 2.59 3.39 R2 0.98 2.41 3.11 From a group of 135 beads. Measuered 3 of 9 blac beads, 2 of 16 brown/violet beads, 2 of 7 dark green beads, 2 of 5 dark green beads, 2	AKC01740	R2	0.83	1.64	2.64		
R1 0.88 1.96 2.72 R2 1.15 2.59 3.39 R2 0.85 1.75 3 R2 0.9 2.41 3.11 From a group of 135 beads. Measuered 3 of 9 blac beads, 2 of 16 brown/voich beads, 2 of 5 of 9 opaque yellow beads, 2 of 7 light blue beads, 2 of 8 dark green beads, 2 of 7 light blue beads, 2 of 8 dark green beads, 2 of 8 dark green beads, 2 of 6 dark blue beads, 2 of 8 dark green beads, 2 of 8 dark green beads, 2 of 6 dark blue beads, 2 of 8 dark green beads, 2 of 8 dark	AKC01741	R2	0.81	1.91	2.98		
R2 1.15 2.59 3.39 R2 0.85 1.75 3 R2 0.85 1.75 3 R2 0.9 2.41 3.11 From a group of 135 beads. Measurerd 3 of 9 blac beads, 2 of 16 opaque yellow beads, 2 of 5 of 16 opaque yellow beads, 2 of 5 dark blacks. Sof 16 opaque yellow beads, 2 of 5 dark blue beads, 2 of 5 dark blue beads, 2 of 5 dark blue beads, 2 of 6 dark blue blue blue blue blue blue blue blue	AKC01742	R1	0.88	1.96	2.72		
R2 0.85 1.75 3 R2 0.9 2.41 3.11 From a group of 135 beads. Measurered 3 of 9 blac beads, 2 of 16 brown/violet beads, 2 of 16 brown/violet beads, 2 of 16 brown/violet beads, 2 of 1 light blue beads, 2 of 7 light blue beads, 2 of 7 light blue beads, 2 of 7 blac beads, 2 of 8 blac beads, 2 of 7 light blue beads, 2 of 7 blac beads, 2 of 8 blac blac beads, 3 of 8 blac blac blac beads, 3 of 8 blac blac beads, 3 of 8 blac blac blac beads, 3 of 8 blac blac blac beads, 3 of 8 blac blac blac blac blac blac blac blac	AKC01743	R2	1.15	2.59	3.39		
R2 0.9 2.41 3.11 From a group of 135 beads. Measuered 3 of 9 blac beads, 2 of 15 brown/violet beads, 2 of 16 brown/violet beads, 2 of 16 brown/violet beads, 2 of 16 brown/violet beads, 2 of 3 brown/violet beads, 2 of 3 brown/violet beads, 2 of 5 dank green beads, 2 of 6 blur beads, 2 of 8 dank green beads, 2 of 6 blur beads, 2 of 8 dank green beads, 2 of 6 blur beads, 3 of 3 dank green beads, 2 of 8 dank green beads, 3 of 8 dank green beads, 2 of 8 da	AKC01744	R2	0.85	1.75	3		
R2 0 2.43 1.99 From a group of 135 beads. Measuered 3 of 9 blac beads, 2 of 1 blac beads, 2 of 1 blac beads, 2 of 5 opaque yellow beads, 2 tanslucent yellow beads, 2 tanslucent yellow beads, 2 tanslucent yellow beads, 2 of 6 blug green beads, 2 of 7 light blue beads, 2 of 6 blug green beads, 2 of 7 light blue beads, 2 of 6 blug green	AKC01745	R2	6.0	2.41	3.11		
Peads, 4 of 16 brown/violet beads, 5 of 16 opaque beads, 2 of 16 opaque and beads, 2 of 16 opaque and beads, 2 of 3 opaque red beads, 2 of 7 light blue beads, 2 largen light blue beads, 2 of 6 blue green beads, 2 of 7 light blue beads, 2 of 6 blue green beads, 2 of 7 light blue beads, 2 of 6 blue green beads, 3 of 6 blue green beads, 2 of 6 blue green beads, 3 of 7 light blue beads, 3 of 6 blue green beads, 3 of 7 light blue beads, 3 of 7 light blue beads, 3 of 6 blue green beads, 2 of 6 blue green beads, 3 of 7 light blue beads, 8 of 33 grey beads, Not measure and a second se	AKC01746	R2	0	2.43	1.99		From a group of 135 beads. Measuered 3 of 9 black
R1 0							beads, 4 of 16 brown/violet beads, 5 of 16 opaque vellow heads, 2 translucent vellow heads, 2 of 5
Hight bluebeads, 2 of 5 dark green beads, 2 of 6 blue green beads, 2 of 5 dark green beads, 2 of 5 dark blue beads, 3 of 28 dark (navy) blue beads, 8 of 33 grey beads. Not measure were fragments of blue glass beads. RI 0.77 1.21 2.36							opaque red beads, 2 of 7 light blue beads, 2 larger
R1 0 1.78 2.78 green beads, 7 of 5 dark blue beads, 7 of 28 dark low assure were fragments of blue glass beads. R1 0.77 1.21 2.36 were fragments of blue glass beads. R1 0.77 1.21 2.36 were fragments of blue glass beads. R1 0.72 1.71 2.56 measure were fragments of blue glass beads. R1 1.25 3.6 4.24 measure were fragments of blue glass beads. R1 1.17 2.5 4.24 measure were fragments of blue glass beads. R1 0.91 1.51 2.56 measure were fragments of blue glass beads. R1 0.92 1.51 3.06 measure were fragments of blue glass beads. R1 0.8 1.22 2.5 4.24 measure were fragments of blue glass beads. R1 0.9 1.21 2.55 4.24 measure fragments of blue glass beads. R1 0.79 1.23 2.55 measure fragments of blue glass beads. R2 0 2.37 2.232.23							light bluebeads, 2 of 5 dark green beads, 2 of 6 blue-
R1 0 1.78 2.78 were fragments of blue glass beads. R1 0.77 1.21 2.36 Avere fragments of blue glass beads. R1 0.72 1.71 2.56 Avere fragments of blue glass beads. R1 1.25 3.6 3.23 Avere fragments of blue glass beads. R1 1.17 2.5 4.24 Avere fragments of blue glass beads. R2 1.12 2.5 4.24 Avere fragments of blue glass beads. R3 1.17 2.5 4.24 Avere fragments of blue glass beads. R4 0.91 1.51 2.56 Avere fragments of blue glass beads. R4 0.8 1.51 3.06 Avere fragments of blue glass beads. R5 0.9 1.23 2.55 Avere fragments of blue glass beads. R6 0.9 1.84 2.89 Avere fragments of blue glass beads. R7 0 2.37 2.22 Avere fragments of blue glass beads.							green beads, 2 of 5 dark blue beads, 7 of 28 dark
R1 0 1.78 2.78 R1 0.77 1.21 2.36 R1 0.72 1.71 2.56 R1 1.25 3.23 3.23 R1 1.17 2.5 4.24 R2 1.12 6.35 6.72 R1 0.91 1.51 3.06 R1 0.8 1.22 2.6 R1 0.79 1.23 2.55 R1 0.82 1.69 2.53 R1 0.91 1.84 2.89 R2 0 2.37 2.22							(navy) blue beads, 8 of 33 grey beads. Not measured were fragments of blue glass heads
RI 0.77 1.21 2.36 RI 0.72 1.71 2.56 RI 1.25 3.23 6.32 RI 1.17 2.5 4.24 RI 0.91 1.51 3.06 RI 0.91 1.51 2.6 RI 0.79 1.22 2.6 RI 0.82 1.69 2.55 RI 0.91 1.84 2.89 RI 0.91 1.84 2.89 RI 0.91 1.84 2.22	AKC01747	R1	0	1.78	2.78		D
R1 0.72 1.71 2.56 R1 1.25 3.6 3.23 R1 1.17 2.5 4.24 R2 1.12 6.35 6.72 R1 0.91 1.51 3.06 R1 0.8 1.22 2.6 R1 0.79 1.23 2.55 R1 0.82 1.69 2.53 R1 0.91 1.84 2.89 R2 0 2.37 2.22	AKC01748	R1	0.77	1.21	2.36		
R1 1.25 3.6 3.23 R2 1.12 6.35 6.72 R1 0.91 1.51 3.06 R1 0.8 1.22 2.6 R1 0.79 1.23 2.55 R1 0.82 1.69 2.53 R1 0.91 1.84 2.89 R2 0 2.37 2.22	AKC01749	R1	0.72	1.71	2.56		
RI 1.17 2.5 4.24 R2 1.12 6.35 6.72 R1 0.91 1.51 3.06 R1 0.8 1.22 2.6 R1 0.79 1.23 2.55 R1 0.82 1.69 2.53 R1 0.91 1.84 2.89 R2 0 2.37 2.22	AKC01750		1.25	3.6	3.23		
R2 1.12 6.35 6.72 R1 0.91 1.51 3.06 R1 0.8 1.22 2.6 R1 0.79 1.23 2.55 R1 0.82 1.69 2.53 R1 0.91 1.84 2.89 R2 0 2.37 2.22	AKC01751	R1	1.17	2.5	4.24		
R1 0.91 1.51 3.06 R1 0.8 1.22 2.6 R1 0.79 1.23 2.55 R1 0.82 1.69 2.53 R1 0.91 1.84 2.89 R2 0 2.37 2.22	AKC01752	R2	1.12	6.35	6.72		
R1 0.8 1.22 2.6 R1 0.79 1.23 2.55 R1 0.82 1.69 2.53 R1 0.91 1.84 2.89 R2 0 2.37 2.22	AKC01753	R1	0.91	1.51	3.06		
R1 0.79 1.23 2.55 R1 0.82 1.69 2.53 R1 0.91 1.84 2.89 R2 0 2.37 2.22	AKC01754	R1	8.0	1.22	2.6		
R1 0.82 1.69 2.53 R1 0.91 1.84 2.89 R2 0 2.37 2.22	AKC01755	R1	0.79	1.23	2.55		
R1 0.91 1.84 2.89 R2 0 2.37 2.22	AKC01756	R1	0.82	1.69	2.53		
R2 0 2.37 2.22	AKC01757	R1	0.91	1.84	2.89		
671	AKC01758	R2	0	2.37	2.22		
							671

1	7	
O	1	7

Notes				From a group of 135 beads. Measuered 3 of 9 black beads, 4 of 16 brown/violet beads, 5 of 16 opaque yellow beads, 2 translucent yellow beads, 2 of 5 opaque red beads, 2 of 7 light blue beads, 2 of 5 dark green beads, 2 of 6 bluegreen beads, 2 of 5 dark blue beads, 7 of 28 dark (navy) blue beads, 8 of 33 grey beads. Not measured were fragments of blue glass beads.										Group of 23 beads. Measured 1 of 3 black beads, 1 brown bead, 1 of 3 dark blue beads, 4 of 16 translucent yellow beads. Associated with burial context						
Thickness				From a g beads, 4 yellow opaque light blue green b (navy) bl										Group o						
Max. Width	2.74	2.73	3.04	2.89	2.64	2.92	2.58	2.93	3.47	2.28	2.53	2.54	2.95	2.93	3.26	3.92	2.84	2.9	2.41	3.27
Max. Length	1.61	1.63	1.83	1.68	1.81	2.01	1.76	1.88	1.94	1.06	1.99	1.86	1.74	1.57	2.16	1.84	2.06	2.21	1.95	1.87
Interior Perf.	0.84	0.78	0.83	0.92	0.78	0.94	0.73	8.0	1.11	0.82	86.0	0.72	1.16	7.0	1.2	1.41	8.0	0	0	1.14
Roundness Factor	R1		R1	RI	R1	R1	R1	R1	R2	R1	R1									
Database ID	AKC01759	AKC01760	AKC01761	AKC01762	AKC01763	AKC01764	AKC01765	AKC01766	AKC01767	AKC01768	AKC01769	AKC01770	AKC01771	AKC01772	AKC01773	AKC01774	AKC01775	AKC01776	AKC01777	AKC01778

Notes	From a group of 1078 orange beads Burial Context											Measured 10 of 649 black beads. Burial context									
Thickness																					
Max. Width	2.03	2.22	2.07	2.7	2.16	2.4	1.87	2.56	1.89	1.96	1.81	1.83	2.83	1.86	2.06	1.94	1.77	1.28	1.7	1.51	1.5
Max. Length	1.09	1.84	1.37	1.66	1.67	1.96	2.07	1.41	1.85	1.11	1.21	1.44	1.3	1.91	1.75	2.64	1.13	1.11	1.77	1.79	1.26
Interior Perf.	0	0.72	0.62	1.04	1.12	0.83	0.73	96.0	0.72	89.0	0	0.73	0.93	0	0.71	29.0	0.84	N/A	N/A	N/A	N/A
Roundness Factor	R1	R1	R1	R1	R1	R1	R1	R1	R1	R1	R1	R0	R1								
Database ID	AKC01779	AKC01780	AKC01781	AKC01782	AKC01783	AKC01784	AKC01785	AKC01786	AKC01787	AKC01788	AKC01789	AKC01790	AKC01791	AKC01792	AKC01793	AKC01794	AKC01795	AKC01796	AKC01797	AKC01798	AKC01799

Database ID Roundness Interior Perf. Factor	Roundness Factor	Interior Perf.	Max. Length	Max. Width	Thickness	Notes
AKC01807	N/A	N/A	N/A	N/A		Group of disintegrated beads from Bony 2 burial at Prei Khmeng. Beads were from child skeleton that was analyzed in Singapore. All beads are destroyed and fragmented. Christophe Pottier said they were round IP beads 6 bags of yellow opaque bead fragments I bag with just a few black opaque bead fragments 2 bags of a blue or green bead fragments.
AKC01808	R1	68.0	1.39	2.86		Measured 2 of 7 blue beads from Bony 2 burial that were analyzed in Singapore. Not measured- a group of blue bead fragments.
AKC01809	R1	0.95	1.67	2.86		Measured 2 of 7 blue beads from Bony 2 burial that were analyzed in Singapore. Not measured- a group of blue bead fragments.

Appendix 7.1d: Glass beads from Prohear and Bit Meas

	Site Name	Catalogue Number	Unit	Square	Bead Shape	Total # of beads
AKC00441	Prohear	N/A			Ring	1
AKC00442	Prohear	9	Α	I-K/116-117	Ring	1
AKC00443	Prohear	20	Α	I-K/116-117	Indo-Pacific bead (tubular shape)	6
AKC00444	Prohear	20	А	I-K/116-117	Indo-Pacific bead (tubular shape)	6
AKC00445	Prohear	20	A	I-K/116-117	Indo-Pacific bead (tubular shape)	6
AKC00446	Prohear	20	A	I-K/116-117	Indo Pacific Bead	6
AKC00447	Prohear	20	A	I-K/116-117	Indo-Pacific bead (tubular shape)	6
AKC00448	Prohear	20	A	I-K/116-117	Indo-Pacific bead (tubular shape)	6
AKC00449	Prohear	20	А	I-K/116-117	Indo-Pacific bead (tubular shape)	6
AKC00450	Prohear	20	A	I-K/116-117	Indo Pacific Bead	6
AKC00451	Prohear	20	А	I-K/116-117	Indo Pacific Bead	6
AKC00452	Prohear	2	A	L-M/114-115	Indo-Pacific bead (tubular shape)	1
AKC00453	Prohear	5	Α	I-K/112-113	Indo-Pacific bead (tubular shape)	3
AKC00454	Prohear	5	Α	I-K/112-115	Indo-Pacific bead (tubular shape)	3
AKC00455	Prohear	5	A	I-K/112-115	Indo-Pacific bead (tubular shape)	3
AKC00456	Prohear	10	Α	I-K/112-113	Indo-Pacific bead (tubular shape)	1
AKC00457	Prohear	9	Α	L/114-115	Indo-Pacific bead (tubular shape)	5
AKC00458	Prohear	9	Α	L/114-115	Indo-Pacific bead (tubular shape)	5
AKC00459	Prohear	9	Α	L/114-115	Indo-Pacific bead (tubular shape)	5
AKC00460	Prohear	9	Α	L/114-115	Indo-Pacific bead (tubular shape)	5
AKC00461	Prohear	9	Α	L/114-115	Indo-Pacific bead (tubular shape)	5
AKC00462	Prohear	11	A	K/114	Indo-Pacific bead (tubular shape)	1
AKC00463	Prohear	10	A	L-M/116-117	Indo Pacific Bead	
AKC00464	Prohear	9	Α	I-K/114-115	Ring/Earring	2

Bead Shape Ring/Earring
12 13
Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape)
Indo-Pacific bead (tubular shape)
Indo-Pacific bead (tubular shape)
Indo-Pacific bead (tubular shape)
Indo-Pacific bead (tubular shape)

Total # of beads	44	1	1	1	1	1	5	5	5	5	5	1	1	1	3	3	3	1	1	2	2	1	34	34	34	34	34
Bead Shape	Indo-Pacific bead	Indo Pacific Bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Ring/Earring	Indo-Pacific bead (tubular shape)	Indo Pacific Bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead?	Indo-Pacific bead (tubular shape)																	
Square	IK/112-113	L/ 110-1111	K/111	I/ 110	K109	K/109	L/110-111	L/110-111	L/110-111	L/110-111	L/110-111	L/110-111	K/108	L/108-109	I-K/108-109	I-K/108-109	I-K/108-109	L/107	LM/112-113	M/143	M/143	LM/ 143-144	L7/ 143-144				
Unit	А	A	A	A	A	А	A	Α	А	A	Α	А	А	А	A	А	А	A	A	В	В	В	В	В	В	В	В
Catalogue Number	54	22	9	7	10	4	5	5	5	5	5	6	16	11	20	20	20	12	30	63	63	17	50	50	50	50	50
Site Name	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear
Database ID	AKC00492	AKC00493	AKC00494	AKC00495	AKC00496	AKC00497	AKC00498	AKC00499	AKC00500	AKC00501	AKC00502	AKC00503	AKC00504	AKC00505	AKC00506	AKC00507	AKC00508	AKC00510	AKC00511	AKC00512	AKC00513	AKC00514	AKC00515	AKC00516	AKC00517	AKC00518	AKC00519

Total # of beads	3	3	3	-	-	5	5	5	5	5	П	П	1	-	1	2	2	-	П	-	1	1	П	П	1	1	1
Bead Shape	Indo-Pacific bead (tubular shape)	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)																						
Square	LM/ 143-144	LM/ 143-144	LM/ 143-144	LM/143-144	LM/143-144	LM/ 143-144	L-M/143-144	LM/143-144	L-M/143-144	LM/143-144	LM/143-144	LM/143-144	M/144	LM/143-144	LM/143-144	M/44	LM/143-144	LM/143-144	LM/143-144	M/144	L/144						
Unit	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
Catalogue Number	43	43	43	49	35	46	46	46	46	46	41	39	34	40	42	44	44	33	3	32	7	16	37	38	20	15	4
Site Name	Prohear	Prohear	Prohear	Prohear	Prohear																						
Database ID	AKC00520	AKC00521	AKC00522	AKC00523	AKC00524	AKC00525	AKC00526	AKC00527	AKC00528	AKC00529	AKC00530	AKC00531	AKC00532	AKC00533	AKC00534	AKC00535	AKC00536	AKC00537	AKC00538	AKC00539	AKC00540	AKC00541	AKC00542	AKC00543	AKC00544	AKC00545	AKC00546

Database ID	Site Name	Catalogue Number	Unit	Square	Bead Shape	Total # of beads
AKC00547	Prohear	18	В	LM/143-144	Indo-Pacific bead (tubular shape)	1
AKC00548	Prohear	5	В	LM/143-144	Indo-Pacific bead (tubular shape)	1
AKC00549	Prohear	23	В	LM/143-144	Indo-Pacific bead (tubular shape)	1
AKC00550	Prohear	28	В	LM/143-144	Indo Pacific Bead	∞
AKC00551	Prohear	28	В	LM/143-144	Indo Pacific Bead	8
AKC00552	Prohear	28	В	LM/143-144	Indo Pacific Bead	8
AKC00553	Prohear	28	В	LM/143-144	Indo Pacific Bead	8
AKC00554	Prohear	28	В	LM/143-144	Indo Pacific Bead	8
AKC00555	Prohear	28	В	LM/143-144	Indo Pacific Bead	8
AKC00556	Prohear	28	В	LM/143-144	Indo Pacific Bead	8
AKC00557	Prohear	28	В	LM/143-144	Indo Pacific Bead	8
AKC00558	Prohear	62	В	LM/143-144	Indo-Pacific bead (tubular shape)	6
AKC00559	Prohear	62	В	LM/143-144	Indo-Pacific bead (tubular shape)	6
AKC00560	Prohear	62	В	LM/143-144	Indo-Pacific bead (tubular shape)	6
AKC00561	Prohear	62	В	LM/143-144	Indo Pacific Bead	6
AKC00562	Prohear	62	В	LM/143-144	Indo Pacific Bead	6
AKC00563	Prohear	62	В	LM/143-144	Indo Pacific Bead	6
AKC00564	Prohear	12	В	LM/143-144	Ring/Earring	1
AKC00565	Prohear	36	В	LM/143-144	Indo-Pacific bead	1
AKC00566	Prohear	19	В	LM/143-144	Indo Pacific Bead	1
AKC00567	Prohear	45	В	L7/143-144	Indo-Pacific bead (tubular shape)	1
AKC00568	Prohear	11	В	LM/143-144	Indo-Pacific bead (tubular shape)	1
AKC00569	Prohear	5	A	I-K/114-115	Indo-Pacific bead (tubular shape)	1
AKC00570	Prohear	3	A	L/108-109	Indo-Pacific bead (tubular shape)	1
AKC00571	Prohear	3	A	L/108-109	Indo-Pacific bead	1
AKC00572	Prohear	13	Y	IK/ 108-109	Indo Pacific Bead	5
AKC00573	Prohear	13	A	IK/ 108-109	Indo-Pacific bead (tubular shape)	5

fof s																												68
Total # of beads	5	S	S	1	1	1	1	1	1	1	1	2	2	1	1	1	26	26	26	26	26	26	26	1	1	17	17	
Bead Shape	Indo Pacific Bead	Indo Pacific Bead	Indo Pacific Bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Ring/Earring	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo-Pacific bead	Indo Pacific Bead	Indo Pacific Bead	Short Barrel	Indo-Pacific bead (tubular shape)	Indo Pacific Bead	Indo Pacific Bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo Pacific Bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)		Indo-Pacific bead (tubular shape)	Short Barrel (rough)	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	
Square	IK/ 108-109	IK/ 108-109	IK/ 108-109	L/108-109	L/110-111	K/109	K/109	L/110-111	IK/110-111	1/110	IK/110-111	I-110	1-110	LM/112-113	IK/104-105	IK/110-111	IK/136-137	IK/136-137	IK/136-137	IK/136-137	IK/136-137	IK/136-137	IK/136-137	IK/136-137	LM/136-137	LM/138-139	LM/138-139	
Unit	A	A	A	Α	A	A	A	A	A	A	A	A	A	A	A	A	C	C	C	C	C	C	C	C	C	C	C	
Catalogue Number	13	13	13	1	15	5	6	2	28	8	48	13	13	22	14	50	12	12	12	12	12	12	12	6	4	3	3	
Site Name	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	
Database ID	AKC00574	AKC00575	AKC00576	AKC00577	AKC00578	AKC00579	AKC00580	AKC00581	AKC00582	AKC00583	AKC00584	AKC00585	AKC00586	AKC00587	AKC00588	AKC00589	AKC00591	AKC00592	AKC00593	AKC00594	AKC00595	AKC00596	AKC00597	AKC00598	AKC00599	AKC00600	AKC00601	

Total # of beads	17	17	17	1	1	1	2	2	1	1	1	1	-	1	1	2	2	33	33	33	33	33	1	1	1	1	1
Bead Shape	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Short Barrel	Indo-Pacific bead (tubular shape)	Indo Pacific Bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo Pacific Bead	Indo Pacific Bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo Pacific Bead	Short Barrel (rough)	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo Pacific Bead	Indo Pacific Bead	Indo Pacific Bead	Indo Pacific Bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Ring/Earring	NA	Ring/Earring	Ring/Earring?
Square	LM/138-139	LM/138-139	LM/138-139	IK/136-137	IK/112-113	LM/112-113	LM/112-113	LM/112-113	IK/112-113	LM/112-113	LM/112-113	LM/112-113	LM/112-113	IK/112-113	LM/112-113	IK/112-113	IK/112-113	L/110-111	L/110-111	L/110-111	L/110-111	L/110-111	L/104-105	L/105	LM/104-105	LM/104-105	LM/104-105
Unit	C	C	C	C	A	А	A	А	A	Α	Α	A	A	A	A	Α	A	A	А	A	A	Α	Α		Α	A	А
Catalogue Number	3	3	3	∞	12	28	7	7	3	11	3	19	18	13	2	7	7	18	18	18	18	18	39	38	12	29	6
Site Name	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear
Database ID	AKC00602	AKC00603	AKC00604	AKC00605	AKC00607	AKC00608	AKC00609	AKC00610	AKC00611	AKC00612	AKC00613	AKC00614	AKC00615	AKC00616	AKC00617	AKC00618	AKC00619	AKC00620	AKC00621	AKC00622	AKC00623	AKC00624	AKC00625	AKC00626	AKC00627	AKC00628	AKC00629

Site Name Catalogue Number	ıe Unit r	Square	Bead Shape	Total # of beads
3	A	IK/104-105	Indo-Pacific bead (tubular shape)	1
12	A	IK/104-105	Indo-Pacific bead (tubular shape)	1
17/18	A	IK/104-105	Indo-Pacific bead (tubular shape)	1
77	A		Indo-Pacific bead (tubular shape)	П
26	A	1/107	Ring/Earring	1
13	A	IK/106-107	Ring/Earring	-
14	В	LM/145-156	Short Barrel	-
17	В	LM/ 145-146	Indo-Pacific bead (tubular shape)	П
11	В	LM/145-146	Indo-Pacific bead	1
10	В	LM/145-146	Indo-Pacific bead (tubular shape)	П
9	В	LM/145-146	Indo-Pacific bead (tubular shape)	П
26	В	LM/145-146	Glass fragment	1
71	III	K/83	Indo-Pacific bead (tubular shape)	1
75	III	J/84	Indo Pacific Bead	1
			Indo-Pacific bead (tubular shape)	5
11	A	IK/106-107	Indo Pacific Bead	1
51	A	IK/ 106-107	Indo Pacific Bead	2
15	A	IK/ 106-107	Indo Pacific Bead	2
12	A	IK/106/107	Indo-Pacific bead (tubular shape)	1
14	A	IK/106-107	Indo-Pacific bead (tubular shape)	1
32	A	1/102	Indo-Pacific bead (tubular shape)	1
103	A	K/107	Indo Pacific Bead	2
103	A	K/107	Indo Pacific Bead	2
25	A	1/107	Indo-Pacific bead (tubular shape)	1
29	A	K/107	Indo-Pacific bead (tubular shape)	1
30	A	K/107	Indo-Pacific bead (tubular shape)	1
23	A	1/107	Indo-Pacific bead (tubular shape)	1

1 Otal # 01 beads	lape) 1	1	iape) 1	lape) 1		5	S S																				
	Indo-Pacific bead (tubular shape)	Indo Pacific Bead	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo Pacific Bead		Indo Pacific Bead	Indo Pacific Bead Indo-Pacific bead (tubular shape)	Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape)	Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape)	Indo Pacific Bead acific bead (tubular shape) acific bead (tubular shape) acific bead (tubular shape) Indo Pacific Bead	Indo Pacific Bead acific bead (tubular shape) acific bead (tubular shape) acific bead (tubular shape) Indo Pacific Bead Indo Pacific Bead	Indo Pacific Bead acific bead (tubular shape) acific bead (tubular shape) acific bead (tubular shape) Indo Pacific Bead Indo Pacific Bead Indo Pacific Bead	Indo Pacific Bead acific bead (tubular shape) acific bead (tubular shape) acific bead (tubular shape) Indo Pacific Bead Indo Pacific Bead Indo Pacific Bead Indo Pacific Bead	Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo Pacific Bead	Indo Pacific Bead acific bead (tubular shape) acific bead (tubular shape) acific bead (tubular shape) Indo Pacific Bead Indo Pacific Bead Indo Pacific Bead acific bead (tubular shape) Indo Pacific Bead Indo Pacific Bead	Indo Pacific Bead acific bead (tubular shape) acific bead (tubular shape) acific bead (tubular shape) Indo Pacific Bead	Indo Pacific Bead acific bead (tubular shape) acific bead (tubular shape) acific bead (tubular shape) Indo Pacific Bead	Indo Pacific Bead acific bead (tubular shape) acific bead (tubular shape) acific bead (tubular shape) Indo Pacific Bead	Indo Pacific Bead acific bead (tubular shape) acific bead (tubular shape) acific bead (tubular shape) Indo Pacific Bead	Indo-Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo Pacific Bead	Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo Pacific Bead Indo-Pacific bead (tubular shape)	Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape)	Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape)	Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo Pacific Bead Indo-Pacific bead (tubular shape)	Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo Pacific Bead Indo-Pacific bead (tubular shape)	Indo Pacific Bead Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo-Pacific bead (tubular shape) Indo Pacific Bead Indo-Pacific bead (tubular shape)
Indo-Pacific bead (the Indo-Pacific Indo-Pacific bead (the Indo-Paci	Indo-Pacific bead (t	Indo-Pacific bead (to Indo-Pacific bead (t	Indo-Pacific bead (t	`	Indo Pacific	Indo Pacific		Indo-Pacific bead (t	Indo-Pacific bead (the Indo-Pacific bead (t	Indo-Pacific bead (to	Indo-Pacific bead (the Indo-Pacific Indo-Pa	Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo Pacific Indo Indo Indo Indo Indo Indo Indo Indo	Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo Pacific Indo	Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo Pacific	Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo Pacific Indo Pacific Indo-Pacific bead (the Indo-Pacific bead (Indo-Pacific bead (the	Indo-Pacific bead (the	Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific bead (the Indo-Pacific Indo-Pacific bead (the Indo-Pacific	Indo-Pacific bead (the	Indo-Pacific bead (the Indo-Pacific bead beacific be	Indo-Pacific bead (the	Indo-Pacific bead (the	Indo-Pacific bead (the	Indo-Pacific bead (the	Indo-Pacific bead (the	Indo-Pacific bead (the	Indo-Pacific bead (the
1/107	1/107		K/107	1/107	IK/107	IK/107		IK/107	IK/107 IK/107	IK/107 IK/107 IK/107	IK/107 IK/107 IK/107 K/107	IK/107 IK/107 IK/107 K/107	IK/107 IK/107 IK/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/107 K/107 K/106	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/106 IK/106 IL/106	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/107 K/106 IL/106 IK/111-110	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/107 K/106 L/106 L/106 IK/111-110 IK/136-137 IK/	IK/107 IK/107 IK/107 K/107 K/107 K/107 K/107 K/106 IK/106 IK/111-110 IK/136-137
	A	A	A	A	A	A		А	A A	A A A	A A A A	4 4 4 4	< < < < < <	4 4 4 4 4 4	< < < < < < < < < < < < < < < < < < <		< < < < < < < < < < < < < < < < < < <									C A A A A A A A A A A A A A A A A A A A	
Number	34	24	28	35	48	48	40	84	48	48 48 48	48 48 85 85	48 48 48 85 85	85 85 85 85 85	85 85 85 85 85 85 85	85 85 85 85 85 85 85 85	48 48 48 85 85 85 85 85 85	48 48 48 85 85 85 85 85 104	48 48 48 85 85 85 85 85 104 104	48 48 48 85 85 85 85 85 104 104	48 48 48 85 85 85 85 85 85 104 104	48 48 48 85 85 85 85 85 104 104 104	48 48 48 85 85 85 85 85 104 104 104 104	48 48 48 85 85 85 85 85 104 104 104 104 104	48 48 48 85 85 85 85 85 104 104 104 104 104 104	48 48 48 85 85 85 85 85 104 104 104 104 104 104 104	48 48 48 85 85 85 85 85 104 104 104 104 104 104 104 1104	48 48 48 85 85 85 85 85 104 104 104 104 104 104 117
	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear		Prohear	Prohear Prohear	Prohear Prohear Prohear	Prohear Prohear Prohear Prohear	Prohear Prohear Prohear Prohear Prohear	Prohear Prohear Prohear Prohear Prohear	Prohear Prohear Prohear Prohear Prohear Prohear	Prohear Prohear Prohear Prohear Prohear Prohear Prohear	Prohear Prohear Prohear Prohear Prohear Prohear Prohear Prohear	Prohear Prohear Prohear Prohear Prohear Prohear Prohear Prohear Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear
4	AKC00668	AKC00669	AKC00670	AKC00671	AKC00672	AKC00673	AKC00674		AKC00675	AKC00675 AKC00676	AKC00675 AKC00676 AKC00677	AKC00675 AKC00676 AKC00677 AKC00677	AKC00675 AKC00676 AKC00677 AKC00678 AKC00678	AKC00675 AKC00677 AKC00677 AKC00678 AKC00679	AKC00675 AKC00677 AKC00677 AKC00678 AKC00688	AKC00675 AKC00670 AKC00673 AKC00679 AKC00680 AKC00680	AKC00675 AKC00676 AKC00678 AKC00678 AKC00681 AKC00681 AKC00683	AKC00675 AKC00676 AKC00678 AKC00679 AKC00680 AKC00681 AKC00683 AKC00684 AKC00684	AKC00675 AKC00676 AKC00678 AKC00680 AKC00681 AKC00681 AKC00683 AKC00683	AKC00675 AKC00676 AKC00678 AKC00689 AKC00681 AKC00684 AKC00684 AKC006884 AKC006884 AKC006884	AKC00675 AKC00677 AKC00678 AKC00689 AKC00681 AKC00683 AKC00684 AKC00685 AKC00685 AKC00686	AKC00675 AKC00676 AKC00678 AKC00689 AKC00681 AKC00684 AKC00688 AKC00688 AKC00688 AKC00688	AKC00675 AKC00677 AKC00678 AKC00680 AKC00681 AKC00683 AKC00683 AKC00684 AKC00685 AKC006868 AKC00688	AKC00675 AKC00676 AKC00678 AKC00681 AKC00681 AKC00684 AKC00688 AKC00688 AKC00688 AKC00688 AKC00688 AKC00688 AKC00688	AKC00675 AKC00677 AKC00678 AKC00680 AKC00681 AKC00683 AKC00685 AKC00685 AKC00686 AKC00688 AKC00688 AKC00688 AKC00688 AKC00688 AKC00688 AKC00688	AKC00675 AKC00676 AKC00678 AKC00681 AKC00681 AKC00684 AKC00688 AKC00717	AKC00676 AKC00677 AKC00678 AKC00681 AKC00682 AKC00682 AKC00686 AKC00686 AKC00686 AKC00686 AKC00687 AKC00687 AKC00687 AKC00687 AKC00711 AKC00712

Total # of beads	25	25	25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bead Shape	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo-Pacific bead (tubular shape)	Indo Pacific Bead	Indo Pacific Bead	Indo Pacific Bead	Indo Pacific Bead	Earring fragment	Earring fragment	Indo Pacific Bead	Indo Pacific Bead?	Indo-Pacific Bead?	Earring fragment	Indo-Pacific Bead?	Indo-Pacific Bead?	Indo-Pacific Bead?	Indo-Pacific Bead?	Indo Pacific Bead	Bangle fragment	Indo Pacific Bead	Indo Pacific Bead	Indo Pacific Bead	Bangle fragment	Earring fragment?	Indo Pacific Bead?	Indo Pacific Bead	Indo Pacific Bead?
Square	IK/136-137	IK/136-137	IK/136-137		L-M/106-107	I-K/106-107	I-K/106-107	L-M/104-105	I-K/108-109	L-M/110-111	L-M/112-113	I-K/112-113	L-M/114-115	I-K/116-117	I-K/136-137	I-K/136-137	I-K/136-137	L-M/140-141	L-M/140-141	L-M/143-144	L-M/143-144	L-M/114-115	L-M/120-121	L-M/122-123	L-M/126-127	L-M/126-127	L-M/126-127
Unit	C	C	C	A	A	A	A	A	A	A	A	A	A	A	C	C	C	C	C	В	В	A	D	D	D	D	D
Catalogue Number	12	12	12	104	13	80	85	38	10	18	30	41	27	20	12	12	6	18	3	45	62	11	7	16	65	40	40
Site Name	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear
Database ID	AKC00723	AKC00724	AKC00725	AKC00726	AKC00733	AKC00734	AKC00735	AKC00736	AKC00737	AKC00738	AKC00739	AKC00740	AKC00741	AKC00742	AKC00743	AKC00744	AKC00745	AKC00746	AKC00747	AKC00748	AKC00749	AKC00750	AKC00751	AKC00752	AKC00753	AKC00754	AKC00755

Database ID	Site Name	Catalogue Number	Unit	Square	Bead Shape	Total # of beads
AKC00756	Prohear	56	D	L-M/132-133	Indo Pacific Bead?	1
AKC00757	Prohear	39	D	L-M/132-133	Indo Pacific Bead	1
AKC00727	Bit Meas	N/A			Indo Pacific Bead	1
AKC00728	Bit Meas	N/A			Indo-Pacific bead (tubular shape)	1
AKC00729	Bit Meas	N/A			Large Indo Pacific Bead	1

Notes	Ring is broken so measurements are incomplete	Ring is broken so measurements are incomplete	•													
Max.Width			5.85	5.59	4.33	3.76	3.83	3.8	3.92	2.75	2.95	5.06	5.39	6.23	6.37	5.02
Max. Length			4.46	4.98	2.56	3.09	2.05	2.53	3.17	2.49	1.8	4.76	4	60.9	8	3.47
Interior Perf. B																
Interior Perf. A			1.3	1.32	1.54	0	1.48	1.39	1.37	0	0	1.19	1.97	1.36	1.9	1.23
Roundness Factor	NA	NA	R3	R3	R1	R2	R1	R2	R2	R1	R1	R2	R2	R3	R1	R2
Opacity	Transparent	Opaque	Translucent	Translucent	Translucent	Opaque	Opaque	Semi-Translucent	Semi-Translucent Translucent	Translucent Semi-Translucent						
Glass Color Notes	Light blue-green color								Slightly darker than other beads in this group						Dark cobalt	Dark cobalt
Glass Color	Light Green	Black	Dark Blue	Dark Blue	Dark Blue	Yellow	Black	Light Blue	Cobalt	Cobalt						
Database ID	AKC00441	AKC00442	AKC00443	AKC00444	AKC00445	AKC00446	AKC00447	AKC00448	AKC00449	AKC00450	AKC00451	AKC00452	AKC00453	AKC00454	AKC00455	AKC00456

Notes								Hole is clogged making interior	perforation and	color determination difficult	Piece is broken, no	measurements	Piece is broken, no	measurements								
Max.Width		5.52	98.9	4.63	5.35	4.74	5.37	3.15							2.73	3.63	3.01	3.42	3.28		3.21	3.43
Max.	Length	6.3	3.16	3.33	3.85	4.11	4.22	2.36							2.18	2.88	2.15	2.45	2.22		8	3.53
Interior	Perf. B																					
Interior	Perf. A	1.64	1.7	1.46	1.65	1.6	1.89	0							N/A	1.07	1.04	1.31	1.03		1.3	N/A
Roundness	Factor	R2	R1	R2	R2	R1	R1	R1			NA		NA		R0	R0	R0	R0	R0		R0	RO
Opacity		Translucent Semi-Translucent	Semi-Translucent		Translucent	Opaque	Translucent	Semi-Translucent Opaque			Semi-Translucent	Opaque	Semi-Translucent	Opaque	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent		Semi-Translucent	Semi-Translucent
Glass Color	Notes		Dark cobalt- almost black	Intense blue color			Intense blue color	Dark cobalt							Not as dark blue as cobalt beads	Not as dark blue as cobalt heads	Not as dark blue as cobalt beads	Not as dark blue	Not as dark blue	as cobalt beads	Not as dark blue as cobalt beads	Not as dark blue as cobalt beads
Glass	Color	Light Blue	Cobalt	Cobalt	Light Blue	Black	Cobalt	Cobalt			Deep	Purple	Deep	Purple	Dark Blue	Dark Blue	Dark Blue	Dark	Dark	Blue	Dark Blue	Dark Blue
Database ID		AKC00457	AKC00458	AKC00459	AKC00460	AKC00461	AKC00462	AKC00463			AKC00464		AKC00465		AKC00466	AKC00467	AKC00468	AKC00469	AKC00470		AKC00471	AKC00472

000	6	8	8
-----	---	---	---

	om 2												ds oof oof aads oalt f
Notes	Measured 10 random beads from this group of 92												Measured 8 beads from this grou of 44. All but 3 beads were a matte cobalt blue color, 5 of these were measured. The three lighter blue beads were also measured.
Max.Width	5.45	5.68	6.04	5.93	6.23	6.22	5.8	6.33	5.42	5.85	3.05	2.66	5.01
Max. Length	3.43	2.78	2.97	4.24	3.55	3.36	3.08	2.75	3.42	2.59	1.54	1.85	4.01
Interior Perf. B													
Interior Perf. A	1.14	1.73	1.44	1.02	1.57	1.37	1.73	1.6	1.26	1.75	6.0	62.0	129
Roundness Factor	R2	R1	R1	R2	R1	R1	R1	R1	R1	R1	R1	R1	R2
Opacity	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent
Glass Color Notes	Dark blue cobalt/ matte finish	Dark blue cobalt/ matte finish	Dark blue cobalt/ matte finish	Dark blue cobalt/ matte finish	Dark blue cobalt/ matte finish	Dark blue cobalt/ matte finish	Dark blue cobalt/ matte finish	alt/	Dark blue cobalt/ matte finish	Dark blue cobalt/ matte finish		Intense blue color	
Glass Color	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Light Blue
Database ID	AKC00473	AKC00474	AKC00475	AKC00476	AKC00477	AKC00478	AKC00479	AKC00480	AKC00481	AKC00482	AKC00483	AKC00484	AKC00485

									solor							þ	pç	pun			
Notes									Brighter blue color							barrel shaped	barrel shaped	Large size round bead			
Max.Width	5.34	4.9	99'9	6.88	4.79	5.76	6.38	3.84	4.68	2.62		6.27	4.92	4.8	5.2	5.14	4.55	6.83	3.74	4.8	3.56
Max. Length	2.84	4.65	2.6	3.7	4.35	3.95	2.92	1.46	4.25	2.6		3.23	4.45	5.01	4.32	6.24	5.61	5.18	1.89	3.95	3.73
Interior Perf. B																					
Interior Perf. A	1.6	1.7	2.4	2.1	1.56	1.22	2.31	1.14	96.0	1.48		1.82	1.32	1.57	1.23	1.28	1.26	2.02	1.63	1.43	0.7
Roundness Factor	R2	R1	R1	R1	R2	R2	R1	R1	R2	R1	NA	R1	R2	R2	R2	R2	R2	R1	R1	R2	R2
Opacity	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent		Semi-Translucent	Semi-Translucent	Opaque	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent
Glass Color Notes			Dark blue cobalt/ matte finish	ılt/	alt/	Dark blue cobalt/ matte finish	ılt/	Dark cobalt	Intense blue color	Intense blue color		Dark cobalt	Intense blue color Semi-Translucent	Intense blue color	Intense blue color	Intense blue color Semi-Translucent	Intense blue color	Intense blue color Semi-Translucent	Not as dark blue as cobalt beads	Intense blue color	Intense blue color, shiny surface
Glass Color	Light Blue	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Black	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Dark Blue	Cobalt	Cobalt
Database ID	AKC00486	AKC00487	AKC00488	AKC00489	AKC00490	AKC00491	AKC00492	AKC00493	AKC00494	AKC00495	AKC00496	AKC00497	AKC00498	AKC00499	AKC00500	AKC00501	AKC00502	AKC00503	AKC00504	AKC00505	AKC00506

ı	6	a	n
ı	v	,	v

			d d	ure				olly the the the the the e					6
Notes			Not disc shaped like others in this color range and also more shiny than matte.	Bead is fragmentary, difficult to measure				Measured the only dark cobalt blue bead as well as the 4/33 of the group of more intense blue beads.					
Max.Width	4.36	4.13	5.17		66'9	6.78	6.11	5.76	4.66	6.58	5.74	4.75	5.97
Max. Length	3.35	3.05	5.67		4.88	4.86	4.99	4.6	4.39	6.52	4.39	4.91	4.56
Interior Perf. B													
Interior Perf. A	1.39	1.05	1.33		1.95	1.14	2.05	2.1	1.79	2.38	06	0.93	1.9
Koundness Factor	R2	R2	R1	NA	R1	R1	R2	R1	R1	R1	R1	R2	R2
Opacity	Semi-Translucent	Semi-Translucent	Semi-Translucent		Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent
Notes	Intense blue color	Intense blue color Semi-Translucent	Shiny surface	NA	Intense blue color, shiny surface	Intense blue color, shiny surface	Intense blue color	Dark blue cobalt/ matte finish	Intense blue color	Intense blue color Semi-Translucent	Intense blue color	Intense blue color, shiny surface	Intense blue color, shiny surface
Color	Cobalt	Cobalt	Cobalt	Red	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt
Database ID	AKC00507	AKC00508	AKC00510	AKC00511	AKC00512	AKC00513	AKC00514	AKC00515	AKC00516	AKC00517	AKC00518	AKC00519	AKC00520

												oed.							
Notes												Bead is chipped							
Max.Width	5.78	5.01	5.63	5.35	5.27	5.35	5.39	5.91	5.14	4.9	6.37	5.14	4.63	5.89	5.32	5.39	5.63	5.05	5.7
Max. Length	4	4.07	5.78	5.05	4.18	5.85	5.78	5.2	3.97	5.46	5.18	3.36	4.89	4.82	3.75	5.13	4.83	4.68	5.96
Interior Perf. B			1.49																
Interior Perf. A	2.06	1.19		1.49	1.07	1.49	1.96	0.97	1.73	1.9	1.58	1.27	1.15	2.02	1.3	1.21	1.22	1.42	0.88
Roundness Factor	R1	R2	R2	R2	R2	R2	R2	R2	R1	R1	R2	R1	R2	R2	R2	R3	R2	R2	R2
Opacity	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Opaque	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent
Glass Color Notes	Intense blue color, shiny surface	Intense blue color		Matte surface	Intense blue color, shiny surface	color	Intense blue color, shiny surface	Intense blue color	Intense blue color	Intense blue color Semi-T	Intense blue color	Intense blue color		Intense blue color, shiny surface	Intense blue color, shiny surface	Intense blue color	Shiny surface	Intense blue color, shiny surface	Intense blue color
Glass Color	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Black	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt
Database ID	AKC00521	AKC00522	AKC00523	AKC00524	AKC00525	AKC00526	AKC00527	AKC00528	AKC00529	AKC00530	AKC00531	AKC00532	AKC00533	AKC00534	AKC00535	AKC00536	AKC00537	AKC00538	AKC00539

6	a	2
v	フ	4

Glass Color			Roundness Factor	Interior Perf. A	Interior Perf. B	Max. Length	Max.Width	Notes
Cobalt	Intense blue color	Semi-Translucent	N/A	N/A	N/A	N/A	N/A	
Cobalt	Intense blue color	Semi-Translucent	R2	1.39		5.05	5.72	
Cobalt	Intense blue color, shiny surface	Semi-Translucent	R2	1.38		5.7	5.34	
Cobalt	Intense blue color	Semi-Translucent	R1	1.85		2.72	5.69	
Cobalt	Intense blue color	Semi-Translucent	R2	1.37		4.51	5.62	
Cobalt	Matte surface	Semi-Translucent	R2	1.31		5.92	6.29	
Cobalt	Intense blue color	Semi-Translucent	R1	1.91		4.77	5	
Cobalt	Intense blue color Semi	Semi-Translucent	NA	1.71		0	0	Bead broken, measurements difficult
Cobalt	Intense blue color, shiny surface	Semi-Translucent	R1	1.77		4.72	5.47	
Cobalt	Intense blue color	Semi-Translucent	R2	1.74		60.9	0	
Red	Reddish-brown	Opaque	R1	1.21		2.46	3.69	
Red	Reddish-brown	Opaque	R1	1.36		2.15	3.81	
Red	Reddish-brown	Opaque	R1	1.38		2.8	3.66	
Red	Reddish-brown	Opaque	R1	1.51		1.85	3.8	
Red	Reddish-brown	Opaque	R1	1.31		1.95	3.81	
Red	Reddish-brown	Opaque	R1	0		2.67	0	
Red	Reddish-brown	Opaque		1.41		2.22	3.24	
Red	Reddish-brown	Opaque	R1	1.41		1.98	3.89	
Cobalt	Intense blue color	Semi-Translucent	R1	1.71		3.33	5.65	Measured and recorded all three of the blue beads and 3 of the red beads (n=6 total)
Cobalt	Intense blue color Semi	Semi-Translucent	R2	1.07		4.84	5.79	
	_	-						•

Notes							Bead hole clogged, unable to measure																	
Max.Width	4.87	3.77	4.25	3.43	0	7.71	2.6	0	4.55	5.03	5.27	6.45	2.71	89.9	3.57	2.52	2.39	5.58	5.72	0	4.69	6.93	6.03	7.05
Max. Length	3.81	2.41	2.47	3.49	0	3.38	1.68	3.84	4.4	4.71	4.31	3.02	1.41	5.72	2.65	1.16	1.77	4.94	5.12	0	4.61	6.12	5.69	2.98
Interior Perf. B																								
Interior Perf. A	1.25	0	1.63	89.0		2.27	0	0	1.15	1.28	1.52	2.23	96.0	1.63	1.13	6.0	8.0	1.42	1.11		86.0	9.02	2.12	1.7
Roundness Factor	R1	R1	R1	R2	NA	R1	R1	R1	R1	R1	R1	R1	R1	R2	R1	R1	R1	R2	R2	NA	R2	R2	R1	R1
Opacity	Semi-Translucent	Opaque	Opaque	Opaque	Opaque	Semi-Translucent	Semi-Translucent	Opaque	Semi-Translucent	Translucent	Semi-Translucent	Semi-Translucent	Opaque	Semi-Translucent	Opaque	Opaque	Opaque	Semi-Translucent Translucent	Semi-Translucent	Opaque	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent
Glass Color Notes	Intense blue color	Reddish-brown	Reddish-brown	Reddish-brown		Dark cobalt	Not as dark blue as cobalt beads		Not as dark blue as cobalt beads	yellow-green		Dark cobalt		Intense blue color					Intense blue color		Intense blue color	Intense blue color	Intense blue color	Dark cobalt
Glass Color	Cobalt	Red	Red	Red	Black	Cobalt	Dark Blue	Black	Dark Blue	Light Green	Deep Purple	Cobalt	Black	Cobalt	Black	Black	Black	Light Green	Cobalt	Black	Cobalt	Cobalt	Cobalt	Cobalt
Database ID	AKC00560	AKC00561	AKC00562	AKC00563	AKC00564	AKC00565	AKC00566	AKC00567	AKC00568	AKC00569	AKC00570	AKC00571	AKC00572	AKC00573	AKC00574	AKC00575	AKC00576	AKC00577	AKC00578	AKC00579	AKC00580	AKC00581	AKC00582	AKC00583

Notes	Perforation not measured as hole	was clogged	Broken bead,	perforation		Broken bead, unable to measure			26 total beads,	measured 5 of 22	opaque cobalt	beads, 1 light blue	bead, and 1 of 3	sem-translucent dark blue beads.							Bead is broken so		Measured one dark blue bead and 4 of 16 cobalt blue beads.	694
Max.Width	2.4		3.55		62.7	0	2.84	3.65	5.62						5.75	4.68	4.33	4.85	5.7	5.52	N/A	6.53	7.17	
Max. Length	2.56		1.41		5	0	1.23	1.83	5.37						4.42	2.13	4.2	3.72	6.22	4.71	N/A	5.01	3.76	
Interior Perf. B																								
Interior Perf. A	N/A		N/A		1.3	0	0.84	1.03	1.24						1.63	1.21	0	1.48	1.57	1.89	N/A	1.71	1.78	
Roundness Factor	R1		R1		R2	NA	R1	R1	R2						R2	R1	R2	R1	R2	R2	R2	R2	R1	
Opacity	Semi-Translucent		Semi-Translucent		Semi-Translucent	Semi-Translucent	Translucent	Semi-Translucent	Opaque						Opaque	Semi-Translucent	Opaque	Opaque	Opaque	Translucent Transparent	Opaque	Semi-Translucent	Translucent Transparent	
Glass Color Notes					Dark cobalt	Dark cobalt	Not as dark blue as cobalt beads		Dark cobalt						Dark cobalt	Dark cobalt	Dark cobalt	Dark cobalt	Dark cobalt	Not as dark blue as cobalt beads	Dark cobalt	Dark cobalt	sky blue	
Glass Color	Dark Blue		Cobalt		Cobalt	Cobalt	Dark Blue	Cobalt	Cobalt						Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Dark Blue	Cobalt	Cobalt	Light Blue	
Database ID	AKC00584		AKC00585		AKC00586	AKC00587	AKC00588	AKC00589	AKC00591						AKC00592	AKC00593	AKC00594	AKC00595	AKC00596	AKC00597	AKC00598	AKC00599	AKC00600	

Notes												Bead is broken, unable to measure	Bead is in poor condition, difficult	to measure and determine color.		Slightly teardrop shaped?			Bead is broken, unable to measure
Max.Width	5.59	5.55	4.53	5.46	7.82	5.45	3.29	4.36	4.61	3.54	3.43	N/A	N/A		3.16	7.82	4.17	5.33	N/A
Max. Length	5.02	4.04	4	4.62	8.55	5.31	2.18	2.54	4.11	2.44	1.5	N/A	3.53		2.55	6.2	3.57	3.88	N/A
Interior Perf. B																			
Interior Perf. A	2.02	1.97	1.13	1.4	1.79	1.5	0.72	1.36	1.31	76.0	1.03	N/A	N/A		1.14	1.25	0.7	1.71	N/A
Roundness Factor	R2	R2	R1	R2	R2	R2	R1	R1	R2	R1	R1	NA	R1		R1	R2	R2	R2	NA
Opacity	Semi-Translucent Opaque	Semi-Translucent Opaque	Semi-Translucent Opaque	Semi-Translucent Opaque	Semi-Translucent	Semi-Translucent	Opaque	Semi-Translucent	Semi-Translucent	Semi-Translucent Translucent	Semi-Translucent	Opaque Semi-Translucent	Opaque Semi-Translucent		Semi-Translucent	Opaque Semi-Translucent	Semi-Translucent	Semi-Translucent Translucent	Semi-Translucent Translucent
Glass Color Notes	Dark cobalt	Dark cobalt	Dark cobalt	Dark cobalt	Dark cobalt	Dark cobalt		Dark cobalt	Intense blue color	Not as dark blue as cobalt beads	Intense blue color	Dark cobalt	Intense blue color		Not as dark blue as cobalt beads	Intense blue color	Intense blue color		Intense blue color
Glass Color	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Black	Cobalt	Cobalt	Dark Blue	Cobalt	Cobalt	Cobalt		Dark Blue	Cobalt	Cobalt	Light Blue	Cobalt
Database ID	AKC00601	AKC00602	AKC00603	AKC00604	AKC00605	AKC00607	AKC00608	AKC00609	AKC00610	AKC00611	AKC00612	AKC00613	AKC00614		AKC00615	AKC00616	AKC00617	AKC00618	AKC00619

Notes	32 of the beads are smaller in size and one is larger. Measured larger bead and 4 of the 32 smaller sized beads.							Bead is fragmented.		Material?				Bead is broken, unable to take measurements
Max.Width	3.52	3.42	3.24	3.73	5.3	5.11					7.19	6.49	4.62	N/A
Max. Length	1.51	1.37	1.48	1.46	3.64	3.8		0			88.9	5	4.22	N/A
Interior Perf. B														
Interior Perf. A	1.35	1.04	1.08	1.07	1.4	1.88					2.57	1.95	1.12	V/N
Roundness Factor	RI		R1	R1	R2	R2	NA	NA	NA	NA	R2	R2	R1	R2
Opacity	Semi-Translucent Translucent	Semi-Translucent Translucent	Semi-Translucent Translucent	Semi-Translucent Translucent	Semi-Translucent Translucent	Semi-Translucent Translucent	Translucent		Translucent	Opaque	Semi-Translucent Opaque	Translucent	Translucent Semi-Translucent	Opaque
Glass Color Notes	Intense blue color	Intense blue color	Intense blue color	Intense blue color	Intense blue color	Dark cobalt	with some yellow	Blue?			Not as dark blue as cobalt beads	Similar to Turq/Med Blue from Phum Snay?		Difficult to determine color
Glass Color	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Blue- Green	Unknown	Blue- Green	Turquois e	Dark Blue?	Turquois e	Deep Purple	Black/Pu rple
Database ID	AKC00620	AKC00621	AKC00622	AKC00623	AKC00624	AKC00625	AKC00626	AKC00627	AKC00628	AKC00629	AKC00630	AKC00631	AKC00632	AKC00633

_	\sim	$\overline{}$
h	ч	- /

Notes								Bracelet fragment?						Bead is broken, unable to take measurements.	Bead is broken, unable to take measurements.				
Max.Width	N/A	N/A	7.13	5.37	5.4	3.76	6.3	10.59			3.95	3	3.76	N/A	N/A	N/A	3.93	2.25	2.57
Max. Length	N/A	N/A	7.62	3.92	2.44	4.4	4.44	12.66			3.48	1.08	2.58	N/A	3.27	3.18	2.42	1.2	1.59
Interior Perf. B																			
Interior Perf. A	N/A	N/A	1.91	1.69	1.8	0.77	1.92				1.64	1.08	0.78	N/A	N/A	N/A	1.3	6.0	1.08
Roundness Factor	NA	NA	R2	R2	R1	R2	R1	NA	R2	NA	R1	R0	R1	R1	R1	R1	R1	R0	R0
Opacity	Semi-Translucent	Semi-Translucent	Opaque	Semi-Translucent	Semi-Translucent	Opaque	Semi-Translucent	Semi-Translucent	Opaque	Semi-Translucent	Opaque	Opaque Semi-Translucent	Opaque	Opaque	Opaque	Opaque	Opaque	Semi-Translucent	Semi-Translucent
Glass Color Notes				Intense blue color	Intense blue color		Intense blue color	Turquoise	Purple/Black?			Purple/Black?	Purple/Black?	Purple/Black?	Purple/Black?	Purple/Black?	Purple/Black?		
Glass Color	Dark Blue	Dark Blue	Black	Cobalt	Cobalt	Black/Pu rple	Cobalt	Light Blue	Black	Light Blue	Black	Violet?	Black	Black	Black	Black	Black	Dark Blue	Dark Blue
Database ID	AKC00634	AKC00635	AKC00636	AKC00637	AKC00638	AKC00639	AKC00640	AKC00641	AKC00649	AKC00650	AKC00655	AKC00656	AKC00657	AKC00658	AKC00659	AKC00660	AKC00661	AKC00662	AKC00663

Notes			Bead is broken, unable to take measurements.					Bead is broken, unable to take	measurements.	2 broken black	beads in this group	were not	measured/recorded.					Beads all the same	color but there	were more longer	tubes. Measured 1	of 3 tubular beads	and 4 of 12	disc/oblate shaped	Ocado.		
Max.Width	3.89	4.13	A/X	4.3	3.34	2.6	3.79	N/A		2.71	- Pc		m	2.5	3.19	4.26	3.58	2.62 B		*	tu	0		lp	2.57		2.18
Max. Length	2.56	2.47	N/A	3.35	3.05	1.09	2.77	2.54		1.24				1.38	3.64	2.68	2.48	1.14							1.23		1.18
Interior Perf. B																											
Interior Perf. A	0.95	1.51	N/A	1.47	0.95	0.95	1.23	N/A		0.94				0.63	1.09	1.16	0	0.97							1.04		0.82
Roundness Factor	R2	R1	NA	R2	R2	R0	R1	R1		R0				R0	R1	R2		R0							R0	,	R0
Opacity	Opaque	Opaque	Opaque	Opaque	Opaque	Semi-Translucent	Opaque	Opaque		Semi-Translucent				Opaque	Opaque	Opaque	Opaque	Semi-Translucent							Semi-Translucent		Semi-Translucent
Glass Color Notes	Purple/Black?		Purple/Black?	Purple/Black?	Purple/Black?	Purple/Black?	Purple/Black?	Purple/Black?						Purple/Black?	Purple/Black?	Purple/Black?	Purple/Black?										
Glass Color	Black	Black	Black	Black	Black	Violet?	Black	Black		Violet?				Black	Black	Black	Black	Dark	Blue						Dark	Bine	Dark Blue
Database ID	AKC00664	AKC00665	AKC00666	AKC00667	AKC00668	AKC00669	AKC00670	AKC00671		AKC00672				AKC00673	AKC00674	AKC00675	AKC00676	AKC00677							AKC00678		AKC00679

Notes			Measured 3 of 23 dark blue beads, 2 of 14 Violet disc shaped beads, 2 of 12 violet tubular beads.										Measured 1 dark belue bead and 5 of 24 cobalt blue beads.		
Max.Width	2.4	3.25	2.31	2.27	2.22	2.6	2.77	3.84	4.27	5.63	62.7	5.86	5.52	5.27	5.65
Max. Length	1.54	2.03	1.76	1.47	1.26	1.41	1.25	2.13	2.09	3.64	7.16	7.71	4.71	3.38	4.32
Interior Perf. B															
Interior Perf. A	1.05	1.23	0.75	0.86	0.85	88.0	8.0	1.29	1.3	1.63	1.9	1.09	1.95	1.75	N/A
Roundness Factor	R0	R0	R0	R0	R0	R0	RO	R1	R1	R1	R1	R3	R2	R2	R2
Opacity	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent Opaque	Semi-Translucent	Semi-Translucent	Translucent	Semi-Translucent Opaque	Opaque Semi-Translucent
Glass Color Notes										Dark cobalt	Dark cobalt	Intense blue color	Not as dark blue as cobalt beads	Dark cobalt	Dark cobalt
Glass Color	Dark Blue	Dark Blue	Dark Blue	Dark Blue	Dark Blue	Violet	Violet	Violet	Violet	Cobalt	Cobalt	Cobalt	Dark Blue	Cobalt	Cobalt
Database ID	AKC00680	AKC00681	AKC00683	AKC00684	AKC00685	AKC00686	AKC00687	AKC00688	AKC00689	AKC00717	AKC00718	AKC00719	AKC00720	AKC00721	AKC00722

7	Λ	Λ
/	v	v

Notes				Could be modern?									Heavily weathered						
Max.Width	4.73	4.98	5.82	2.37	3.32	3.73	2.57			3.25								3.69	
Max. Length	3.72	3.85	4.42	1.76	1.98	2.15	1.44			1.63					3.47			1.8	
Interior Perf. B																			
Interior Perf. A	1.38	0	1.82	0.81	1.11	1.45	0.85											1.5	
Roundness Factor	R1	R2	R2	R1	R2	R1	R1	NA										R2	
Opacity	Opaque Semi-Translucent	Semi-Translucent Opaque	Semi-Translucent Opaque	Opaque	Semi-Translucent	Opaque	Opaque	Translucent	Translucent	Semi-Translucent	Translucent	Semi-Translucent	Opaque	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Semi-Translucent	Translucent
Glass Color Notes	Dark cobalt	Dark cobalt	Dark cobalt	With a rainbow coating on suface?					Purple/Black?		Brown-Black		light green						
Glass	Cobalt	Cobalt	Cobalt	White	Dark Blue	Dark Blue	Dark Blue	Blue- green	Black	Dark Blue	Black	Dark Blue	Green	Cobalt	Dark Blue	Dark Blue	Dark Blue	Dark Blue	Brown
Database ID	AKC00723	AKC00724	AKC00725	AKC00726	AKC00733	AKC00734	AKC00735	AKC00736	AKC00737	AKC00738	AKC00739	AKC00740	AKC00741	AKC00742	AKC00743	AKC00744	AKC00745	AKC00746	AKC00747

Notes													
Max.Width			2.73			5.96	3.62			3.31	3.26	3.86	8.9
Max.	3.82	2.03	1.51			4.49	1.8	2.89	5.19	2.25	1.91	3.23	5.75
Interior	1 (11. D												
Interior	1011.4		0.94			0	86.0			6.0	1.09	1.44	1.57
Roundness	R2		R3				R1	R2		R3	R2		R1
Opacity	Opaque	Opaque	Opaque	Transparent	Transparent	Opaque	Opaque	Semi-Translucent	Semi-Translucent	Opaque	Opaque	Translucent	Semi-Translucent
Glass Color	SOLONI	orange-red									Not as dark blue as cobalt beads		
Glass	Black	Red	Red	Light Blue	Light Blue	Turquois e Blue	Black	Dark Blue	Dark Blue	Black	Dark Blue	Blue- Green	Dark Blue
Database ID	AKC00748	AKC00749	AKC00750	AKC00751	AKC00752	AKC00753	AKC00754	AKC00755	AKC00756	AKC00757	AKC00727	AKC00728	AKC00729

Appendix 7.1e: Glass beads from Phum Snay

Database	Site Name	Catalogue	Bead Shape	Context	Total #	Glass	Glass Color	Opacity
ID		Number			of beads	Colors	Notes	
AKC00041	Phum Snay	359(p)	Indo-Pacific Bead	Burial 9	1	Light Blue		Semi-
				Bag 37 beads at waist				Translucent
AKC00057	Phum Snay	326	Ring fragment (earring?)	Unit A West	1	Light Blue	Turquoise	Opaque
	•			3:2		1	blue/green with	ı
				Bag 15 Cat 326			streaks of yellow.	
AKC00058	Phum Snay	327	Glass bangle/earring	Unit A/West	1	Light Blue	Turquoise	Opaque
			fragment	3:2			blue/green with	
				Bag 15 Cat 327			streaks of yellow.	
AKC00059	Phum Snay	380	Earring/ring	Unit A/W 3:4 Feature 2 Burial 13 Bag 42	1	Dark Blue		Translucent
AKC00060	Phum Snay	232	Indo-Pacific Microbead	Unit A/E	1	Orange		Opaque
				1:1 Bag 1 Cot 222				
AKC00061	Phum Snay	243	Indo-Pacific Bead	Unit C/E	1	Yellow		Opaque
				1:1 Bag 1 Cat 243				
AKC00062	Phum Snay	236	Indo-Pacific Bead	Unit C/E	1	Yellow		Opaque
				1.1 Bag 1 Cat 236				
AKC00063	Phum Snay	253	Indo-Pacific Bead	Unit C/E	1	Yellow		Opaque
				2:2 Bag 5				
				Cat 253				

Opacity	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque
Glass Color Notes									
Glass Colors	Yellow	Orange	Red	Orange	Red	Orange	Orange	Red	Red
Total # of beads	-	П	1	П	-	Г	П	П	-
Context	Unit B 2:2 Bag 5 Cat 24	Unit B 3:5 Cat 148 Bag 26	Unit B 3:5 Bag 26 Cat 122	Unit A 3:2 Feature 1 Bag 18 Cat 102	Unit B 3:5 Bag 26 Cat 135	Unit C 3:2 Bag 17 Burial 1 Cat 73	Unit B 3:3 Feature 1 Bag 20 Cat 151	Unit B 1:3 Bag 3 Cat 13	Unit A West 3:2 Bag 15
Bead Shape	Indo-Pacific Bead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	24	148	122	102	135	73	151	13	302
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database ID	AKC00064	AKC00065	AKC00066	AKC00067	AKC00068	AKC00069	AKC00070	AKC00071	AKC00072

Opacity	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Transparent Opaque	Translucent Opaque
Glass Color Notes								green color similar to cat 234 but 234 has more yellow	
Glass Colors	Orange	Orange	Red	Orange	Red	Orange	Orange	Light Green	Yellow- Green
Total # of beads	-	1	-	1	1	-	1	1	1
Context	Unit C/E 2:2 Feature 1 Bag 37 Cat 250	Unit B 2:1 Bag 4 Cat 18	Unit A/E 2:3 Bag 6 Cat 761	Unit C/E 2:2 Feature 1 Bag 37 Cat 255	Unit A 3:1 Feature 1 Bag 12 Cat 50	Unit B 2:2 Bag 5 Cat 26	Unit A 2:3 Bag 6 Cat 33	Unit A 2:2 Bag 5 Cat 25	Unit A/W 1:1 Bag 1 Cat 234
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	250	18	761	255	50	26	33	25	234
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database ID	AKC00073	AKC00074	AKC00075	AKC00076	AKC00077	AKC00078	AKC00079	AKC00080	AKC00081

Opacity	Semi- Translucent	Semi- Translucent	Semi- Translucent	Semi- Translucent	Semi- Translucent	Opaque	Semi- Translucent	Semi- Translucent	Semi- Translucent
Glass Color Notes	Turquoise	Turquoise	Turquoise	Turquoise	Turquoise				
Glass Colors	Light Blue	Light Blue	Light Blue	Light Blue	Light Blue	Dark Green	Dark Blue	Dark Blue	Dark Blue
Total # of beads	1	1	-	1	-	1	1	1	-
Context	Unit C/E 2:1 Bag 4 Cat 248	Unit C/E Burial 9 at neck Bag 37 Cat 349	Unit C/E 2:2 Feature 1 Bag 37 Cat 256	Unit C/E 2:4 Bag 7 Cat 303	Unit A/West 2:2 Bag 5 Cat 252	Unit C/E 2:2 Bag 5 Cat 640	Unit C/E 2:1 Bag 4 cat 246	Unit C/E 2:2 Feature 1 Bag 37 Cat 763	Unit B 2:3 Bag 6
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	248	349	256	303	252	640	246	763	29
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database ID	AKC00082	AKC00083	AKC00084	AKC00085	AKC00086	AKC00087	AKC00088	AKC00089	AKC00090

Opacity	Translucent Semi- Translucent	Translucent	Translucent	Translucent	Translucent	Opaque	Opaque	Opaque	Opaque
Glass Color Notes									
Glass Colors	Dark Blue	Dark Blue	Dark Blue	Dark Blue	Cobalt	Orange	Orange	Orange	Orange
Total # of beads	-	-	-	-	1	4	4	4	4
Context	Unit C 1:3 Bag 3 Cat 12	Unit B 2:3 Bag 6 Cat 42	Unit A/West 1:1 Bag 1 Cat 271	Unit C Bag 9 Level 2:5 Cat 45	Burial 9 (at head) Bag 37	Unit B 3:3 Bag 16 cat 65			
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead
Catalogue Number	12	42	271	45	348	65(a)	(q) 5 9	65(c)	(p)59
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database ID	AKC00091	AKC00092	AKC00093	AKC00094	AKC00095	AKC00096	AKC00097	AKC00098	AKC00099

Glass Color Opacity Notes	Opaque	Opaque	Opaque	Transparent	Transparent	Opaque	Turquoise Semi- Translucent	Turquoise Semi- Translucent	Turquoise Semi- Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent
Glass Gla	Orange	Orange	Orange	Dark Blue	Dark Blue	Red	Light Blue Tu	Light Blue Tu	Light Blue Tu	Dark Blue	Dark Blue	rk Blue	rk Blue	rk Blue	rk Blue
Total # Of beads		3	3	2 Da	2 Da	4	4 Lig	4 Lig	4 Lig	3 Da	3 Da				
Context	Unit A/B 3: 2 Feature 2 Bag 19 Cat 100	Unit A/B 3: 2 Feature 2 Bag 19 Cat 100	Unit A/B 3: 2 Feature 2 Bag 19 Cat 100	Burial 7 Bag 21 Cat 402	Burial 7 Bag 21 Cat 402	Burial 9 Bag 37 Cat 352	Burial 9 Bag 37 Cat 352	Burial 9 Bag 37 Cat 352	Burial 9 Bag 37 Cat 352	Unit C 2:3 bag 6 cat 28	Unit C	Unit C 2·3	Unit C 2:3	Unit C 2:3	Unit C 2:3 bag 6
Bead Shape	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	100(a)	100(b)	100(c)	402(a)	402(b)	352(a)	352(b)	352(c)	352(d)	28(a)	28(b)	28(b)	28(b)	28(b)	28(b)
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database ID	AKC00100	AKC00101	AKC00102	AKC00103	AKC00104	AKC00105	AKC00106	AKC00107	AKC00108	AKC00109	AKC00110	AKC00110	AKC00110	AKC00110	AKC00110

Opacity	Translucent	Translucent	Translucent	Translucent	Semi- Translucent	Translucent	Translucent	Translucent	Translucent
Glass Color					Turquoise		Navy blue?		
Glass	Dark Blue	Dark Blue	Dark Blue	Dark Blue	Light Blue	Blue-Green	Dark Blue	Dark Blue	Dark Blue
Total #	3	3	3	3	2	2	2	2	49
Context	Unit C 2:3 bag 6 cat 28	Burial 7 (beads at skull and neck) Bag 35	Burial 7 (beads at skull and neck) Bag 35	Burial 7 (beads at skull and neck) Bag 35	Unit C/E 2:1 Feature 1 Bag 37 Cat 292	Unit C/E 2:1 Feature 1 Bag 37 Cat 292	Unit A 2:4 Bag 8 cat 40	Unit A 2:4 Bag 8 cat 40	Unit C/E 2:2 Feature 1 Bag 37 Cat 258
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	28(c)	229(a)	229(b)	229(c)	292(a)	292(b)	40(a)	40(b)	258(a)
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database	AKC00111	AKC00112	AKC00113	AKC00114	AKC00115	AKC00116	AKC00117	AKC00118	AKC00119

or Opacity	Translucent	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque
Glass Color Notes								
Glass Colors	Dark Blue	Orange	Red	Yellow	Yellow	Yellow	Yellow	Yellow
Total # of beads	49	49	49	49	49	49	49	49
Context	Unit C/E 2:2 Feature 1 Bag 37 Cat 258	Unit C/E 2:2 Feature 1 Bag 37						
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Microbead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	258(b)	258(c)	258(d)	258(e1)	258(e2)	258(e3)	258(e4)	258(e5)
Site Name	Phum Snay	Phum Snay						
Database ID	AKC00120	AKC00121	AKC00122	AKC00123	AKC00124	AKC00125	AKC00126	AKC00127

Opacity	Opadue	Opadue	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque
Glass Color Notes								
Glass Colors	Yellow							
Total # of beads	49	49	49	49	49	49	49	49
Context	Unit C/E 2:2 Feature 1 Bag 37 Cat 258							
Bead Shape	Indo-Pacific Bead							
Catalogue Number	258(e6)	258(e7)	258(e8)	258(e9)	258(e10)	258(e11)	258(e12)	258(e13)
Site Name	Phum Snay							
Database ID	AKC00128	AKC00129	AKC00130	AKC00131	AKC00132	AKC00133	AKC00134	AKC00135

Opacity	Opaque							
Glass Color Notes								
Glass Colors	Yellow							
Total # of beads	49	49	49	49	49	49	49	49
Context	Unit C/E 2:2 Feature 1 Bag 37 Cat 258							
Bead Shape	Indo-Pacific Bead							
Catalogue Number	258(e14)	258(e15)	258(e16)	258(e17)	258(e18)	258(e19)	258(e20)	258(e21)
Site Name	Phum Snay							
Database ID	AKC00136	AKC00137	AKC00138	AKC00139	AKC00140	AKC00141	AKC00142	AKC00143

Opacity	Opaque							
Glass Color Notes								
Glass Colors	Yellow							
Total#	49	49	49	49	49	49	49	49
Context	Unit C/E 2:2 Feature 1 Bag 37 Cat 258							
Bead Shape	Indo-Pacific Bead							
Catalogue Number	258(e22)	258(e23)	258(e24)	258(e25)	258(e26)	258(e27)	258(e28)	258(e29)
Site Name	Phum Snay							
Database ID	AKC00144	AKC00145	AKC00146	AKC00147	AKC00148	AKC00149	AKC00150	AKC00151

Site Name	Catalogue Number	Bead Shape	Context	Total # of beads	Glass Colors	Glass Color Notes	Opacity
-	258(e30)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 258	49	Yellow		Opaque
	258(e31)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 258	49	Yellow		Opaque
Phum Snay	258(e32)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 258	49	Yellow		Opaque
Phum Snay	258(e33)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 258	49	Yellow		Opaque
Phum Snay	258(e34)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 258	49	Yellow		Opaque
Phum Snay	258(e35)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 258	49	Yellow		Opaque
Phum Snay	258(e36)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 258	49	Yellow		Opaque
Phum Snay	258(e37)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 258	49	Yellow		Opaque

Opacity	Opaque							
Glass Color Notes								
Glass Colors	Yellow							
Total#	49	49	49	49	49	49	49	49
Context	Unit C/E 2:2 Feature 1 Bag 37 Cat 258							
Bead Shape	Indo-Pacific Bead							
Catalogue Number	258(e38)	258(e39)	258(e40)	258(e41)	258(e42)	258(e43)	258(e44)	258(e45)
Site Name	Phum Snay							
Database ID	AKC00160	AKC00161	AKC00162	AKC00163	AKC00164	AKC00165	AKC00166	AKC00167

Opacity	Opadue	Opaque	Opaque	Opaque	Translucent	Translucent	Semi- Translucent	Semi- Translucent
Glass Color Notes							Turquoise	Turquoise
Glass Colors	Yellow	Yellow	Yellow	Red	Dark Blue	Dark Blue	Light Blue	Light Blue
Total # of beads	9	9	9	9	9	9	46	46
Context	Unit C 2:2 Bag 5 Cat 22	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	Unit C/E 2:2 Feature 1 Bag 37 Cat 263					
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead						
Catalogue Number	22(a)	22(b)	22(c)	22(d)	22(e)	22(f)	263(a1)	263(a2)
Site Name	Phum Snay	Phum Snay						
Database ID	AKC00168	AKC00169	AKC00170	AKC00171	AKC00172	AKC00173	AKC00174	AKC00175

Opacity	Semi- Translucent							
Glass Color Notes	Turquoise							
Glass Colors	Light Blue							
Total # of beads	46	46	46	46	46	46	46	46
Context	Unit C/E 2:2 Feature 1 Bag 37 Cat 263							
Bead Shape	Indo-Pacific Bead							
Catalogue Number	263(a3)	263(a4)	263(a5)	263(a6)	263(a7)	263(a8)	263(a9)	263(a10)
Site Name	Phum Snay							
Database ID	AKC00176	AKC00177	AKC00178	AKC00179	AKC00180	AKC00181	AKC00182	AKC00183

Opacity	Semi- Translucent	Semi- Translucent	Semi- Translucent	Semi- Translucent	Semi- Translucent	Semi- Translucent	Semi- Translucent	Semi- Translucent
Glass Color Notes	Turquoise	Turquoise	Turquoise	Turquoise	Turquoise	Turquoise	Turquoise	Turquoise
Glass	Light Blue	Light Blue	Light Blue	Light Blue	Light Blue	Light Blue	Light Blue	Light Blue
Total #	46	46	46	46	46	46	46	46
Context	Unit C/E 2:2 Feature 1 Bag 37	Cat 263 Unit C/E 2:2 Feature 1 Bag 37 Cat 263	Unit C/E 2:2 Feature 1 Bag 37 Cat 263					
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	263(a11)	263(a12)	263(a13)	263(a14)	263(a15)	263(a16)	263(a17)	263(a18)
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database ID	AKC00184	AKC00185	AKC00186	AKC00187	AKC00188	AKC00189	AKC00190	AKC00191

Opacity	Semi- Translucent		Semi-	Translucent		Semi-	Translucent			Semi-	Translucent			Semi-	Translucent			Semi-	Translucent			Semi-	Translucent			Semi-	Translucent		
Glass Color Notes	Turquoise		Turquoise			Turquoise	•			Turquoise																			
Glass Colors	Light Blue		Light Blue			Light Blue)			Light Blue																			
Total #	46		46			46			,	46				46				46				46				46			
Context	Unit C/E 2:2 Feature 1 Rao 37	Cat 263	Unit C/E	2:2 Feature 1	Bag 37 Cat 263	Unit C/E	2:2 Feature 1	Bag 37	Cat 263	Unit C/E	2:2 Feature 1	Bag 37	Cat 263	Unit C/E	2:2 Feature 1	Bag 37	Cat 263	Unit C/E	2:2 Feature 1	Bag 37	Cat 263	Unit C/E	2:2 Feature 1	Bag 37	Cat 263	Unit C/E	2:2 Feature 1	Bag 37	Cat 263
Bead Shape	Indo-Pacific Bead		Indo-Pacific Bead			Indo-Pacific Bead				Indo-Pacific Bead				Indo-Pacific Bead				Indo-Pacific Bead				Indo-Pacific Bead				Indo-Pacific Bead			
Catalogue Number	263(a19)		263(a20)			263(a21)	,			263(a22)				263(a23)				263(a24)				263(a25)				263(a26)			
Site Name	Phum Snay		Phum Snay			Phum Snay	•			Phum Snay																			
Database ID	AKC00192		AKC00193			AKC00194				AKC00195				AKC00196				AKC00197				AKC00198				AKC00199			

Site Name	Catalogue Number	Bead Shape	Context	Total # of beads	Glass Colors	Glass Color Notes	Opacity
	263(a27)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	46	Light Blue	Turquoise	Semi- Translucent
(1	263(a28)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	46	Light Blue	Turquoise	Semi- Translucent
(1	263(a29)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	46	Light Blue	Turquoise	Semi- Translucent
	263(a30)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	46	Light Blue	Turquoise	Semi- Translucent
7	263(a31)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	46	Light Blue	Turquoise	Semi- Translucent
2	263(a32)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	46	Light Blue	Turquoise	Semi- Translucent
(4	263(a33)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	46	Light Blue	Turquoise	Semi- Translucent
	263(a34)	Indo-Pacific Bead	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	46	Light Blue	Turquoise	Semi- Translucent

Database	Site Name	Catalogue	Bead Shape	Context	Total #	Glass	Glass Color	Opacity
ID		Number			of beads	Colors	Notes	
AKC00208	Phum Snay	263(a35)	Indo-Pacific Bead	Unit C/E	46	Light Blue	Turquoise	Semi-
				2:2 Feature 1				Translucent
				Bag 37				
				Cat 263				
AKC00209	Phum Snay	263(a36)	Indo-Pacific Bead	Unit C/E	46	Light Blue	Turquoise	Semi-
				2:2 Feature 1				Translucent
				Bag 37				
				Cat 263				
AKC00210	Phum Snay	263(a37)	Indo-Pacific Bead	Unit C/E	46	Light Blue	Turquoise	Semi-
				2:2 Feature 1				Translucent
				Bag 37				
				Cat 263				
AKC00211	Phum Snay	263(a38)	Indo-Pacific Bead	Unit C/E	46	Light Blue	Turquoise	Semi-
				2:2 Feature 1				Translucent
				Bag 37				
				Cat 263				
AKC00212	Phum Snay	263(a39)	Indo-Pacific Bead	Unit C/E	46	Light Blue	Turquoise	Semi-
				2:2 Feature 1				Translucent
				Bag 37				
				Cat 263				
AKC00213	Phum Snay	263(a40)	Indo-Pacific Bead	Unit C/E	46	Light Blue	Turquoise	Semi-
				2:2 Feature 1				Translucent
				Bag 37				
		:		Cat 263		,		
AKC00214	Phum Snay	263(b1)	Indo-Pacific Bead	Unit C/E	46	Red		Opaque
				2:2 Feature 1				
				Bag 37				
				Cat 263				
AKC00215	Phum Snay	263(b2)	Indo-Pacific Bead	Unit C/E	46	Red		Opaque
				2:2 Feature 1				
				Bag 37				
				Cat 263				

Opacity	Opaque	Opaque	Opaque	Opaque	Transparent	Transparent	Opaque Semi- Translucent	Semi- Translucent
Glass Color Notes						Matte finish		
Glass Colors	Red	Red	Red	Red	Dark Blue	Dark Blue	Dark Blue	Dark Blue
Total # of beads	46	46	46	46	_	_	-	-
Context	Unit C/E 2:2 Feature 1 Bag 37 Cat 263	Phum Snay 2001 S3E1 L3:1 Cat 243 Bag 19	Phum Snay 2001 S3E1 Layer 1:4 Bag 7 Cat 35		Phum Snay 2001 S2E1 Layer 2:3 Bag 7 Cat 119			
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead				
Catalogue Number	263(b3)	263(b4)	263(b5)	263(b6)	243	35	22	119
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay				
Database ID	AKC00216	AKC00217	AKC00218	AKC00219	AKC00220	AKC00221	AKC00222	AKC00223

Opacity	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque
Glass Color Notes							
Glass Colors	Black	Yellow	Yellow	Yellow	Yellow	Yellow	Yellow
Total # of beads	-	-	1	-	1	1	-
Context	Phum Snay 2001 S1E1 Level 1:4 Bag 5 Cat 41	Phum Snay 2001 S1E1 Layer 2:1 Bag 13 Cat 46	S1E1 Layer 2:3 Bag 23 Cat 126	Phum Snay 2001 S1E1 Layer 3:2 Feature 3 Bag 36 Cat 259	Phum Snay 2001 S1E1 Layer 2:3 Bag 23 Cat 130	Phum Snay 2001 S3E1 Bag 3 Test Probe Cat 17	Phum Snay 2001 S2E1 Layer 3:2 Bag 16 Cat 278
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	41	46	126	259	130	17	278
Site Name	PHum Snay	Phum Snay	Phum Snay	Phum Snay	PHum Snay	Phum Snay	Phum Snay
Database ID	AKC00224	AKC00226	AKC00227	AKC00228	AKC00229	AKC00230	AKC00231

Opacity	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque
Glass Color	Turquoise	Reddish-brown	Reddish-brown	Reddish-brown	Reddish-brown	Reddish-brown	Reddish-brown	Reddish-brown
Glass	Light Blue	Red	Red	Red	Red	Red	Red	Red
Total #	or Deaus	-	_	-	_	-	-	_
Context	S3E1 Layer 3:5/Natural Bag 35 Burial 6	Phum Snay 2001 S3E1 L 2:4 Bag 15 Cat 193	Phum Snay 2001 Layer 2:3 Bag 23 Cat 113 SQUARE??	S 1/2 E1 L 3:3 Feature 1 Bag 38 Cat 293	Phum Snay 2001 S2E1 L 2:2 Cat 85 Bag 6	SIE1 L 2:3 Bag 23 Cat 131	S1E1 L 2:3 Bag 23 Cat 107	Phum Snay 2001 L 3:1 Feature 1 Bag 33 Cat 262 SQUARE?
Bead Shape	Bangle/earring fragment	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific bead (tubular)	Indo-Pacific bead (tubular)	Indo-Pacific bead (tubular)	Indo-Pacific bead (tubular)
Catalogue	311	193	113	293	85	131	107	262
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database	AKC00232	AKC00233	AKC00234	AKC00235	AKC00236	AKC00237	AKC00238	AKC00239

ite	Site Name	Catalogue Number	Bead Shape	Context	Total # of beads	Glass Colors	Glass Color Notes	Opacity
Phum Snay	Snay	186	Indo-Pacific Bead	Phum Snay 2001 S1E1 Layer 2:5 Feature 3 Bag 31 Cat 186	1	Red	Reddish-brown	Opaque
mny	Phum Snay	157	Indo-Pacific Bead	Phum Snay 2001 S1E1 L 2:4 Bag 27 Cat 157	-	Red	Reddish-brown	Opaque
hum	Phum Snay	177	Indo-Pacific Bead	Phum Snay 2001 S1E1 L 2:5 Bag 30 Cat 177	1	Red	Reddish-brown	Opaque
hun	Phum Snay	192	Indo-Pacific Bead	Phum Snay 2001 S3E1 L 2:5 Bag 17 Cat 192	-	Red	Reddish-brown	Opaque
hun	Phum Snay	232	Indo-Pacific Bead	Phum Snay 2001 S2 E1 L 2:5 Feature 1 Bag 13 Cat 232	-	Red	Reddish-brown	Opaque
hun	Phum Snay	245	Indo-Pacific Bead	Phum Snay 2001 S1E1 3:1 Feature 1 Bag 33 Cat 245	1	Red	Reddish-brown	Opaque
hun -	Phum Snay	64	Indo-Pacific Bead	Phum Snay 2001 S2E1 Layer 2:2 Bag 6 Cat 64	-	Red	Reddish-brown	Opaque

Opacity	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque
Glass Color Notes	Red-orange mix			Shiny	Shiny and darker orange color	Dark orange
Glass Colors	Orange	Orange	Orange	Orange	Orange	Orange
Total # of beads	1	2	2	1	1	1
Context	Phum Snay 2001 S2E1 Layer 3:1 Bag 14 Cat 231	Phum Snay 2001 S1E1 Layer 2:3 Bag 23 Cat 107	Phum Snay 2001 S1E1 Layer 2:3 Bag 23 Cat 107	Phum Snay 2001 S1E1 Layer 2:4 Bag 27 Cat 143	Phum Snay 2001 S1E1 Layer 2:4 Bag 27 Cat 197	Phum Snay 2001 S2E1 Layer 2:2 Bag 6 Cat 62
Bead Shape	Indo-Pacific bead (tubular)	Indo-Pacific Bead	Indo-Pacific bead (tubular)	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	231	107a	107b	143	197	62
Site Name	Phum Snay	Phum Snay				
Database ID	AKC00254	AKC00255	AKC00256	AKC00257	AKC00258	AKC00259

Database Site Name ID	Catalogue Number	Bead Shape	Context	Total # of beads	Glass Colors	Glass Color Notes	Opacity
Phum Snay	188	Indo-Pacific bead (tubular)	Phum Snay 2001 S1E1 Layer 2:5 Bag 30 Cat 188	-	Orange	Shiny and darker orange color	Opaque
Phum Snay	307	Indo-Pacific Bead	Phum Snay 2001 S3E1 Layer 3:4 Bag 33 Cat 307	_	Orange	Shiny and darker orange color	Opaque
Phum Snay	99	Indo-Pacific Bead	Phum Snay 2001 S1E1 Layer 2:1 Bag 13 Cat 66	_	Orange	Light orange color	Opaque
Phum Snay	65	Indo-Pacific Bead	Phum Snay 2001 S2E1 Layer 2:2 Bag 6 Cat 59	1	Orange	Light orange color	Opaque
Phum Snay	42	Indo-Pacific Bead	Phum Snay 2001 S1E1 Layer 2:1 Bag 13 Cat 42	1	Orange	Light orange color	Opaque
Phum Snay	263	Indo-Pacific Bead	Phum Snay 2001 S1E1 Layer 3:2 Feature 2 Bag 35 Cat 263	1	Orange	Light orange color	Opaque
Phum Snay	61	Indo-Pacific Bead	Phum Snay 2001 S2E1 Layer 2:2 Bag 6 Cat 61	П	Orange	Light orange color	Opaque

Opacity	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque
Glass Color Notes	Light orange color	Light orange color	Light orange color	Light orange color	Light orange color	Area around bead hole is black	Dark orange
Glass Colors	Orange	Orange	Orange	Orange	Orange	Orange	Orange
Total # of beads	1	1	-	1	1	1	-
Context	Phum Snay 2001 S1E1 Layer 1:2 Bag 2 Cat 10	Phum Snay 2001 S2E1 Layer 2:2 Bag 6 Cat 84	Phum Snay 2001 S1E1 Layer 2:3 Bag 23 Cat 129	Phum Snay 2001 S1E1 Layer 2:2 Bag 21 Cat 73	Phum Snay 2001 S1E1 Layer 1:2 Bag 2 Cat 15	Phum Snay 2001 S2E1 Layer 3:1 Bag 14 Cat 179	Phum Snay 2001 S1E1 Layer 2:4 Bag 27 Cat 154
Bead Shape	Indo-Pacific bead (tubular)	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Catalogue Number	10	84	129	73	15	179	154
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database ID	AKC00267	AKC00268	AKC00269	AKC00270	AKC00271	AKC00272	AKC00273

Database ID	Site Name	Catalogue Number	Bead Shape	Context	Total # of beads	Glass Colors	Glass Color Notes	Opacity
AKC00274	Phum Snay	25	Indo-Pacific Bead	Phum Snay 2001 S1E1 Layer 1:3 Bag 3 Cat 25	1	Orange	Dark orange	Opaque
AKC00275	Phum Snay	270	Indo-Pacific bead (tubular)	Phum Snay 2001 S1/2 E1 Layer 3:3 Feature 1 Bag 28 Cat 270	_	Orange	Dark orange	Opaque
AKC00276	Phum Snay	214	Indo-Pacific Bead	Phum Snay 2001 S2E1 Layer 2:5 Bag 12 Cat 214	_	Orange	Orange-red	Opaque
AKC00277	Phum Snay	273	Indo-Pacific Bead	Phum Snay 2001 S1E1 Layer 3:2 Bag 34 Cat 273	-	Orange	Orange-red	Opaque
AKC00278	Phum Snay	93	Indo-Pacific Bead	Phum Snay 2001 S1E1 Layer 2:3 Bag 21 Cat 93	-	Orange	Dark orange	Opaque
AKC00279	Phum Snay	86	Indo-Pacific Bead	Phum Snay 2001 S1E1 Layer 2:2 Bag 21 Cat 98	_	Orange	Dark orange	Opaque
AKC00280	Phum Snay	147	Indo-Pacific Bead	Phum Snay 2001 S2E1 Layer 2:4 Bag 8 Cat 147	-	Orange	Dark orange, shiny	Opaque

Opacity	Opaque	Opaque	Opaque	Opaque	Opaque	Opaque
Glass Color Notes	Dark orange	Dark orange	Dark orange	Shiny	Shiny	Shiny
Glass Colors	Orange	Orange	Orange	Orange	Orange	Orange
Total # of beads	1	1	1	28	28	58
Context	Phum Snay 2001 S1E1 Layer 3:2 Feature 2 Bag 35 Cat 258	Phum Snay 2001 S1E1 Layer 2:4 Bag 27 Cat 142	Phum Snay 2001 S3E1 Layer 3:1 Bag 19 Cat 176	Phum Snay 2001 S2E1 Burial 1 Bag 12 Cat 214 Layer 2:3?	Phum Snay 2001 S2E1 Burial 1 Bag 12 Cat 214 Layer 2:3?	Phum Snay 2001 S2E1 Burial 1 Bag 12 Cat 214 Layer 2:3?
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead
Catalogue Number	258	142	176	214a	214b	214c
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay
Database ID	AKC00281	AKC00282	AKC00283	AKC00284	AKC00285	AKC00286

Notes	Associated with 15 carnelian beads																										
Thickness		5.04	3.5	4.12																							
Min. Width																								2.56			
Max.Width	4	N/A	N/A	N/A	1.5	3.25	5.04	3.82	2.91	1.2	1.63	1.27	1.05	1.41	1.26	3.51	4.24	2.44	3.72	4.01	4.53	3.23	4.51	2.82	3.56	4.12	4.49
Max. Length	2.56	34.23	N/A	22.45	1.43	2.3	4.43	2	2.1	0.74	1.34	0.93		0.95	0.49	3.14	2.8	2.26	2.9	3.01	2.2	2.61	2.47	5.27	2.71	2.32	2.67
Interior Perf. B							1.3										1.7							0.29			
Interior Perf. A	6.0					1.28	1.23	1.29	0.7							1.17	1.87	6.0	1.33	1.71	1.75	1.43	1.65	0.73	62.0	1.21	1.22
Roundness Factor	R1	N/A	N/A	N/A	R1	R1	R2	R1	R2	R1																	
Database ID	AKC00041	AKC00057	AKC00058	AKC00059	AKC00060	AKC00061	AKC00062	AKC00063	AKC00064	AKC00065	AKC00066	AKC00067	AKC00068	AKC00069	AKC00070	AKC00071	AKC00072	AKC00073	AKC00074	AKC00075	AKC00076	AKC00077	AKC00078	AKC00079	AKC00080	AKC00081	AKC00082

Roundness Factor	Interior Perf. A	Interior Perf. B	Max. Length	Max.Width	Min. Width	Thickness	Notes
R1	1.01	1.08	2.17	3.52			
R1	1.25	1.06	2.34	4.03			
R1	1.21	1.3	2.58	4.08			
R1	1.24	1.1	2.4	5			
R1	1.1	1.02	2.53	3.8			
R2	1.47		4	5.09			
R1	1.78		2.64	5.59			
R1	1.83		3.57	5.56			
R2	0.95		3.4	3.46			
R2	8.0		3.17	3.8			
R1	1.3		2.44	4.98			
R1	N/A	N/A	1.85	3.04			Broken bead, unable to measure
R1	0.63	0.73	1.36	2.66			
R1			0.71	1.1			
R1			8.0	1.07			
R1			88.0	1.24			
R1			0.72	1.11			
R1			0.56	1.3			
R1			7.0	1.21			
			N/A	N/A			Broken bead, unable to measure
R1	1.01		3.43	4.13			
R2	1.56		2.93	4.29			
R1			86.0	2.28			
R1	86.0		1.52	3.3			
R1	1.23		2.84	4.9			
R1	0.93		2.3	4.11			
R1	1.19		3.03	4.65			

Notes										Broken bead, unable to measure																	
Thickness																											
Min. Width																											
Max.Width	4.65	4.2	4.99	3.93	5	3.77	4.55	5.41	3.96	N/A	5	3.72	2.34	0	3.72	5.45	4.6	4.29	4.09	6.12	4.24	5.1	6.15	5	5.17	5.07	4.68
Max. Length	3.45	4.82	2.56	2.09	2.02	3.29	2.87	3.61	2.53	N/A	3.38	3.3	1.36	0	1.73	4.14	3.49	3.36	3.64	3.14	3.4	4.31	2.59	3.4	3.4	3.6	3.17
Interior Perf. B			1.7				1.11					1.77															
Interior Perf. A	1.33	1.33	1.8	6.0	1.67	1.19	1.32	1.21	0.82	N/A	1.15	1.66	0.77	0	1.04	1.53	1.17	1.01	1.05	1.47	1.08	1.44	1.41	1.26	1.26	1.3	1.21
Roundness Factor	R1	R2	R1	R1	R1	R1	R1	R2	R1		R1	R1	R1		R1	R1	R2	R2	R1								
Database ID	AKC00110	AKC00111	AKC00112	AKC00113	AKC00114	AKC00115	AKC00116	AKC00117	AKC00118	AKC00119	AKC00120	AKC00121	AKC00122	AKC00123	AKC00124	AKC00125	AKC00126	AKC00127	AKC00128	AKC00129	AKC00130	AKC00131	AKC00132	AKC00133	AKC00134	AKC00135	AKC00136

tes																											
Notes																											
Thickness																											
Min. Width																											
Max.Width	4.41	4.9	5.87	5.88	5.47	5	5.72	5.36	5.36	9	5.63	5.85	5.67	4.82	4.82	5.11	5.09	5.28	5.03	4.89	5.79	4.83	5.27	5.69	5.18	5.61	5.61
Max. Length	3.95	3.88	3.74	4.27	3.1	3.62	2.81	2.53	2.47	3.53	2.95	3.32	3.28	3.42	3.16	3.62	3.2	3.63	3.17	3.86	3.62	3.89	3.24	3.54	3	3.67	3.67
Interior Perf. B										1.54								1.3									
Interior Perf. A	1.19	1.42	1.82	1.14	1.18	1.29	1.82	1.72	1.72	1.71	1.52	1.54	2	1.16	1.32	1.19	1.62	1.2	1.47	1.01	1.6	1.07	1.3	1.39	2	1.4	J.4
Roundness Factor	R1	R0	R1	R1	R1	R0	R1	R1	R1	R1	R1	R1	K!														
Database ID	AKC00137	AKC00138	AKC00139	AKC00140	AKC00141	AKC00142	AKC00143	AKC00144	AKC00145	AKC00146	AKC00147	AKC00148	AKC00149	AKC00150	AKC00151	AKC00152	AKC00153	AKC00154	AKC00155	AKC00156	AKC00157	AKC00158	AKC00159	AKC00160	AKC00161	AKC00162	AKC00162

Thickness Notes																										
Width																										
Max.Width	4.53	4.95	4.6	5.55	4.83	3.15	3.64	3.66	3.14	4.7	0	4.27	4.34	4.7	4.71	5.02	4.5	3.74	4.43	4.13	4.31	4.12	3.86	3.62	4.18	14
Max. Length	3.68	3.12	2.83	2.95	2.8	2.06	1.87	3.2	2.04	2.72	0	2.86	2.18	2.96	2.48	2.78	2.97	2.28	2.71	2.37	2.05	2.9	2.52	2.22	2.36	
Interior Perf. B							1.15																			
Interior Perf. A	1.22	1.26	1.2	1.34	1.48	1.05	0.88	88.0	86.0	0.85	0	1.15	1.28	1.5	1.66	1.22	1.26	1.13	1.45	1.11	1.31	1.07	76.0	98.0	1.29	*
Roundness Factor	R1	R2	R1	R1		R1	,																			
Database ID	AKC00164	AKC00165	AKC00166	AKC00167	AKC00168	AKC00169	AKC00170	AKC00171	AKC00172	AKC00173	AKC00174	AKC00175	AKC00176	AKC00177	AKC00178	AKC00179	AKC00180	AKC00181	AKC00182	AKC00183	AKC00184	AKC00185	AKC00186	AKC00187	AKC00188	00,000 21,

																												737
Notes																												
Thickness																												
Min. Width																												
Max.Width	4.37	4.1	4.24	4.33	4.36	3.92	4.45	4.34	3.77	3.66	3.88	4.09	4.17	4.28	4.09	0	3.67	4.18	3.2	3.53	4.03	3.67	3.77	2.38	2.51	2.08	3.27	
Max. Length	2.4	2.14	2.8	2.21	2.61	2.54	2.15	2.21	2.62	2.22	2.39	2.54	2.02	2.24	2.12	0	2.27	2.78	2.19	1.61	2.09	2.3	2.31	1.58	1.15	1.11	1.52	
Interior Perf. B											1.11																1.08	
Interior Perf. A	1.08	1.08	1.2	1.19	1.06	1.28	1.62	1.22	1.2	1.1	1	1.5	1.11	96.0	1.11	0	1.15	1.33	0.84	1.11	1.3	1.14	1.21	0.73	0.49	9.0	86.0	
Roundness Factor	R1	R1	R2	R1	R1	R1	R1	R1	R2	R1																		
Database ID	AKC00191	AKC00192	AKC00193	AKC00194	AKC00195	AKC00196	AKC00197	AKC00198	AKC00199	AKC00200	AKC00201	AKC00202	AKC00203	AKC00204	AKC00205	AKC00206	AKC00207	AKC00208	AKC00209	AKC00210	AKC00211	AKC00212	AKC00213	AKC00214	AKC00215	AKC00216	AKC00217	

Notes														Broken bead, unable to measure													
Thickness																											
Min. Width																											
Max.Width	2.72	1.96	4.24	3.51	3.9	3.55	3.8	3.46	3.25	3.88	3.42	4.67	3.89	N/A	3.49	4.58	4.55	2.5	3.07	2.97	2.77	3.66	2.89	3.35	2.94	3.46	5.25
Max. Length	1.26	1.66	2.26	2.64	243	1.97	2.78	2.66	2.47	2.3	2.4	2.78	2.62	N/A	2.7	3.51	2.73	5.25	3.34	5.75	6.28	1.91	1.72	2.22	1.64	1.97	5.06
Interior Perf. B																											
Interior Perf. A	1	0.58	1.11		86.0	88.0	1.08	88.0	1.11	1.26	1.13	1.56	1.12	N/A	0.91	1.18	1.48	96.0	0.85	29.0	6.0	1.03	0.83	0.78	8.0	1.08	1.12
Roundness Factor	R1	R1	R1	R2	R1	R1	R2	R1	R1	R1	R1	R1	R1		R2	R2	R1	R1	R1	R2	R1	R1	R1	R1	R1	R1	R2
Database ID	AKC00218	AKC00219	AKC00220	AKC00221	AKC00222	AKC00223	AKC00224	AKC00226	AKC00227	AKC00228	AKC00229	AKC00230	AKC00231	AKC00232	AKC00233	AKC00234	AKC00235	AKC00236	AKC00237	AKC00238	AKC00239	AKC00240	AKC00241	AKC00242	AKC00243	AKC00244	AKC00245

Notes Notes								Too small to measure bead hole							Too small to measure bead hole	Large orange bead											_
1. Thickness																											
Min. Width																											
Max.Width	4.95	4.17	6.78	8.05	4.06	5.58	4.06	1.78	2.49	2.74	2.03	3.33	4.45	3.87	1.95	5.25	3.38	3.88	3.78	3.81	3.31	2.18	3.32	3.01	2.86	2.81	
Max. Length	2.71	4.37	5.27	5.35	2.72	2.51	2.09	1.61	5.63	3.25	3.78	2.25	3	3.43	6.41	3.25	2.4	2.16	2.82	2.83	2.8	5.19	2.46	2.79	1.67	1.67	
Interior Perf. B																											
Interior Perf. A	1.17	1.29	1.28	1.64	1.95	1.06	1.18	N/A	1	1.14	0.72	1.22	1.25	1	0	2	86.0	1.02	1.03	1.25	0.95	0.78	1.21	98.0	0.83	1	
Roundness Factor	R1	R1	R2	R1	R1	R1	R1	R1	R1	R1	R1	R2	R1	R1	R1	R1	R1	R1	R3	R2	R1	R1	R1	R2	R1	R1	•
Database ID	AKC00246	AKC00247	AKC00248	AKC00249	AKC00250	AKC00251	AKC00252	AKC00253	AKC00254	AKC00255	AKC00256	AKC00257	AKC00258	AKC00259	AKC00260	AKC00261	AKC00262	AKC00263	AKC00264	AKC00265	AKC00266	AKC00267	AKC00268	AKC00269	AKC00270	AKC00271	

Database	Roundness	Interior	Interior	Max. Length	Max.Width	Min.	Thickness	Notes
П	Factor	Perf. A	Perf. B			Width		
AKC00273	R1	1.13		2.33	4.02			
AKC00274	R1	1.17		2.64	4.36			
AKC00275	R1	0.79		5.5	2.46			
AKC00276	R1	1.51		2.93	4.11			
AKC00277	R1	N/A		1.33	1.99			Too small to measure bead hole
AKC00278	R1	N/A		1.53	2.01			Too small to measure bead hole
AKC00279	R1	N/A		1.11	1.78			Too small to measure bead hole
AKC00280	R1	N/A		1.54	2.23			Too small to measure bead hole
AKC00281	R1	N/A		1.06	1.64			Too small to measure bead hole
AKC00282	R1	N/A		1.42	1.75			Too small to measure bead hole
AKC00283		N/A		0	0			Broken bead, unable to measure
AKC00284	R1	N/A		1.76	1.39			Choose 6 of 58 beads to measure,
								microbeads were too small to measure
AKC00285	R1	N/A		2.12	1.37			
AKC00286	R1	N/A		66.0	1.36			
AKC00287	R1	N/A		0.82	1.53			
AKC00288	R1	N/A		1.38	1.5			
AKC00289	R1	N/A		1.08	1.47			

741

Appendix 7.1f: Glass beads from Village 10.8

AKC00318 AKC00319 AKC00320 AKC00321 AKC00322 AKC00324 AKC00325 AKC00325	Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8	EXXXXIII	AF-84		A/N	
AKC00319 AKC00321 AKC00322 AKC00323 AKC00324 AKC00325 AKC00326	Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8	11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1		4	T 7 / L T	1
AKC00320 AKC00321 AKC00322 AKC00323 AKC00324 AKC00326	Village 10.8 Village 10.8 Village 10.8 Village 10.8	VIXXXX	AG-84	2	NA	П
AKC00321 AKC00322 AKC00323 AKC00324 AKC00325 AKC00326	Village 10.8 Village 10.8 Village 10.8	EXVIII	N/85	47	Earring	-
AKC00322 AKC00323 AKC00324 AKC00325 AKC00326	Village 10.8 Village 10.8	EXVIII	N/85	48	Earring	П
AKC00323 AKC00324 AKC00325 AKC00326	Village 10.8	EXXXVI	98/H		Earring	-
AKC00324 AKC00325 AKC00326	000	EXVIII	N/85	18	Ring	-
AKC00325 AKC00326	Village 10.8	EXVIII	N/85	43	Ring	-
AKC00326	Village 10.8	EXVIII	N/85	42	Ring	-
	Village 10.8	EXVIII	N/85	19	Ring	
AKC00327	Village 10.8	E/I	U/91	9	Ring	
AKC00328	Village 10.8	田	22/94	3	Indo-Pacific bead	-
AKC00329	Village 10.8	田	21/94	19	Indo-Pacific bead	-
AKC00330	Village 10.8	E/O	S/92, S/91	26	Indo-Pacific Bead	3
AKC00331	Village 10.8	E/O	S/92, 2/91	26	Indo-Pacific Bead	3
AKC00332	Village 10.8	E/O	S/92, 2/91	26	Indo-Pacific Bead	3
AKC00369	Village 10.8	EIX	06,98 Q	39	Indo-Pacific bead	П
AKC00370	Village 10.8	EVIII	R/89	45	Indo-Pacific bead	П
AKC00371	Village 10.8	EVIII	06/S	46	Indo-Pacific bead	1
AKC00372	Village 10.8	EIX	06/Ò	14	Indo-Pacific bead	П
AKC00373	Village 10.8	EXVI	R/86	13	Indo-Pacific bead	П
AKC00374	Village 10.8	EIX	68/Ò	38	Indo-Pacific bead	
AKC00375	Village 10.8	EIX	06/Ò	25	Indo-Pacific bead	1
AKC00376	Village 10.8	EXII	L/87	23	Indo-Pacific bead	1
AKC00377	Village 10.8	EIX	06/Ò	17	Indo-Pacific bead	1
AKC00378	Village 10.8	EXII	L/87	43	Indo-Pacific bead	1

q	Indo-Pacific bead 26	Pacific bead 26		-Pacific bead																							
Indo-Pacific head	mao i aciiico cara	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead		Indo-Pacific bead	Indo-Pacific bead Indo-Pacific bead	Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead	Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead	Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead	Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead
Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed	Indo-Pacific bez	Indo-Pacific ber		Indo-Pacific bea	Indo-Pacific bea		Indo-Pacific bea	Indo-Pacific bed Indo-Pacific bed	Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed	Indo-Pacific bez Indo-Pacific bez Indo-Pacific bez Indo-Pacific bez	Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed	Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed Indo-Pacific bed	Indo-Pacific bed	Indo-Pacific bed	Indo-Pacific bed	Indo-Pacific bed	Indo-Pacific bed	Indo-Pacific bed	Indo-Pacific bed	Indo-Pacific bed Indo-P	Indo-Pacific bed	Indo-Pacific bed Indo-P	Indo-Pacific bed Indo-P	Indo-Pacific bed Indo-P	Indo-Pacific bed Indo-P	Indo-Pacific bed Indo-P	Indo-Pacific bed Indo-P
39 34 34 30 30	34 34 34 30 30	34 34 30	34 34 30	34	30		20		07	20	20 34	20 20 34 34	20 20 34 34 12	20 20 34 34 12	20 20 34 34 12 12 34	20 20 34 34 12 12 34 34	20 20 34 34 12 12 34 34 34	20 20 34 34 12 34 34 34 34	20 20 34 34 34 34 34 34 34 34	20 20 34 34 34 34 34 34 34 34 34 34	20 20 34 34 34 34 34 34 34 34 34 34	20 20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 20 34 34 34 34 34 34 34 34 34 34 34 37 37 37 37 37 37 37 37 37 37 37 37 37	20 20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 20 34 34 34 34 34 34 34 34 34 34 34 34 34
39 34 34 34 36 30	34 34 34 34 34 34 30	34 34 30 30	34 34 30	34	30	,	20	20		20	34	20 34 34	20 34 34 12	20 34 34 12 12	20 34 34 12 12 34 34	20 34 34 112 112 34 34 34	20 34 34 12 12 34 34 34	20 34 34 12 12 12 34 34 34 34 34 34 34 34 34 34 34 34 34	20 34 34 12 12 12 34 34 34 34 34 34 34 34 34 34 34 34 34	20 34 34 11 12 12 34 34 34 34 34 34 34 34 34 34 34 34 34	20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 34 34 34 34 34 34 34 34 34 34 34 34 34	20 34 34 34 34 34 34 34 34 34 34 34 34 34
T/92 T/92 T/87 T/87	T/92 T/87 T/87	T/87 T/87 T/87	T/87 T/87	T/87		Z/87	68/Ò	68/Ò		68/Ò	Q/89 T/87	Q/89 T/87 T/87	Q/89 T/87 T/87 Q/89	Q/89 T/87 T/87 Q/89	Q/89 T/87 T/87 Q/89 Q/89	Q/89 T/87 T/87 Q/89 Q/89 T/87	Q/89 T/87 T/87 Q/89 Q/89 T/87 T/87	Q/89 T/87 T/87 Q/89 Q/89 T/87 T/87	Q/89 T/87 Q/89 Q/89 T/87 T/87 T/87	Q/89 T/87 T/89 Q/89 Q/89 T/87 T/87 T/87 T/87	Q/89 T/87 Q/89 Q/89 T/87 T/87 T/87 T/87 T/87	Q/89 T/87 Q/89 Q/89 Q/89 T/87 T/87 T/87 T/87 T/87 T/87 T/87	Q/89 T/87 Q/89 Q/89 T/87 T/87 T/87 T/87 T/87 T/87 T/87 T/87	Q/89 T/87 Q/89 Q/89 T/87 T/87 T/87 T/87 T/87 T/87 Q/90 Q/90	Q/89 T/87 Q/89 Q/89 T/87 T/87 T/87 T/87 T/87 (Q/90 Q/90 Q/90	Q/89 T/87 Q/89 Q/89 Q/89 T/87 T/87 T/87 T/87 Q/90 Q/90 Q/90 Q/90 Q/90	Q/89 T/87 Q/89 Q/89 T/87 T/87 T/87 T/87 T/87 Q/90 Q/90 Q/90 Q/90 Q/90 Q/90
EI EXII EXII EXII EXII EXII EXII EXII E	EXII EXII EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXI	EXII EXII EXI EXI	EXII EXI EIX	EXI	EIX		EIX	EIX		EXII	EXII	EXII EXII EIX	EXII EXII EIX EIX	EXII EXII EXII EXII	EXII EXII EIX EIX EXII	EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII EXII EXII	EXII EXII EXII EXII EXII EXII EXII EXII
Village 10.8 Village 10.8 Village 10.8 Village 10.8	Village 10.8 Village 10.8 Village 10.8	illage 10.8	illage 10.8	0	Village 10.8	Village 10.8	Village 10.8	Village 10.8	000	llage 10.8	illage 10.8 illage 10.8	7illage 10.8 7illage 10.8 7illage 10.8	/illage 10.8 /illage 10.8 /illage 10.8 /illage 10.8	/illage 10.8 /illage 10.8 /illage 10.8 /illage 10.8 /illage 10.8	Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8	Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8
	N N	1.		illa	111	:=		, T				7															
		> 	Λ	Villa	Vill	Vil	>	1	<u> </u>																		

ido-Pacif	ido-Pacific bead ido-Pacific bead ido-Pacific beac	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead	Indo-Pacific bead
12 Indo-Paci 18 Indo-Paci												
Q/89 18												
68/O	Q/89 Q/89 Q/89	68/O 68/O 68/O 68/O	68/Ò 68/Ò 68/Ò 68/Ò	68/O 68/O 68/O 68/O	68/O 68/O 68/O 68/O 68/O 68/O 68/O 68/O 68/O	68/O 68/O	68/O 68/O 68/O 68/O 68/O 68/O 68/O	Q/89 Q/89 Q/89 Q/89 Q/89 Q/89 Q/89 Q/89				
EIA	EIX EIX EIX	EIX EIX EIX EIX EIX	EIX EIX EIX EIX EIX	EIX EIX EIX EIX EIX EIX EIX EIX EIX	EIX EIX EIX EIX EIX EIX EIX EIX	EIX	EIX EIX EIX EIX EIX EIX EIX EIX EIX EIX	EIX	EIX	EIX	EIX	EIX
	Village 10.8 Village 10.8 Village 10.8	Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8	Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8	Village 10.8
17:110.00 10 6	Village 10.6 Village 10.8	Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8	Village 10.8 Village 10.8 Village 10.8 Village 10.8 Village 10.8	Village 10.8 Vill	Village 10.8	Village 10.8	Village 10.8 Vill	Village 10.8 Village 10.8	Village 10.8 Village 10.8	Village 10.8 Village 10.8	Village 10.8 Village 10.8	Village 10.8 Village 10.8
1												

Database ID	Glass Color	Glass Color Notes	Opacity	Roundness Factor	Interior Perf. A	Interior Perf. B	Max. Length	Max.Width	Notes
AKC00318	Dark Green			NA	N/A	N/A	N/A	N/A	Weathering made bead fragile, unable to measure
AKC00319	Dark Green			NA	N/A	N/A	N/A	N/A	Fragmented beads due to weathering
AKC00320	Purple			NA	N/A	N/A	N/A	N/A	Fragmented beads due to weathering
AKC00321	Purple			NA	N/A	N/A	N/A	N/A	Fragmented beads due to weathering
AKC00322	Purple		Translucent	NA			N/A	N/A	Broken Earring fragment
AKC00323	Purple		Transparent	NA	19.76		24.46		Interior hole in ring is recorded as inside perforation A
AKC00324	Purple		Transparent	NA	19.6		24.63		Interior hole in ring is recorded as inside perforation A
AKC00325	Purple		Transparent	NA	19.74		24.96		Interior hole in ring is recorded as inside perforation A
AKC00326	Purple		Transparent	NA	20.33		25.32		Interior hole in ring is recorded as inside perforation A
AKC00327	Black		Opaque	NA	NA		NA	NA	Broken, unable to measure
AKC00328	Dark Blue	Navy blue	Translucent	R2	1.14		5.28	5.07	
AKC00329	Medium Blue		Transparent	NA	NA		NA	NA	Broken, unable to measure
AKC00330	Ivory		Opaque	R0	1.28		1.71	3.57	glass?
AKC00331	Ivory	Darker ivory color than AKC00330	Opaque	R0	1.44		1.56	3.62	
AKC00332	Ivory		Semi- Translucent	R0	1.52		0.76	3.45	

Notes		Unable to measure hole	Shape of bead is uneven							Fragmented beads due to weathering	2 of 26 similar beads selected for measurement	2 of 26 similar beads selected for measurement	Beads are heavily weathered. Measured 3 of 11 similar beads.			Beads were fragile due to weathering			Broken bead, difficult to measure
Max.Width	5.22	5.04	6.24	5.62	4.69	4.92	5.05	4.09	4.79		4.08	4.16	3.95	3.65	3.9	3.68	5	4.64	0
Max. Length	4.21	5.35	4.5	3.01	4.03	3.88	3.21	2.88	4.04		3.77	2.72	2.61	2.04	2.61	1.93	3.72	3.66	2.9
Interior Perf. B																			
Interior Perf. A	1.78		96'0	1.29	1.28	1.71	1.5	1.26	1.15		0	1.35	1.5	1.43	1.25		1.05	0.87	0
Roundness Factor	R2	R2	R2	R1	R1	R1	R1	R1	R2	NA	R2	R1	RI	R1	R1	R1	R2	R2	R1
Opacity	Translucent	Translucent	Translucent	Translucent	Translucent	Opaque	Translucent	Translucent	Opaque		Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent Semi- Translucent
Glass Color Notes	Dark cobalt	Dark cobalt	Dark cobalt	Dark cobalt	Dark cobalt	Or dark blue?		Not as dark blue as cobalt beads			Intense blue color	Intense blue color					Dark cobalt		Dark cobalt
Glass Color	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Black	Cobalt	Dark Blue	Black	Dark Green	Cobalt	Cobalt	Dark Green	Dark Green	Dark Green	Dark Green	Cobalt	Blue-Green	Cobalt
Database ID	AKC00369	AKC00370	AKC00371	AKC00372	AKC00373	AKC00374	AKC00375	AKC00376	AKC00377	AKC00378	AKC00379	AKC00380	AKC00381	AKC00382	AKC00383	AKC00384	AKC00385	AKC00386	AKC00387

Notes	Bead is too fragile to measure interior perforation		2 of 26 similar beads were measured		Only 7 complete beads in a group of fragmented and weathered samples.	,	T					11 of 43 similar beads were measured. All of the beads in this sample are a blue color however this is some variation in the intensity of the blue color and the transparency/translucency y of the beads.					
Max.Width	3.83	4.27	3.75	4.47	3.98	3.73	3.84	3.88	3.68	3.6	4.07	4.84	5.45	4.34	4.93	4.91	5.14
Max. Length	2.88	3.18	4.59	4.24	3.02	2.53	2.77	2.68	2.79	1.51	1.96	4.53	4.88	3.71	3.85	3.71	5.2
Interior Perf. B																	
Interior Perf. A	0	0	1.44	0.75	0	0	0	0	0	0	0	1.3	1.57	1.42	1.35	1.12	1.55
Roundness Factor	R2	R2	R1	R2	R2	R2	R2	R2	R2	R0	R1	R2	R3	R1	R1	R1	R2
Opacity	Translucent	Translucent	Transparent	Translucent								Translucent	Translucent	Translucent	Translucent	Translucent	Translucent
Glass Color Notes	Weathering	Weathering	Intense blue color	Intense blue color	Weathering	Weathering	Weathering	Weathering	Weathering	Weathering	Weathering						
Glass Color	Blue/Green	Blue/Green	Cobalt	Cobalt	Dark Green	Dark Green	Dark Green	Dark Green	Dark Green	Dark Green	Dark Green	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt
Database ID	AKC00388	AKC00389	AKC00390	AKC00391	AKC00392	AKC00393	AKC00394	AKC00395	AKC00396	AKC00397	AKC00398	AKC00399	AKC00400	AKC00401	AKC00402	AKC00403	AKC00404

Notes			11 of 43 similar beads were measured. All of the beads in this sample are a blue color however this is some variation in the intensity of the blue color and the transparency/translucenc	y of the beads.		Measured 3 of 3 black beads, 1 dark blue bead, two larger cobalt beads, and 6 of 63 smaller sized cobalt beads.									
Max.Width	6.13	5.05	4.82	3.98	5.52	7.89	7.78	4.91	4.55	4.85	4.13	5.62	5.4	4.45	5.4
Max. Length	2.96	4.75	4.33	4.03	4.16	7.19	6.01	3.38	4.57	4.77	2.87	4.91	5.3	2.96	4.57
Interior Perf. B															
Interior Perf. A	2.12	1.35	1.18	1.2	1.08	2.49	2.06	1.65	1.37	6.0	96.0	96.0	1.19	1.1	1.3
Roundness Factor	R2	R2	R2	R2	R2	R2	R2	R2	R1	R2	R1	R2	R3	R1	R2
Opacity	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent	Opaque	Opaque	Opaque	Translucent	Translucent	Translucent	Translucent
Glass Color Notes							Matte finish	Not as dark blue as cobalt beads				Matte finish	Matte finish	Matte finish	Matte finish
Glass Color	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Cobalt	Dark Blue	Black	Black	Black	Cobalt	Cobalt	Cobalt	Cobalt
Database ID	AKC00405	AKC00406	AKC00407	AKC00408	AKC00409	AKC00410	AKC00411	AKC00412	AKC00413	AKC00414	AKC00415	AKC00416	AKC00417	AKC00418	AKC00419

Database ID	Glass Color	Glass Color Notes	Opacity	Roundness Factor	Interior Perf. A	Interior Perf. B	Max. Length	Max.Width	Notes
AKC00420	Cobalt	Matte finish	Translucent	R1	2.38		4.53	5.06	
AKC00421	Cobalt	Matte finish	Translucent	R1	1.76		3.76	5.45	
AKC00422	Cobalt		Translucent	R3	0.83		5.04	5.06	Measured 2 of 8 similar beads
AKC00423	Cobalt	Matte finish	Translucent	R1	1.44		3.83	5.75	
AKC00424	Light Blue	Turquoise with white stripes	Semi- Translucent	R2	1.64		5.76	5.5	
AKC00425	Cobalt	Matte finish	Translucent	R2	1.02		4.52	5.71	Measured 6 of 24 similar beads in this group. This sample also includes a large number of unrecorded bead fragments.
AKC00426	Cobalt	Matte finish	Translucent	R1	1.41		4.87	4.78	ò
AKC00427	Cobalt	Matte finish	Translucent	R2	0		5.81	6.7	
AKC00428	Cobalt	Matte finish	Translucent Semi- Translucent	R2	1.94		6.14	8.2	
AKC00429	Cobalt	Matte finish	Translucent	R2	0		5.63	8.78	
AKC00430	Cobalt	Matte finish	Translucent	R2	1.08		4.19	4.94	

749

Appendix 7.1g: Glass Beads from Promtin Tai

Database ID	Site Name	Trench	Layer	Bead Shape	Catalogue Number	Total # of beads
AKC00901	Promtin Tai	PTT S3/2 West Section	240-250 cm below datum (bd). (Burial #7)	Ring/Earring Fragment		1
AKC00903	Promtin Tai	PTT S3/2 West Section	250-260 cm bd. (Burial 18)	Indo-Pacific Bead		2
AKC00904	Promtin Tai	PTT S3/2 West Section	250-260 cm bd. (Burial 18)	Indo-Pacific Bead		2
AKC00906	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial #20)	Indo-Pacific Bead		2
AKC00907	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial #20)	Indo-Pacific Bead		2
AKC00908	Promtin Tai	PTT- S3 East Section	230-240 cm bd	Indo-Pacific Bead		1
AKC00909	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial 20)	Indo-Pacific Short Barrel		49
AKC00910	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial 20)	Indo-Pacific Short Barrel		49
AKC00911	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial 20)	Indo-Pacific Bead		49
AKC00912	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial 20)	Indo-Pacific Bead		49
AKC00913	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial 20)	Indo-Pacific Bead		49
AKC00914	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial 20)	Indo-Pacific Bead		49
AKC00915	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial 20)	Indo-Pacific Bead		49
AKC00916	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial 20)	Indo-Pacific Bead		49
AKC00917	Promtin Tai	PTT S3/2 West Section	240-250 cm bd (Burial 20)	Indo-Pacific Bead		49
AKC00938	Promtin Tai	PTT West Section	Burial 32	Unknown		33
AKC00939	Promtin Tai	PTT West Section	Burial 32	Indo-Pacific Bead		33
AKC00940	Promtin Tai	PTT West Section	Burial 32	Indo-Pacific Bead		33
AKC00941	Promtin Tai	PTT West Section	Burial 32	Indo-Pacific Bead		33
AKC00942	Promtin Tai	PTT West Section	Burial 32	Indo-Pacific Bead		33
AKC00943	Promtin Tai	PTT West Section	Burial 32	Indo-Pacific Bead		33
AKC00944	Promtin Tai	PTT S3/2 East Section	160-170 cm bd (S2L9)	Indo-Pacific Bead	040	3
AKC00945	Promtin Tai	PTT S3/2 East Section	160-170 cm bd (S2L9)	Indo-Pacific Bead	040	3
					,	

Jo																												750
Total # of beads	3	18	18	18	18	18	18	18	18	18	18	18	18	14	14	14	14	14	14	14	14	14	18	18	8	8	8	
Catalogue Number	040	041	041	041	041	041	041	041	041	041	041	041	041	042	042	042	042	042	042	042	042	042	043	043	044	044	044	
Bead Shape	Indo-Pacific Bead	Indo-Pacific Micro Bead	Indo-Pacific Micro Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead									
Layer	160-170 cm bd (S2L9)	170-180 cm bd (S3L2)	170-180 cm bd (S3L2)	170-180 cm bd (S3L2)	170-180 cm bd (S3L2)	180-190 cm bd (S3L3)	190-200 cm bd (S3L4)	190-200 cm bd (S3L4)	200-210 cm bd (S3L3)	200-210 cm bd (S3L3)	200-210 cm bd (S3L3)																	
Trench	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section										
Site Name	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai										
Database ID	AKC00946	AKC00947	AKC00948	AKC00949	AKC00950	AKC00951	AKC00952	AKC00953	AKC00954	AKC00955	AKC00956	AKC00957	AKC00958	AKC00959	AKC00960	AKC00961	AKC00962	AKC00963	AKC00964	AKC00965	AKC00966	AKC00967	AKC00968	AKC00969	AKC00971	AKC00972	AKC00973	

7	5	1
1	J	1

AKC00074 Promiti Tai PTT 53.2 East Section 200-210 em bd (58.1.) Indo-Pacific Baad 044 B AKC00077 Promiti Tai PTT 53.2 East Section 210-220 em bd (54.1.) Indo-Pacific Baad 045 11 AKC00077 Promiti Tai PTT 53.2 East Section 210-220 em bd (54.1.) Indo-Pacific Baad 045 15 AKC00078 Promiti Tai PTT 53.2 East Section 210-220 em bd (54.1.) Indo-Pacific Baad 045 15 AKC00984 Promiti Tai PTT 53.2 East Section 220-230 em bd (54.1.) Indo-Pacific Baad 047 3 AKC00986 Promiti Tai PTT 53.2 East Section 220-230 em bd (54.1.3) Indo-Pacific Baad 047 3 AKC01098 Promiti Tai PTT 53.2 East Section 220-230 em bd (54.1.3) Indo-Pacific Bead 047 3 AKC01098 Promiti Tai S72 West Section 220-230 em bd (54.1.3) Indo-Pacific Bead 071 3 AKC01059 Promiti Tai S73 West Section Burial 220-230 em bd (54.1.3) Indo-Pacific Bead 074 41 </th <th>Database ID</th> <th>Site Name</th> <th>Trench</th> <th>Layer</th> <th>Bead Shape</th> <th>Catalogue Number</th> <th>Total # of beads</th>	Database ID	Site Name	Trench	Layer	Bead Shape	Catalogue Number	Total # of beads
Promitin Tai PTT 83.2 East Section 210-220 cm bd (54.1.) Indo-Pacific Bead 045 Promitin Tai PTT 83.2 East Section 210-220 cm bd (54.1.) Indo-Pacific Bead 045 Promitin Tai PTT 83.2 East Section 220-230 cm bd (54.1.) Indo-Pacific Bead 046 Promitin Tai PTT 83.2 East Section 220-230 cm bd (54.1.2.) Indo-Pacific Bead 046 Promitin Tai PTT 83.2 East Section 220-230 cm bd (54.1.2.) Indo-Pacific Bead 047 Promitin Tai PTT 83.2 East Section 230-240 cm bd (54.1.2.) Indo-Pacific Bead 047 Promitin Tai PTT 83.2 East Section 230-240 cm bd (54.1.2.) Indo-Pacific Bead 071 Promitin Tai S3.2 West Section Burial 230-240 cm bd (541.3.) Long Cylindrical 064 Promitin Tai S3.2 West Section Burial 230-240 cm bd (541.3.) Long Cylindrical 064 Promitin Tai S3.2 West Section Burial 230-240 cm bd (541.3.) Long Cylindrical 064 Promitin Tai S3.2 West Section Burial 230-240 cm bd (541.3.) Long Cylindrical 064	AKC00974	Promtin Tai	PTT S3/2 East Section	200-210 cm bd (S3L3)	Indo-Pacific Bead	044	8
Promitin Tai PTT S3/2 East Section 210-220 cm bd (S4L1) Indo-Pacific Bead 045 Promitin Tai PTT S3/2 East Section 210-220 cm bd (S4L1) Indo-Pacific Bead 045 Promitin Tai PTT S3/2 East Section 220-230 cm bd (S4L2) Indo-Pacific Bead 046 Promitin Tai PTT S3/2 East Section 220-230 cm bd (S4L2) Indo-Pacific Bead 047 Promitin Tai PTT S3/2 East Section 230-240 cm bd (S4L3) Indo-Pacific Bead 047 Promitin Tai PTT S3/2 East Section 230-240 cm bd (S4L3) Unknown object 047 Promitin Tai PTT S3/2 West Section 220-230 cm bd Burial #19 Indo-Pacific Bead 074 Promitin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promitin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promitin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promitin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promitin Tai	AKC00975	Promtin Tai	PTT S3/2 East Section	210-220 cm bd (S4L1)	Indo-Pacific Bead	045	11
Promtin Tai PTT \$3.2 East Section 210-220 cm bd (\$41.1) Indo-Pacific Bead 045 Promtin Tai PTT \$3.2 East Section 210-220 cm bd (\$41.2) Indo-Pacific Bead 045 Promtin Tai PTT \$3.2 East Section 220-230 cm bd (\$41.2) Indo-Pacific Bead 046 Promtin Tai PTT \$3.2 East Section 220-230 cm bd (\$41.3) Indo-Pacific Bead 047 Promtin Tai PTT \$3.2 East Section 220-230 cm bd (\$41.3) Indo-Pacific Bead 047 Promtin Tai S/2 West Section 220-230 cm bd (\$41.3) Indo-Pacific Bead 071 Promtin Tai S/3 West Section Burial 230-240 cm bd (\$41.3) Indo-Pacific Bead 074 Promtin Tai S/3 West Section Burial 230-240 cm bd (\$41.3) Long Cylindrical 064 Promtin Tai S/3 West Section Burial 230-240 cm bd (\$41.3) Long Cylindrical 064 Promtin Tai S/3 West Section Burial 230-240 cm bd (\$41.3) Long Cylindrical 064 Promtin Tai S/3 West Section 150-160 cm bd Short Bicone 002 Promtin Tai S/3 East S	AKC00976	Promtin Tai	PTT S3/2 East Section	210-220 cm bd (S4L1)	Indo-Pacific Bead	045	11
Promtin Tai PTT S3/2 East Section 210-220 cm bd (S4L1) Indo-Pacific Bead 045 Promtin Tai PTT S3/2 East Section 220-230 cm bd (S4L2) Indo-Pacific Bead 046 Promtin Tai PTT S3/2 East Section 220-230 cm bd (S4L3) Indo-Pacific Bead 047 Promtin Tai PTT S3/2 East Section 230-240 cm bd (S4L3) Indo-Pacific Bead 071 Promtin Tai S3/2 West Section 220-230 cm bd Burial #19 Indo-Pacific Bead 074 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L2) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented bead? 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented bead? 064 Promtin Tai S3/2 West Section 150-160 cm bd Short Bicone 009 Promtin Tai S3/2 Bast S	AKC00977	Promtin Tai	PTT S3/2 East Section	210-220 cm bd (S4L1)	Indo-Pacific Bead	045	15
Promtin Tai PTT S3/2 East Section 220-230 cm bd (S4L2) Indo-Pacific Bead 046 Promtin Tai PTT S3/2 East Section 220-230 cm bd (S4L3) Indo-Pacific Bead 047 Promtin Tai PTT S3/2 East Section 230-240 cm bd (S4L3) Indo-Pacific Bead 047 Promtin Tai PTT S3/2 East Section 220-230 cm bd (S4L3) Unknown object 047 Promtin Tai PTT S3/2 West Section 220-230 cm bd (S4L3) Indo-Pacific Bead 074 Promtin Tai PTT S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section 150-160 cm bd Short Bicone 009 Promtin Tai S3/2 East Section 160-170 cm bd Indo-Pacific Bead 011 Promtin Tai S3/2 East Section <td>AKC00978</td> <td>Promtin Tai</td> <td>PTT S3/2 East Section</td> <td>210-220 cm bd (S4L1)</td> <td>Indo-Pacific Bead</td> <td>045</td> <td>15</td>	AKC00978	Promtin Tai	PTT S3/2 East Section	210-220 cm bd (S4L1)	Indo-Pacific Bead	045	15
Promtin Tai PTT S3/2 East Section 220-230 cm bd (S4L3) Indo-Pacific Bead 046 Promtin Tai PTT S3/2 East Section 230-240 cm bd (S4L3) Indo-Pacific Bead 047 Promtin Tai PTT S3/2 East Section 220-230 cm bd (S4L3) Unknown object 047 Promtin Tai S3/2 West Section 220-230 cm bd (S4L3) Long Cylindrical 071 Promtin Tai PTT S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section 150-160 cm bd Indo-Pacific Bead 010 Promtin Tai S3 East Section 160-170 cm bd Indo-Pacific Bead 011 Promtin Tai S3 East Section	AKC00983	Promtin Tai		220-230 cm bd (S4L2)	Indo-Pacific Bead	046	2
Promtin Tai PTT S3/2 East Section 230-240 cm bd (S4L3) Indo-Pacific Bead 047 Promtin Tai PTT S3/2 East Section 220-230 cm bd (S4L2) Unknown object 047 Promtin Tai S3/2 West Section 220-230 cm bd (S4L2) Long Cylindrical 074 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section Burial 150-160 cm bd Short Bicone 024 Promtin Tai S3/2 East Section 160-170 cm bd Short Bicone 010 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 011 Promtin Tai S3 East Section 180-190 cm bd Short Birdin Gads 014 Promtin Tai S3 East Section 180-190 cm bd	AKC00984	Promtin Tai		220-230 cm bd (S4L2)	Indo-Pacific Bead	046	2
Promtin Tai PTT S3/2 East Section 230-240 cm bd (S4L2) Burial Unknown object 047 Promtin Tai S3/2 West Section 220-230 cm bd (S4L2) Burial Collar Bead 071 Promtin Tai PTT S3/2 West Section Burial 220-230 cm bd (S4L3) Indo-Pacific Bead 074 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section 150-160 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 East Section 150-160 cm bd Short Bicone 009 Promtin Tai S3 East Section 160-170 cm bd Indo-Pacific Bead 010 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 012 Promtin Tai S3 East Section 180-190 cm bd Short Barrel 028 Promtin Tai S3 West Section 200-210 cm bd	AKC00985	Promtin Tai	PTT S3/2 East Section	230-240 cm bd (S4L3)	Indo-Pacific Bead	047	3
Promtin Tai S3/2 West Section 220-230 cm bd (S4L2) Burial Collar Bead 071 Promtin Tai PTT S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section 150-160 cm bd Short Bicone 002 Promtin Tai S3 East Section 160-170 cm bd Short Bicone 010 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 011 Promtin Tai S3 East Section 180-190 cm bd Short Barrel 029 Promtin Tai S3 East Section 200-210 cm bd Short Barrel 029 Promtin Tai S3 West Section 210-220 cm bd Indo-Pacifi	AKC00986	Promtin Tai	PTT S3/2 East Section	230-240 cm bd (S4L3)	Unknown object	047	3
Promtin Tai PTT S3/2 West Section Burial 220-230 cm bd Burial #19 Indo-Pacific Bead 074 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section 150-160 cm bd Short Bicone 024 Promtin Tai S3 East Section 160-170 cm bd Short Bicone 009 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 011 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 012 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 012 Promtin Tai S3 East Section 200-210 cm bd Short Barrel 029 Promtin Tai S3 West Section 220-230 cm bd Indo-Pacific Bead 029	AKC01093	Promtin Tai	S3/2 West Section	220-230 cm bd (S4L2) Burial 18	Collar Bead	071	3
Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai S3/2 West Section 150-160 cm bd Short Bicone 024 Promtin Tai ST East Section 160-170 cm bd Short Bicone 009 Promtin Tai S3 East Section 170-180 cm bd Indo-Pacific Bead 010 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 011 Promtin Tai S3 East Section 180-190 cm bd Short Barrel 012 Promtin Tai S3 East Section 180-190 cm bd Short Barrel 012 Promtin Tai S3 East Section 200-210 cm bd Short Barrel 029 Promtin Tai S3 West Section 210-220 cm bd Indo-Pacific Bead 029 Promtin Tai S3 West Section 220-230- cm bd Indo-Pacific Bead 030 <td>AKC01122</td> <td>Promtin Tai</td> <td></td> <td>220-230 cm bd Burial #19</td> <td>Indo-Pacific Bead</td> <td>074</td> <td>28</td>	AKC01122	Promtin Tai		220-230 cm bd Burial #19	Indo-Pacific Bead	074	28
Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Long Cylindrical 064 Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai Promtin Tai Promtin Tai S3 East Section 150-160 cm bd Short Bicone 024 Promtin Tai S3 East Section 160-170 cm bd Short Bicone 009 Promtin Tai S3 East Section 170-180 cm bd Indo-Pacific Bead 011 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 012 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 012 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 012 Promtin Tai S3 West Section 200-210 cm bd Short cylindrical beads? 014 Promtin Tai S3 West Section 210-220 cm bd Indo-Pacific Bead 029 Promtin Tai S3 West Section 220-230-cm bd Indo-Pacific Bead 030	AKC01058	Promtin Tai		230-240 cm bd (S4L3)	Long Cylindrical	064	41
Promtin Tai S3/2 West Section Burial 230-240 cm bd (S4L3) Segmented beads? 064 Promtin Tai PTT S3 West Section 150-160 cm bd Short Bicone 024 Promtin Tai S3 East Section 160-170 cm bd Short Bicone 009 Promtin Tai S3 East Section 170-180 cm bd Indo-Pacific Bead 010 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 011 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 012 Promtin Tai S3 East Section 200-210 cm bd Short cylindrical beads? 014 Promtin Tai S3 West Section 200-210 cm bd Indo-Pacific Bead 028 Promtin Tai S3 West Section 210-220 cm bd Indo-Pacific Bead 029 Promtin Tai S3 West Section 220-230-cm bd Indo-Pacific Bead 030	AKC01059	Promtin Tai		230-240 cm bd (S4L3)	Long Cylindrical	064	41
Promtin Tai PTT S3 West Section 150-160 cm bd Short Bicone 024 Promtin Tai S3 East Section 160-170 cm bd Short Bicone 009 Promtin Tai S3 East Section 170-180 cm bd Indo-Pacific Bead 010 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 011 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 012 Promtin Tai S3 East Section BU#6 Grave Good Short cylindrical beads? 014 Promtin Tai S3 West Section 210-220 cm bd Indo-Pacific Bead 029 Promtin Tai S3 West Section 220-230-cm bd Indo-Pacific Bead 030	AKC01057	Promtin Tai	S3/2 West Section Burial 20	230-240 cm bd (S4L3)	Segmented beads?	064	41
Promtin Tai S3 East Section 160-170 cm bd Short Bicone 009 Promtin Tai S3 East Section 170-180 cm bd Indo-Pacific Bead 010 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 011 Promtin Tai S3 East Section 180-190 cm bd Indo-Pacific Bead 012 Promtin Tai S3 East Section 200-210 cm bd Short cylindrical beads? 014 Promtin Tai S3 West Section 210-220 cm bd Indo-Pacific Bead 029 Promtin Tai S3 West Section 220-230-cm bd Indo-Pacific Bead 030	AKC01043	Promtin Tai		150-160 cm bd	Short Bicone	024	14
Promtin TaiS3 East Section160-170 cm bdShort Bicone009Promtin TaiS3 East Section170-180 cm bdIndo-Pacific Bead011Promtin TaiS3 East Section180-190 cm bdIndo-Pacific Bead012Promtin TaiS3 East Section180-190 cm bdShort cylindrical beads?014Promtin TaiS3 West Section200-210 cm bdShort Barrel028Promtin TaiS3 West Section210-220 cm bdIndo-Pacific Bead029Promtin TaiS3 West Section220-230- cm bdIndo-Pacific Bead030	AKC01015	Promtin Tai			Indo-Pacific Bead	800	-
Promtin TaiS3 East Section170-180 cm bdIndo-Pacific Bead010Promtin TaiS3 East Section180-190 cm bdIndo-Pacific Bead011Promtin TaiS3 East Section180-190 cm bdIndo-Pacific Bead012Promtin TaiS3 East SectionBU#6 Grave GoodShort cylindrical beads?014Promtin TaiS3 West Section200-210 cm bdShort Barrel028Promtin TaiS3 West Section210-220 cm bdIndo-Pacific Bead029Promtin TaiS3 West Section220-230- cm bdIndo-Pacific Bead030	AKC01018	Promtin Tai	S3 East Section	160-170 cm bd	Short Bicone	600	4
Promtin TaiS3 East Section180-190 cm bdIndo-Pacific Bead011Promtin TaiS3 East Section180-190 cm bdIndo-Pacific Bead012Promtin TaiS3 East SectionBU#6 Grave GoodShort cylindrical beads?014Promtin TaiS3 West Section200-210 cm bdShort Barrel028Promtin TaiS3 West Section210-220 cm bdIndo-Pacific Bead029Promtin TaiS3 West Section220-230- cm bdIndo-Pacific Bead030	AKC01019	Promtin Tai	S3 East Section	170-180 cm bd	Indo-Pacific Bead	010	1
Promtin TaiS3 East Section180-190 cm bdIndo-Pacific Bead012Promtin TaiS3 East SectionBU#6 Grave GoodShort cylindrical beads?014Promtin TaiS3 West Section200-210 cm bdShort Barrel028Promtin TaiS3 West Section210-220 cm bdIndo-Pacific Bead029Promtin TaiS3 West Section220-230- cm bdIndo-Pacific Bead030	AKC01020	Promtin Tai	S3 East Section	180-190 cm bd	Indo-Pacific Bead	0111	1
Promtin TaiS3 East SectionBU#6 Grave GoodShort cylindrical beads?014Promtin TaiS3 West Section200-210 cm bdShort Barrel028Promtin TaiS3 West Section210-220 cm bdIndo-Pacific Bead029Promtin TaiS3 West Section220-230- cm bdIndo-Pacific Bead030	AKC01021	Promtin Tai	S3 East Section	180-190 cm bd	Indo-Pacific Bead	012	5
Promtin TaiS3 West Section200-210 cm bdShort BarrelPromtin TaiS3 West Section210-220 cm bdIndo-Pacific BeadPromtin TaiS3 West Section220-230 cm bdIndo-Pacific Bead	AKC01022	Promtin Tai	S3 East Section	BU#6 Grave Good	Short cylindrical beads?	014	13
Promtin TaiS3 West Section210-220 cm bdIndo-Pacific BeadPromtin TaiS3 West Section220-230- cm bdIndo-Pacific Bead	AKC01023	Promtin Tai	S3 West Section	200-210 cm bd	Short Barrel	028	1
Promtin Tai S3 West Section 220-230- cm bd Indo-Pacific Bead	AKC01024	Promtin Tai	S3 West Section	210-220 cm bd	Indo-Pacific Bead	029	1
	AKC01025	Promtin Tai	S3 West Section	220-230- cm bd	Indo-Pacific Bead	030	1

Database ID	Site Name	Trench	Layer	Bead Shape	Catalogue Number	Total # of beads
AKC01026	Promtin Tai	S3 West Section	220-230 cm bd	Indo-Pacific Bead	031	1
AKC01083	Promtin Tai	S3/2 West Section	220-230 cm bd (S4L2) Burial #19	Indo-Pacific Bead	072	1

Notes							Group of 35 glass beads. Measured 2 of 6 orange beads, 1 large clear bead, 1 large blue bead, and 5 of 27 dark blue beads. Associated with carnelian/agate/green stone beads.									Unknown glass object. Associated	Greenstone/carnelian and glass beads.
Max. Width	4.61	5.92	6.35	4.66	4.44	5.62	7.16	8.6	4.06	5.24	5.27	5.21	5.24	2.78	2.84		
Max. Length	10.12	5.13	5.76	4.55	4.67	4.46	6.86	89.7	2.82	3.18	4.38	3.66	3.63	1.36	1.32	8.14	
Interior Perf.B	0	1.8	1.43														
Interior Perf. A	0	1.67	1.4	1.48	1.29	1.72	2.25	1.9	1.46	1.72	1.81	1.89	2.08	0.63	0.91		
Roundness Factor	NA	R3		R1	R1	R2	R2	R2	R1	R1	R2	R1	R1	R1	R1	NA	
Opacity	Semi-Translucent	Semi-Translucent	Semi-Translucent	Translucent Transparent	Translucent Transparent	Translucent Transparent	Transparent	Translucent Semi-Translucent	Translucent	Translucent				Opaque	Opaque	Opaque	
Glass Color Notes	Turquoise	blue-green	Blue-green	Shiny surface	Shiny surface	Shiny surface	Blue-greenish tint			Shiny surface	Shiny surface	Shiny surface					
Glass Colors	Light Blue	Dark Green	Dark Green	Dark Blue	Dark Blue	Dark Blue	Clear	Dark Blue	Light Blue	Dark Blue	Dark Blue	Dark Blue	Light Blue	Orange	Orange	Blue or Black?	
Database ID	AKC00901	AKC00903	AKC00904	AKC00906	AKC00907	AKC00908	AKC00909	AKC00910	AKC00911	AKC00912	AKC00913	AKC00914	AKC00915	AKC00916	AKC00917	AKC00938	

	lue		_	an								al. ark ht red red ''w		al. ark ht red red	
Notes	Measured 5 of 26 blue	glass beads.	Associated with	greenstone/carnelian beads.								18 glass beads total. Measured 3 of 7 dark blue beads, 3 light beads, 2 large red beads, 1 red microbead, 2 green beads, and 1 yellow beads, and 1 yellow		18 glass beads total. Measured 3 of 7 dark blue beads, 3 light blue beads, 2 large red beads, 1 red microbead, 2 green beads, and 1 yellow beads, and 1 below bead.	
Max. Width	5.37				4.78	4.69	4.74	4.6	5.17	2.41	2.92	5.44	5.46	4.93	4.2
Max. Length	3.79				2.99	4.44	3.04	3.14	5.31	1.12	2.03	4.04	6.13	4.12	2.25
Interior Perf.B															
Interior Perf. A	2.21				1.63	2.07	1.43	1.51	1.6	89'0	0.87	1.3	1.76	1.73	1.48
Roundness Factor	R2				R1	R2	R1	R2	R2	R1	R1	R2	R2	RI	R1
Opacity	Semi-Translucent	Opaque			Translucent	Translucent	Translucent	Translucent	Translucent Transparent	Opaque	Opaque	Translucent	Translucent	Translucent	Translucent
Glass Color Notes	Shiny surface	,			Shiny surface	Shiny surface		Shiny surface		Shiny surface					
Glass Colors	Dark Blue				Dark Blue	Dark Blue	Dark Blue	Dark Blue	Dark Blue	Red	Orange	Dark Blue	Dark Blue	Dark Blue	Light Blue
Database ID	AKC00939				AKC00940	AKC00941	AKC00942	AKC00943	AKC00944	AKC00945	AKC00946	AKC00947	AKC00948	AKC00949	AKC00950

Notes									Group of 14 complete beads. Measured 3 red beads, 2 of 5 light blue beads, 1 light green bead, 1 yellow bead, 1 orange bead, and 1 of 3 dark blue beads. Not recorded: fragments of blue glass beads. Group of 14 complete beads. Measured 3 red beads. Measured 3 red beads. A of 5 light blue beads, 2 of 5 light blue beads, 1 light green bead, 1 yellow bead, 1 orange bead, and 1 of 3 dark blue beads. Not recorded: fragments of blue beads.	
Max. Width	4.51	3.37	4.62	3.77	1.69	1.5	1.71	2.53	4 4	1.99
Max. Length	3.5	2.46	8.35	2.23	1.43	1.55	1.06	2.16	1.04	1.36
Interior Perf.B										
Interior Perf. A	1.8	1.1	1.38	1.17	0	0	0	0	0.8	69:0
Roundness Factor	R1	R1	R1	R1	R3	R1	R1	R0	R0 R1	R1
Opacity	Translucent	Translucent	Opaque	Opaque	Opaque	Opaque	Semi-Translucent	Opaque	Opaque	Opaque
Glass Color Notes	Turquoise	Reddish- brown	Brick Red (mutisalah?)	Brick Red (mutisalah?)	bright yellow	Shiny			Reddish- brown Reddish- brown	Reddish- brown
Glass Colors	Light Blue	Light Blue	Red	Red	Yellow	Orange	Light Green	Light Green	Red	Red
Database ID	AKC00951	AKC00952	AKC00953	AKC00954	AKC00955	AKC00956	AKC00957	AKC00958	AKC00959	AKC00961

Glass Colors	ors Glass Color Notes	Opacity	Roundness Factor	Interior Perf. A	Interior Perf.B	Max. Length	Max. Width	Notes
Dark Blue		Translucent	R1	1.67		2.95	5.25	
Light Blue	le Turquoise	Translucent	R1	0.84		2.01	3.81	
Light Blue	le Turquoise	Translucent	R1	1.45		2.9	4.55	
Light Green	en	Semi-Translucent Translucent	R1	0		4.96	2.65	
Orange		Opaque	R2	1.64		4.29	3.72	
Yellow			R2	1.92		4.37	£. 4	Group of 14 complete beads. Measured 3 red beads, 2 of 5 light blue beads, 1 light green bead, 1 yellow bead, 1 orange bead, and 1 of 3 dark blue beads. Not recorded: fragments of blue glass beads.
Turquoise	95	Translucent	R2	1.12		3.25	4.13	Measured 1 of 7 dark blue beads and 1 of 11 light blue beads. Also associated with a broken green stone bead.
Dark Blue	ie ie	Translucent	R2	1.46		3.73	4.93	
Dark Blue	91	Translucent	R1	1.2		4.29	4.18	8 glass beads: measured 1 red, 1 green, 1 of 2 light blue beads and 1 of 4 dark blue beads.
Light Blue	ae Turquoise	Translucent Semi-Translucent	R2	1.9		3.01	4.57	
Red	Reddish- brown	Translucent Semi-Translucent	R1	1.02		5.76	3.16	

7	$\boldsymbol{\mathcal{L}}$	7
/	Э	/

Notes		11 glass beads. Measured 1 of 2 small orange beads, 1 larger orange bead, 1 of 3 dark blue beads, and 1 of 3 light blue beads. Also associated with agate, carnelian, jade, shell, and fragments of light blue beads.			11 glass beads. Measured 1 of 2 small orange beads, 1 larger orange bead, 1 of 3 dark blue beads, and 1 of 3 light blue beads. Also associated with agate, carnelian, jade, shell, and fragments of light blue beads.				Unknown blue fragment associated with AKC00985.	Found with an agate and greenstone bead.
Max. Width	2.42	2.73	3.59	3.8	4.95	5.09	3	4.3	2.31	4.94
Max. Length	1.98	1.74	2.58	2.34	5.09	4.97	2.6	2.77	6.95	11.58
Interior Perf.B										1.12
Interior Perf. A	0.84	29.0	1.24	1.63	0	2.11	1.18	1.31		1.4
Roundness Factor	R1	R1	R1	R1	R2	R2	R1	R1	N/A	N/A
Opacity	Semi-Translucent	Opaque	Opaque	Semi-Translucent Translucent	Semi-Translucent Translucent	Translucent	Opaque	Semi-Translucent	Opaque	Opaque
Glass Color Notes				Turquoise				Turquoise	Turquoise	Faience
Glass Colors	Dark Green	Orange	Orange	Light Blue	Dark Blue	Dark Blue	Orange	Light Blue	Light Blue	White
Database ID	AKC00974	AKC00975	AKC00976	AKC00977	AKC00978	AKC00983	AKC00984	AKC00985	AKC00986	AKC01093

Notes		Imitation agate glass bead	Imitation agate glass bead (broken)	Measurements of three beads:	L 3.97 W 3.62 IP 0.87	L 2.98 W 2.96 IP 0.95	L 2.69 W 2.95 IP 0.96				
Max. Width	5.28	4.9	3.97					6.73	3.6	86.9	4.81
Max. Length	3.17	14.68	N/A					7.16	1.83	6.17	4.41
Interior Perf.B								2.41			
Interior Perf. A	2.11	1.6	N/A	See notes				2.25	1.3	2	1.45
Roundness Factor	R2	N/A	N/A	N/A				NA	R1	N/A	R2
Opacity	Translucent	Opaque	Opaque	Semi-Translucent				Opaque	Opaque	Opaque Semi-Translucent	Transparent
Glass Color Notes		Black opaque base with white opaque stripes	Black opaque base with white opaque stripes	Gold foil				Black glass base with single white		With a rainbow coating?)
Glass Colors	Dark Blue	Black and White	Black and White	White/Clear				Black and white	Light Green	White	Light Blue
Database ID	AKC01122	AKC01058	AKC01059	AKC01057				AKC01043	AKC01015	AKC01018	AKC01019

Database	Glass Colors	Glass Color	Opacity	Roundness	Interior	Interior	Max.	Max.	Notes
B		Notes		Factor	Perf. A	Perf.B	Length	Width	
AKC01020	AKC01020 Dark Turquoise		Translucent	R1	N/A		3.19	3.61	
			Transparent						
AKC01021	Dark Blue	Shiny surface	Semi-Translucent		1.49		4.31	5.15	Measured 1 of 5 dark
									blue beads
AKC01022	Grey	Faience	Opaque		0		4.05	5.09	13 small black opaque
									tubular beads with
									weathered/corroded
									surface. Faience?
AKC01023	Light green		Opaque		1.04		4.71	3.33	
AKC01024	Red		Opaque		1.82		4.23	4.85	
AKC01025	Yellow		Opaque		1.58		4.16	2.52	
AKC01026	Dark Green		Opaque	R1			4.16	6.49	
AKC01083	Dark Blue	Shiny surface	Semi-Translucent	N/A	1.28		4.81	6.4	

Database ID	Site Name	Cat Number	Total # of beads	Trench	Layer	Notes	Notes (cont)
AKC00989	Promtin Tai	003	39	PTT S3 East Section	90-100 cm bd	Group of 39 glass beads divided into 4 groups. Group 1- Indo-Pacific beads approx 2-4 mm 1 dark blue cobalt- transparent 5 light blue semi-translucent 1 dark blue semi-translucent (slightly darker than dark blue turquoise) 1 Light blue semi-translucent (L1.56 W2.68) 1 light blue opaque 1 light green opaque shiny Group 2 - Indo-Pacific beads approx 1.5-3 mm 1 orange opaque 1 yellow opaque 1 dark blue 1 cobalt 3 dark blue translucent 1 light green opaque shiny 1 light green opaque shiny 1 light green opaque 1 light green opaque 1 light green opaque	Group 3 - Small IP seed beads approx 2mm 1 orange opaque shiny 1 yellow opaque/semi trans? - shiny 1 red opaque shiny 2 light green opaque shiny 2 light yellow-green opaque shiny 2 light yellow-green opaque shiny 2 light yellow-green opaque shiny Group 4 - Larger Indo-Pacific beads 1 large orange opaque (L.5.24 W.5.96) 1 orange opaque tubular ead 1 long red tubular bead 1 long red tubular bead 1 lark blue cobalt matte 1 blue-black matte 1 light blue 2 light green-yellow opaque 2 light green opaque 1 dark blue cobalt translucent
AKC00991	Promtin Tai	004	24	PTT S3 East Section	100-110 cm bd	24 complete glass beads in two groups Group 1- Smaller Indo-Pacific Beads 3 orange opaque shiny (1 measured:L:1.55 W:2.49	Group 2- Larger Indo-Pacific beads (tubular shaped) 1 orange opaque shiny 1 yellow opaque shiny 1 red opaque shiny 2 light green (1 measured:L:3.58 W:4.66 IP:1.7)

2 dark blue translucent 2 light blue beads, semi translucent. (1 measured: L: 3.37 W:2.75 IP:0.68) 3 dark blue beads (1 measured: L: 2.18 W:3.84 IP:1.15) 1 dark green opaque Fragments of red, orange, blue beads	Group 2- Indo-Pacific Beads 2 light green-yellow opaque shiny: (1 measured: L:2.39 W:3.67 IP:1.09) 1 red opauqe: L:3.39 W:4.26 IP:1.43 1 light-green: L:2.60 W:4.00 IP:1.32 6 yellow opaque (1 measured:L: 2.30 W:4.03 IP:1.41) 1 dark blue-green transparent 1 black opaque	
IP:0.83) 3 small red opaque beads beads (1 measured: L:1.21 W:2.20 IP:too small) 2 larger red opaque beads (1 measured:L:2.82 W:2.9) 1 yellow opaque bead: L:2.20 W:2.72 IP:1.29 1 dark blue translucent 1 red/orange bead	groups Group 1 - Small Indo-pacific Beads 3 orange opaque (1 measured: L:1.42 W:1.30 IP: too small) 3 red opaque beads (1 measured: L:1.88 W:3.83 IP:1.18) 1 dark blue semi-trans 1 light blue semi-trans: L:1.38 W:3.45 IP:1.14	120-130 cm bd 12 compete Indo-Pacific Beads 6 red opaque beads, 3 are more tubular shaped. 1 tubular shaped bead measured (L:10.01 W:4.48 IP:1.31) 4 Blue-Green semi trans, (1 measured: L:3.99 W:4.29 IP:1.73) 1 dark blue::L: 4.15 W5.22
	110-120 cm bd	120-130 cm bd
	PTT S3 East Section	PTT S3 East Section
	20	12
	005	900
	Promtin Tai	Promtin Tai
	AKC00992	AKC00993

	rps Group 3- IP Irregular Tubes etc 1 dark blue transparent		4 red opaque beads	7 red opaque tubular beads (1	lack measured: L:7.92 W:2.72		1 light blue short barrel L:10.05			beads (1 measured: L:2.09	71 W:4.18 iP:1.32).	5 light blue opaque beads	2 dark blue matte bicones	Darker blue: L:3.80 W:5.14		Lighter blue: L:4.00 W:5.58	ed: IP:1.24	4 yellow opaque (1 measured:	crobead L3.83 W:4.88 IP:1.99		W:2.73 plus small fragments of red,	yellow, dark blue, and green	beads. Some yellow beads are	melted together?	vo Group 2	1 large yellow opaque shiny:	 	1 dark turquoise translucent			ıne	
IP:1.60 1 dark blue matte	bd 54 glass beads in 3 groups	Group 1- Small Indo-Pacific	beads	1 yellow opaque	1 broken polychrome black	with white and red stripes:	L:2.36 W3.26 IP: N/A	6 orange opaque (1 measured:	L:2.46 W:3.39 IP:1.14)	2 red opaque shiny (1	measured: L:1.28 W:2.71	IP:0.62)			Group 2 -Small Indo-Pacific	beads	7 red opaque (1 measured:	L:1.51 W:1.92 IP:0.74)	1 light green opaque microbead	1 yellow opaque	1 black opaque: L:3.58 W:2.73	IP:0.93			bd 11 complete beads in two	groups	 Group 1- Indo-Pacific beads	approx 2.5-3mm	2 yellow opaque shiny	1 orange opaque shiny	1 light green opaque matte	2 light blue semi-trans
	130-140 cm bd																								80-90 cm bd	(S2L1)						
	PTT S3 East Section																								PTT S3/2 West	Section						
	54																								11							
	200																								050							
	Promtin Tai																								Promtin Tai							
	AKC00994																								AKC01001							

Group 2-Indo-Pacific Beads 2 red opaque tubular beads (1 measured: L:6.26 W:4.50 IP:1.45) 1 dark blue transparent tube 1 dark blue turquoise opaque 1 blue-green opaqu 1 dark blue bead with white coating- weathered 1 dark blue bead with white	Group 3-Indo-Pacific beads 4 red opaque beads 4 opaque yellow (1 measured: L:2.84 W:5.56 IP:1.57) 2 opaque light blue 1 semi-trans dark blue-black 2 opaque orange	Group 2-Indo-Pacific beads 2 red opaque
14 complete beads in two groups Group 1- Small Indo-Pacific Beads 2 orange opaque 2 red opaque 2 light green opaque shiny 1 dark turquoise transparent	29 beads in 3 groups plus fragments of green, yellow, blue beads Group 1-Small Indo-Pacific beads 2 red opaque bead 4 orange opaque bead 1 light green opaque shiny: L.1.09 W.1.71 I dark turquoise Group 2- Small Indo-Pacific beads 4 orange opaque beads (1 measured: L.4.28 W.2.16 IP:N/A) 2 light green opaque shiny 1 light blue-green transparent	22 glass beads in 2 groups plus yellow, green, blue fragments
90-100 cm bd (S2L2)	(S2L3) (S2L3)	110-120 cm bd (S2L4)
PTT S3/2 West Section	PTT S 3/2 West Section	PTT S3/2 West Section
14	29	22
051	052	053
Promtin Tai	Promtin Tai	Promtin Tai
AKC01002	AKC01003	AKC01004

1 dark blue cobalt semitranslucent (large) 2 dark blue translucent shiny 2 dark blue-green shiny 1 yellow opaque 2 orange opaque 1 White translucent bicone shaped bead	Group 2- Indo-Pacific Beads 1 yellow opaque 4 orange opaque 2 red opaque large (1 measured: L 4.80 W6.76) 1 light blue long tube transparent 1 dark blue with white corrosion 2 dark blue cobalt semi-trans 1 light green-yellow opaque matte	Group 2- Indo-Pacific Beads 4 opaque orange beads 4 opaque red shiny 6 dark blue semi-trans 1 light green opaque shiny 1 light blue opaque shiny 1 dark turquoise semi-trans matte	Group 2: Small Indo-Pacific beads 3 orange opaque shiny
Group 1- Small Indo-Pacific Beads 1 yellow opaque 1 orange opaque 2 red opaque 2 dark blue semi-transc 1 light blue opaque 2 light green opaque shiny	18 glass beads in 2 groups Group 1- Small Indo-Pacific beads 1 yellow opaque 1 red opaque 1 orange opaque 1 dark blue-green transparent 2 light green opaque shiny	26 glass beads in 2 groups Group 1- Indo-Pacific Beads 4 orange opaque beads 2 red opaque beads 1 light green opaque shiny 1 light blue sem-trans 1 black opaque shiny	14 glass beads in 2 groups Group 1 - Small Indo-Pacific
	120-130 cm bd (S2L5)	130-140 cm bd (S2L6)	140-150 cm bd (S2L7)
	S3/2 West Section	PTT S3/2 West Section	PTT S3/2 West 140-150 cm bd Section (S2L7)
	18	26	14
	054	055	950
	Promtin Tai	Promtin Tai	Promtin Tai
	AKC01005	AKC01006	AKC01007

							3 red opaque beads
						2 orange opaque (1 measureu. L2.20 W2.63)	2 light blue opaque
							1 light green opaque shiny 1 dark blue bicone-
							1 dark blue seed bead
AKC01008	Promtin Tai	057	12	PTT S3/2 West	150-160 cm bd	12 glass beads in 2 groups	Group 2- Indo-Pacific Beads
				Section	(S2L8)	Group 1- Small Indo-Pacific	1 dark blue translucent
						Beads	1 dark blue semi-trans opaque
						2 orange opaque	long tube/barrel with white
							corrosion
							1 light blue opaque
							1 dark turquoise opaque
							1 dark blue-grey ceylon shiny
							opaque
							3 red opaque (
							1 green-yellow opaque matte
AKC01009	Promtin Tai	058	12	PTT S3/2 West	pq ı	12 glass beads in 2 groups	Group 2 - Indo-Pacific Beads
				Section	(S3L2)	Group 1-Small Indo-Pacific	1 dark blue-green transparent
						beads	1 red opaque matte
						2 red opaque	1 orange opaque
						1 orange opaque	1 yellow opaqe
						1 yellow opaque	1 cobalt translucent
						1 light blue transparent	1 dark blue translucent
						I light blue opaque	
AKC01011	Promtin Tai	650	9	PTT S3/2 West	PTT S3/2 West 180-190 cm bd	2 orange opaque	
				Section	(S3L3)	1 green transparent-	
						2 dark blue cobalt translucent	
						1 dark blue translucent	
AKC01012	Promtin Tai	001	4	PTT S3 East	30-40 cm bd	1 light green opaque	
				Section		2 light blue opaque	
						The last of the la	
						(broken) semi-translucent	

Notes (cont)	Group 2 IP Irregular Tubes etc 1 dark blue transparent 1 dark blue-grey tube (L:6.18 W:1.95 IP: 0.6) 3 light blue opaque shiny 3 red opaque (1 measured: 3 yellow opaque (1 L:2.96 W:4.02) 2 orange opaque			Group 2: Indo-Pacific beads 3 red opaque 2 orange opaque 1 orange opaque tubular bead 1 red opaque
Notes	20 glass beads plus fragments of blue and yellow beads Group 1: Small Indo-Pacific beads I yellow opaque: L:1.49 W:3.11 IP:0.83 3 red opaque microbeads 2 orange opaque microbeads	1 yellow opaque: L3.82 W4.09 IP:1.23 1 red-roange opaque: L1.74 W:3.15 IP:1.26 1 orange opaque bead: L: 1.30 W:2.14 IP: 0.60	9 glass beads plus fragments of yellow and blue beads 1 yellow opaque: L:3.59 W:5.04 IP:1.52 I reddish-orange opaque: L:2.20 W:4.82 IP:2.00 1 dark blue cobalt semi-trans: L:7.85 W:7.24 IP:1.80 3 dark blue trans shiny 1 dark blue green translucent 1 red opaque microbead 1 light green opaque microbead	11 glass beads in two groups and fragments of blue glass beads Group 1-Small Indo-Pacific
Layer	(S2L4)	120-130 cm bd (S2L5)	130-140 cm bd (S2L6)	140-150 cm bd (S2L7)
Trench	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section	PTT S3/2 East Section
Total # of beads	21	8	6	11
Cat Number	035	036	037	038
Site Name	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai
Database ID	AKC01031	AKC01032	AKC01033	AKC01034

	Group 2- IP Irregular Beads 3 red opaquetubular beads (1 measured: L:8.07 W:3.88 IP:0.72) 2 orange opaque 3 dark blue translucent (1 measured: L:4.15 W:5.45 0.99) 1 blue-green bicone: L:4.38 W:5.62 IP:1.88 I dark green translucent 1 dark green translucent 3 light blue opaque shiny 1 yellow opaque shiny	Group 4- Small Indo-Pacific beads 2 orange opaque 3 light green opaque 1 light blue opaque 1 dark blue-green transparent Group 5-Larger Indo-Pacific beads, approx 3-4mm 1 greenish-yellow opaque 1 dark green opaque 1 green-yellow opaque
beads 1 red opaque microbead 1 orange opaque microbead 1 orange opaque 1 Light blue semi-translucent	25 glass beads in two groups with fragments of orange and blue beads Group 1: Small Indo-Pacific beads 1 dark blue bead 4 orange opaque microbeads (1 measured:L:1.20 W:2.07 IP:0.83) 2 red opaque microbeads 2 light green opaque beasd (1 measured: L:1.80 W:2.95 IP:0.92)	70 glass beads in 5 groups pluas green, and orange beads green, and orange beads 2 orange opaque 3 light green opaque microbe Group 1- Indo-Pacific Beads, 1 light blue opaque beads 4 light blue opaque beads 4 light blue opaque beads 1 dark blue translucent bead 1 dark blue translucent bead 2 droup 5-Larger Indo-Pacific beads, approx 3-4mm 1 dark blue translucent bead 1 greenish-yellow opaque approximately 2-3mm 1 green-yellow opaque 1 green-yellow opaque
	150-160 cm bd (S2L8)	120-130 cm bd
	PTT S3/2 East Section	Section Section
	25	70
	039	020
	Promtin Tai	Promtin Tai
	AKC01035	AKC01036

1 light green opaque matte 2 light blue opaque bead 1 light blue/white opaque 1 dark blue translucent ific	yplete Group 2- IP Irregular Beads 3 red opaque beads shiny (2 long tube/barrel, 1 is broken) 2 dark turquoise semi-trans 2 orange opaque 1 dark blue broken 1 transparent violent/amber- took image cro, Plus one broken tip of a ring/earring light green - took image sro, 1 image	Group 2- larger irregular IP bead 2 yellow opaque beads, both measured: Bead 1: L: 1.82 W: 4.20 IP:1.66 Bead 2: L: 2.93 W: 4.37 IP:1.10 1 red opaque bead: L: 2.43 2.95 W: 3.43 IP:1.48
2 red opaque shiny 1 yellow opaque 1 light green opaque microbead 1 light green opaque 1 light yellow transparent Group 2 - sSmall Indo-Pacific beads 1 yellow opaque 1 orange opaque microbead 1 light blue opaque 1 dark blue transparent	140-150 cm bd 20 complete or mostly complete glass and many fragments (green, yellow, orange, red, blue) Group 1- IP seed beads 3 orange opaque (2 smaller micro, 1 seed) 3 red opaque (2 smaller micro, 1 seed) 1 yellow opaque 1 light blue opaque (micro) 2 light green opaque (1 micro, 1 seed)	150-160 cm bd 14 complete beads Group 1-Small Indo-Pacific beads 2 yellow opaque both measured: Large Yellow: L :2.22 W: 2.95
	Section Section	PTT S3 West Section
	20	14
	023	024
	Promtin Tai	Promtin Tai
	AKC01040	AKC01041

1 blue-green transparent: L: 2.14 W:4.03 IP:1.02 1 dark blue translucent shiny: L: 4.04 W:4.46 IP: 1.08				Group 2: Larger Indo-Pacific beads 3 dark blue cobalt translucent 1 Large dark blue cobalt: L:12.71 W:8.71- segemented?	771
IP: 0.99 Small Yellow: L: 1.54 W:1.76 IP: 0.65 I dark blue opaque: L:1.83 W:3.15 IP:0.80 I light blue opaque: L:2.22 W:3.08 IP:0.84 I orange opaque: L:2.49 W:2.91 IP:1.04 I red opaque shiny: L:2.19 W:2.29 IP:0.87 I dark blue translucent: L: 3.78 W: 2.43 IP:0.86	1 large orange opaque :L:3.36 W:4.82 IP:1.32 2 dark blue semi-translucent 1 blue-green seed bead:L:2.15 W:3.53 IP:1.18	1 yellow opaque heavily corroded 1 dark turquoise opaque 1 light blue opaque			
	160-170 cm bd	170-180 cm bd	170-180 cm bd	190-200 cm bd (S3L4)	
	Section Section	S3 West Section	PTT S3 West Section	PTT S3/2 West Section	
	5	3	4	13	
	025	026	027	090	
	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	
	AKC01044	AKC01046	AKC01047	AKC01050	

1 black opaque short barre:1 L:5.66 W:3.40 1 orange opaque matte 1 light blue opaque			
	13 glass beads 2 orange opaque tubular beads 2 red opaque 1 yellow opaque 7 dark blue semi-translucent (1 measured: L:4.70 W:4.92) 1 blue-green translucent: L:2.89 W: 3.02	8 glass beads 1 broken light blue bead 1 dark blue bead 1 broken black bead 1 yellow opaque: L: 1.71 W:2.96 IP:0.78 1 light blue opaque: L:2.45 W:3.45 IP:0.91 1 red opaque: L1.28 W:2.92 IP:1.07 1 dark blue cobalt translucent: L:3.69 W:5.36 IP:1.73 1 dark blue cobalt matte translucent: L2.47 W4.10 IP:	PTT S3/2 West 230-240 cm bd 1 blue-green translucent Section (S4L3) 2 dark blue cobalt translucent shiny IP beads (1 measured:L:3.24 W:5.00 IP:1.95) 3 dark blue shiny semi-trans (1 measured:L:4,86 W:5.76 IP:1.34)
	PTT S3/2 West 200-210 cm bd Section (S3L3)	(S4L2) (S4L2)	230-240 cm bd (S4L3)
	PTT S3/2 West Section	PTT S3/2 West Section	PTT S3/2 West Section
	13	S	9
	061	062	063
	Promtin Tai	Promtin Tai	Promtin Tai
	AKC01052	AKC01053	AKC01054

Notes (cont)	Group 2: Indo-Pacific beads 3 dark blue semi-trans 21 dark blue cobalt translucent IP beads (1 measured: L.3.68 W.5.28 IP.2.02) 1 red opaque tubular bead 1 large clear glass bead: L8.04 W.7.42 IP1.32 1 blue-green glass bead: L.5.29 W;6.99 IP:1.92 1 dark blue-green sem-trans bead			
Notes	39 glass beads in two groups Group 1: Small Indo-Pacific beads 8 orange opaque beads matte. 2 beads measured: Bead 1: L:1.40 W:2.63 IP:0.94 Bead 2: L: 1.05 W:2.84 IP:1.27 3 white semi-translucent beads in a spherical shape	240-250 cm bd 2 dark blue shiny semi-trans, (S4L4) Burial Bead 1: L:4.83 W:5.62 IP:1.48 9 Bead 2: L: 5.15 W: 4.63 IP: 161	8 glass beads 2 dark blue shiny semi-trans (1 measured: L:4.64 W:5.32) 6 dark blue glass cobalt shiny (1 measured: L:2.33 W: 4.69)	8 pieces 1 small yellow opaque 2 dark blue shiny semi-trans 2 cobalt trans 1 large yellow opaque IP bead matte: L:3.70 W:4.51 IP:1.07 1 orange opaque bead matte: L:3.59 W:3.80 IP:1.21 1 light blue opaque bead matte: L:1.99 W: 4.07 IP: 1.41
Layer	230-240 cm bd (S4L3)	240-250 cm bd (S4L4) Burial 9	250-260 cm bd (S4L5) Burial 12	170-180 cm bd (S3L2)
Trench	Section Burial 20	S3/2 West Section	PTT S3/2 West 250-260 cm bd Section (S4L5) Burial 12	Section (S3L2) 1 small Section (S3L2) 1 small S dark b 2 dark b 2 cobalt 1 large y matte: L 1 orange L:3.59 V 1 light b L:1.99 v L:1.90 v L:1.
Total # of beads	39	2	8	∞
Cat Number	064	900	290	890
Site Name	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai
Database ID	AKC01056	AKC01066	AKC01070	AKC01071

Total # of beads
00
3
53

beads, approx 1-2mm 2 yellow opaque shiny 2 light green opaque shiny 4 red opaque shiny 2 dark blue matte translucent 2 orange opaque matte 1 yellow opaque shiny 3 orange opaque 2 dark green opaque 1 turquoise opaque 1 light green opaque 1 light green opaque 1 polychrome black, red and 2 white: L:3.78 W:3.80 IP:1.30 1 red opaque with heavy white 2 corrosion? 2 light blue translucent	Group 1- Larger IP beads Group 1- Larger IP beads I brown short cylinder: L6.76 W 6.37 IP2.62 3 red opaque 2 dark turquoise transparent 2 orange opaque 3 yellow opaque shiny (1 measured:L:3.01 W:4.36 I light blue opaque I dark turquoise opaque I dark turquoise opaque I dark turquoise opaque I light green opaque	t 110-120 cm bd 26 glass beads plus fragments Group 2- Small Indo-Pacific of red and blue beads beads beads 1 light green opening 1 27 W: 1 07
	37 S3 West Section	26 S3 West Section
	017	018
	Promtin Tai	Promtin Tai
	AKC01078	AKC01079

3 light blue opaque 1 dark turquoise semi-trans: 2 dark green opaque 1 L.2.13 W:3.25 IP:0.98 2 crange opaque 1 light green opaque shiny 1 green-yellow opaque 1 orange opaque 3 red opaque large short barrel (1 measured: L.7.72 W:8.46 IP:2.30) 1 light blue semi-trans	omtin Tai 073 30 S3/2 West 230-240 cm bd 30 glass dark cobalt shiny Indo-Bection Section (S4L3) Burial Pacific beads, 6 beads measured 9 Bead 1: L: 2.86 W: 5.46 IP: 1.84? Bead 2: L: 3.01 W: 4.22 IP: 1.49 Bead 2: L: 3.01 W: 4.22 IP: 1.38 Bead 3: L: 2.52 W: 4.72 IP: 1.38 Bead 4: L: 3.50 W: 6.35 IP: 2.14 Bead 4: L: 3.50 W: 5.57 IP: 1.70 Bead 6: L: 3.39 W: 5.57 IP: 1.70 Bead 6: L: 3.39 W: 5.44 IP: 1.85 Bead 6: L: 3.39 W: 5.44 IP: 1.85	omtin Tai 009 2 S3 East 160-170 cm bd 1 orange opaque bead Section 1 opaque yellow mircobead
	Promtin Tai	Promtin Tai
	AKC01084	AKC01016

Appendix 7.1h: Glass beads from Noen U-Loke at the Phimai Museum

Notes														
Number of beads	54	19	11	2	3	2	9	2	7	5	12	10	82?	3
Bead Shape	Indo-Pacific Microbead	Indo-Pacific Microbead	Wrapped glass bead/small tube	Long wrapped beads	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Bead color	orange	orange	orange	orange	milky white semi-trans	red opaque	red opaque	weathered?	dark blue semi trans	dark turq trans	light turq	milky yellow	green opaque	orange
Burial Number														
Context Info														
Cat No														
Number on Phimai Museum Chart	140/2547	144/2547	144/2547	144/2547	144/2547	144/2547	144/2547	144/2547	144/2547	144/2547	144/2547	144/2547	144/2547	136/2547

f Notes				plus broken frags					Some red-orange glass							
Number of beads	12	22	43	5	28	3	_	-	151 approx	1	2	30	31	11	7	1
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Microbead	Indo-Pacific Bead	Long wrapped beads	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Bead color	yellow opaque	yellow opaque	orange	bright turq semi trans	green opaque	orange	red opaque	turquoise semi- trans	orange	yellow	orange beads	orange	black opaque	yellow opaque	red opaque	milky white semi-trans
Burial Number																
Context Info																
Cat No																
Number on Phimai Museum Chart	136/2547	137/2547	137/2547	137/2547	143/2547	143/2547	143/2547	143/2547	134/2547	134/2547	581/2547	133/2547	142/2547	142/2547	142/2547	142/2547

Notes		Unrounded edges			Some red-orange glass			Unrounded edges		Some red-orange glass				Some red-orange glass
Number of beads	4	2	2	1	27	27	86	9	1	116	408	2	S.	1
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Microbead	Indo-Pacific Bead	Wrapped glass beads	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Bead	Indo-Pacific Bead	Long wrapped beads
Bead color	light turquoise trans	dark blue	dark blue turq semi trans	orange	orange	green opaque	orange	dark blue turq semi trans	green opaque	orange	orange	light turquoise trans	black opaque	orange
Burial Number														
Context Info														
Cat No														
Number on Phimai Museum Chart	142/2547	142/2547	142/2547	142/2547	142/2547	142/2547	132/2547	132/2547	132/2547	135/2547	138/2547	138/2547	138/2547	138/2547

Notes										Unrounded edges					
Number of beads	35?	9	1	6	18	20	43	13	S	9	2	-	66	-	11
Bead Shape	Indo-Pacific Microbead	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead					
Bead color	orange	orange	orange	black opaque	yellow opaque	red opaque	green opaque	light turquoise semi trans	med blue	dark blue	blue	milky white semi-trans	green opaque	yellow opaque	yellow opaque
Burial Number															
Context Info															
Cat No															
Number on Phimai Museum Chart	145/2547	145/2547	145/2547	145/2547	145/2547	145/2547	145/2547	145/2547	145/2547	145/2547	145/2547	145/2547	139/2547	139/2547	139/2547

Notes							Dark turquoise					sizes vary on most of the green opaque				Unrounded edges		Unrounded edges	
Number of beads	1	19	1	24	1	3	23	S	9	5	10	23	92	E	31	20	41	1	
Bead Shape	Indo-Pacific Bead	Wrapped glass beads	Indo-Pacific Bead	Indo-Pacific Microbead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Long wrapped beads	Indo-Pacific Bead	Wrapped glass bead?							
Bead color	yellow opaque	red opaque	black opaque	light turq	light turq	dark blue	dark blue	orange	orange	orange	orange	green opaque	black	yellow opaque	dark blue	dark blue	orange opaque	blue semi trans	orange
Burial Number																	N/A	N/A	N/A
Context Info																	NUL #43? BNB B2 4:12 feature 1	NUL #43? BNB B2 4:12 feature 1	BNB B2:12 #412
Cat No																	730	730	733
Number on Phimai Museum Chart	139/2547	139/2547	139/2547	139/2547	139/2547	139/2547	139/2547	139/2547	139/2547	139/2547	139/2547	141/2547	141/2547	141/2547	141/2547	141/2547	61	61	62

Notes											with copper fragments			
Number of beads	1	10	2	1	1	111	1	1 complete, 1-2 broken	3	12 (8 complete)	2	16	1	20 (1 incomplete)
Bead Shape	Long wrapped beads	Long wrapped beads	Wrapped glass bead?	Wrapped glass bead? Broken	broken	Wrapped glass bead	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Microbead	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead	Wrapped glass bead	Long wrapped beads
Bead color	orange	orange	orange	orange	blue semi trans	orange	orange	orange	orange	turquoise semitrans	turquoise semitrans	orange	orange	orange
Burial Number	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Burial 32
Context Info	NUL #416 B2 4:13 BNB	BNB B2 4-11 #410	BNB B2 4-11 #410	NUL #405 B2 4:11 BNB	NUL #81 A1 4:s1 feature 4 BNB	NUL 252 B2 4:5 residue BNB	NUL #50 A2 3:2 Feature 2 BNB	NUL BNB A1 3 s5 lens	NUL Cat 1196 B. 83 C1 4:s3	NUL Cat 1196 B. 83 C1 4:s3	NUL Cat 1196 B. 83 C1 4:s3	NUL#286 B2 4:s6 feature 10 BNB	NUL #228 A2 4:8 BNB	NUL #296 phase 3 B2 4:7 feature 1 "Scatter"
Cat No	735	737	737	192	773	783	784	791	774	774	774	425	444	466
Number on Phimai Museum Chart	63	64	64	99	99	<i>L</i> 9	89	69	70	70	70	51	52	53

783
105

Notes		plus some broken Wrapped glass bead glass bead fragments and one larger red opaque bead									
Number of beads	5 (4 are more tubular than disc shaped)	55	4 fragments of an object- ring/earring /bracelet?	1	4	9	4 (1 broken)	2	9	4 fragments	П
Bead Shape	Wrapped glass bead	Long wrapped beads	broken/weathered	Wrapped glass bead	Wrapped glass bead	Long wrapped beads	Wrapped glass bead?	Wrapped glass bead	Long wrapped beads	broken, weathered	Indo-Pacific Bead
Bead color	orange	orange	bright turquoise blue	orange	orange	orange	orange	orange	orange	light blue turquoise?	bright red
Burial Number	Burial 32	Burial 32	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Context Info	NUL #296 phase 3 B2 4:7 feature 1 "Scatter"	NUL #296 B2 4:s7 feature 1	NUL 320 A2 4:12 glass object	NUL 339 B2 4:s7 feature 3 BNB	NUL #375 B2 4:8 BNB	NUL #375 B2 4:8 BNB	NUL #366 B2 4:7 BNB	B2 4:10 #405	B2 4:10 #405	NUL #370 B1 4:11 glass bangle	NUL #177 A2 4:s4 BNB
Cat No	466	466	496	531	643	643	644	711	711	718	316
Number on Phimai Museum Chart	53	130/47	54	55	56	56	57	59	59	09	41

Notes	Unrounded edges		Unrounded edges			Unrounded edges					Unrounded edges		
Number of beads	-	11 (1 broken)	1	1	4	1	8 (1 broken)	-	2	2	1	2	1
Bead Shape	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Bead	Wrapped glass bead	Wrapped glass bead	Indo-Pacific Bead	Wrapped glass bead	Long wrapped beads	tube, unrounded	Long wrapped beads	Indo-Pacific Bead	long skinny tube	Indo-Pacific Bead
Bead color	dark blue turq trans	orange	dark blue turq trans	orange	orange	dark blue turq trans	orange	orange	dark blue, semi-trans	orange	dark blue turq trans	orange	light blue turquoise semi trans
Burial Number	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Context Info	NUL #225 B2 4:s3 feature 12 BNB	B2 4:3 BNB	B2 4:s2 feature 12 BNB	NUL #242, B2 4:4 BNB	NUL #257 B2 4:5	NUL #257 B2 4:5	NUL #25 B2 4:5 BNB	NUL #25 B2 4:5 BNB	NUL #25 B2 4:5 BNB	NUL #260 B2 4:s6 feature 1	NUL #260 B2 4:s6 feature 1	NUL #288 A2 4:s8 BNB	NUL #291 BI 4:s3 BNB
Cat No	337	339	368	385	392	392	414	414	414	415	415	420	421
Number on Phimai Museum Chart	42	43	44	45	46	46	47	47	47	48	48	49	50

Notes										
Number of beads	24 plus a few tiny fragments	4	9 plus many broken frags	1	3	1	106	14	4	9
Bead Shape	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Bead	Indo-Pacific Microbead				
Bead color	orange	yellow opaque	green opaque	red opaque	dark blue almost opaque	dark blue semi trans	light green opaque	yellow opaque	black opaque	orange
Burial Number	Burial 105	Burial 105	Burial 105	Burial 105	Related to burial 105	Related to burial 105	Related to burial 105	Related to burial 105	Related to burial 105	Related to burial 105
Context Info	NUL #930 B105 x/x1 3:s13 feature 2	XI 3: s13 E of grave 105	X1 3: s13 E of grave 105							
Cat No	1456	1456	1456	1456	1465	1465	1465	1465	1465	1465
Number on Phimai Museum Chart	32	32	32	32	31	31	31	31	31	31

Notes						Unrounded edges			Unrounded edges			
Number of beads	2	11 with a few broken frags	1	22	22	a few fragements	9	5	4	2	11	1
Bead Shape	Indo-Pacific Bead	Wrapped glass bead	Long wrapped bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Microbead	Indo-Pacific Microbead
Bead color	off white semi trans	orange	orange	dark red opaque	light blue turq semi trans	turquoise semitrans	orange	orange	dark blue (cobalt?) semi- trans	dark blue (cobalt?) semi- trans	orange	red
Burial Number	Related to burial 105	Related to burial 105	Burial 113	Burial 113	Burial 113	Burial 113	Burial 121	Burial 121				
Context Info	X1 3: s13 E of grave 105	X1 3: s13 E of grave 105	Burial 113	Burial 113	Burial 113	Burial 113						
Cat No	1465	1465	1465	1465	1465	1465	none listed	none listed	none listed	none listed	1741	1741
Number on Phimai Museum Chart	31	31	31	31	31	31	33	33	33	33	35	35

Notes												
Number of beads	18 plus some fragments	3	3	16	4	1	1	12 plus one broken	1	18 plus some fragments	19 plus some fragments	1 broken frag
Bead Shape	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Bead	Wrapped glass bead	Wrapped glass bead	Indo-Pacific Bead	Long wrapped beads	Wrapped glass bead	Wrapped glass bead
Bead color	green	yellow	black	orange	green	blue semi-trans turquoise	orange	orange	dark blue semi trans	orange	orange	orange
Burial Number	Burial 121	Burial 121	Burial 121	Burial 121	Burial 121	N/A	N/A	N/A	N/A	Burial 52	Burial 52	Burial 50
Context Info				Burial 121 X1	Burial 121 X1	NUL #188 A2 4:s5 BNB	NUL #188 A2 4:s5 BNB	NUL #127 B2 4:2 BNB	NUL #127 B2 4:2 BNB	NUL Phase 3, B2 4:8 #383 Burial 52 neck	NUL Phase 3, B2 4:8 #383 Burial 52 neck	NUL #387 B2 4:8 Burial 50
Cat No	1741	1741	1741	1741	1741	286	299	306	306	683	683	704
Number on Phimai Museum Chart	35	35	35	36	36	38	39	40	40	20	20	19

Notes								Unrounded edges			
Number of beads	7 (1 broken)	4	8	2	3	90 арргох	S	2	78	1	2
Bead Shape	Wrapped glass bead	Indo-Pacific Microbead	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead
Bead color	orange	orange	orange	green opaque	yellow opaque	black opaque	light blue turqu	bright turq	orange	dark brown	orange
Burial Number	Burial 49	Burial 47	Burial 45								
Context Info	NUL Phase 3 4:9 Burial 49	NUL #343 B1 4:s6 feature 6 Burial 47 residue	B4:7 Burial 45 beads by skull								
Cat No	069	555	555	555	555	555	555	555	555	555	533
Number on Phimai Museum Chart	18	17	17	17	17	17	17	17	17	17	16

Notes	Unrounded edges									λ	
Number of beads	S	-	12	34 plus some fragments	2	2	1	9	18	115 plus many many broken fragments	2 broken beads
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead	Long wrapped beads	Wrapped glass bead?	Long wrapped beads	Wrapped glass bead	Wrapped glass bead	Long wrapped beads	Wrapped glass bead	Indo-Pacific Bead
Bead color	orange	turquoise semitrans	orange	orange	orange	orange	orange	orange	orange	orange	bright blue semi trans
Burial Number	Burial 45	Burial 42	Burial 42	Burial 42	Burial 41	Burial 41	Burial 40	Burial 39	Burial 39	Burial 37	Burial 37
Context Info	B4:7 Burial 45 beads by skull	A2 4:12 phase 2 Burial 42 head area	A2 4:12 phase 2 Burial 42 head area	A2 4:12 phase 2 Burial 42 head area	A2 4:12 burial 41 beads at skull	A2 4:12 burial 41 beads at skull	Phase 3 Burial 40 at feet	Phase 3 B2 4:9 #393 burial 39	Phase 3 B2 4:9 #393 burial 39	Phase 2 NUL #319 A2 4:11 Burial 37 neck area	Phase 2 NUL #319 A2 4:11 Burial 37 neck area
Cat No	533	518	518	518	513	513	652	029	029	492	492
Number on Phimai Museum Chart	16	15	15	15	14	14	13	12	12	=	Ξ

\neg	Λ	r
/	9	l

		al 29	al 29									79	90
Notes		outer bag says: phase 3 burial 29 residue cat 431	outer bag says: phase 3 burial 29 residue cat 431										
Number of beads	111	32	62	∞	9	16	29	9	1	1	3	7	
Bead Shape	Wrapped glass bead	Wrapped glass bead	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Bead	
Bead color	orange	orange	orange	yellow opaque	turquoise semi- trans	orange	orange-red mixed	orange-red mixed	orange	blue turq trans	orange	orange-red mixed	
Burial Number	Burial 33	Burial 29	Burial 29	Burial 21	Burial 21	Burial 25	Burial 25	Burial 25	Burial 25	Burial 25	Burial 25	Burial 25	
Context Info	Nul #307 B2 4:7 feature 7 burial 33 (necklace)	NUL #294 Phase 3 B2 4:s8 feature 10 burial 29 residue	NUL #294 Phase 3 B2 4:s8 feature 10 burial 29	NUL #213 phase 4 A2 4:s4 area of burial 21	NUL #213 phase 4 A2 4:s4 area of burial 21	NUL #330 Phase 3 B1/2 4:s5 Burial 25	NUL #330 Phase 3 B1/2 4:s5 Burial 25	NUL #330 phase 3 B1/2 Burial 25	NUL #330 phase 3 B1/2 Burial 25	NUL #330 phase 3 B1/2 Burial 25	NUL #330 phase 3 B/12 Burial 25	NUL #330 phase 3 B/12 Burial 25	
Cat No	633	294	294	311	311	541	541	516	516	516	504	504	
Number on Phimai Museum Chart	10	6	6	3	3	7	7	9	9	9	S	\$	

Number on Phimai Museum Chart	Cat No	Context Info	Burial Number	Bead color	Bead Shape	Number of beads	Notes
∞	176	Phase 3 4:5 B12 Bag #? Burial 25	Burial 25	yellow opaque	Indo-Pacific Bead	2	
∞	176	Phase 3 4:5 B12 Bag #? Burial 25	Burial 25	orange	Indo-Pacific Microbead	100	
∞	922	Phase 3 4:5 B12 Bag #? Burial 25	Burial 25	orange	Wrapped glass bead	2	
∞	922	Phase 3 4:5 B12 Bag #? Burial 25	Burial 25	orange	Indo-Pacific Bead	1	
∞	776	Phase 3 4:5 B12 Bag #? Burial 25	Burial 25	light turquoise trans	Indo-Pacific Bead	36 plus many broken frags	
∞	776	Phase 3 4:5 B12 Bag #? Burial 25	Burial 25	black opaque	Indo-Pacific Bead	24	
∞	176	Phase 3 4:5 B12 Bag #? Burial 25	Burial 25	dark brown trans	Indo-Pacific Bead	1	
4	338?	NUL phase 3 possibly burial 23 B2 4:s6 feature 1 #260	Burial 23	orange	Wrapped glass bead?	1	
4	338?	NUL phase 3 possibly burial 23 B2 4:s6 feature 1 #260	Burial 23	dark turq trans	Indo-Pacific Bead	8 plus one fragment	Unrounded edges

Notes						
Number of beads	9 plus many broken frags	1	30 plus many broken frags	212 plus many broken fragments	136	2 broken beads
Bead Shape	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Bead color	yellow opaque	orange	green opaque	light blue turq semi trans	dark turq trans, slightly darker than above or maybe less weathered?	dark blue (cobalt?) semi- trans
Burial Number	Burial 14	Burial 14	Burial 14	Burial 14	Burial 14	Burial 14
Context Info	NUL phase 4 Burial 14 glass beads found at foot area	NUL phase 4 #132 A2 4:s1 bead cat no. 785 or inside pot cat 217	NUL phase 4 Burial 14 glass beads found at foot area	NUL phase 4 Burial 14 glass beads found at foot area	NUL phase 4 Burial 14 glass beads found at foot area	NUL phase 4 Burial 14 glass beads found at foot area
Cat No	178	785	178	178	178	178
Number on Phimai Museum Chart	2	2?	2	2	2	2

Notes										
Number of beads	11	_	265+500+7 00? So approx 1500 beads	111	2	-	20	_	-	-
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Bead color	dark turq- opaque	light blue turq semi trans	blue turq semi- trnas	turq opaque	orange	red opaque	green opaque	yellow opaque	light yellow opaque	milky white semi-trans
Burial Number	Burial 14	Burial 14	Burial 13	Burial 13	Burial 95					
Context Info	NUL phase 4 Burial 14 glass beads found at foot area	NUL phase 4 Burial 14 glass beads found at foot area	NUL phase 4#131 burial 13, A2 4:s1	NUL phase 4#131 burial 13, A2 4:s1	NUL #829 C1/K1 Burial 95					
Cat No	178	178	236	236	1254	1254	1254	1254	1254	1254
Number on Phimai Museum Chart	2	7	-		28	28	28	28	28	28

Notes		Unrounded edges				plus a weathered bead or copper bead Wrapped glass bead glass in tinfoil?					
Number of beads	2	2 plus many fragments	1		several small fragments	l broken frag	16	1	1	88	5 plus broken frags
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	weathered and broken beads	weathered	Wrapped glass bead	Long wrapped beads	small round faceted barrel	Wrapped glass bead	Indo-Pacific Bead	Indo-Pacific Bead
Bead color	bright turq semi trans	bright turq semi trans	dark blue- cobalt?	blue?	light blue?	orange	orange	carnelian	orange	orange	yellow
Burial Number	Burial 95	Burial 95	Burial 95	Burial 95	Burial 95	Burial 54	Burial 53	Burial 53	Burial 80	Burial 80	Burial 80
Context Info	NUL #829 C1/K1 Burial 95	Burial 95	NUL #426 burial 54 phase 3 feet area	NUL #415 phase 3 410 burial 53 upper arm area	burial 53	Burial 80	Burial 80	Burial 80			
Cat No	1254	1254	1254	1254	1254	728	675	673	1666	1666	1666
Number on Phimai Museum Chart	28	28	28	28	27	23	22	21	25	25	25

Cat No	0	Context Info	Burial Number	Bead color	Bead Shape	Number of beads	Notes
1666		Burial 80	Burial 80	black opaque	Indo-Pacific Bead	10	
1190		burial 94 beads around neck	Burial 94	orange	Wrapped glass bead	37 plus a few frags	
1190		burial 94 beads around neck	Burial 94	black and white/weathere d	imitation agate beads?	4	
N 69L	Z _	NUL #424 phase 3 B2 4:8 Burial 55	Burial 55	orange	Wrapped glass bead	-	
1275		NUL burial 96 X1/C1 4:s7	Burial 96	orange	Indo-Pacific Microbead	1	
1414 fr	fr	B102 X1 beads from baby skeleton in pot	Burial 102	orange	Wrapped glass bead	3	
1414 fr	fi	B102 X1 beads from baby skeleton in pot	Burial 102	green opaque	Indo-Pacific Bead	13	
1414 f	ij	B102 X1 beads from baby skeleton in pot	Burial 102	yellow opaque	Indo-Pacific Bead	1	
1414		B102 X1 beads from baby skeleton in pot	Burial 102	black opaque	Indo-Pacific Bead	4	
1414	Į	B102 X1 beads from baby skeleton in pot	Burial 102	turq trans	Indo-Pacific Bead	83	Unrounded edges

Notes	Unrounded edges					ring/earring?		in bag that says: NUL Cat 1628 Burial 116 540-42/47 also written in red: 994	in bag that says: NUL Cat 1628 Burial 116 540-42/47 also written in red: 994
Number of beads	24? (some Wrapped glass bead glass in tinfoil)	43?	2		2-Feb	1 fragment	25	23	9
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	weathered	Long wrapped beads	Wrapped glass bead	Indo-Pacific Bead
Bead color	dark blue/cobalt semi-trans	turq trans	light turq	green opaque	greenish yellow	light blue turquoise	orange	orange	blue dark tur to dark blue
Burial Number	Burial 102	Burial 102	Burial 102	Burial 102	Burial 102	N/A	Burial 32	Burial 116	Burial 116
Context Info	B102 X1 beads from baby skeleton in pot	B102 X1 beads from baby skeleton in pot	B102 X1 beads from baby skeleton in pot	B102 X1 beads from baby skeleton in pot	B102 X1 beads from baby skeleton in pot	C1 4:6 NUL 836 piece of blue glass pendant?	NUL #296 B2 4:s7 feature 1	Layer 3:10	
Cat No	1414	1414	1414	1414	1414	1204	466	1628	1628
Number on Phimai Museum Chart	30	30	30	30	30	37	130/47	541/2547	540/2547

pe Number of heads	Bead 84 in bag that says: NUL Cat 1628 Burial 116 540-42/47 also written in red: 994	Bead 8 in bag that says: NUL Cat 1628 Burial 116 540-42/47 also written in red: 994	Bead 26	Bead 6
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Bead color	black opaque	orange	black opaque	orange
Burial Number	Burial 116	Burial 116	Burial 116	Burial 116
Context Info			Burial 116, glass bead necklace	Burial 116, glass bead necklace
Cat No	1628	1628	1628	1628
Number on Phimai Museum Chart	542/2547	542/2547	34	34

Appendix 7.1i: Glass beads from Ban Non Wat

Burial#	# Cat #	Beads	Description on bag	Total number	Broken	Notes
				of complete beads	fragments	
Burial 6	Cat 110	orange wrapped beads	orange bead belt, 200 complete- 5 broken	200	5	
Burial 36	Cat 2964	Orange opaque	orange glass beads from	85		
		microbeads	within jar burial. 85 beads			
Burial 36	3548	orange Indo-Pacific bead	1 small orange glass bead	1		
Burial 266	15506	Indo-Pacific glass	necklace	112	0	beads are larger IP
		beads: yellow (55), turquoise (14), dark blue(19), cobalt blue				bead size, some tubes. Mostly rounded excpet cobalt blue
		(7- these are not rounded but cut				
		straight), red (9), orange (6), white (1)				
		black (1)				
Burial 266	15506	broken frags of	necklace	0	several pieces	
		yellow and light blue glass.				
Burial 203	11519	bright blue glass bead		1	0	
Burial 203	11528 and 11527	12 orange glass beads, 1 dark blue		14	1	
		cobalt glass bead, 1 light blue Indo- Pacific beads				
Burial 203	11527	wrapped orange glass beads (90)	right wrist	06	0	
Burial 203	11536	orange wrapped and light blue bead Indo- Pacific bead	L wrist area, 10 orange 1/2 blue, 1/2 orange	10	2	

															799
Notes															
Broken fragments	0	0	0	several pieces	1	1	several pieces	0	0	several pieces	several pieces	0	0	0	
Total number of complete beads	22	4	1	0	0	0	0	1	5	0	0	2	2	1	
Description on bag	neck area		glass bangle	glass beads? Chin area											
Beads	20 orange wrapped and 2 dark turg blue Indo-Pacific beads	4 wrapped orange glass beads	Light blue Indo- Pacific bead	blue/green glass bead fragments- weathered	broken orange Indo- Pacific bead	broken orange Indo- Pacific bead	broke weathered blue/green bead frags	Light blue Indo- Pacific bead	3 yellow beads, 1 orange bead, 1 light blue Indo-Pacific bead	fragment of weathered glass beads	fragment of weathered glass beads	2 wrapped orange glass beads	2 wrapped orange glass beads	1 orange Indo-Pacific bead	
Cat #	11528	11521	8253	17155	cat 5136	5125	18110	6028	17868	19762	19773	3536	3528	4056	
Burial #	Burial 203	Burial 203	non burial	Burial 356	B108	B101	B385		B 304	B 343	B 357	B 36	B 36	38	
Level:Layer	3:1	3:1	1:5	4:1					5:3						

																							800
Notes																							
Broken fragments	0	0	0				0		0	0		0	0		0	0	1	0				1	
Total number of complete beads	4	5	19				12		1	1		1	1		8	-	0	1		1	1		
Description on bag																							
Beads	4 orange Indo-Pacific beads	4 orange and 1 black Indo-Pacific beads	15 orange beads	(wrapped?) and Indo-Pacific beads: 2	cobalt blue tubes with	sharp edges, 2 dark	12 orange wrapped	beads	1 orange wrapped tube	fragment of earring	or bangle blue	orange wrapped bead	Yellow Indo-Pacific	bead	1 orange and 2 light blue Indo-Pacific beads	large blue-green glass bead with large hole	broken orange	Light blue Indo-	Pacific bead	Light blue Indo- Pacific bead	orange wrapped bead	broken orang wrapped bead tube	
Cat #	4528	17656	17873				17873		11524	18		24517	10024		7782	393	486 or 986	2982		9559	26006	4156	
Burial #	\$6	B 235	202				202		202			gen spit	gen spit										
Level:Layer			3:1				3:1		3:1	2:5		3:2	3:2		1:6	1:2	2:9	2:8		2:4/5 Feature 1	2:6	3:1 Feature 3	

ı	α	4
ı	$\times 11$	
ı	α	

2:1 3:1 2:8 2:8	17394		ot complete beads	fragments	
3:1 2:8 2:8	1001	Light blue Indo- Pacific bead	1		
2:8	17390	orange Indo-Pacific bead	1		
2:8	17935	Cobalt Indo-Pacific bead	1		
	17389	Light blue Indo- Pacific bead	1		
2 Feature 1	4351	Light blue Indo- Pacific bead	1		
2:4/5 Feature 1	6557	Yellow Indo-Pacific bead	1		
2:1	Bag # 4711	Light blue Indo- Pacific bead	0	1	
1:8	17861	Light blue Indo- Pacific bead	1		
	1	Large blue glass bead with large hole	1		
5:2	115	weathered and broken bead	1	0	
3:3	17882	orange wrapped tube and light-blue Indo- Pacific bead	1		
2:5	17883	Dark blue Indo- Pacific bead with sharp edges	1		
1:9 gen spit	9004	Broken Light blue Indo-Pacific bead	0	1	
2:5/6 Feature 2 Bag 11009	24505	Coiled blue glass beads?	16		
2:3 Feature 3	2016	Cobalt Indo-Pacific bead	1		
3:4	17877	Dark Blue Indo- Pacific bead	1		

Notes					unrounded edges																
Broken fragments																				several pieces	
Total number of complete beads	1	1	2	3	1		1	1	1	1	2				1	&					1
Description on bag																					
Beads	orange wrapped bead	orange wrapped bead	2 orange wrapped beads?	2 blue coiled beads and one cobalt Indo-	Cobalt Indo-Pacific	Dead	large clear/white bead with big hole	Light blue Indo- Pacific bead	Light blue Indo- Pacific bead	Light blue Indo- Pacific bead	blue glass vessel	frag? Light blue Indo-Pacific head and	cobalt Indo Pacific	bead with unrounded	turq seed bead	Light Blue, 2 yellow	and 1 white opaque	Indo-Pacific bead. 4	orange wrapped tubes.//	broken weathered blue glass beads	Cobalt Indo-Pacific bead
Cat #	2693	17876	17865	23452	1784	-	4		24512	6559	8015				6039	17863				515	2974
Burial #																					gen spit
Level:Layer	1:5	2:5	3:2 Feature 2	2:3 Feature 1	2:9		1:5	topsoil	3:2 Feature 3	2:4/5 Feature 1					2:5 Feature 6	2:6 Feature 5				3:4	1:4

O	Λ	1
a	u	1

																			803
Notes																			
Broken fragments							1			1									
Total number of complete beads	-	-	-	-	-	-		-	1		1	1	2	1	2	1	2	1	
Description on bag																			
Beads	Light blue Indo- Pacific bead	Light blue Indo- Pacific bead	Cobalt Indo-Pacific bead	Green opaque Indo- Pacific microbead	Green Indo-Pacific bead	blue glass earring frag	broken weathered blue glass bead	Light blue Indo- Pacific bead	Light blue Indo- Pacific bead	weathred blue glass bead frag	Cobalt Indo-Pacific bead	Yellow Indo-Pacific bead	2 orange wrapped beads	orange wrapped bead	Orange wrapped tube	orange wrapped bead	2 orange wrapped beads	orange Indo-Pacific bead	
Cat #	6558	5140	3351	0696	4381	22529	24509	17888	17392	3571	22009	7503	17875	5351	17881	24519	260	17878	
Burial #		gen spit				gen spit	gen spit				gen spit					gen spit			
Level:Layer	2:4/5 Feature 1	2:13	2:5	3:2		3:4	2:6	2:6	2:8	3:2	2:4/5	1:4/5 Feature 1	3:4	2:6	1:5	3:2	2:7	1:10	

Notes																			
Broken fragments																	1		
Total number of complete beads	1	2	1	1	1	1	1	1	1	3	1	1	1	2	1	1		1	_
Description on bag																			
Beads	orange wrapped bead	Orange wrapped tube and light blue Indo- Pacific bead	orange wrapped	orange micro bead	orange wrapped bead	orange Indo-Pacific bead	Orange wrapped tube and light blue Indo- Pacific bead	orange wrapped bead	orange wrapped bead	3 orange wrapped tube beads	1 orange wrapped tube bead	orange wrapped small	orange wrapped	2 orange wrapped beads?	orange wrapped tube bead	orange wrapped tube	broken orange wrapped?	orange wrapped bead	orange wrapped bead
Cat #	9559	4874	25513	11516	210	17884	17880	374	6040	123	25515	17867	257	17885	17872	17870	291	23014	279
Burial #																			
Level:Layer	2:4/5 Feature 1	4:3	2:3	2:7	2:9	3:3	3:4	3:1	2:5/6 Feature 6	2:5	2:6	3:3	2:7	3:3	3:2	4:10	2:6	3:2	2:7

Level:Layer	Burial #	Cat #	Beads	Description on bag	Total number	Broken	Notes
					of complete beads	fragments	
2:6		193	orange wrapped small		1		
3:1 Feature 1		22923	orange wrapped small		1		
4:2	residue	8033	orange wrapped small		1		
4:1 Feature 1		1779	orange wrapped small		1		
2:4/5 Feature 1		6537	rounded orange tube		1		
2:7 Feature 15		233	orange wrapped bead		100		
2:10		2090	Dark blue glass chunk		1		
	burial 211	25424	blue glass bangle frags? Many		1		
1:4		1452	vessel glass- dark brown rainbow coating		1		
4:6	gen spit	3073	dark brown/black vessel glass		1		
2:3		2509	turq blue glass earring/ring/bangle frag		1		
5:2		4558	turq blue glass earring/ring/bangle frags		1		
4:1		5108 or 5168	weathred blue glass frags			several pieces	
3:1		27	weathred blue glass frag			several pieces	

Appendix 7.1j: Glass beads from Ban Non Wat and Noen U-Loke analyzed using LA-ICP-MS

Opacity	Translucent	Opaque	Translucent	Translucent	Translucent	Translucent	Translucent	Translucent
Glass Color Notes								
Glass Colors	Dark Brown	Yellow	Blue	Grey	Dark Blue	Dark Blue	Dark Blue	Blue
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Total # of beads	1	1	1	1	-	П	П	1
Catalogue Number	1465/NUL-001	141/NUL-002	1457/NUL-003	1417/NUL-004	1414/NUL-005	1414/NUL-006	1457/NUL-007	1457/NUL-008
Context Notes	NUL Cat 1465 X1 3 [13 E. Grave 105 T10 B8	3:6 Feature 1	NUL #930 Cat No #1457 T9B3	NUL 915 Cat 1417 T9B9	Burial 102 Cat 1414 T9B2	B102 Cat #1414 T9B1	NUL 930 Cat #1457 T9B8	NUL #930 Cat #1457 T9B4
Site Name	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke
Database ID	AKC02001	AKC02002	AKC02003	AKC02004	AKC02005	AKC02006	AKC02007	AKC02008

Opacity	Semi-Translucent	Translucent		Translucent	Translucent	Translucent	Translucent	Semi-Translucent
Glass Color Notes			Corroded					Almost purple
Glass Colors	Dark Blue	Blue	Dark Blue	White	Blue	Blue-Green	Dark Blue	Dark Blue
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Total # of beads	1			-	2	2	2	2
Catalogue Number	1457/NUL-009	207/NUL-010	1417/NUL-011	1502/NUL-012	1417/NUL-013	1417/NUL-014	1414/NUL-015	1414/NUL-016
Context Notes	NUL 930 Cat 1457 T9 B7	NUL #96 Cat 207 Burial 8 B2 3:2 Residue Phase 5 T10 B2	NUL #915 Cat #1417 3:9 Feature 1 T9 B10	B102 Cat # 1414 T8B8 Royal Blue TP	B102 Cat # 1414 T8B8 Royal Blue TP			
Site Name	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke
Database ID	AKC02009	AKC02010	AKC02011	AKC02012	AKC02013	AKC02014	AKC02015	AKC02016

Context Notes Catalogue Number NUL #115 207/NUL-018
NUL #115 207/NUL-019 Phase 5 Residue Burial 8 Cat 207 (A)
NUL #115 207/NUL-020 Phase 5 Residue Burial 8 Cat 207 (A)
NUL #115 207/NUL-021 Phase 5 Residue Burial 8 Cat 207 (A)
NUL #115 207/NUL-022 Phase 5 Residue Burial 8 Cat 207 (A)
NUL #115 207/NUL-023 Phase 5 Residue Burial 8 Cat 207 (A)

Glass Color Opacity Notes	Red core with Opaque orange exterior	Opaque	Semi-Translucent	Opaque			
Glass Colors Glass No	Orange and Red Red cc ora	Orange and Red Red co	Orange and Red Red co	Orange and Red Red co	Orange	Dark Blue	Orange
Bead Shape	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Indo-Pacific Microbead	Wrapped tubular bead	Large Indo- Pacific bead	Orange wrapped bead
Total # of beads	175	175	175	175	10	2	9
Catalogue Number	207/NUL-024	207/NUL-025	207/NUL-026	207/NUL-027	207/NUL-028	207/NUL-029	207/NUL-030
Context Notes	NUL #115 Phase 5 Residue Burial 8 Cat 207 (A)	NUL #115 Phase 5 Residue Burial 8 Cat 207 (A)	NUL #115 Phase 5 Residue Burial 8 Cat 207 (A)	NUL #115 Phase 5 Residue Burial 8 Cat 207 (A)	NUL #319 A2 4:11 Burial 37 Phase 2	NUL #319 A2 4:11 Burial 37 Phase 2	NUL #319 A2 4:11 Burial 37
Site Name	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke
Database ID	AKC02024	AKC02025	AKC02026	AKC02027	AKC02028	AKC02029	AKC02030

Database ID	Site Name	Context Notes	Catalogue Number	Total # of beads	Bead Shape	Glass Colors	Glass Color Notes	Opacity
AKC02031	Ban Non Wat	BNW 05/06 F7 #8903 2:1 Feature 12 Cat 19501 18.12.05	19501	1	Coiled bead	Blue	Corroded	
AKC02032	Ban Non Wat	BNW 05/06 13/12/05 G5 2:[2 Feature 6 Bag #9104 Cat: 20002	20002	1	Spherical	Yellow	Shiny surface	Opaque
AKC02033	Ban Non Wat	BNW 05/06 G5 #9104 2:[2 feature 6 17.12.05 Cat 20009	20009	1	Short bicone	Light Blue		Opaque
AKC02034	Ban Non Wat	G6 2:7 General Spit Cat 20523 Bag 9312 24/12/05	20523	1	Indo-Pacific Bead	Light Blue		Semi-Translucent
AKC02035	Ban Non Wat	BNW 05/06 G6 2:[5 Feature 5 Bag # 9507 Cat 20512 18.12.05	20512	1	Indo-Pacific Bead	Yellow		Opaque Semi-Translucent
AKC02036	Ban Non Wat	BNW 05/06 G6 Bag #9309 2:5 Cat 20514 2.12.05	20514	1	Wrapped bead	Orange		Opaque
AKC02037	Ban Non Wat	BNW 05/06 G6 2:5 Bag 9309 Cat 20519	20519	1	Indo-Pacific bead	Orange		Opaque

Opacity	Translucent	Semi-Translucent				
Glass Color Notes		Corroded	Corroded	Corroded	Corroded	Corroded
Glass Colors	Light Blue	Light Blue	Blue	Blue	Blue	Blue
Bead Shape	Earring	Earring fragment	Large Indo- Pacific Bead	Earring fragment?	Earring fragment?	Earring fragment?
Total # of beads		1	1	П	1	1
Catalogue Number	19013	17673	18066	19773	19780	17671
Context Notes	BNW 05/06 F6 2:6 Gen Spit Bag 8714 Cat 19013 22.12.05	BNW 05/06 E6 B. 235 4:[1 Cat 17673 Bag 8155	BNW 05/06 E7 3:[3 B259 Cat 18066 Bag 8324	BNW 05/06 F7 4:3 B 357 Cat 19773 Bag 8953	BNW 05/06 F7 6:3 B 357 Cat 19780 Bag 8953	BNW 05/06 E6 4:[1 B 235 Cat 17671 Bag 8155
Site Name	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat
Database ID	AKC02038	AKC02039	AKC02040	AKC02041	AKC02042	AKC02043

Opacity	Translucent	Opaque	Opaque	Opaque	Semi-Translucent
Glass Color Notes	Corroded, rainbow-coating?	Reddish- brown	Light orange		
Glass Colors	Dark Blue-Green	Red	Orange	Yellow	Dark Blue
Bead Shape	Vessel fragment	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead
Total # of beads		112	112	112	112
Catalogue Number	18014	15506	15506	15506	15506
Context Notes	BNW 05/06 E7 2:7 Bag #8316 Cat 18014	BNW 04/05 AA2 2:S2 Bag 7304 Burial 266 Cat 15506 Necklace	BNW 04/05 AA2 2:S2 Bag 7304 Burial 266 Cat 15506 Necklace	BNW 04/05 AA2 2:S2 Bag 7304 Burial 266 Cat 15506 Necklace	BNW 04/05 AA2 2:S2 Bag 7304 Burial 266 Cat 15506 Necklace
Site Name	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat
Database ID	AKC02044	AKC02045	AKC02046	AKC02047	AKC02048

Opacity	Translucent	Translucent	Semi-Translucent	Opaque	Opaque
Glass Color Notes		Turquoise	Milky-white		
Glass Colors	Dark Blue	Light Blue	White	Black	Turquoise
Bead Shape	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Indo-Pacific Bead	Coiled bead
Total # of beads	112	112	112	112	16
Catalogue Number	15506	15506	15506	15506	24505
Context Notes	BNW 04/05 AA2 2:S2 Bag 7304 Burial 266 Cat 15506 Necklace	BNW 04/05 AA2 2:S2 Bag 7304 Burial 266 Cat 15506 Necklace	BNW 04/05 AA2 2:S2 Bag 7304 Burial 266 Cat 15506 Necklace	BNW 04/05 AA2 2:S2 Bag 7304 Burial 266 Cat 15506 Necklace	BNW 06/07 E4 2:5/6 feature 2 Bag 11009 Cat 24505
Site Name	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat
Database ID	AKC02049	AKC02050	AKC02051	AKC02052	AKC02053

olor Opacity	ring Semi-Translucent	Translucent	ish Transparent	Transparent Translucent	Translucent	Semi-Translucent
Glass Color Notes	Weathering on surface		yellowish			
Glass Colors	Light Blue	Blue-Green	White	Dark Blue	Turquoise	Dark Green
Bead Shape	Bangle fragment?	Spherical	Spherical	Glass Fragment	Indo-Pacific Bead	Bangle fragment?
Total # of beads	1	1	1	1	1	1
Catalogue Number	18	393	4	5090	8253	3073
Context Notes	BNW 02 Y1 Bag 34 Cat 18 4.2.02	BNW 02 A4 1:2 Bag 2 Cat 393 4.1.02	BNW Y1 1:S5 Bag 18 Cat 4 1.2.02	BNW 02/03 X1 2:10 Bag 1979 Cat 5090 20.2.03	BNW 03/04 A3 1:5 Cat 8253	BNW 02/03 B3 4:6 Bag 1166 Cat 3073
Site Name	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat
Database ID	AKC02054	AKC02055	AKC02056	AKC02057	AKC02058	AKC02059

																											81
Notes	Broken	Broken				other half of AKC02005																					
Thickness			0	0								0															
Max. Width	0	0										0	4.11	3.48	0		0	1.56	4.33	4.71	3.96	1.68	1.36	1.42	1.6	1.24	
Max. Length	0	0	1.86	3.36	3.4	3	2.9	3.3	3.52			0	2.32	2.41	0	2.93	0	8.0	2.4	2.37	1.98	1.24	1.23	76.0	0.74	1.25	
Interior Perf. B																											
Interior Perf. A													1.19	1.74				0	1.27	1.24	86.0	0	0	0	0	0	
Roundness Factor	NA	NA	R0	NA	R0	R0	R0	R0	R1	NA	NA	R3	R2	R0	NA	R0	NA	R2	R2	R2	R1	R1	R1	R1	R1	R1	
Site Name	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke	Noen U-Loke						
Database ID	AKC02001	AKC02002	AKC02003	AKC02004	AKC02005	AKC02006	AKC02007	AKC02008	AKC02009	AKC02010	AKC02011	AKC02012	AKC02013	AKC02014	AKC02015	AKC02016	AKC02018	AKC02019	AKC02020	AKC02021	AKC02022	AKC02023	AKC02024	AKC02025	AKC02026	AKC02027	

Database ID	Site Name	Roundness Factor	Interior Perf. A	Interior Perf. B	Max. Length	Max. Width	Thickness	Notes
AKC02028	Noen U-Loke	R1	1.15		4.27	2.33		
AKC02029	Noen U-Loke	R3	1.82		4.82	6.21		
AKC02030	Noen U-Loke	RO	2.42		1.89	5.11		
AKC02031	Ban Non Wat	NA	1.73		5.29	5.46		
AKC02032	Ban Non Wat	R3	1.05		5.91	99.9		
AKC02033	Ban Non Wat	NA	2.15		5	10.65		
AKC02034	Ban Non Wat	R2	1.17		2.46	3.71		
AKC02035	Ban Non Wat	R2	1.61		2.45	4.45		
AKC02036	Ban Non Wat	R0	0		1.02	4.5		
AKC02037	Ban Non Wat	R3	0.84		2.36	3.11		
AKC02038	Ban Non Wat	NA			15.55		3.73	
AKC02039	Ban Non Wat	NA					5.78	
AKC02040	Ban Non Wat	NA	0		6.92	8.55		Fragile bead,
17,000,011	D M W.	* 14						The file of the same
AKC02041	Ban Non wat	V.						Fragile bead, difficult to measure
AKC02042	Ban Non Wat	NA						Fragile bead, difficult to measure
AKC02043	Ban Non Wat	NA						Fragile bead,
AKC02044	Ban Non Wat	NA					3.71138	curved piece of
AKC02045	Ban Non Wat	R1	1.33	1.3	7.04	3.55		
AKC02046	Ban Non Wat	R2	1.12	1.11	4.42	3.46		
AKC02047	Ban Non Wat	R1	1.42	1.38	4.92	5.09	4.48	
AKC02048	Ban Non Wat	R2	1.05	1.85	3.25	4.85		
AKC02049	Ban Non Wat	RO	1.93	1.96	4.66	4.61		
AKC02050	Ban Non Wat	R1	0.92	0.95	3.45	3.72		
AKC02051	Ban Non Wat	R1	1.72		2.39	4.95		

Database ID	Site Name	Roundness Factor	Interior Perf. A Interior Max. Length	Interior	Max. Length	Max. Width	Thickness	Notes
				Perf. B				
AKC02052	Ban Non Wat	R1	1.82		2.37	4.73		
AKC02053	Ban Non Wat		1.72	1.76	5.25	5.97		
AKC02054	Ban Non Wat				12.98	8.53	6.16	
AKC02055	AKC02055 Ban Non Wat		3.63	3.77	7	9.8		
AKC02056	AKC02056 Ban Non Wat		2.87	2.87	10.11	11.7		
AKC02057	Ban Non Wat				19.52	16.54	6.25	
AKC02058	Ban Non Wat				22.61	8.31	5.27	
AKC02059	Ban Non Wat				23	12.93	3.65	

Appendix 7.2:LA-ICP-MS data for glass artifacts

Database ID	Site Name	Glass Type	Bead Description	SiO2	Na2O	MgO	A12O3	P203	K20	CaO
AKC02589	Angkor Borei	m-Na-Al Type 1	Dark blue-green Indo- Pacific bead	65.1%	18.0%	0.4%	%7.6	0.1%	2.8%	2.0%
AKC02519	Angkor Borei	m-Na-Al Type 1	Yellow Indo-Pacific Bead	67.3%	15.2%	0.3%	8.4%	0.1%	1.8%	2.5%
AKC02585	Angkor Borei	Unknown m-Na- Al?	Dark purple Indo-Pacific Bead	74.2%	13.4%	0.4%	5.4%	0.1%	2.5%	1.4%
AKC02584	Angkor Borei	Unknown m-Na- Al?	Dark purple Indo-Pacific Bead	75.0%	12.9%	0.4%	%0.5	%0.0	2.7%	1.4%
AKC02590	Angkor Borei	Unknown m-Na- Al?	Dark purple Indo-Pacific Bead	73.9%	15.6%	0.3%	5.1%	%0.0	1.4%	1.3%
AKC02591	Angkor Borei	Unknown m-Na- Al?	Dark purple Indo-Pacific Bead	71.8%	13.6%	0.3%	8.1%	%0.0	1.6%	1.6%
AKC02587	Angkor Borei	m-Na-Ca-Al	Dark blue Indo-Pacific bead	75.2%	12.0%	0.5%	3.5%	0.2%	1.3%	4.9%
AKC02588	Angkor Borei	m-Na-Ca-Al	Dark blue Indo-Pacific bead	72.8%	%6.6	%9.0	%7'9	0.1%	1.7%	5.7%
AKC02586	Angkor Borei	m-Na-Ca-Al	Dark blue Indo-Pacific bead	75.2%	10.0%	%9.0	4.5%	0.1%	1.4%	5.3%
AKC02594b	Angkor Borei	v-Na-Ca	Dark blue Indo-Pacific bead	68.1%	16.0%	2.5%	2.9%	0.2%	2.3%	%0.9
AKC02595	Angkor Borei	v-Na-Ca	Dark blue Indo-Pacific bead	%8′29	17.2%	2.6%	3.1%	0.1%	1.9%	5.4%
AKC02592	Angkor Borei	v-Na-Ca	Dark blue Indo-Pacific bead	64.3%	%6.41	3.0%	%0.2	0.2%	7.8%	8.2%
AKC02594y	Angkor Borei	Unknown	Cream Indo-Pacific bead	78.9%	0.1%	%8.0	%8°L	2.9%	1.7%	4.3%
AKC02593	Angkor Borei	Unknown/Weather ed	Wound yellow faience bead?	%6.9%	%8.8	0.1%	13.6%	0.2%	5.2%	2.3%
AKC02596	Angkor Borei	Unknown/Weather ed	Weathered large green bead?	70.1%	%9.6	1.2%	4.7%	0.4%	1.7%	2.4%

CaO	4.2%	1.7%	5.4%	3.0%	2.8%	3.2%	1.7%	2.8%	1.8%	1.4%	4.4%	2.7%	1.8%	4.5%	4.4%	4.8%	0.2%	819
K20 (14.2% 4	11.8%	0.8%	13.5% 3	2.1% 2	1.9% 3	2.3% 1	2.0% 2	2.4% 1	1.7% 1	1.8% 4	1.5% 2	2.2%	2.1% 4	3.6% 4	9.6%	0 %9.8	
P203	0.3%	0.2%	0.2%	0.2%	0.1%	0.2%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.2%	0.2%	%0.0	%0.0	
A12O3	1.4%	1.6%	1.9%	3.4%	9.3%	12.6%	%9.8	9.2%	%2.6	%8.9	%9.6	7.1%	8.4%	13.4%	%9.0	0.2%	%9.0	
MgO	0.5%	0.3%	0.5%	0.3%	0.4%	%8.0	0.3%	0.4%	0.3%	0.4%	0.7%	0.3%	0.3%	1.1%	0.1%	0.1%	0.1%	
Na2O	1.4%	%9.0	0.1%	%8.0	13.0%	12.6%	13.9%	14.1%	14.3%	12.0%	14.6%	18.5%	18.1%	14.2%	0.1%	1.9%	0.2%	
SiO2	75.2%	82.2%	89.2%	77.2%	67.1%	25.9%	65.3%	%9.89	%8.29	74.8%	67.1%	63.6%	%6.99	56.3%	54.8%	45.7%	36.6%	
Bead Description	Blue glass fragment	Blue earring fragment	Blue earring fragment	Blue earring fragment	Red Indo-Pacific bead	Orange Indo-Pacific bead	Yellow Indo-Pacific bead	Turquoise Indo-Pacific bead	Dark blue Indo-Pacific bead	Black Indo-Pacific bead	White Indo-Pacific bead	Yellow Indo-Pacific bead	Blue Indo-Pacific bead	Orange Indo-Pacific bead	Blue coiled bead	Blue flattened bicone bead	Yellow Indo-Pacific bead	
Glass Type	m-K-Ca-Al	m-K-Ca-Al	m-K-Ca-Al	m-K-Ca-Al	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	lead glass	lead glass	lead glass	
Site Name	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	
Database ID	AKC02057	AKC02039	AKC02043	AKC02038	AKC02045	AKC02046	AKC02047	AKC02050	AKC02048	AKC02052	AKC02051	AKC02032	AKC02034	AKC02037	AKC02031	AKC02033	AKC02035	

CaO	4.2%	4.1%	8.4%	%8.8	2.9%	15.9%	19.1%	3.4%	3.6%	1.9%	%9.0	%6.0	0.4%	0.3%	4.3%	3.5%	5.2%	2.4%	820
K20	7 %8.6	1.0%	1.8%	2.8%	8.6%	9.7%	6.0% 1	2.3%	4.5%	16.2%	16.8%	14.9%	16.0%	15.9%	2.0%	1.9%	%8.0	2.4%	
P203	%0.0	0.1%	0.2%	0.4%	1.5%	0.1%	%0.0	%6.0	0.3%	0.1%	0.2%	0.1%	0.1%	0.1%	0.2%	0.1%	0.1%	%0.0	
A12O3	0.2%	5.4%	1.4%	2.3%	6.4%	5.8%	5.3%	1.1%	3.8%	2.0%	3.9%	3.4%	4.7%	4.2%	%9.6	%6.6	3.9%	9.5%	
M_{gO}	0.2%	0.4%	2.7%	3.5%	1.9%	5.3%	5.8%	0.4%	0.4%	0.4%	0.3%	0.3%	0.1%	0.1%	%8.0	0.5%	0.3%	0.3%	
Na2O	2.0%	13.2%	16.9%	16.8%	6.5%	3.5%	3.9%	%0.0	0.2%	%6.0	%9.0	0.2%	%8.0	1.0%	14.5%	13.5%	14.6%	18.2%	
SiO2	40.0%	72.3%	%0.79	61.1%	%0.99	57.7%	58.5%	87.3%	%0.58	72.5%	73.6%	%8.9/	76.2%	75.8%	%9:59	63.6%	73.1%	63.5%	
Bead Description	Blue coiled bead	Cobalt blue Indo-Pacific bead	Blue bangle fragment?	Transparent blue-green vessel glass	Orange wrapped bead	Large green glass bead	Large clear glass bead	Bangle?	Bangle?	Dark blue Indo-Pacific bead	Blue-Green Info-Pacific bead	Blue Indo-Pacific bead	Light Blue Indo-Pacific bead	Black/Purple Indo-Pacific bead	Brown/Black transparent broken bead	Yellow opaque broken bead	Blue trans broken	Transparent grey broken bead	
Glass Type	lead glass	m-Na-Ca-Al	v-Na-Ca	v-Na-Ca	mixed alkali	unknown	unknown	Weathered	Weathered	m-K-Ca-Al	m-K-Al Low C	m-K-Al Low C	m-K-Al Low C	m-K-Al Low C	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Ca-Al	m-Na-Al Type 1	
Site Name	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Ban Non Wat	Bit Meas	Bit Meas	Bit Meas	Bit Meas	Bit Meas	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	
Database ID	AKC02053	AKC02049	AKC02054	AKC02044	AKC02036	AKC02055	AKC02056	AKC02059	AKC02058	AKC00727	AKC00728	AKC00729	AKC00650	AKC00649	AKC02001	AKC02002	AKC02003	AKC02004	

0	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	821
CaO	2.3%	1.0%	2.5%	2.1%	2.4%	%9.0	2.2%	2.7%	2.3%	2.9%	2.1%	3.0%	1.9%	2.5%	1.4%	3.9%	3.5%	
K20	1.4%	14.6%	1.9%	1.7%	1.9%	13.3%	2.1%	2.4%	2.0%	1.3%	13.8%	2.0%	3.4%	1.7%	1.3%	1.9%	1.9%	
P2O3	%0.0	0.1%	%0.0	%0.0	0.1%	0.1%	%0.0	%0.0	0.1%	0.1%	0.3%	%0.0	%0.0	%0.0	%0.0	0.2%	0.1%	
A12O3	6.5%	4.4%	7.3%	%8.9	10.2%	3.3%	8.5%	7.2%	7.0%	5.0%	1.9%	11.3%	10.3%	7.1%	6.3%	12.6%	12.2%	
MgO	0.3%	0.4%	0.3%	0.3%	0.3%	0.2%	%5.0	0.4%	0.3%	%9.0	0.5%	0.5%	0.3%	0.3%	0.3%	1.0%	%6.0	
Na2O	15.9%	%6.0	18.5%	16.8%	19.8%	0.5%	14.2%	16.3%	17.3%	11.7%	1.4%	15.0%	15.2%	18.3%	15.3%	12.5%	12.8%	
SiO2	%5'99	75.2%	65.7%	68.1%	%5'09	79.4%	70.0%	%6′.29	%5'99	71.6%	75.4%	60.4%	66.3%	%0′.29	72.5%	57.3%	64.7%	
Bead Description	Dark Blue Trans Broken	Dark blue broken bead	Dark Blue Trans Broken	Turquoise broken bead	Dark blue broken bead	Dark blue broken bead	White trans broken	Turquoise bead	Transparent blue-green bead	Dark Blue Trans Broken	Dark blue-purple broken bead	Opaque yellow bead	Turquoise bead	Turquoise bead	Turquoise bead	red/orange bead: orange glass	red/orange bead: red glass	
Glass Type	m-Na-Ca-Al	m-K-Al, low CaO or m-K-Ca-Al	m-Na-Ca-Al	m-Na-Al Type 1	m-Na-Al Type 1	m-K-Al, low CaO or m-K-Ca-Al	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Ca-Al	m-K-Ca-Al	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	
Site Name	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	
Database ID	AKC02005	AKC02006	AKC02007	AKC02008	AKC02009	AKC02010	AKC02012	AKC02013	AKC02014	AKC02015	AKC02016	AKC02019	AKC02020	AKC02021	AKC02022	AKC02023oran ge	AKC02023red	

CaO	4.0%	2.7%	4.0%	3.4%	3.8%	3.9%	4.1%	3.6%	2.5%	%8.0	2.8%	2.1%	2.8%	1.4%	0.4%	2.2%	5.9%	822
Ca	4.0	2.7	4.0	3.4	3.8	3.9	4.1	3.6	2.5	8.0	2.8	2.1	2.8	1.4	0.4	2.2	5.9	
K20	1.7%	1.9%	1.9%	2.1%	1.7%	1.8%	2.0%	2.2%	7.7%	13.9%	7.1%	2.7%	1.8%	3.2%	20.3%	16.1%	3.9%	
P203	0.2%	0.1%	0.2%	0.1%	0.2%	0.1%	0.2%	0.1%	1.6%	0.1%	1.6%	0.1%	0.1%	%0.0	0.2%	%8.0	1.2%	
A1203	13.0%	9.1%	11.8%	12.3%	12.1%	10.9%	12.1%	12.8%	%8.9	2.8%	%2.9	9.4%	11.4%	10.8%	4.3%	3.2%	10.0%	
MgO	1.0%	%8.0	1.0%	%6.0	%6.0	%8.0	1.0%	%6.0	2.2%	0.3%	2.0%	1.0%	0.4%	0.1%	0.1%	0.4%	1.9%	
Na20	12.9%	11.8%	12.3%	12.3%	12.7%	11.9%	11.9%	12.1%	2.9%	%8.0	8.2%	13.8%	14.8%	16.6%	1.0%	%6.0	11.1%	
SiO2	%8'95	%0.69	27.6%	64.1%	57.8%	65.7%	57.3%	63.0%	61.7%	78.3%	59.4%	64.8%	62.6%	61.1%	%6.07	73.8%	52.6%	
Bead Description	red/orange bead: orange glass	red/orange bead: red glass	red/orange bead: orange glass	red/orange bead: red glass	red/orange bead: orange glass	red/orange bead: red glass	red/orange bead: orange glass	red/orange bead: red glass	opaue orange tubular bead	Dark blue bead	opaque orange disc bead	Red Indo-Pacific Bead	Red Indo-Pacific Bead	Yellow Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Dark Blue Turquoise Indo- Pacific Bead	Orange Indo-Pacific Bead	
Glass Type	m-Na-Al Type 1	m-Na-Al Type 1	mixed alkali	m-K-Al, low CaO or m-K-Ca-Al	mixed alkali	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-K-Ca Low Al	m-K-Ca-Al	m-Na-Al Type 1							
Site Name	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Noen U- Loke	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei	Phnom Borei							
Database ID	AKC020240	AKC02024red	AKC020250	AKC02025red	AKC020260	AKC02026red	AKC020270	AKC02027red	AKC02028	AKC02029	AKC02030	AKC01924	AKC01922	AKC01920	AKC01912	AKC01913	AKC01919	

CaO	3.7%	2.3%	2.9%	2.9%	2.1%	1.8%	1.6%	2.3%	1.7%	3.2%	2.7%	2.6%	2.1%	1.8%	2.2%	3.4%	4.1%	3.6%	3.6%	3.8%	823
K20	2.5%	1.9%	1.9%	2.0%	2.2%	2.6%	1.8%	2.5%	2.5%	1.6%	1.7%	2.1%	2.3%	2.8%	1.7%	2.5%	2.5%	2.0%	2.0%	1.9%	
P2O3	0.1%	%0.0	0.1%	0.1%	0.1%	0.1%	%0.0	0.1%	%0.0	0.1%	0.1%	0.1%	0.1%	%0.0	0.1%	0.1%	0.1%	0.2%	0.2%	0.1%	
A12O3	%0.6	8.2%	9.1%	9.1%	%6.8	10.1%	7.0%	9.3%	9.3%	%6.8	10.5%	9.4%	9.3%	9.4%	%6.9	10.2%	10.2%	12.2%	12.4%	11.7%	
MgO	0.5%	0.3%	0.4%	0.4%	0.4%	0.2%	0.3%	0.4%	0.3%	%6.0	0.4%	0.5%	0.4%	0.2%	0.3%	0.5%	0.5%	%6.0	%6.0	%8.0	
Na2O	12.1%	16.7%	13.1%	13.4%	13.2%	16.4%	15.3%	12.8%	17.0%	16.2%	13.5%	13.4%	12.2%	17.6%	16.8%	18.0%	17.6%	14.8%	13.9%	17.0%	
SiO2	68.1%	64.0%	%0.79	%8.99	%6.69	65.2%	%6:59	28.0%	66.2%	63.7%	66.4%	%6.79	%0.07	65.1%	%6.89	61.0%	%5.09	%0.99	54.2%	56.4%	
Bead Description	Black Indo-Pacific Bead	Yellow Indo-Pacific Bead	Red Indo-Pacific Bead	Red Indo-Pacific Bead	Light Blue Indo-Pacific bead	Dark Blue Indo-Pacific Bead	Light Green Indo-Pacific Bead	Orange Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Dark Green Indo-Pacific Bead	Light Green Indo-Pacific Bead	Blue-Green Indo-Pacific bead	Light Blue Indo-Pacific bead	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Red Indo-Pacific Bead	Red Indo-Pacific Bead	Red-orange Indo-Pacific Bead	Red-orange Indo-Pacific Bead	Orange Indo-Pacific Bead	
Glass Type	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	
Database ID	AKC00224	AKC00121	AKC00105	AKC00214	AKC00214b	AKC00090	AKC00080	AKC00069	AKC00291	AKC00087	AKC00081	AKC00116	AKC00115	AKC00095	AKC00118	AKC00240	AKC00245	AKC00254red	AKC00254oran ge	AKC00284	

CaO	2.4%	4.1%	2.0%	2.1%	7.9%	8.5%	.4%	1.4%	1.3%	7.2%	1.1%	3.2%	3.8%	3.6%	3.4%	3.8%	1.4%	3.9%	1.8%	824
K20	2.4%	2.1%	2.0%	2.7%	2.3%	2.2%	13.3%	13.5%	14.2%	1.8%	1.0%	2.2%	2.0%	1.6%	1.8%	3.0%	1.1%	2.3%	1.6%	
P2O3	0.1%	%0.0	0.1%	0.1%	1.9%	1.8%	0.2%	0.2%	0.2%	0.2%	0.1%	0.1%	%0.0	0.1%	0.1%	0.2%	0.1%	0.2%	0.1%	
AI203	9.3%	8.2%	7.8%	9.2%	7.3%	7.3%	4.0%	4.0%	3.6%	3.9%	5.2%	11.3%	9.4%	%9.8	11.4%	14.5%	5.3%	15.5%	7.3%	
MgO	%8.0	0.4%	0.4%	0.5%	2.0%	1.7%	0.2%	0.2%	0.4%	2.4%	0.5%	%9.0	0.4%	1.1%	%6.0	%6.0	0.5%	1.0%	0.3%	
Na20	14.4%	22.2%	20.6%	15.0%	11.1%	11.3%	%9.0	%9.0	0.2%	18.4%	17.2%	15.6%	18.0%	14.2%	13.9%	14.8%	20.2%	13.0%	16.0%	
SiO2	%2'99	60.1%	62.2%	%2.99	53.0%	52.3%	%6.97	76.7%	%8.92	62.9%	%8.69	%2.65	62.7%	63.6%	55.1%	61.9%	%6:59	63.4%	72.3%	
Bead Description	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Red Indo-Pacific Bead	Orange Indo-Pacific Bead	Orange Indo-Pacific Bead	Turquoise Ring/Earring	Turquoise Ring/Earring	Dark Blue Ring/Earring	Dark Blue Indo-Pacific Bead	Dark blue Indo-Pacific bead	Yellow Indo-Pacific Bead	Dark blue Indo-Pacific bead	Light Green Indo-Pacific Bead	Orange Indo-Pacific Bead	Orange Indo-Pacific Bead	Dark blue Indo-Pacific bead	Red Indo-Pacific Bead	Light Green Indo-Pacific Bead	
Glass Type	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-K-Ca-Al	m-K-Ca-Al	m-K-Ca-Al	v-Na-Ca	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	
Site Name	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Phum Snay	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	
Database ID	AKC00223	AKC00221	AKC00220	AKC00122	AKC00278	AKC00277	AKC00057	AKC00058	AKC00059	AKC00117	AKC01651	AKC01652	AKC01658	AKC01677	AKC01679	AKC01685	AKC01683	AKC01686	AKC01688	

CaO	2.1%	3.0%	2.9%	3.0%	4.6%	4.0%	4.3%	3.5%	2.0%	2.9%	2.9%	1.8%	4.1%	3.2%	4.3%	4.1%	2.9%	825
K20	2.0%	2.3%	1.3%	2.0%	1.5%	1.7%	2.2%	2.0%	2.2%	1.4%	1.5%	2.8%	7. %6.1	2.0%	2.1%	1.9%	1.9%	
P2O3	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	%0.0	0.1%	%0.0	%0.0	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	
A1203	9.2%	10.5%	10.0%	8.8%	7.0%	8.2%	10.1%	12.8%	10.3%	7.2%	%8.6	7.0%	8.4%	11.7%	10.2%	8.4%	12.5%	
MgO	%9.0	0.7%	1.0%	0.4%	0.5%	0.4%	0.5%	%9.0	%9.0	0.4%	%8.0	0.4%	0.5%	%9.0	0.5%	0.4%	0,9.0	
Na2O	13.8%	14.7%	17.4%	17.0%	18.3%	21.0%	15.9%	15.3%	14.7%	18.0%	19.1%	12.2%	16.0%	14.9%	16.3%	19.4%	14.8%	
SiO2	%9.79	%8.29	59.4%	64.2%	64.7%	61.3%	63.6%	61.6%	63.2%	63.9%	61.8%	71.0%	64.6%	%5'99	65.7%	65.2%	%9:29	
Bead Description	Red Indo-Pacific Bead	Red Indo-Pacific Bead	Yellow Indo-Pacific Bead	Dark blue Indo-Pacific bead	Dark blue Indo-Pacific bead	Dark blue Indo-Pacific bead	Light Blue Indo-Pacific bead	Red Indo-Pacific Bead	Dark blue Indo-Pacific bead	Red Indo-Pacific Bead	Black Indo-Pacific Bead	Blue Indo-Pacific bead	Green Indo-Pacific bead					
Glass Type	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	
Site Name	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	
Database ID	AKC01692	AKC01696	AKC01697	AKC01699	AKC01702	AKC01722	AKC01724	AKC01726	AKC01727	AKC01729	AKC01731	AKC01731bla	AKC01731blb	AKC01731blc	AKC01731bld	AKC01731ble	AKC01731gree n	

0	%	%:	%	%:	%	%:	%	%	%	%	%:	%	%	%	%	%	%	826
CaO	5.1%	2.4%	5.5%	2.6%	5.0%	1.4%	2.6%	4.9%	4.0%	3.3%	3.4%	4.0%	2.3%	3.7%	6.5%	8.7%	9.1%	
K20	1.8%	2.1%	2.2%	2.5%	1.9%	1.2%	1.5%	2.1%	1.8%	1.7%	1.8%	1.8%	2.4%	2.3%	2.1%	3.2%	3.1%	
P203	0.1%	%0.0	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.1%	%0.0	%0.0	0.1%	0.2%	0.2%	0.2%	
A1203	13.4%	9.4%	%8.6	10.6%	9.2%	7.2%	%0.6	10.1%	10.8%	10.4%	10.8%	%6.6	10.2%	8.2%	2.9%	3.8%	3.9%	
MgO	0.7%	0.3%	0.5%	0.4%	%9.0	%9.0	0.5%	0.5%	1.0%	1.1%	1.1%	%6.0	0.5%	0.3%	2.7%	4.8%	4.8%	
Na2O	14.3%	15.9%	14.1%	16.4%	17.0%	13.6%	18.9%	13.6%	14.4%	14.0%	14.7%	20.8%	14.9%	15.9%	18.4%	16.1%	14.4%	
SiO2	61.0%	63.7%	62.7%	62.8%	63.6%	72.6%	63.7%	63.3%	54.6%	60.3%	28.9%	28.6%	66.4%	%6:59	64.3%	61.0%	%2.09	
Bead Description	Brown Indo-Pacific bead	Yellow Indo-Pacific Bead	Yellow Indo-Pacific Bead (transparent)	Red Indo-Pacific Bead	Light Blue-green Indo- Pacific bead	Black Indo-Pacific Bead	Dark Blue indo-Pacific bead	Yellow Indo-Pacific Bead	Orange Indo-Pacific Bead	Yellow Indo-Pacific Bead	Orange Indo-Pacific Bead	Black Indo-Pacific Bead	Black Indo-Pacific Bead	Dark blue Indo-Pacific bead	Dark blue broken bead	Black flattened bicone with red trim	Black flattened bicone with red trim	
Glass Type	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	v-Na-Ca	v-Na-Ca	v-Na-Ca	
Site Name	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	Prei Khmeng	
Database ID	AKC01734	AKC01738	AKC01742	AKC01744	AKC01752	AKC01773	AKC01774	AKC01775	AKC01779	AKC01779y	AKC01780	AKC01790	AKC01791	AKC01808	AKC01695	AKC01700 black	AKC01700red trim	

CaO	3.4%	0.2%	%6.0	1.9%	1.5%	1.8%	1.5%	0.4%	0.4%	1.9%	9.6%	%8.0	0.7%	0.7%	0.5%	1.6%	1.2%	1.7%	1.8%	827
ٽ 	3.	0.7	0.9	1.5	1	1.8	1	0'	7.0	1.5	5.0	0.8	0.	0.	0	1.0	1.3	1.	1.8	
K20	1.6%	10.3%	13.2%	1.7%	16.2%	14.2%	16.0%	14.7%	14.7%	15.5%	1.7%	14.1%	16.4%	17.5%	15.1%	16.2%	13.6%	15.6%	12.7%	
P203	0.2%	0.1%	0.3%	0.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.2%	%8.0	0.2%	0.1%	0.2%	0.1%	0.3%	0.1%	0.2%	0.2%	
A12O3	4.8%	1.6%	2.5%	2.6%	2.0%	2.2%	2.0%	3.9%	3.9%	3.4%	9.6%	3.2%	4.6%	3.2%	2.7%	%6.0	1.7%	3.0%	2.2%	
MgO	%9.0	0.1%	0.3%	0.4%	0.3%	0.3%	0.3%	0.1%	0.1%	0.5%	1.6%	0.3%	0.3%	0.2%	0.2%	0.3%	0.3%	0.5%	0.3%	
Na2O	11.9%	0.1%	0.3%	14.7%	0.5%	%6.0	0.5%	0.2%	0.2%	0.2%	17.6%	0.3%	0.7%	0.5%	0.4%	1.1%	%9.0	0.3%	1.5%	
SiO2	73.2%	46.8%	77.1%	71.4%	72.7%	%9.77	73.2%	78.1%	78.0%	74.7%	62.4%	76.2%	73.0%	73.3%	77.4%	75.8%	77.4%	76.5%	77.7%	
Bead Description	Dark Blue Indo-Pacific Bead	Yellow Indo-Pacific Bead	Purple Ring/Earring	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Light Blue Indo-Pacific bead	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Red Indo-Pacific Bead	Black Ring Fragment	Light Green Indo-Pacific Bead	Black Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Black Ring/Earring	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	
Glass Type	m-Na-Ca- Al	Lead Glass	m-K-Al Low C	m-Na-Ca- Al	m-K-Ca-Al	m-K-Ca-Al	m-K-Ca-Al	m-K-Al Low C	m-K-Al Low C	m-K-Ca-Al	Arika Red	m-K-Al Low C	m-K-Al Low C	m-K-Al Low C	m-K-Al Low C	m-K-Ca Low Al	m-K-Ca-Al	m-K-Ca-Al	m-K-Ca-Al	
Site Name	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	
Database ID	AKC00443	AKC00452	AKC00464	AKC00466	AKC00473	AKC00485	AKC00487	AKC00516	AKC00541	AKC00545	AKC00550	AKC00564	AKC00569	AKC00572	AKC00573	AKC00579	AKC00596	AKC00597	AKC00605	

CaO	1.7%	%8.0	1.6%	0.3%	0.4%	2.3%	3.4%	2.7%	0.5%	2.2%	2.8%	1.0%	0.4%	4.7%	1.7%	2.2%	2.7%	0.7%	%8.0	1.5%	1.7%	828
K20 (17.1%	3.2%	15.9%) %8.51	16.7%	13.7% 2	39.6	1.3%) %8.91	2.0%	1.3%	17.7% 1	17.0%	4.9%	1.5%	2.1%	1.5%) %9.51) %8.91	15.6%	0.1%	-
																						_
P203	0.1%	0.1%	0.2%	0.1%	0.2%	0.3%	0.3%	0.1%	0.2%	0.3%	0.1%	0.3%	0.1%	%0.0	0.2%	0.1%	0.1%	0.1%	0.3%	0.1%	0.3%	
A12O3	1.9%	2.2%	4.2%	4.1%	3.0%	1.5%	3.4%	%8.9	2.7%	8.4%	7.3%	3.2%	2.8%	%9.8	5.7%	7.7%	%9.7	2.1%	5.5%	1.8%	2.5%	
$_{ m MgO}$	0.3%	0.2%	%9.0	0.1%	0.2%	0.3%	0.4%	0.5%	0.2%	0.4%	0.5%	0.3%	0.2%	%8.0	0.3%	0.3%	0.5%	0.1%	0.2%	0.3%	%9.0	
Na2O	0.5%	%0.0	0.7%	1.1%	%8.0	0.4%	%8.0	15.3%	%8.0	14.6%	16.2%	0.5%	%8.0	17.9%	14.6%	16.4%	14.7%	0.1%	%8.0	0.3%	%0.0	•
SiO2	72.4%	90.5%	72.3%	75.9%	74.9%	76.4%	79.7%	68.4%	74.9%	%0.89	%8.99	72.5%	74.1%	60.2%	72.3%	67.4%	68.1%	78.4%	%2.69	74.1%	89.4%	•
Bead Description	Dark Blue Indo-Pacific Bead	Blue-Green Ring/Earring	Dark Blue Indo-Pacific Bead	Purple Indo-Pacific Bead	Purple Indo-Pacific Bead	Dark Blue Ring/Earring	Light Blue bracelet fragment	Dark Blue Indo-Pacific Bead	Purple Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Purple Indo-Pacific Bead	Purple Indo-Pacific Bead	White modern bead?	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Green Earring Fragment	Blue Earring Fragment	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	
Glass Type	m-K-Ca-Al	Weathered	m-K-Ca-Al	m-K-Al Low C	m-K-Al Low C	m-K-Ca-Al	m-K-Ca-Al	m-Na-Ca- Al	m-K-Al Low C	m-Na-Ca- Al	m-Na-Ca- Al	m-K-Ca-Al	m-K-Al Low C	Modern?	m-Na-Ca-Al	m-Na-Ca-Al	m-Na-Ca-Al	m-K-Al Low Ca	m-K-Al Low Ca	m-K-Ca-Al	Weathered	
Site Name	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	
Database ID	AKC00624	AKC00628	AKC00630	AKC00632	AKC00633	AKC00634	AKC00641	AKC00662	AKC00672	AKC00677	AKC00683	AKC00686	AKC00689	AKC00726	AKC0733	AKC0734	AKC0735	AKC0736	AKC0737	AKC0738	AKC0739	

CaO	1.3%	1.5%	2.4%	1.4%	1.4%	1.3%	1.4%	2.2%	1.0%	5.3%	5.5%	2.2%	2.2%	0.4%	5.3%	1.2%	%9.0	%8.0	1.0%	4.7%	4.9%	2.0%	829
K20	18.0%	0.2%	18.3%	15.5%	12.0%	17.1%	14.3%	0.4%	15.0%	2.3%	4.7%	9.2%	9.5%	17.4%	8.2%	19.1%	14.4%	16.8%	1.0%	%9.0	%9.0	0.7%	
P203	0.1%	0.3%	0.2%	0.1%	0.1%	0.1%	0.1%	0.4%	0.2%	%8.0	%6.0	0.3%	0.2%	0.1%	1.2%	0.1%	0.3%	0.2%	0.2%	0.1%	0.1%	0.1%	
A12O3	1.8%	1.5%	1.7%	1.6%	1.8%	1.7%	2.0%	%6.0	2.9%	5.3%	3.5%	1.5%	3.3%	5.5%	4.1%	1.5%	2.6%	3.6%	1.4%	3.2%	3.3%	3.3%	
MgO	0.3%	0.3%	0.5%	0.3%	0.3%	0.3%	0.2%	0.2%	0.3%	1.5%	2.0%	0.4%	0.3%	0.2%	5.1%	0.3%	0.2%	0.3%	0.2%	0.4%	0.4%	0.4%	
Na2O	0.5%	0.0%	0.4%	0.5%	0.3%	0.5%	1.0%	%0.0	0.1%	15.3%	15.0%	1.9%	%8.0	0.2%	2.6%	0.7%	0.1%	0.3%	0.0%	12.9%	12.5%	13.3%	
SiO2	71.4%	93.2%	71.4%	75.5%	78.4%	73.7%	77.8%	91.2%	74.6%	65.2%	64.4%	81.7%	81.9%	72.0%	66.4%	71.4%	77.7%	72.3%	93.0%	74.1%	73.7%	72.3%	
Bead Description	Dark Blue Indo-Pacific Bead	Green Earring Fragment	Dark Blue Indo-Pacific Bead	Brown Bangle Fragment	Dark blue Indo-Pacific bead	Red Indo-Pacific Bead	Red Indo-Pacific Bead	Light Blue Bangle Fragment	Green Earring Fragment	Green Indo-Pacific bead	Black Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Dark Blue Indo-Pacific Bead	Black Indo-Pacific Bead	Green Earring Fragment	Dark blue Indo-Pacific bead	Dark blue Indo-Pacific bead	Dark blue Indo-Pacific bead					
Glass Type	m-K-Ca-Al	Weathered	m-K-Ca-Al	m-K-Ca-Al	m-K-Ca-Al	m-K-Ca-Al	m-K-Ca-Al	Weathered	m-K-Al Low Ca	Arika Red?	Arika Red?	m-K-Ca-Al	m-K-Ca-Al	m-K-Al Low Ca	Arika Black?	m-K-Ca-Al	m-K-Al Low Ca	m-K-Al Low Ca	Weathered	m-Na-Ca-Al	m-Na-Ca-Al	m-Na-Ca-Al	
Site Name	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Prohear	Promtin Tai	Promtin Tai	Promtin Tai	
Database ID	AKC0740	AKC0741	AKC0742	AKC0743	AKC0744	AKC0745	AKC0746	AKC0747	AKC0748	AKC0749	AKC0750	AKC0751	AKC0752	AKC0753	AKC0754	AKC0755	AKC0756	AKC0757	AKC0758	AKC00939	AKC01084	AKC00912	

CaO	0.4%	%6.0	%8.0	%6.0	1.1%	1.1%	3.3%	1.7%	2.3%	2.7%	2.3%	5.7%	%2.9	5.3%	2.8%	5.8%	2.9%	5.1%	830
K20	14.8%	13.9%	14.3%	14.4%	13.5%	15.7%	2.7%	3.7%	1.7%	2.8%	1.8%	4.3%	3.5%	4.2%	3.0%	1.2%	%6.7	6.1%	
P203	%0.0	0.1%	0.1%	0.2%	0.1%	0.2%	0.1%	%0.0	%0.0	0.4%	0.1%	2.4%	1.6%	2.2%	%9.0	0.7%	0.5%	0.5%	
A1203	2.2%	3.3%	3.5%	3.1%	2.2%	3.8%	8.7%	11.9%	7.2%	9.2%	11.9%	8.1%	7.8%	6.3%	%9.6	2.4%	3.9%	5.0%	
MgO	0.2%	0.3%	0.3%	0.4%	0.3%	0.3%	0.5%	0.3%	0.4%	0.5%	0.2%	2.9%	2.5%	2.9%	2.7%	0.5%	1.6%	0.7%	
Na2O	0.2%	0.2%	0.3%	0.3%	%9.0	%6.0	12.7%	14.7%	15.8%	14.5%	17.8%	10.4%	12.6%	9.4%	15.3%	3.7%	7.4%	9.4%	
SiO	78.4%	78.3%	77.8%	%6.67	79.3%	74.2%	%8.79	%8.09	%6.69	63.8%	63.3%	51.7%	51.5%	57.5%	61.9%	70.1%	69.1%	62.5%	
Bead Description	Purple Indo-Pacific Bead	Blue Indo-Pacific bead	Dark blue Indo-Pacific bead	Large clear Indo-Pacific Bead	Large Blue Indo-Pacific bead	Dark blue Indo-Pacific bead	Red Indo-Pacific Bead	Yellow Indo-Pacific Bead	Light Blue Indo-Pacific bead	Yellow Indo-Pacific Bead	Light Blue Indo-Pacific bead	Orange Indo-Pacific Bead	Orange Indo-Pacific Bead	Orange Indo-Pacific Bead	Black and white glass beadblack section	Black and white glass bead- white section	Broken black and white bead. Black portion	Broken black and white bead. White portion	
Glass 1ype	m-K-Al Low Ca	m-K-Al Low Ca	m-K-Al Low Ca	m-K-Al Low Ca	m-K-Ca-Al	m-K-Ca-Al	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1	m-Na-Al Type 1?	Unknown	Unknown	Unknown	
Site Name	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	Promtin Tai	
Datapase ID	AKC01073 violet	AKC01073 blue	AKC01066	AKC00909	AKC00910	AKC00959_dkb lue	AKC00959_red	AKC00959_yell ow	AKC00959_turq Promtin Tai	AKC01071yello w	AKC01071blue	AKC00959_ora	AKC01057oran ge	AKC01071oran ge	AKC01043b	AKC01043w	AKC01059b	AKC01059w	

Database ID	Site Name	Glass Type	Bead Description	SiO2	Na2O	$M_{\mathbf{gO}}$	A12O3	P203	K20	CaO
AKC01057gold	Promtin Tai	Natron glass	Gold-in-Glass Bead	%5'99	17.4%	1.2%	2.9%	%0.0	%9.0	9.3%
AKC01093	Promtin Tai	Faience?	Collar Bead	96.1%	0.1%	0.1%	1.3%	0.1%	1.2%	0.5%
AKC00901	Promtin Tai	Weathered	Light Blue ring/earring fragment	91.0%	0.1%	0.4%	1.7%	0.1%	2.8%	2.4%
AKC01022	Promtin Tai	Weathered	Black Tubular Bead	%0.07	%2.0	2.9%	16.6%	0.3%	1.6%	2.3%
AKC00410	Village 10.8	m-K-Ca-Al	Dark blue Indo-Pacific bead	76.7%	0.2%	0.3%	2.7%	0.1%	15.4%	1.1%
AKC00413	Village 10.8	m-K-Ca-Al	Black Indo-Pacific Bead	76.3%	0.2%	0.3%	3.9%	0.2%	14.4%	1.1%
AKC00416	Village 10.8	m-K-Ca-Al	Dark blue Indo-Pacific bead	76.1%	0.1%	0.4%	4.4%	0.2%	12.6%	1.4%
AKC00327	Village 10.8	m-K-Ca-Al	Black Ring	69.4%	0.5%	%8.0	3.9%	0.5%	16.3%	2.3%
AKC00322	Village 10.8	m-K-Ca-Al	Purple Ring	79.7%	0.2%	0.3%	1.2%	0.2%	11.9%	2.3%
AKC00386	Village 10.8	m-K-Al Low Ca	Blue-Green Indo-Pacific bead	%9'LL	%8.0	%7.0	1.9%	0.1%	15.5%	0.7%
AKC00412	Village 10.8	m-K-Al Low Ca	Dark Blue Indo-Pacific bead	74.0%	0.2%	%€"0	3.4%	0.2%	18.1%	%6.0
AKC00425a	Village 10.8	m-K-Al Low Ca	Dark Blue Indo-Pacific bead	71.2%	0.4%	%€"0	4.2%	0.2%	18.0%	1.0%
AKC00425b	Village 10.8	m-K-Al Low Ca	Dark Blue Indo-Pacific bead	75.9%	0.1%	0.2%	3.6%	0.2%	17.5%	0.7%
AKC00372	Village 10.8	m-K-Al Low Ca	Dark Blue Indo-Pacific bead	76.3%	0.2%	0.2%	9.6%	0.1%	14.3%	%9.0
AKC00381	Village 10.8	Weathered	Dark Green Indo-Pacific Bead	87.2%	%0.0	0.2%	4.9%	%8.0	0.1%	3.8%
AKC00389	Village 10.8	Weathered	Blue-Green Indo-Pacific bead	90.4%	%0'0	%7.0	%9.0	%8.0	1.0%	4.0%
AKC00376	Village 10.8	Weathered	Dark Blue Indo-Pacific Bead	84.6%	%0'0	%£'0	1.1%	%9.0	5.8%	3.7%
AKC00424g	Village 10.8	Weathered	Green with a White Stripe Bead-Green	%8:58	0.1%	%4.0	1.8%	0.2%	7.2%	1.4%
AKC00424w	Village 10.8	Weathered	White Stripe	88.7%	0.1%	0.4%	2.4%	0.2%	3.6%	1.4%

Fe2O3			CuO	SnO2	Pb02	Li	Be	В	Sc	Ti	Λ	Cr	i.	Co
0.1% 0.6% 1.0% 0.2% 0.2	1.0% 0.2%	0.2%		0.2	0.2%	23.522	0.980	53.727	13.863	5136.438	60.573	89.510	43.255	17.004
0.1% 3.9% 0.0% 0.0% 0.0%	%0.0 %0.0	0.0%	%(0.	0.1%	10.374	0.980	20.149	5.494	2504.790	63.485	20.618	8.916	4.272
1.3% 0.1% 0.0%	0.1% 0.0%	0.0%		0.0	%0.0	11.142	0.764	65.070	5.366	2686.396	49.126	47.492	10.872	5.594
0.7% 1.3% 0.0% 0.0% 0.0	%0.0 %0.0	%0.0		0.0	%0.0	8.990	0.674	68.402	5.474	2696.570	49.043	54.370	10.156	5.648
0.6% 1.1% 0.0% 0.0% 0.	%0.0 %0.0	%0.0		0.	%0.0	12.833	908.0	82.594	5.609	2010.565	44.695	47.188	9.187	5.398
0.9% 1.6% 0.0% 0.0% 0	%0.0 %0.0	%0.0		0	%0.0	12.854	0.925	70.643	6.561	2572.664	999.95	44.380	11.760	7.615
	%0.0 %0.0	%0.0		0	%0.0	16.923	1.903	54.746	18.816	807.768	82.685	79.433	77.337	597.249
1.4% 0.5% 0.0% 0.0% 0	%0.0 %0.0	%0.0		0	%0.0	16.851	1.600	60.442	16.438	1696.621	62.332	64.702	43.366	320.871
1.2% 0.9% 0.0% 0.0% 0.0%	%0.0 %0.0	%0.0		0.	%0.0	14.278	1.691	48.900	20.285	1319.558	70.030	101.621	43.848	237.725
0.1% 0.7% 0.1% 0.0% 0	0.1% 0.0%	%0.0		0	0.1%	10.238	1.450	124.845	16.013	1657.522	36.165	116.244	45.355	404.052
0.1% 0.5% 0.2% 0.0% 0	0.2% 0.0%	%0.0		0	0.1%	14.882	1.508	130.763	11.326	1783.333	33.114	85.910	41.685	403.790
1.0% 0.4% 1.9% 0.1% 0	1.9% 0.1%	0.1%	%1	0	0.2%	13.687	1.177	110.356	14.914	823.774	30.801	100.696	32.096	9.245
0.2% 2.9% 0.0% 0.0% 0	%0.0 %0.0	%0.0	%(0	0.1%	5.591	7.059	816.6	45.807	1925.449	59.166	394.569	69.010	61.275
0.1% 0.5% 0.0% 1.5% 9.2	0.0% 1.5%	1.5%		7.6	9.5%	5.016	1.539	899'9	10.107	2168.914	58.177	45.262	13.894	6.811
0.1% 0.7% 0.3% 0.7% 7.	0.3% 0.7%	0.7%		7.	7.0%	9.743	1.455	182.636	16.043	3405.624	144.054	118.389	38.545	13.400
0.0% 0.7% 1.6% 0.0% 0	1.6% 0.0%	%0.0		0	0.1%	4.898	7.473	56.579	2.529	478.337	13.588	12.327	50.224	53.754
0.0% 0.5% 0.8% 0.0% (0.0%)	%0.0 %8.0	0.0%)	%0.0	3.368	0.321	78.429	1.764	447.078	10.559	6.635	53.037	66.064
0.0% 0.5% 1.1% 0.0%	1.1%		0.0%		0.0%	1.577	0.634	97.394	1.527	378.442	16.108	5.133	31.373	23.701
0.0% 0.3% 0.8% 0.0%	%0.0 %8.0	0.0%			%0.0	7.344	608.0	54.953	1.770	360.539	6.887	4.172	21.961	11.167
0.1% 1.8% 2.2% 0.2%	2.2% 0.2%	0.2%			0.4%	8.482	4.994	17.909	4.378	2709.231	69.476	24.541	62.362	18.853
0.1% 2.7% 7.8% 0.3% 1	7.8% 0.3%	0.3%		1	1.7%	8.864	3.412	28.480	7.346	2454.196	97.153	52.098	103.456	24.968
0.0% 1.2% 0.1% 1.2% 4	0.1% 1.2%	1.2%		7	4.6%	12.176	5.176	26.554	3.751	2437.772	63.486	20.889	9.651	4.636
0.1% 1.5% 0.6% 0.0% (%0.0 %9.0	%0.0)	0.1%	7.709	5.650	20.644	4.858	2644.167	61.189	24.759	28.675	7.660
0.0% 0.9% 1.6% 0.2% (1.6% 0.2%	0.2%		_	0.3%	8.900	4.957	20.688	3.476	2083.178	70.180	20.380	38.242	12.277
0.1% 2.1% 0.0% 0.0%	%0.0 %0.0	%0.0			%0.0	9.491	6.705	24.883	4.859	8276.726	65.065	44.364	9.622	8.499
0.1% 1.3% 0.0% 0.0% (%0.0 %0.0	%0.0			%0.0	7.069	800.9	27.173	4.912	2531.752	79.106	20.837	7.698	3.754
					l									

Database ID	MnO	Fe2O3	CnO	SnO2	Pb02	Li	Be	В	Sc	Ti	Λ	Cr	Ņ	Co
AKC02032	0.1%	2.6%	0.1%	0.3%	2.3%	8.545	0.643	34.873	6.755	1715.126	73.282	34.995	9.377	5.606
AKC02034	%0.0	1.1%	0.5%	%0.0	0.1%	12.415	0.829	34.356	3.036	2022.825	84.729	27.718	15.912	6.041
AKC02037	0.1%	3.8%	3.7%	%0.0	%0.0	14.469	1.071	46.160	8.542	2504.950	145.451	63.767	56.644	30.850
AKC02031	%0.0	%9.0	1.0%	0.1%	33.9%	4.463	0.310	5.330	0.849	125.972	12.799	7.481	33.612	2.043
AKC02033	%0.0	0.2%	%6.0	0.1%	35.9%	5.673	0.222	2.395	0.522	46.070	2.480	0.845	15.777	1.332
AKC02035	0.0%	0.3%	0.1%	3.5%	49.5%	27.189	0.488	1.767	0.420	34.295	3.897	0.545	10.105	1.399
AKC02053	%0.0	0.2%	%8.0	%0.0	42.1%	5.314	3.543	1.557	0.914	50.846	2.798	4.749	22.021	1.150
AKC02049	1.3%	1.4%	%0.0	%0.0	%0.0	13.350	12.645	74.951	6.037	1249.514	101.626	14.368	82.296	594.804
AKC02054	0.2%	0.5%	0.1%	%0.0	0.1%	11.673	8.034	98.993	2.815	307.895	089.6	27.700	29.477	129.308
AKC02044	3.0%	%8.0	%0.0	%0.0	%0.0	11.919	0.672	96.334	2.990	797.163	22.645	75.219	19.776	186.103
AKC02036	0.4%	4.7%	10.3%	0.1%	0.1%	24.312	1.364	37.981	5.573	1212.907	42.592	24.878	212.756	148.795
AKC02055	%0.0	%9.0	%2.0	0.1%	0.1%	23.026	6.829	17.889	3.170	1139.908	17.143	16.209	15.814	7.280
AKC02056	%0.0	0.4%	%0.0	%0.0	%0.0	15.160	7.281	13.578	3.133	1206.039	22.583	11.614	7.226	1.491
AKC02059	2.4%	1.0%	%6.0	%0.0	%0.0	2.786	5.729	39.500	3.821	704.867	55.036	10.115	63.738	107.143
AKC02058	%0.0	%9.0	1.1%	%0.0	%0.0	6.648	0.000	75.931	3.669	609.635	12.963	5.334	28.159	25.821
AKC00727	2.4%	2.4%	0.3%	%0.0	0.1%	22.308	0.877	85.626	9.194	737.218	114.600	24.264	121.188	891.083
AKC00728	0.1%	%8.0	2.2%	0.3%	0.4%	27.202	1.187	113.061	3.200	603.155	28.513	15.567	22.373	13.413
AKC00729	1.0%	1.5%	0.1%	%0.0	%0.0	22.342	698.0	89.182	4.113	551.525	44.771	11.125	55.515	358.797
AKC00650	%8.0	%6.0	%0.0	%0.0	%0.0	12.755	1.038	65.247	4.542	507.733	32.257	15.689	23.416	136.839
AKC00649	1.3%	1.0%	%0.0	%0.0	%0.0	12.624	1.110	60.602	4.549	520.724	36.367	12.269	27.830	191.931
AKC02001	0.1%	1.9%	0.1%	%0.0	0.1%	8.297	1.411	30.103	4.368	3057.818	67.422	31.146	13.399	5.969
AKC02002	0.1%	1.6%	%0.0	%9.0	4.1%	11.437	1.860	16.849	3.993	3026.789	63.043	24.354	8.209	4.732
AKC02003	0.4%	0.5%	%0.0	%0.0	%0.0	10.592	0.910	82.316	1.866	725.378	52.657	7.471	51.490	267.436
AKC02004	0.3%	1.5%	%2.0	%0.0	0.2%	11.168	1.268	21.808	2.865	3542.947	58.465	27.013	17.595	8.548
AKC02005	0.5%	1.2%	%6.0	0.7%	3.3%	11.945	1.317	15.582	3.182	2617.575	906.89	17.724	30.499	233.837

Database ID	MnO	Fe2O3	CnO	SnO2	PbO2	Li	Be	В	Sc	Ti	^	Cr	Ņ	Co
AKC02006	1.4%	1.3%	0.1%	%0.0	0.2%	24.045	1.032	95.473	4.932	1058.621	45.121	15.114	46.920	275.250
AKC02007	0.7%	1.2%	%8.0	0.2%	0.5%	12.780	1.452	22.304	3.040	2603.980	68.630	17.933	24.437	157.112
AKC02008	0.1%	1.1%	1.9%	0.2%	0.5%	8.508	1.085	22.605	3.078	2493.334	63.341	18.542	10.153	6.279
AKC02009	0.1%	1.1%	1.6%	0.3%	%9.0	18.018	1.625	51.444	2.646	2649.856	77.311	13.085	20.892	10.518
AKC02010	1.1%	1.3%	0.1%	%0.0	%0.0	17.139	1.867	98.823	3.789	794.586	54.879	9.016	47.188	406.198
AKC02012	0.1%	1.8%	%0.0	%0.0	%0.0	9.247	1.177	20.866	3.686	6023.706	63.661	47.440	8.887	995.9
AKC02013	0.2%	1.4%	%6.0	0.1%	0.1%	11.581	2.707	23.369	4.840	2627.328	66.410	26.807	17.068	7.121
AKC02014	0.1%	1.3%	2.1%	0.3%	0.5%	9.153	1.930	17.613	3.745	2733.337	969.99	21.504	21.953	8.423
AKC02015	1.4%	1.2%	0.1%	%0.0	%0.0	25.897	2.508	75.074	5.777	1669.527	55.276	12.434	111.795	676.828
AKC02016	2.6%	1.6%	%0.0	%0.0	%0.0	12.859	4.338	127.889	9.004	714.109	79.651	14.406	108.324	641.699
AKC02019	%0.0	1.1%	%0.0	1.3%	4.9%	10.279	0.899	24.298	4.046	1544.013	89.727	11.520	7.800	3.270
AKC02020	%0.0	%8.0	%6.0	0.1%	0.1%	18.701	1.619	28.483	2.201	2003.515	67.546	10.560	11.056	3.723
AKC02021	0.2%	1.3%	%6.0	0.1%	0.1%	10.404	1.308	23.358	3.421	2449.403	62.329	12.809	16.291	5.827
AKC02022	0.3%	1.0%	1.0%	%0.0	%0.0	14.554	1.144	110.133	2.862	2482.368	45.098	24.997	10.516	4.792
AKC020230	0.1%	2.8%	4.6%	0.5%	2.3%	10.622	1.316	44.483	7.156	2535.456	99.651	49.778	125.634	23.405
AKC02023re	0.1%	2.4%	%8.0	%0.0	0.2%	11.916	1.217	53.736	6.741	2630.081	90.083	46.176	20.065	9.331
AKC02024or	0.1%	2.9%	4.4%	0.7%	1.9%	12.501	1.280	44.632	909.7	2613.117	101.556	47.476	106.822	24.926
AKC02024r	0.1%	2.2%	1.3%	0.1%	0.4%	12.529	0.943	93.760	5.305	3269.308	81.376	45.842	37.686	12.861
AKC020250	0.1%	2.8%	2.0%	0.5%	2.4%	12.182	1.156	43.159	7.216	2475.323	96.134	46.097	132.342	26.890
AKC02025r	0.1%	2.6%	1.6%	0.1%	0.2%	12.292	1.177	51.308	6.953	2614.377	96.610	47.928	39.317	10.968
AKC020260	0.1%	2.7%	4.7%	0.7%	2.3%	11.704	1.068	35.994	7.398	2701.964	102.975	48.560	98.504	30.737
AKC02026r	0.1%	2.5%	1.6%	0.1%	0.2%	10.730	0.827	46.491	6.857	2830.547	120.616	51.510	36.636	11.281
AKC02027or	0.1%	2.7%	2.0%	%9.0	2.5%	12.326	1.273	42.108	7.382	2546.940	97.091	47.916	132.443	26.450
AKC02027re	0.1%	2.8%	1.7%	0.1%	0.2%	11.613	1.140	50.953	7.581	2794.005	101.112	50.205	40.430	11.636
AKC02028	0.4%	3.5%	7.2%	0.2%	0.1%	29.350	1.892	43.700	5.772	1370.701	42.549	16.469	183.371	87.367
AKC02029	1.3%	1.2%	0.2%	0.0%	0.1%	19.837	1.288	85.798	3.876	741.939	51.097	1.612	969.59	409.884

Co	84.809	26.963	9.572	1.748	2.163	262.927	17.637	16.334	4.592	11.168	11.250	7.653	6.958	7.522	17.013	4.743	22.619	6.122	9.661	8.581	3.709	16.921	9.052	9.001	43.376	44.962
ï	157.224	54.856	28.388	3.961	18.638	49.112	89.286	55.860	7.280	36.926	40.689	35.118	20.338	24.051	142.748	13.664	48.855	15.918	23.961	45.004	6.887	36.898	15.649	13.628	434.536	446.747
\mathbf{Cr}	18.066	58.563	17.909	6.182	17.378	13.065	22.685	28.630	26.849	34.517	31.515	27.376	16.704	45.942	41.109	35.753	61.480	33.631	41.613	30.968	21.969	18.367	27.796	31.805	60.532	62.028
Λ	44.336	54.528	57.145	43.221	16.904	41.057	52.711	85.459	61.900	64.572	64.835	65.658	75.698	45.474	52.871	41.358	113.767	63.553	71.809	67.619	82.086	67.029	90.375	95.474	118.657	124.539
Ti	1409.911	2739.587	2028.454	1354.887	617.102	1011.454	1828.584	2237.539	1835.427	1880.200	1878.430	1986.813	1395.366	1752.610	3545.176	1121.218	1918.292	2412.220	3406.878	2176.762	1340.178	1526.005	1912.703	1887.891	1784.088	1808.942
Sc	5.845	5.483	3.844	1.584	3.340	4.535	5.274	5.301	3.765	4.765	4.656	3.886	2.110	3.479	3.834	2.005	7.542	4.385	4.284	4.286	2.148	2.825	4.668	4.311	7.613	7.838
В	49.938	101.063	51.757	29.158	27.031	27.824	54.457	24.863	21.855	18.282	20.196	23.166	39.551	57.437	21.573	72.008	69.151	22.382	24.101	24.033	29.737	20.921	19.928	27.184	48.409	42.286
Be	1.510	1.160	1.585	1.477	1.467	1.261	1.786	1.043	666.0	1.198	1.252	1.075	1.602	1.034	0.923	1.262	1.363	1.195	1.019	1.389	1.389	0.800	1.143	0.971	1.035	1.317
Li	27.480	13.881	14.539	10.194	7.062	19.929	12.879	11.069	9.243	9.160	8.808	10.758	14.450	14.274	10.690	13.518	13.788	11.227	10.103	14.269	12.901	11.045	10.751	10.990	6.677	8.078
PbO2	0.1%	0.1%	0.5%	2.5%	0.3%	%0.0	2.2%	0.1%	3.3%	0.5%	0.4%	0.1%	0.1%	4.0%	0.7%	0.1%	%8.0	1.2%	0.2%	0.3%	%0.0	%0.0	%0.0	0.1%	1.5%	1.6%
SnO ₂	0.2%	0.1%	0.2%	0.3%	0.1%	%0.0	%6.0	0.1%	%9.0	0.3%	0.3%	0.2%	0.2%	1.1%	0.1%	0.1%	0.2%	0.3%	0.1%	0.2%	%0.0	%0.0	%0.0	%0.0	0.3%	0.4%
CnO	7.2%	1.8%	1.6%	%0.0	1.7%	0.2%	5.7%	%9.0	%0.0	1.8%	1.8%	0.7%	1.3%	%6.0	11.1%	%6.0	0.7%	%9.0	1.0%	0.7%	1.0%	%8.0	1.3%	1.3%	4.4%	6.7%
Fe2O3	3.7%	2.1%	1.5%	%8.0	0.5%	1.3%	2.9%	2.2%	1.8%	2.3%	2.2%	1.6%	%6.0	1.3%	1.9%	%6.0	2.8%	1.7%	2.0%	2.0%	%6.0	1.2%	1.9%	2.0%	3.2%	3.3%
MnO	0.5%	0.2%	0.1%	%0.0	%0.0	0.7%	0.2%	0.4%	0.1%	0.1%	0.1%	0.1%	%0.0	0.1%	0.1%	0.2%	0.1%	0.1%	0.1%	0.1%	0.3%	0.5%	0.1%	0.1%	0.1%	0.1%
Database ID	AKC02030	AKC01924	AKC01922	AKC01920	AKC01912	AKC01913	AKC01919	AKC00224	AKC00121	AKC00105	AKC00214	AKC00214b	AKC00090	AKC00080	AKC00069	AKC00291	AKC00087	AKC00081	AKC00116	AKC00115	AKC00095	AKC00118	AKC00240	AKC00245	AKC00254red	AKC00254orange

Database ID	MnO	Fe2O3	CnO	SnO2	PbO2	Li	Be	В	Sc	Ti	Λ	Cr	ïZ	Co
AKC00284	0.1%	3.7%	3.6%	%0.0	%0.0	12.828	1.246	37.871	928.9	1511.330	182.449	47.972	133.484	39.267
AKC00223	0.1%	1.8%	%6.0	0.1%	0.2%	13.018	0.994	106.212	4.167	2694.654	74.344	19.078	32.038	8.040
AKC00221	0.1%	1.2%	%6.0	%0.0	%0.0	8.611	0.799	25.819	3.472	1772.897	103.581	26.371	9.862	3.513
AKC00220	0.3%	1.7%	1.7%	0.1%	0.1%	14.139	1.050	49.448	4.079	2809.382	58.908	44.831	22.091	9.721
AKC00122	0.1%	1.2%	1.5%	0.1%	0.3%	10.287	1.819	38.807	3.440	1636.425	61.671	30.032	19.239	5.107
AKC00278	0.3%	2.2%	%0.8	1.4%	1.5%	14.618	1.267	160.081	7.564	2125.838	64.846	65.327	134.277	33.291
AKC00277	0.3%	3.4%	7.2%	1.3%	1.9%	17.045	0.962	159.074	8.152	2142.095	61.385	988.69	258.797	33.503
AKC00057	0.2%	0.7%	2.3%	0.1%	%0.0	9.725	0.937	60.707	1.624	215.827	12.590	6.701	12.096	6.466
AKC00058	0.2%	0.7%	2.2%	0.1%	%0.0	9.349	1.114	59.900	1.468	245.501	12.426	6.053	11.373	6.227
AKC00059	1.3%	1.4%	0.1%	%0.0	%0.0	29.371	0.961	98.165	5.407	690.350	962:396	13.333	76.659	522.386
AKC00117	0.2%	2.0%	0.1%	%0.0	0.1%	19.138	0.729	100.808	3.249	987.303	32.383	54.343	62.679	399.098
AKC01651	%9.0	2.2%	1.1%	%0.0	0.1%	13.000	1.000	138.000	5.000	4136.000	76.000	36.000	44.000	22.210
AKC01652	0.1%	2.6%	%0.0	0.7%	3.5%	11.000	2.000	56.000	7.000	3810.000	193.000	44.000	18.000	7.940
AKC01658	0.1%	1.6%	1.3%	%0.0	%0.0	10.000	1.000	27.000	5.000	3182.000	000.66	30.000	16.000	8.740
AKC01677	0.1%	3.0%	%6.0	0.5%	2.0%	14.000	1.000	64.000	000.6	2755.000	138.000	40.000	67.000	24.450
AKC01679	0.1%	%0.9	%5.9	%0.0	%0.0	10.970	1.310	57.630	7.420	2931.560	87.580	58.530	530.770	483.790
AKC01685	0.1%	0.2%	%0.0	%0.0	%0.0	14.000	1.000	48.000	000.6	3281.000	169.000	57.000	93.000	26.900
AKC01683	%9.0	2.1%	1.4%	0.1%	0.4%	16.980	0.990	149.420	5.180	3319.320	99.160	96.390	47.610	29.830
AKC01686	0.1%	0.1%	%0.0	%0.0	%0'0	000.6	2.000	42.000	000.6	3479.000	108.000	70.000	501.000	25.940
AKC01688	%0.0	%0.0	%0.0	%0.0	%0.0	11.000	2.000	72.000	4.000	3785.000	50.000	45.000	19.000	5.460
AKC01692	0.1%	2.4%	%6.0	0.1%	0.4%	12.000	1.000	74.000	000'9	3207.000	79.000	57.000	113.000	35.460
AKC01696	%0.0	0.1%	%0.0	%0.0	%0.0	12.000	1.000	000.09	000'9	3287.000	89.000	43.000	72.000	10.250
AKC01697	0.1%	3.1%	%0.0	0.5%	3.3%	14.000	1.000	62.000	10.000	3521.000	107.000	48.000	28.000	11.540
AKC01699	%9.0	1.8%	1.5%	%0.0	0.1%	11.000	1.000	29.000	5.000	2718.000	80.000	30.000	19.000	11.570
AKC01702	0.4%	1.2%	1.3%	%0.0	%0.0	11.950	1.270	27.900	3.630	1651.840	128.380	27.400	16.760	11.020
AKC01722	0.4%	1.3%	1.0%	%0.0	%0.0	8.000	1.000	26.000	4.000	2230.000	133.000	36.000	16.000	10.590

0.0% 11.000 1.000 3.000 4.000 99,000 17.000	
15.000 1.000 33.000 5.000 2155.000 129.000 26.000 18.000 8.290 0.770 53.600 10.920 1967.650 75.860 53.550 161.890 14.000 1.000 55.000 8.000 2836.000 120.000 53.500 10.920 1967.650 75.860 53.500 10.000 25.000 21.000 11.000 11.000 11.000 12.000	1.9% 0.6% 0.0% 0.0% 2.0% 1.2% 0.0% 0.0%
8.290 0.770 53.600 10.920 1967.650 75.860 53.550 161.890 14,000 1.000 55.000 8.000 2836.000 122.000 69.000 21.000 14,000 2.000 53.000 4.000 2596.000 94.000 37.000 21.000 12,000 1.000 27.000 7.000 3344.000 190.000 19.000 19.000 11,000 1.000 27.000 7.000 3344.000 190.000 19.000 19.000 11,000 1.000 27.000 4.000 2292.000 190.000 12.000 12.000 12,000 2.000 27.000 4.000 2292.000 190.00 15.000 15.000 12,000 2.000 2.000 4.000 2920.00 19.000 15.000 15.000 10,000 2.000 4.000 2920.000 85.000 34.000 15.000 15.000 10,000 2.000 4.000 2945.000 19.000 1	%0.0
14.000 1.000 55.000 8.000 2836.000 122.000 69.000 21.000 14.000 2.000 53.000 4.000 4260.000 94.000 37.000 23.000 12.000 1.000 34.000 6.000 2596.000 94.000 37.000 19.000 13.000 1.000 27.000 7.000 3344.000 105.000 12.000 12.000 11.000 1.000 27.000 7.000 3326.000 100.000 23.000 12.000 2.000 27.000 4.000 2292.000 105.000 33.000 15.000 12.000 2.000 27.000 4.000 2889.00 63.000 34.000 15.000 12.000 2.000 4.000 2945.000 105.000 34.000 15.000 10.000 2.000 4.000 2945.00 103.000 20.000 10.000 10.000 1.000 2.000 4.000 2945.00 103.000 10.000 110.00	2.5% 1.7% 0.4% 0.3%
14.000 2.000 53.000 4.000 2596.000 94.000 37.000 23.000 12.000 1.000 34.000 6.000 2596.000 93.000 43.000 19.000 13.000 1.000 27.000 7.000 3344.00 105.000 23.000 12.000 11.000 1.000 27.000 4.000 2292.000 100.000 23.000 15.000 12.000 2.000 27.000 4.000 2292.000 132.000 15.000 12.000 2.000 27.000 4.000 2889.000 10.000 15.000 12.000 1.000 21.000 4.000 2946.000 34.000 15.000 10.000 1.000 23.000 4.000 2945.000 35.000 13.000 10.000 1.000 25.000 4.000 2945.000 36.000 23.000 11.000 1.000 25.000 4.000 2945.000 36.000 36.000 11.000 1.000 25.000 </td <td>2.5% 0.0% 0.0% 0.0%</td>	2.5% 0.0% 0.0% 0.0%
12.000 1.000 34.000 6.000 2596.000 93.000 43.000 19.000 13.000 1.000 27.000 7.000 3344.000 100.000 23.000 11.000 1.000 27.000 5.000 3326.000 100.000 23.000 11.000 1.000 27.000 4.000 2292.000 132.000 16.000 12.000 2.000 27.000 4.000 2292.000 132.000 16.000 12.000 2.000 27.000 4.000 2292.000 105.000 23.000 16.000 12.000 2.000 20.000 6.000 3444.000 19.000 16.000 16.000 10.000 2.000 20.000 20.000 3417.00 68.000 23.000 13.000 10.000 1.000 25.000 4.000 2945.00 19.00 13.000 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 </td <td></td>	
13.000 1.000 27.000 7.000 3344.000 105.000 23.000 23.000 11.000 1.000 25.000 5.000 3326.000 100.000 28.000 12.000 8.000 1.000 27.000 4.000 2292.000 100.000 16.000 12.000 2.000 27.000 4.000 2889.000 63.000 23.000 12.000 2.000 27.000 4.000 2889.000 63.000 24.000 15.000 9.000 1.000 21.000 4.000 2889.000 63.000 24.000 15.000 10.000 1.000 23.000 4.000 2920.000 85.000 36.000 13.000 10.000 1.000 23.000 4.000 2945.000 103.000 23.000 13.000 11.000 1.000 25.000 4.136.000 85.000 34.000 62.000 35.000 11.000 1.000 25.000 4.000 2948.000 85.000 34.000	2.0% 1.3% 0.0% 0.
11.000 1.000 25.000 5.000 3326.000 100.000 28.000 12.000 8.000 1.000 27.000 4.000 2292.000 132.000 30.000 12.000 12.000 2.000 27.000 7.000 3464.000 105.000 30.000 15.000 12.000 2.000 27.000 6.000 3889.000 63.000 24.000 15.000 9.000 1.000 21.000 4.000 2920.000 85.000 24.000 6.000 10.000 1.000 21.000 4.000 2945.000 136.000 9.000 11.000 1.000 26.000 4.000 2945.000 193.000 13.000 11.000 1.000 26.000 4.000 2945.000 197.000 34.000 23.000 11.000 1.000 4.000 2968.000 86.000 24.000 10.000 11.000 1.000 4.000 2968.000 103.000 10.000 11.000 1.000<	0.1% 0.0% 0.0%
8.000 1.000 27.000 4.000 2292.000 132.000 30.000 16.000 12.000 2.000 27.000 7.000 3464.000 105.000 23.000 12.000 2.000 27.000 6.000 3464.000 109.000 34.000 15.000 12.000 2.000 20.000 4.000 2889.000 63.000 24.000 6.000 10.000 1.000 21.000 4.000 2920.000 85.000 9.000 10.000 1.000 26.000 4.000 2945.000 13.000 13.000 10.000 1.000 26.000 4.000 2945.000 197.000 34.000 68.000 29.000 11.000 1.000 26.000 4.136.000 68.000 23.000 10.000 11.000 1.000 23.000 4136.000 197.000 34.00 62.000 9.000 11.000 1.000 23.000 4.000 2968.000 86.000 24.000 10.000	0.1% 0.0% 0.0%
12.000 2.000 27.000 7.000 3464.000 105.000 23.000 23.000 12.000 2.000 20.000 6.000 3080.000 109.000 34.000 15.000 9.000 1.000 21.000 4.000 2889.000 63.000 24.000 15.000 10.000 1.000 21.000 4.000 2920.000 85.000 36.000 9.000 13.000 1.000 26.000 4.000 2945.000 193.000 13.000 11.000 1.000 26.000 4.000 2945.000 197.000 88.000 23.000 11.000 1.000 4.000 2945.000 197.000 48.000 23.000 11.000 1.000 4.000 2945.000 197.000 48.000 23.000 11.000 1.000 4.000 2968.000 86.000 24.000 10.000 11.000 1.000 4.000 2988.000 86.000 24.000 10.000 12.440 1.500	0.1% 0.0% 0.0%
12.000 2.000 20.000 4.000 3080.000 199.000 34.000 15.000 9.000 1.000 21.000 4.000 2889.000 63.000 24.000 6.000 10.000 1.000 21.000 4.000 2920.000 85.000 36.000 9.000 13.000 1.000 26.000 4.000 2945.000 103.000 26.000 9.000 11.000 1.000 26.000 4.000 2945.000 103.000 26.000 9.000 11.000 1.000 4.000 2945.000 103.000 26.000 9.000 11.000 1.000 4.000 2945.000 197.000 34.000 62.000 11.000 1.000 4.000 2968.000 86.000 24.000 10.000 12.440 1.500 49.810 7.490 2911.600 57.880 132.500 13.690 1.720 64.490 8.940 3466.480 105.08 65.00 176.79 12.960 <td>0.1% 0.0% 0.0%</td>	0.1% 0.0% 0.0%
9.000 1.000 21.000 4.000 2889.000 63.000 24.000 6.000 10.000 1.000 23.000 4.000 2920.000 85.000 36.000 9.000 13.000 1.000 26.000 5.000 3417.000 68.000 25.000 9.000 13.000 1.000 26.000 4.000 2945.000 103.000 26.000 9.000 13.000 1.000 26.000 4.000 2945.000 103.000 23.000 13.000 11.000 1.000 42.000 5.000 1820.000 197.000 23.000 23.000 11.000 1.000 23.000 4.000 2968.000 86.000 24.000 10.000 9.000 1.000 23.000 4.000 2968.000 86.000 24.000 10.000 12.440 1.500 49.810 7.460 2911.600 124.900 57.80 132.50 13.690 1.720 61.920 8.840 2773.410 113.80<	2.4% 0.1% 0.0%
10.000 1.000 23.000 4.000 2920.000 85.000 36.000 9.000 13.000 1.000 26.000 5.000 3417.000 68.000 35.000 13.000 13.000 1.000 26.000 4.000 2945.000 103.000 26.000 9.000 13.000 1.000 26.000 4.000 2945.000 69.000 68.000 23.000 11.000 1.000 42.000 5.000 197.000 34.000 62.000 9.000 1.000 23.000 4.000 2968.000 86.000 24.000 10.000 12.440 1.500 49.810 7.490 2911.600 124.900 57.880 132.560 13.690 1.720 61.920 9.280 3308.520 126.780 66.460 176.230 12.960 1.530 32.180 5.660 6690.240 69.530 51.230 11.100 7.510 1.210 24.650 3.850 2553.460 119.840 25.	1.3% 0.0% 0.8%
13.000 1.000 26.000 3.417.000 68.000 35.000 13.000 10.000 1.000 26.000 4.000 2945.000 103.000 26.000 9.000 13.000 1.000 4.000 4136.000 69.000 68.000 23.000 11.000 1.000 42.000 5.000 1820.000 197.000 34.000 62.000 9.000 1.000 42.000 5.000 1820.000 197.000 34.000 62.000 12.440 1.500 49.810 7.490 2911.600 124.900 57.880 132.560 14.310 0.970 64.490 8.940 3466.480 102.60 76.600 128.700 13.690 1.720 61.920 9.280 3308.520 126.780 66.460 176.230 12.960 1.530 32.180 5.660 6690.240 69.530 51.280 11.100 7.510 1.210 24.650 3.850 2553.460 119.840 25.410	4.3% 0.0% 0.0%
10.000 1.000 26.000 4.000 2945.000 103.000 26.000 9.000 13.000 1.000 113.000 6.000 4136.000 69.000 68.000 23.000 11.000 1.000 42.000 5.000 1820.000 197.000 24.000 10.000 12.440 1.500 49.810 7.490 2911.600 124.900 57.880 132.560 14.310 0.970 64.490 8.940 3466.480 102.600 76.600 128.700 13.690 1.720 61.920 9.280 3308.520 126.780 66.460 176.230 19.670 1.670 55.690 8.840 2773.410 113.800 65.610 18.190 7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522	2.0% 1.5% 0.0%
13.000 1.000 113.000 6.000 4136.000 69.000 68.000 23.000 11.000 1.000 42.000 5.000 1820.000 197.000 34.000 62.000 9.000 1.000 23.000 4.000 2968.000 86.000 24.000 10.000 12.440 1.500 49.810 7.490 2911.600 124.900 57.880 132.560 14.310 0.970 64.490 8.940 3466.480 102.600 76.600 128.700 13.690 1.720 61.920 9.280 3308.520 126.780 66.460 176.230 19.670 1.670 55.690 8.840 2773.410 113.800 65.610 18.190 7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522	1.4% 0.3% 0.0%
11.000 1.000 42.000 5.000 1820.000 197.000 34.000 62.000 9.000 1.000 23.000 4.000 2968.000 86.000 24.000 10.000 12.440 1.500 49.810 7.490 2911.600 124.900 57.880 132.560 14.310 0.970 64.490 8.940 3466.480 102.600 76.600 128.700 13.690 1.720 61.920 9.280 3308.520 126.780 66.460 176.230 19.670 1.670 55.690 8.840 2773.410 113.800 65.610 18.190 12.960 1.530 32.180 5.660 6690.240 69.530 51.230 11.100 7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522 <	
9.000 1.000 23.000 4.000 2968.000 86.000 24.000 10.000 12.440 1.500 49.810 7.490 2911.600 124.900 57.880 132.560 14.310 0.970 64.490 8.940 3466.480 102.600 76.600 128.700 13.690 1.720 61.920 9.280 3308.520 126.780 66.460 176.230 19.670 1.670 55.690 8.840 2773.410 113.800 65.610 18.190 12.960 1.530 32.180 5.660 6690.240 69.530 51.230 11.100 7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522 18.752 160.052 27.379	1.7% 1.1% 0.0%
12.440 1.500 49.810 7.490 2911.600 124.900 57.880 132.560 14.310 0.970 64.490 8.940 3466.480 102.600 76.600 128.700 13.690 1.720 61.920 9.280 3308.520 126.780 66.460 176.230 19.670 1.670 55.690 8.840 2773.410 113.800 65.610 18.190 12.960 1.530 32.180 5.660 6690.240 69.530 51.230 11.100 7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522 18.752 160.052 27.379	4.5% 0.0% 0.0%
14.310 0.970 64.490 8.940 3466.480 102.600 76.600 128.700 13.690 1.720 61.920 9.280 3308.520 126.780 66.460 176.230 19.670 1.670 55.690 8.840 2773.410 113.800 65.610 18.190 12.960 1.530 32.180 5.660 6690.240 69.530 51.230 11.100 7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522 18.752 160.052 27.379	5.7% 6.8% 0.1%
13.690 1.720 61.920 9.280 3308.520 126.780 66.460 176.230 19.670 1.670 55.690 8.840 2773.410 113.800 65.610 18.190 12.960 1.530 32.180 5.660 6690.240 69.530 51.230 11.100 7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522 18.752 160.052 27.379	3.8% 3.2% 0.2%
19.670 1.670 55.690 8.840 2773.410 113.800 65.610 18.190 12.960 1.530 32.180 5.660 6690.240 69.530 51.230 11.100 7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 38.150 18.162 0.709 102.448 2.861 964.522 18.752 160.052 27.379	4.1% 3.3% 0.1%
12.960 1.530 32.180 5.660 6690.240 69.530 51.230 11.100 7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522 18.752 160.052 27.379	2.4% 0.0% 0.0%
7.510 1.210 24.650 3.850 2553.460 119.840 25.410 21.680 7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522 18.752 160.052 27.379	2.3% 0.0% 0.0%
7.515 1.046 145.909 3.791 2025.588 30.406 61.739 38.150 18.162 0.709 102.448 2.861 964.522 18.752 160.052 27.379	1.4% 1.3% 0.0%
18.162 0.709 102.448 2.861 964.522 18.752 160.052 27.379	1.6% 0.1% 0.0% 0
	1.0% 0.3% 0.0%

17.790 16.862 10.024 31.724 14.692 20.626	0.0%		0.598	107.492	2.852	975.430	18.633	159.877	22.310	1
16.862 10.024 31.724 14.692 20.626				46 002						4.137
10.024 31.724 14.692 20.626			_	1	5.472	549.252	288.163	31.011	57.041	496.815
31.724 14.692 20.626			0.951	46.713	1.840	223.862	17.168	8.978	12.507	6.262
14.692			0.764	77.642	2.912	360.285	24.503	12.043	31.948	91.682
20.626	%0.0		1.246	30.018	4.605	634.496	173.525	18.572	59.349	557.221
	%0.0		1.314	87.057	12.683	831.437	160.157	31.714	131.929	1115.75
13.572	%0.0		0.910	70.513	4.342	358.272	81.819	15.646	74.299	547.931
19.624	%0.0		0.579	92.004	11.336	770.688	151.567	29.387	135.968	1119.59
16.852	%0.0		1.508	68.852	3.328	494.210	49.498	9.958	65.832	426.286
14.957	%0.0		1.235	71.148	3.287	493.868	50.283	10.722	68.261	441.695
33.946	%0.0		1.157	80.872	4.434	471.514	50.376	13.347	50.851	385.895
6.237	%0.0		0.584	46.402	3.869	684.442	151.255	31.293	31.311	36.079
32.871	0.1%		0.865	89.874	2.614	349.230	29.303	11.628	12.467	59.525
24.992	%0.0		1.111	91.690	4.023	729.563	30.432	20.046	21.457	8.515
13.466	0.1%		1.057	82.260	2.852	415.830	24.656	15.688	9.383	30.279
50.213	%0.0		1.142	102.446	5.633	446.767	64.463	15.737	64.081	486.775
19.414	%0.0		1.456	57.376	2.229	355.292	32.233	7.802	8.875	52.262
15.820	%0.0		1.440	83.854	7.414	463.848	117.977	19.016	126.123	970.605
26.699	%0.0		1.031	64.927	3.377	422.672	31.413	11.852	24.644	153.718
12.899	%0.0		1.140	84.113	6.410	448.138	83.286	15.809	92.093	986.959
20.529	%0.0		1.528	87.045	899.6	577.943	128.130	21.523	150.467	1157.72 1
5.968	%0.0		0.659	88.589	1.439	186.797	9.635	6.164	4.669	2.000
26.721	1.0%		1.294	85.491	5.776	755.729	52.784	22.319	40.146	247.921
15.020	%0.0		688.0	58.841	4.482	524.506	36.403	13.548	27.231	188.591
36.657	%0.0		0.716	121.497	2.118	361.574	20.834	9.598	7.284	24.267

Co	990.79	29.228	543.478	25.852	478.970	536.841	29.312	26.092	0.163	542.226	500.584	525.340	0.800	141.040	1233.58 0	33.900	1082.64	11.830	858.757	1039.30	1085.69	1074.36	440.037	162.190
Z.	26.737	26.299	64.506 5	5.590 2	55.905 4	62.378 5	10.423	5.763 2	1.643	55.818 5	57.515 5	64.000 5	4.000	23.000 1	163.000 1	19.000	142.000 1	37.000	92.121 8	144.794	149.410 1	146.245 1	61.646 4	16.134 1
Cr	5.296	7.486	23.492	7.428	25.406 3	25.114	13.231	8.426	3.337	18.370	15.665 3	27.000	5.000	9.000	21.000 1	31.000	24.000 1	000.6	15.394	19.096	20.614 1	17.481 1	14.595	8.234
>	13.041	14.517	138.807	19.804	157.886	144.334	24.350	21.095	2.054	169.186	153.214	138.000	7.000	25.000	130.000	21.000	141.000	19.000	86.045	117.550	124.265	117.215	72.328	26.532
Ti	152.349	314.160	827.126	298.412	633.755	863.559	424.569	318.517	42.104	824.228	663.633	1462.000	149.000	342.000	907.000	627.000	1172.000	486.000	750.906	715.352	875.229	771.759	539.144	487.967
Sc	2.671	1.697	7.599	2.004	6.503	7.795	2.765	2.140	0.496	5.186	5.860	8.000	3.000	2.000	000.6	3.000	11.000	2.000	698.9	7.100	7.937	7.638	4.910	1.475
В	31.141	68.055	28.711	111.941	26.833	30.286	81.202	115.619	5045.07 6	23.004	20.776	28.000	88.000	23.000	100.000	103.000	106.000	135.000	93.179	100.747	114.261	95.498	62.489	32.516
Be	1.070	1.410	1.001	1.447	1.028	0.872	0.725	1.025	0.514	1.317	1.338	1.000	0.000	2.000	2.000	1.000	1.000	1.000	1.644	1.797	1.510	2.416	2.001	1.795
Li	3.747	7.380	11.176	35.105	13.321	12.525	12.652	35.189	666.6	12.307	8.848	11.000	000.9	21.000	11.000	2.000	25.000	2.000	16.538	13.051	12.426	16.485	7.079	1.334
PbO2	%0.0	%0.0	%0.0	0.0%	%0.0	0.0%	%0.0	0.4%	%0.0	0.0%	%0.0	0.0%	%0.0	0.0%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
SnO2	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0
C _u O	2.4%	1.1%	%0.0	%0.0	0.1%	%0.0	%0.0	%0.0	%0.0	0.1%	%0.0	0.1%	2.4%	0.1%	%0.0	0.1%	0.1%	2.1%	0.1%	%0.0	%0.0	%0.0	%0.0	%0.0
Fe2O3	%8.0	0.7%	2.3%	%8.0	1.7%	2.3%	%8.0	%8.0	0.1%	1.5%	1.4%	2.2%	0.3%	1.1%	2.4%	%6.0	2.3%	%9.0	2.5%	1.8%	2.2%	1.9%	1.3%	0.4%
MnO	1.6%	0.1%	1.3%	2.9%	1.2%	1.3%	3.3%	3.0%	%0.0	1.3%	1.4%	1.5%	%0.0	4.2%	3.4%	3.9%	3.7%	%0.0	2.2%	2.8%	3.0%	3.0%	1.6%	3.5%
Database ID	AKC00634	AKC00641	AKC00662	AKC00672	AKC00677	AKC00683	AKC00686	AKC00689	AKC00726	AKC0733	AKC0734	AKC0735	AKC0736	AKC0737	AKC0738	AKC0739	AKC0740	AKC0741	AKC0742	AKC0743	AKC0744	AKC0745	AKC0746	AKC0747

	1	1						1_	-					1_			_		Ι_	l				
Co	38.650	34.517	81.750	14.813	11.401	10.630	32.554	1139.29	776.980	50.960	17.019	962.644	1062.13	1198.19	30.406	372.681	426.904	6.843	304.049	2.830	8.130	3.045	7.871	7.454
ï	12.000	32.485	99.338	30.457	20.389	17.000	34.950	145.791	106.000	11.000	48.377	181.984	200.151	224.194	692.9	53.232	63.620	6.258	34.508	11.325	28.467	5.748	18.161	20.703
\mathbf{Cr}	12.000	31.546	29.375	7.510	4.341	19.000	49.790	19.049	10.000	000.6	5.556	14.774	15.004	15.366	7.528	12.247	13.365	13.480	11.201	7.096	32.012	11.053	22.016	21.251
^	24.000	144.543	300.241	10.266	10.461	33.000	36.368	128.116	61.000	26.000	10.548	77.524	83.743	89.501	20.085	44.055	45.359	15.650	51.494	15.617	808.89	43.049	82.085	73.479
Ti	487.000	1153.473	615.975	420.280	257.970	1013.000	2076.174	917.005	746.000	667.000	451.115	943.785	1001.210	1093.682	381.572	678.530	804.650	436.298	563.262	347.903	2208.537	2695.867	2545.570	2042.732
Sc	2.000	3.497	2.642	0.710	2.324	4.000	4.260	8.745	4.000	2.000	196.0	4.852	5.265	5.872	1.340	3.300	3.658	1.725	6.286	1.524	4.300	1.952	4.015	3.416
В	120.000	48.139	95.506	67.961	52.390	000.86	104.512	110.146	000.79	93.000	70.897	79.292	71.189	71.659	112.279	85.299	84.161	84.180	130.579	56.647	29.053	18.496	19.316	20.518
Be	1.000	0.980	1.250	0.972	7.399	2.000	1.066	1.387	2.000	2.000	1.126	1.386	1.644	2.232	0.683	902.0	1.193	1.545	977.0	1.068	0.912	1.329	1.262	1.389
Li	29.000	6.156	4.967	3.758	5.754	13.000	9.611	23.556	52.000	22.000	2.400	20.272	20.746	23.098	24.307	19.874	25.737	17.835	6.258	17.939	12.136	6.819	6.196	7.145
PbO2	%9.0	0.1%	%0.0	%0.0	%0.0	%6.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.5%	4.3%	0.1%	3.4%
SnO2	0.1%	%0.0	%0.0	%0.0	%0.0	0.2%	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	%0.0	0.1%	0.1%	1.0%	0.1%	0.5%
OnO	0.1%	1.6%	1.9%	1.0%	1.1%	1.9%	0.1%	0.1%	%0.0	0.4%	2.1%	%0.0	%0.0	%0.0	%0.0	0.1%	0.1%	0.2%	%0.0	2.8%	1.7%	%0.0	0.7%	0.3%
Fe2O3	%2.0	1.4%	1.2%	0.5%	0.4%	%8.0	%6.0	1.8%	1.4%	%9.0	0.3%	1.0%	1.0%	1.1%	0.4%	1.6%	1.1%	0.5%	1.2%	%6.0	1.8%	1.3%	1.5%	1.8%
MnO	4.0%	0.3%	0.1%	%0.0	%0.0	0.1%	%8.0	2.7%	1.9%	4.4%	0.3%	1.9%	2.1%	2.4%	3.3%	1.3%	1.4%	0.1%	1.3%	%0.0	0.2%	0.1%	0.1%	0.1%
Database ID	AKC0748	AKC0749	AKC0750	AKC0751	AKC0752	AKC0753	AKC0754	AKC0755	AKC0756	AKC0757	AKC0758	AKC00939	AKC01084	AKC00912	AKC01073 violet	AKC01073 blue	AKC01066	AKC00909	AKC00910	AKC00959dkblue	AKC00959red	AKC00959yellow	AKC00959_turq	AKC01071yellow

AKCO1071blue 0.0% 0.7% 0.1% 0.2% 1.74 2.13 5.27 6.51 9.21.85 5.46.85 11.502 14.036 5.17.27 AKCO1097blue 0.2% 2.8% 5.8% 0.0% 5.4% 10.190 1.773 8.177 5.607 219.35.2 6.84.63 2.8.86 9.997 9.998 6.91 6.0 6.0 6.4% 7.234 1.078 7.05 9.997 3.998 1.999 9.999	Database ID	MnO	Fe2O3	OnO	SnO2	PbO2	Li	Be	В	Sc	Ţ	Λ	Cr	N	Co
0.2% 2.8% 0.0% 5.4% 10.190 1.703 88.177 5.607 219.35. 68.463 28.863 86.487 0.2% 5.8% 0.0% 5.4% 10.190 1.703 88.17 5.395 6.641 67.107 6.333 379.184 88.997 29.498 69.11 0.2% 2.2% 0.0% 0.0% 2.8871 1.187 10.736 8.049 12.711 35.093 0.2% 2.2% 0.0% 6.0% 2.8871 1.187 10.736 8.048 1.271 11.202 1.201 1.202 1.2% 1.0% 0.0% 0.0% 1.468 0.778 48.735 8.049 1.2011 1.2017 1.2% 1.0% 0.0% 0.0% 1.468 0.778 48.735 8.048 1.202 1.20 1.202 1.202 1.202 1.202 1.202 1.202 1.202 1.202 1.202 1.202 1.202 1.202 1.202 1.202 1.202 <	KC01071blue	%0.0	%6.0	0.7%		0.2%	16.744	2.113	65.277	6.511	932.185	54.685	13.502	14.036	5.122
0.2% 5.8% 7.0% 0.3% 0.4% 9.955 0.641 67.107 6.373 3791.884 89.997 29.498 639.11 0.2% 2.2% 7.3% 0.8% 1.6% 7.234 1.018 6.7539 3.910 1749.994 54.03 17.314 401.173 0.2% 2.2% 7.3% 0.0% 0.0% 2.0% 4.657 1.475 18.849 1.071 489.239 29.100 15.871 12.021 0.1% 0.0% 0.0% 0.0% 4.422 1.447 18.849 1.074 489.239 1.078 <td>AKC009590</td> <td>0.2%</td> <td>2.8%</td> <td>2.8%</td> <td>%0.0</td> <td>5.4%</td> <td>10.190</td> <td>1.703</td> <td>88.177</td> <td>5.607</td> <td>2139.352</td> <td>68.463</td> <td>28.863</td> <td>86.487</td> <td>10.227</td>	AKC009590	0.2%	2.8%	2.8%	%0.0	5.4%	10.190	1.703	88.177	5.607	2139.352	68.463	28.863	86.487	10.227
0.2% 2.2% 7.3% 0.8% 1.6% 7.234 1.018 67.639 3.910 1.49.944 54.053 17.314 401.173 0.2% 2.2% 0.0% 0.0% 0.0% 2.8871 1.878 107.35 8.004 324.316 58.402 12.011 35.093 0.1% 0.0% 0.0% 0.0% 4.657 1.475 18.849 1.077 488.239 29.109 15.040 32.737 1.2% 1.0% 0.0% 0.0% 2.488 1.487 48.239 29.109 15.640 32.737 1.2% 1.2% 0.0% 0.0% 2.488 0.778 48.899 1.756 1.248 1.077 488.239 1.249 1.200 <td>CO1057orange</td> <td>0.2%</td> <td>5.8%</td> <td>7.0%</td> <td>0.3%</td> <td>0.4%</td> <td>9.955</td> <td>0.641</td> <td>67.107</td> <td>6.373</td> <td>3791.884</td> <td>89.997</td> <td>29.498</td> <td>639.151</td> <td>640.674</td>	CO1057orange	0.2%	5.8%	7.0%	0.3%	0.4%	9.955	0.641	67.107	6.373	3791.884	89.997	29.498	639.151	640.674
0.2% 2.7% 0.0% 0.0% 2.8871 1.878 10.736 8.044 3244.316 58.402 120.711 35.093 0.1% 0.5% 0.0% 6.4% 6.9% 4.657 1.475 158.849 1.077 489.239 29.109 15.871 12.022 1.2% 1.4% 0.0% 0.7% 4.23.20 1.040 80.575 6.58 908.381 61.038 26.400 92.737 1.2% 1.4% 0.0% 0.0% 2.468 0.778 48.795 1.2571 11.16.520 57.70 19.695 96.006 0.0% 0.0% 0.0% 0.0% 1.071 1.398.0 1.266 1.388 1.389 1.389 1.78 1.396 1.430 15.43 1.606 1.899 1.78 1.3196 1.430 1.540 1.540 1.540 1.899 1.899 1.318 1.389 1.389 1.389 1.389 1.389 1.349 1.349 1.349 1.349 1.349 1.34	CC01071orange	0.2%	2.2%	7.3%	%8.0	1.6%	7.234	1.018	62.639	3.910	1749.994	54.053	17.314	401.173	880.06
0.1% 0.5% 0.0% 6.4% 6.9% 4.657 1.475 158.849 1.077 489.239 29.109 15.871 1.2022 2.4% 2.1% 1.0% 0.0% 0.7% 4.2320 1.040 80.575 6.528 908.381 61.038 26.400 927.737 1.2% 1.4% 0.0% 0.7% 42.320 1.040 80.575 5.7709 19.695 96.006 0.1% 1.0% 0.0% 0.0% 0.711 0.959 3.382 0.455 83.065 2.386 18.89 9.27.73 0.1% 0.0% 0.0% 0.711 0.959 3.382 0.455 18.90 15.40 15.43 0.1% 0.0% 0.0% 0.711 0.959 3.382 0.455 18.89 1.30 18.89 1.202 0.1% 0.0% 0.0% 0.711 0.959 3.382 1.350 1.340 1.545 1.340 1.545 1.340 1.545 1.340 1.545	AKC01043b	0.2%	2.7%	%0.0	%0.0	%0.0	28.871	1.878	107.536	8.004	3244.316	58.402	120.711	35.093	062.99
24% 2.1% 1.0% 0.0% 0.7% 4.2320 1.040 80.575 6.528 908.381 61.038 26.400 92.7.73 1.2% 1.4% 0.0% 0.7% 4.252 1.040 80.575 6.528 908.381 6.18 56.00 90.00 0.1% 1.0% 0.0% 0.0% 0.0% 0.0% 0.0% 1.20 1.25 1.25 1.25 1.24 1.	AKC01043w	0.1%	0.5%	%0.0	6.4%	%6.9	4.657	1.475	158.849	1.077	489.239	29.109	15.871	12.022	14.943
12% 14% 0.0% 4.1% 3.8% 24.688 0.778 48.795 2.571 1216.520 57.09 19.695 96.006 0.1% 1.0% 0.0% 0.0% 5.062 0.276 239.820 1.756 731.969 14.340 15.245 8.281 0.0% 0.0% 0.0% 5.062 0.276 239.820 1.756 731.969 14.340 15.245 8.281 0.1% 0.0% 0.0% 0.711 0.959 3.382 0.435 83.065 1.869 5.088 0.1% 0.0% 0.0% 0.710 0.096 1.173 48.959 11.826 375.058 12.897 5.088 3.5747 1.5% 0.1% 0.0% 0.0% 1.201 0.275 11.826 375.058 11.89 5.089 3.5747 1.5% 0.1% 0.0% 0.1% 1.201 1.201 1.201 1.202 0.289 1.138 3.532.80 1.289 1.828 3.50.58	AKC01059b	2.4%	2.1%	1.0%	%0.0	0.7%	42.320	1.040	80.575	6.528	908.381	61.038	26.400	922.737	1663.5
0.1% 1.0% 0.0% 0.0% 0.0% 5.062 0.276 239.820 1.756 731.969 14.340 15.245 8.281 0.0% 0.0% 0.0% 0.0% 0.711 0.959 3.382 0.435 83.065 2.386 18.69 5.763 0.1% 0.2% 0.0% 0.0% 0.0% 1.200 0.312 65.660 0.855 359.598 12.897 5.038 30.878 0.1% 0.4% 0.0% 0.0% 1.200 0.312 65.660 0.855 359.598 12.897 5.086 3.0878 0.1% 0.0% 0.0% 0.0% 1.200 0.312 65.660 0.856 359.89 12.897 5.088 3.0878 2.0% 0.0% 0.0% 0.0% 1.753 11.809 6.180 11.807 3.180 11.80 359.89 11.897 50.88 11.89 3.50.88 13.747 11.1090 6.180 11.807 3.180 3.50.88 11.89	AKC01059w	1.2%	1.4%	%0.0	4.1%	3.8%	24.688	0.778	48.795	2.571	1216.520	57.709	19.695	900.96	605.927
0.0% 0.2% 0.3% 0.0% 0.711 0.959 3.382 0.435 83.065 2.386 1.869 5.763 0.1% 0.2% 0.2% 0.0% 0.711 0.959 3.382 35.058 12.897 5.038 3.0878 0.1% 0.4% 1.1% 0.0% 1.200 0.312 65.660 0.583 35.289 12.897 5.038 30.878 1.5% 1.0% 0.0% 0.0% 1.200 1.173 48.959 11.826 376.586 11.826 5.7472 2.0% 1.3% 0.0% 0.0% 21.708 1.731 16.909 6.150 16.179 16.189 5.7472 2.0% 0.0% 0.0% 0.1% 25.497 1.150 149.98 5.372 1027.910 6.358 15.7472 2.0% 0.0% 0.0% 0.1% 25.407 1.516 9.515 1.672 421.575 9.775 6.207 15.79 2.0% 0.0% 0.0%<	KC01057gold	0.1%	1.0%	%0.0	%0.0	%0.0	5.062	0.276	239.820	1.756	731.969	14.340	15.245	8.281	3.350
0.1% 0.4% 1.1% 0.0% 0.0% 1.200 0.312 65.660 0.585 359.598 12.897 5.038 30.878 0.1% 5.3% 0.1% 0.0% 1.0268 1.173 48.959 11.826 3750.508 106.544 220.669 6.3517 1.5% 1.6% 0.1% 0.0% 0.0% 21.708 1.171 92.796 4.636 811.596 56.586 11.582 57.472 2.0% 1.3% 0.1% 0.0% 0.0% 1.150 1.49.98 5.372 1021.32 61.179 12.115 81.085 2.0% 1.6% 0.0% 0.1% 23.497 1.150 144.98 5.372 1027.91 6.358 15.18 81.085 81.085 80.089 83.526 80.089 80.089 15.829 80.089 80.089 15.820 80.089 15.820 80.089 15.820 80.089 15.820 80.089 15.820 80.199 80.199 81.191 1020 10.192<	AKC01093	%0.0	0.2%	0.3%	%0.0	%0.0	0.711	0.959	3.382	0.435	83.065	2.386	1.869	5.763	3.718
0.1% 5.3% 0.1% 0.0% 0.0% 10.268 1.173 48.959 11.826 3750.508 106.544 220.669 6.3517 1.5% 1.6% 0.1% 0.0% 0.0% 21.708 1.31 92.796 4.636 811.596 56.586 11.82 57.472 2.0% 1.3% 0.1% 0.0% 0.0% 1.150 1.150 1021.33 61.179 12.115 81.085 2.0% 1.6% 0.0% 0.1% 23.497 1.150 134.938 5.372 1027.910 63.530 12.115 81.085 4.4% 1.5% 0.0% 0.1% 23.497 1.150 134.93 5.372 1027.91 63.530 12.115 81.085 3.4% 0.5% 0.0% 0.1% 7.826 1.150 421.575 421.575 9.775 6.175 3.841 1105.033 39.403 16.035 5.263 0.0% 0.0% 0.0% 0.1% 7.826 1.150 421.575<	AKC00901	0.1%	0.4%	1.1%	%0.0	%0.0	1.200	0.312	099:59	0.585	359.598	12.897	5.038	30.878	33.418
1.5% 1.6% 0.1% 0.0% 0.1708 1.371 92.796 4.636 811.596 56.586 11.582 57.472 2.0% 1.3% 0.1% 0.0% 93.108 1.753 116.909 6.150 1021.33 61.179 12.115 81.085 2.0% 1.6% 0.7% 0.0% 0.1% 23.497 1.150 134.938 5.372 1027.910 63.530 15.829 80.059 4.4% 1.5% 0.0% 0.1% 26.267 1.150 96.752 3.841 1105.033 39.403 16.035 35.263 3.4% 0.5% 0.0% 0.1% 7.826 1.126 69.515 1.672 421.575 9.775 6.207 15.40 0.0% 0.0% 0.1% 1.6159 1.409 94.743 1.575 940.605 1.635 35.263 1.5% 1.1% 0.1% 16.159 1.409 94.743 1.542 251.178 11.617 1.417 1.635 1.635	AKC01022	0.1%	5.3%	0.1%	%0.0	%0.0	10.268	1.173	48.959	11.826	3750.508	106.544	220.669	63.517	24.817
2.0% 1.3% 0.1% 0.0% 93.108 1.753 116,909 6.150 1021.332 61.179 12.115 81.085 2.0% 1.6% 0.0% 0.0% 0.1% 23.497 1.150 134.938 5.372 1027.910 63.330 15.829 80.059 4.4% 1.5% 0.2% 0.0% 0.1% 26.267 1.150 96.752 3.841 1105.033 39.403 16.359 80.059 0.0% 0.0% 0.1% 26.267 1.150 96.752 3.841 1105.033 39.403 16.035 35.263 0.0% 0.0% 0.1% 7.826 1.126 69.515 1.672 421.575 9.775 6.207 15.400 11.340 <	AKC00410	1.5%	1.6%	0.1%	%0.0	%0.0	21.708	1.371	92.796	4.636	811.596	56.586	11.582	57.472	462.027
2.0% 1.6% 0.7% 0.0% 0.1% 23.497 1.150 134.938 5.372 1027.910 63.530 15.829 80.059 4.4% 1.5% 0.2% 0.0% 0.1% 26.267 1.516 96.752 3.841 1105.033 39.403 16.035 35.263 3.4% 0.5% 0.0% 0.0% 7.826 1.126 69.515 1.672 421.575 9.775 6.207 15.470 0.0% 0.0% 0.0% 7.826 1.126 69.515 1.672 421.575 9.775 6.207 15.470 0.0% 0.0% 0.0% 1.6159 1.409 94.743 1.542 251.178 21.617 7.412 12.050 1.5% 1.1% 0.0% 0.1% 16.189 1.3092 4.665 940.605 11.942 72.876 0.9% 0.0% 0.1% 21.837 1.143 67.616 3.324 868.197 74.82 11.340 39.875 1.3%	AKC00413	2.0%	1.3%	0.1%	%0.0	%0.0	93.108	1.753	116.909	6.150	1021.332	61.179	12.115	81.085	566.022
4.4% 1.5% 0.2% 0.1% 26.267 1.516 96.752 3.841 1105.033 39.403 16.035 35.263 3.4% 0.5% 0.0% 0.0% 7.826 1.126 69.515 1.672 421.575 9.775 6.207 15.470 0.0% 0.8% 2.3% 0.2% 0.1% 16.159 1.409 94.743 1.542 251.178 21.617 7.412 12.050 1.5% 1.1% 0.1% 0.1% 16.159 1.409 94.743 1.542 251.178 21.617 7.412 12.050 1.5% 0.1% 0.1% 16.159 1.409 94.743 1.542 251.178 21.617 7.412 12.050 2.1% 0.1% 0.1% 21.38 1.393 130.092 4.665 940.605 71.720 11.942 72.876 0.9% 0.0% 0.1% 21.837 1.143 67.616 3.324 868.197 34.872 11.34 87.151 87.171	AKC00416	2.0%	1.6%	0.7%	%0.0	0.1%	23.497	1.150	134.938	5.372	1027.910	63.530	15.829	80.059	490.596
3.4% 0.5% 0.0% 0.0% 7.826 1.126 69.515 1.672 421.575 9.775 6.207 15.470 0.0% 0.8% 2.3% 0.2% 0.1% 16.159 1.409 94.743 1.542 251.178 21.617 7.412 12.050 1.5% 1.1% 0.2% 0.1% 16.159 1.409 94.743 1.542 251.178 21.617 7.412 12.050 1.5% 1.1% 0.1% 0.1% 21.388 1.393 130.092 4.665 940.605 71.720 11.942 72.876 0.9% 0.0% 0.1% 21.837 1.143 67.616 3.324 868.197 34.872 11.340 39.878 1.3% 1.2% 0.0% 0.0% 0.1% 1.340 66.538 6.308 1469.037 68.80 11.340 39.878 1.3% 1.2% 0.0% 0.0% 1.697 1.211 50.610 1.469.358 16.403 8.525 19.157 <td>AKC00327</td> <td>4.4%</td> <td>1.5%</td> <td>0.2%</td> <td>%0.0</td> <td>0.1%</td> <td>26.267</td> <td>1.516</td> <td>96.752</td> <td>3.841</td> <td>1105.033</td> <td>39.403</td> <td>16.035</td> <td>35.263</td> <td>183.772</td>	AKC00327	4.4%	1.5%	0.2%	%0.0	0.1%	26.267	1.516	96.752	3.841	1105.033	39.403	16.035	35.263	183.772
0.0% 0.8% 2.3% 0.2% 0.1% 16.159 1.409 94.743 1.542 251.178 21.617 7.412 12.050 1.5% 1.1% 0.1% 0.0% 0.1% 21.388 1.393 130.092 4.665 940.605 71.720 11.942 72.876 72.876 2.1% 2.0% 0.0% 0.1% 21.388 1.393 130.092 4.665 940.605 71.720 11.942 72.876 72.876 72.876 72.872 <td< td=""><td>AKC00322</td><td>3.4%</td><td>0.5%</td><td>%0.0</td><td>%0.0</td><td>%0.0</td><td>7.826</td><td>1.126</td><td>69.515</td><td>1.672</td><td>421.575</td><td>9.775</td><td>6.207</td><td>15.470</td><td>44.156</td></td<>	AKC00322	3.4%	0.5%	%0.0	%0.0	%0.0	7.826	1.126	69.515	1.672	421.575	9.775	6.207	15.470	44.156
1.5% 1.1% 0.1% 0.0% 0.1% 21.388 1.393 130.092 4.665 940.605 71.720 11.942 72.876 72.876 2.1% 2.0% 0.0% 0.1% 33.526 2.002 79.572 6.751 1037.039 78.895 18.070 92.483 0.9% 0.0% 0.1% 21.837 1.143 67.616 3.324 868.197 34.872 11.340 39.878 7 1.3% 1.2% 0.0% 0.0% 1.697 1.340 66.538 6.308 1469.037 60.800 24.151 68.711 68.711 60.80 24.151 68.721 68.721 67.81 1469.037 60.80 24.151 68.725 19.84 469.358 16.403 8.525 19.157 0.7% 0.7% 0.0% 0.0% 1.138 2.733 60.584 1.264 241.142 10.98 9.867 28.768 1.3% 0.5% 1.7% 0.0% 0.0% 0.0% 0	AKC00386	%0.0	%8.0	2.3%	0.2%	0.1%	16.159	1.409	94.743	1.542	251.178	21.617	7.412	12.050	3.625
2.1% 2.0% 0.2% 0.0% 0.1% 33.526 2.002 79.572 6.751 1037.039 78.895 18.070 92.483 7.883 0.9% 0.6% 0.0% 0.1% 21.837 1.143 67.616 3.324 868.197 34.872 11.340 39.878 7.883 1.3% 1.2% 0.0% 0.0% 16.697 1.340 66.538 6.308 1469.037 60.800 24.151 68.721 4.883 6.308 1469.037 60.800 24.151 68.725 19.157 9.867 19.157 9.867 19.157 9.867 19.157 9.867 19.157 9.867 28.768 19.157 9.867 28.768 19.111 11.128 65.255 1.693 560.285 12.243 9.867 28.768 19.111 0.1% 0.0% 0.0% 0.0% 10.882 0.837 82.389 1.813 560.285 14.016 9.761 19.111 0.1% 0.1% 0.0% 0.0% <td>AKC00412</td> <td>1.5%</td> <td>1.1%</td> <td>0.1%</td> <td>%0.0</td> <td>0.1%</td> <td>21.388</td> <td>1.393</td> <td>130.092</td> <td>4.665</td> <td>940.605</td> <td>71.720</td> <td>11.942</td> <td>72.876</td> <td>537.533</td>	AKC00412	1.5%	1.1%	0.1%	%0.0	0.1%	21.388	1.393	130.092	4.665	940.605	71.720	11.942	72.876	537.533
0.9% 0.6% 0.0% 0.1% 21.837 1.143 67.616 3.324 868.197 34.872 11.340 39.878 2.878 2.88 2.324 868.197 34.872 11.340 39.878 2.878 2.88 2.324 868.197 34.872 11.340 39.878 2.878 2.88 2.112 20.88 1.469.037 60.800 24.151 68.721 68.721 68.721 68.721 68.721 68.721 68.721 68.721 68.721 68.722 19.157 19.111 19.111 19.111 19.111 19.111 19.111 19.111 19.111	AKC00425a	2.1%	2.0%	0.2%	%0.0	0.1%	33.526	2.002	79.572	6.751	1037.039	78.895	18.070	92.483	711.995
1.3% 1.2% 0.0% 0.0% 1.340 66.538 6.308 1469.037 60.800 24.151 68.721 4.69.358 6.308 1469.037 60.800 24.151 68.721 4.69.358 1.244 469.358 16.403 8.525 19.157 0.7% 0.3% 1.7% 0.0% 0.0% 1.138 2.733 60.584 1.264 241.142 10.987 4.549 17.000 1.3% 0.5% 1.7% 0.0% 0.0% 2.111 1.128 65.255 1.693 560.285 12.243 9.867 28.768 0.1% 0.0% 0.0% 0.0% 10.882 0.837 82.389 1.813 568.566 14.016 9.761 12.192 0.1% 0.0% 0.0% 7.232 1.138 83.024 2.602 26.159 24.270 19.111	AKC00425b	%6.0	%9.0	%0.0	%0.0	0.1%	21.837	1.143	67.616	3.324	868.197	34.872	11.340	39.878	283.717
0.7% 0.3% 1.7% 0.0% 0.0% 31.646 1.211 50.610 1.484 469.358 16.403 8.525 19.157 0.7% 0.3% 1.7% 0.0% 0.0% 1.138 2.733 60.584 1.264 241.142 10.987 4.549 17.000 1.3% 0.5% 1.7% 0.0% 0.0% 2.111 1.128 65.255 1.693 560.285 12.243 9.867 28.768 0.1% 0.5% 2.5% 0.0% 0.0% 10.882 0.837 82.389 1.813 568.566 14.016 9.761 12.192 0.1% 0.8% 2.3% 0.0% 7.232 1.138 83.024 2.602 1532.645 26.159 24.270 19.111	AKC00372	1.3%	1.2%	%0.0	%0.0	%0.0	16.697	1.340	66.538	6.308	1469.037	008.09	24.151	68.721	453.623
0.7% 0.3% 1.9% 0.0% 0.0% 1.138 2.733 60.584 1.264 241.142 10.987 4.549 17.000 1.3% 0.5% 1.7% 0.0% 0.0% 2.111 1.128 65.255 1.693 560.285 12.243 9.867 28.768 0.1% 0.5% 2.5% 0.0% 0.0% 10.882 0.837 82.389 1.813 568.566 14.016 9.761 12.192 0.1% 0.8% 2.3% 0.0% 7.232 1.138 83.024 2.602 1532.645 26.159 24.270 19.111	AKC00381	0.7%	0.3%	1.7%	%0.0	%0.0	31.646	1.211	50.610	1.484	469.358	16.403	8.525	19.157	886.76
1.3% 0.5% 1.7% 0.0% 0.0% 2.111 1.128 65.255 1.693 560.285 12.243 9.867 28.768 0.1% 0.5% 2.5% 0.0% 0.0% 10.882 0.837 82.389 1.813 568.566 14.016 9.761 12.192 0.1% 0.8% 2.3% 0.0% 7.232 1.138 83.024 2.602 1532.645 26.159 24.270 19.111	AKC00389	0.7%	0.3%	1.9%	%0.0	%0.0	1.138	2.733	60.584	1.264	241.142	10.987	4.549	17.000	101.302
0.1% 0.5% 2.5% 0.0% 0.0% 10.882 0.837 82.389 1.813 568.566 14.016 9.761 12.192 0.1% 0.8% 2.3% 0.0% 7.232 1.138 83.024 2.602 1532.645 26.159 24.270 19.111	AKC00376	1.3%	0.5%	1.7%	%0.0	%0.0	2.111	1.128	65.255	1.693	560.285	12.243	6.867	28.768	124.170
0.1% 0.8% 2.3% 0.0% 0.0% 7.232 1.138 83.024 2.602 1532.645 26.159 24.270 19.111	AKC00424g	0.1%	0.5%	2.5%	%0.0	%0.0	10.882	0.837	82.389	1.813	568.566	14.016	9.761	12.192	11.739
	AKC00424w	0.1%	0.8%	2.3%	0.0%	%0.0	7.232	1.138	83.024	2.602	1532.645	26.159	24.270	19.111	4.189

Database ID	Zn	As	Rb	Sr	Zr	Nb	Ag	In	Sb	Cs	Ba	La	Ce	Pr
AKC02589	76.772	0.000	78.825	288.377	1413.481	17.513	686.6	0.244	6.144	0.305	1162.263	90.647	143.022	14.652
AKC02519	18.256	1.187	49.695	246.792	456.225	7.165	0.418	0.019	0.127	0.570	629.339	24.008	40.424	5.029
AKC02585	29.505	2.229	65.514	183.739	716.317	10.252	0.580	800.0	0.435	0.590	671.876	30.035	48.500	5.700
AKC02584	21.111	1.159	76.801	175.542	770.425	10.327	0.446	0.022	0.190	0.489	640.243	28.853	48.029	5.434
AKC02590	16.326	1.740	41.874	170.191	684.014	9.025	0.430	0.008	0.307	0.487	593.135	26.667	42.344	5.110
AKC02591	24.758	3.241	47.641	245.557	482.664	13.089	0.206	0.020	0.194	0.582	711.319	40.946	64.849	7.218
AKC02587	69.106	0.000	30.962	344.147	139.824	1.607	0.217	0.145	0.203	0.217	1624.025	16.668	116.386	4.022
AKC02588	68.777	0.000	39.071	421.758	338.442	6.091	0.293	0.077	0.324	0.293	1784.270	20.005	106.674	4.649
AKC02586	67.266	0.000	33.855	414.075	249.635	3.397	1.155	0.278	2.722	0.469	1880.277	14.667	99.380	3.437
AKC02594b	186.69	0.000	37.790	444.652	162.546	3.416	0.216	0.399	696.0	0.250	150.288	7.560	14.819	2.069
AKC02595	58.732	5.005	21.749	402.481	217.790	4.990	1.070	0.495	1.418	0.263	202.190	11.239	20.749	2.968
AKC02592	70.734	0.000	18.238	645.492	80.205	1.372	9.870	0.208	35.348	0.332	472.172	6:639	12.845	1.529
AKC02594y	183.694	233.927	121.746	476.144	195.680	3.966	0.369	1.776	2.050	0.642	877.652	12.570	27.385	3.462
AKC02593	47.829	0.000	236.180	507.586	282.035	3.955	6.755	0.000	0.473	1.154	1195.624	11.396	31.953	2.995
AKC02596	76.683	5.621	50.952	315.670	712.438	9.367	6.344	0.380	1.895	0.797	264.867	31.049	43.696	6.926
AKC02057	25.945	97.948	117.303	155.632	72.122	2.463	1.478	0.208	1.656	0.619	255.277	9.406	19.683	2.241
AKC02039	15.073	171.616	130.737	34.033	102.699	2.211	0.842	0.147	1.166	869.0	140.418	9.801	18.829	2.235
AKC02043	19.382	47.354	19.336	98.344	67.345	1.478	0.900	0.107	1.056	0.616	104.979	10.292	20.769	2.316
AKC02038	14.301	35.469	120.887	88.123	71.887	1.953	0.674	0.054	0.800	1.191	226.873	699.6	17.878	2.293
AKC02045	57.847	52.698	46.418	329.904	414.755	6.585	16.776	0.361	14.696	0.525	604.112	20.788	38.903	4.483
AKC02046	160.741	190.225	46.488	425.852	287.088	6.955	58.571	889'0	666'02	0.358	512.889	23.534	48.694	5.539
AKC02047	16.956	22.677	39.569	298.033	565.511	8.402	3.294	0.000	1.635	0.255	1080.149	30.343	47.809	5.436
AKC02050	23.424	14.329	44.218	294.387	546.755	7.334	3.024	0.458	3.173	0.481	681.447	22.300	38.022	4.626
AKC02048	31.394	33.342	43.203	360.169	521.143	7.038	22.051	0.242	13.514	0.279	1348.387	30.781	48.887	5.471
AKC02052	32.195	4.499	35.902	179.784	949.053	23.184	0.315	0.167	0.624	0.222	443.305	42.395	78.923	9.449

	5.130	L	583 4.387																							
-	22.754 35.794		1.154 35.585																							
698 532 27 75		378.262 19.154		1294.839 30.19							_	_						 			 					
0.444		0.471	0.752		0.959	0.959	0.959	0.959 0.459 0.151 0.237	0.959 0.459 0.151 0.237 0.146	0.959 0.459 0.151 0.237 0.239	0.959 0.459 0.151 0.237 0.146 0.239	0.959 0.459 0.151 0.237 0.239 0.202	0.959 0.459 0.151 0.237 0.239 0.202 0.247	0.959 0.459 0.151 0.237 0.239 0.202 0.247 5.894	0.959 0.151 0.137 0.146 0.239 0.247 5.894 0.218	0.959 0.459 0.151 0.137 0.239 0.239 0.247 5.894 0.218 0.218	0.959 0.459 0.151 0.146 0.239 0.247 5.894 0.218 0.238	0.959 0.459 0.151 0.237 0.239 0.202 0.247 5.894 0.218 0.218 0.238 0.238	0.959 0.459 0.151 0.237 0.239 0.202 0.247 5.894 0.218 0.218 0.238 0.238 0.124 1.162	0.959 0.459 0.151 0.237 0.146 0.239 0.247 5.894 0.218 0.218 0.238 0.124 1.162 0.674 2.947	0.959 0.459 0.151 0.137 0.146 0.239 0.202 0.247 5.894 0.218 0.238 0.124 1.162 0.674 2.947 2.986	0.959 0.459 0.151 0.237 0.239 0.247 5.894 0.218 0.238 0.124 1.162 0.674 2.947 2.986 2.326	0.959 0.459 0.151 0.146 0.237 0.247 5.894 0.218 0.238 0.238 0.124 1.162 0.674 2.947 2.986 2.253 0.555	0.959 0.459 0.151 0.237 0.146 0.239 0.202 0.247 5.894 0.218 0.124 1.162 0.674 2.947 2.986 2.253 0.555	0.959 0.459 0.151 0.137 0.146 0.239 0.238 0.247 5.894 0.218 0.238 0.124 1.162 0.674 2.947 2.986 2.326 2.253 0.555	0.959 0.151 0.151 0.146 0.237 0.247 5.894 0.218 0.124 1.162 0.674 2.986 2.986 2.253 0.255 0.464 0.250
8 0.611 3 40.215			068.0 9	5 6.305	l	8 666.917																				
00 0.108 37 0.193			24 0.086	99 0.605	0.108	_	0.035								 											
6.582 0.600		54 2.337	96 5.224	114 1.168	578 42.003		0.213 37.055																			
		305.136 4.954	.162 7.196	192.736 7.314	829.0 908.6		4.051 0.21			+	+ + +	+ 10														
3.676 229.161		.830	9.355 559.162	.664	924	170	/38	524			738 524 528 3302 1 349	7.58 5.24 2.58 3.02 3.49 0.79	7.58 5.24 2.58 3.02 3.49 0.079	7.38 5.24 3.02 3.49 0.79 8.33 5.56	7.38 2.58 3.02 3.02 0.079 8.833 1.167	524 258 302 302 079 833 556 556 729	738 524 258 302 302 079 079 833 556 1167 729	524 258 302 302 349 079 833 556 729 729 533	7.38 5.24 2.58 3.30 0.07	524 258 302 302 349 079 833 556 556 729 729 533 533	738 524 258 302 079 079 167 729 729 729 729 729 644	524 524 302 302 303 349 079 833 556 167 729 729 729 729 729 729 729 72	7.38 5.24 3.302 3.49 0.079 8.833 5.56 1.167 7.29 7.29 1.96 6.44 8.81 8.81 8.83 8.	7.38 524 3.302 3.49 0.079 8833 5.56 1.167 7.29 1.96 644 1.80 600	524 524 302 302 302 303 349 607 607 607 607 600 600 600	7.38 3.302 3.302 3.302 3.349 0.079 8.33 5.556 1.167 7.729 1.167 5.533 1.160 6.600 6.600 6.600 8.832 3.15
2	478	47.320 280.8	55.243 339.3	71.271 524.6	10.150 34.9	6.186 30.7		12.	12.	12. 27. 319	12. 27. 319 458	12. 27. 319 458 568	12. 27. 27. 319 458 458 568 568 1 93.	12 27 319 458 568 568 93 318	12 27 319 458 568 568 93 318 318	2727319 319 458 568 568 93318 109	27 27 319 458 568 568 93 269 109	27.2 27.2 319 458 568 568 93. 318 269 109 1106	27 27 319 458 568 568 93 109 109 102 102	27.2 27.2 319 458 568 568 93.3 109 109 102 102 22.	27 27 319 458 568 93 318 109 109 102 22 28 28 28 28 28 107	27.2 27.2 319 458 568 93.3 318 269 109 102 102 22. 22. 28. 28.	27 27 319 458 568 93 318 109 109 100 102 22 28 28 28 28 28 28 26 27 27 28 26 27	27 27 319 458 568 568 93 318 109 109 102 126 102 126 102 17 28 28 28 28 28 28 28 26 27	27 27 27 319 458 568 568 93 109 109 109 102 22 28 28 28 28 28 473 473	27 27 319 458 568 568 93 318 109 109 102 102 22 28 28 28 28 28 28 318 473 146
12.635 37.387		172.402 47.	5.382 55.	7.521 71.	475.625 10.	305.824 6.1		3876.36 19.							 	 	 	+ + + + + + + + + + + + + + + + + + + +	 	 	 	 	 			
		18.019 172.	36.352 5.3	52.988 7.5	87.780 475.	81.516 305.				+ +			 	- 	 	 	- 	- 								
							135 50 090				- - - - - - - - - 	 		 	 	 	 	 	 	 	 	 	 	 		
	AKC02051	AKC02032	AKC02034	AKC02037	AKC02031	AKC02033	A K C 0 2 0 3 5	OTO CALL	AKC02053	AKC02049 AKC02049	AKC02053 AKC02049 AKC02054	AKC02049 AKC02049 AKC02054 AKC02064	AKC02049 AKC02049 AKC02044 AKC02044 AKC02036	AKC02053 AKC02049 AKC02044 AKC02036 AKC02036 AKC02036	AKC02035 AKC02049 AKC02044 AKC02036 AKC02036 AKC02036 AKC02055	AKC02053 AKC02049 AKC02044 AKC02036 AKC02036 AKC02055 AKC02056	AKC02053 AKC02049 AKC02044 AKC02036 AKC02036 AKC02058 AKC02059 AKC02059	AKC02053 AKC02049 AKC02044 AKC02036 AKC02055 AKC02056 AKC02056 AKC02058 AKC02058	AKC02053 AKC02044 AKC02044 AKC02036 AKC02036 AKC02055 AKC02056 AKC02058 AKC02058 AKC02058	AKC02053 AKC02044 AKC02044 AKC02036 AKC02055 AKC02056 AKC02058 AKC02058 AKC02058 AKC02058	AKC02053 AKC02044 AKC02044 AKC02036 AKC02036 AKC02055 AKC02058 AKC02058 AKC00727 AKC00727 AKC00729 AKC00729	AKC02053 AKC02054 AKC02054 AKC02036 AKC02036 AKC02056 AKC02058 AKC02058 AKC00727 AKC00728 AKC00728 AKC00728 AKC00728 AKC00728	AKC02053 AKC02044 AKC02044 AKC02036 AKC02055 AKC02056 AKC02056 AKC02057 AKC00727 AKC00727 AKC00727 AKC006728	AKC02053 AKC02054 AKC02054 AKC02036 AKC02036 AKC02058 AKC02058 AKC00727 AKC00728 AKC00728 AKC00728 AKC00728 AKC00728 AKC00650 AKC00650 AKC00650 AKC00650 AKC00650 AKC00650	AKC02053 AKC02054 AKC02054 AKC02036 AKC02055 AKC02056 AKC02057 AKC00727 AKC00729 AKC00729 AKC00729 AKC00729 AKC00729 AKC00729 AKC00729 AKC00729 AKC00729 AKC000630 AKC000630	AKC02053 AKC02054 AKC02054 AKC02036 AKC02036 AKC02058 AKC02058 AKC00728 AKC00728 AKC00728 AKC00650 AKC00650 AKC00650 AKC00603

Pr	3.717	4.693	3.450	4.476	2.982	7.182	6.065	5.909	5.069	4.272	5.339	6.187	4.414	5.577	7.142	6.200	7.988	6.638	7.075	892.9	7.626	6.379	7.535	7.413	3.630	3.702	844
Ce	926.99	65.954	30.322	45.137	74.865	61.249	39.041	45.878	139.859	152.400	37.100	59.070	35.215	50.581	60.412	50.656	65.241	50.114	56.943	55.410	63.853	52.351	61.441	61.134	31.312	93.217	
La	15.561	19.792	16.472	20.024	11.343	34.315	23.173	25.022	19.428	11.801	22.883	35.845	20.597	30.508	31.283	28.077	34.476	28.843	30.451	29.606	33.167	28.536	32.529	32.751	14.629	13.367	
Ba	1840.400	1017.858	443.089	867.403	799.228	649.771	725.891	483.296	1563.852	3313.787	1033.491	1628.930	711.537	480.967	635.034	595.902	683.236	607.024	636.646	635.519	661.375	588.576	680.174	683.802	396.490	888.524	
Cs	4.036	0.582	0.362	0.302	1.424	0.379	1.413	1.011	0.779	3.599	0.369	0.313	0.430	0.445	959.0	0.546	0.513	0.757	0.532	0.530	0.516	0.529	0.731	0.749	7.065	2.060	
qs	1.121	9.319	8.849	4.576	1.775	0.291	6.202	73.339	1.925	3.751	0.237	1.256	4.854	1.049	93.645	4.966	184.487	15.266	123.717	7.753	94.420	8.139	131.166	8.324	15.819	0.824	
In	0.095	0.262	0.315	0.297	0.058	0.073	1.020	0.652	869.0	4.097	2.207	0.078	0.081	0.131	0.127	0.052	0.232	0.073	0.717	0.117	2.287	0.100	0.237	0.126	1.013	0.109	
Ag	0.095	0.262	0.315	0.297	0.058	0.073	1.020	0.652	869.0	4.097	2.207	0.078	0.081	0.131	0.127	0.052	0.232	0.073	0.717	0.117	2.287	0.100	0.237	0.126	1.013	0.109	
NP	1.025	48.976	16.246	28.215	0.826	0.365	8.491	17.638	0.800	2.842	1.590	3.999	992.6	1.567	33.331	31.281	40.605	61.032	42.778	68.469	899.69	79.902	39.378	66.085	12.935	0.509	
Zr	4.771	6.113	5.844	8.219	3.569	15.297	8.518	7.517	6.574	2.790	4.190	6.353	6.476	7.491	6.777	965.9	7.198	8.476	6.622	956.9	7.017	6.784	6.811	7.429	7.225	3.447	
Sr	155.045	461.675	350.189	478.078	106.825	685.429	556.381	627.224	287.410	31.453	277.525	392.411	487.822	573.916	333.405	392.283	371.208	555.239	343.353	386.915	415.536	420.575	371.368	420.354	46.367	107.822	
Rb	51.314	318.020	258.405	496.556	33.807	308.157	283.500	262.798	443.158	126.897	569.198	381.951	256.852	177.549	473.341	438.256	514.604	361.186	489.118	454.700	476.879	417.698	507.511	484.108	75.505	37.914	
As	384.461	44.284	29.660	30.256	317.710	54.090	58.945	39.805	21.410	113.818	35.381	77.771	38.070	28.127	49.045	46.906	40.091	38.296	54.332	48.388	41.202	42.055	60.639	59.304	163.316	310.462	
Zu	14.300	22.489	41.384	13.262	3.360	4.928	9.431	104.231	7.011	2.692	3.003	8.312	7.018	33.768	327.784	16.468	250.373	31.196	295.153	13.255	226.777	21.660	282.214	14.288	250.569	4.607	
Database ID	AKC02006	AKC02007	AKC02008	AKC02009	AKC02010	AKC02012	AKC02013	AKC02014	AKC02015	AKC02016	AKC02019	AKC02020	AKC02021	AKC02022	AKC020230	AKC02023r	AKC020240	AKC02024r	AKC020250	AKC02025r	AKC020260	AKC02026r	AKC020270	AKC02027r	AKC02028	AKC02029	

Pr	3.963	6.022	5.240	2.467	2.018	2.429	9.642	6.546	5.504	5.140	4.759	5.108	2.618	995.9	9.409	3.433	5.848	5.382	7.053	5.098	4.938	3.319	5.538	5.865	6.848	7.554
Ce	37.794	47.832	50.914	37.338	16.955	60.879	82.468	52.024	40.902	42.311	39.805	40.724	27.720	55.499	80.428	29.153	49.098	45.636	59.199	43.730	46.997	29.398	46.299	48.428	57.535	61.031
La	16.654	28.281	24.733	10.543	8.270	8.814	45.460	30.030	24.221	24.250	22.930	23.729	12.360	33.510	44.982	18.070	25.690	25.857	33.358	23.323	29.037	15.911	26.672	27.637	30.065	32.499
Ba	407.728	812.586	841.265	984.405	53.565	754.453	1203.430	911.943	671.729	898.059	610.950	628.054	926.262	982.288	640.035	1488.038	526.481	660.122	686.236	650.211	1709.173	620.379	773.110	740.542	806.708	622.557
Cs	6.883	0.797	0.464	0.560	1.681	0.759	0.789	0.523	0.727	0.771	0.517	0.897	1.600	0.797	0.278	0.405	0.765	2.114	999.0	2.929	0.532	0.949	0.505	0.564	0.524	0.552
Sb	11.618	4.223	8.587	0.542	20.752	1.595	72.283	0.788	1.732	7.081	6.561	1.150	5.858	4.780	78.429	7.893	1.110	1.032	1.908	1.326	0.132	2.615	0.301	2.446	284.561	344.099
In	0.568	0.283	0.137	1.521	0.598	0.093	0.820	0.371	1.061	0.283	0.321	0.257	0.129	1.004	0.352	0.093	0.279	0.300	0.248	0.287	0.032	0.084	0.070	0.103	0.352	0.529
Ag	0.568	18.866	8.072	16.857	12.347	1.004	63.158	3.655	7.924	19.066	18.273	7.249	3.155	22.517	141.297	4.042	3.776	6.459	9.871	6.842	0.884	6.783	2.268	4.923	25.231	31.774
Nb	13.042	9.818	8.522	13.546	5.407	4.285	14.076	8.607	6.742	6.805	6.580	7.356	8.398	6.097	13.463	5.448	6.442	9.499	12.484	9.137	6.204	902.9	6.700	6.617	7.011	7.284
Zr	7.502	355.046	414.060	246.428	122.923	99.619	529.807	432.308	391.177	550.775	528.742	377.754	355.433	598.336	574.782	419.679	314.364	517.690	677.745	371.974	580.278	470.376	442.605	400.065	354.029	372.505
Sr	58.414	277.305	357.307	248.194	9.940	140.025	409.651	331.792	288.844	305.151	291.600	300.005	360.929	234.697	267.437	377.981	301.334	373.353	329.656	294.034	379.112	277.141	404.728	377.416	459.345	473.073
Rb	89.540	54.420	32.833	72.029	409.478	120.091	84.980	51.517	48.988	43.367	43.187	092.09	57.991	42.541	54.002	48.191	42.433	44.250	49.191	78.613	54.014	37.949	62.773	61.061	44.198	48.461
As	157.243	36.995	5.915	0.000	127.876	17.513	79.459	6.863	3.138	15.549	18.131	1.710	9.562	12.668	264.909	33.731	6.320	1.108	3.389	3.407	3.245	5.918	0.000	1.261	1734.23	1775.15
Zn	237.686	62.041	73.459	34.053	15.605	42.823	369.402	82.517	37.383	118.711	106.770	82.331	57.454	55.728	84.439	25.541	55.197	191.327	156.039	130.406	23.835	89.747	24.488	22.059	145.498	152.125
Database ID	AKC02030	AKC01924	AKC01922	AKC01920	AKC01912	AKC01913	AKC01919	AKC00224	AKC00121	AKC00105	AKC00214	AKC00214b	AKC00090	AKC00080	AKC00069	AKC00291	AKC00087	AKC00081	AKC00116	AKC00115	AKC00095	AKC00118	AKC00240	AKC00245	AKC00254r	AKC002540

Database ID	Zn	As	Rb	Sr	Zr	Nb	Ag	In	Sb	Cs	Ba	La	Ce	Pr
AKC00284	39.363	153.251	46.474	486.962	267.947	6.186	4.006	0.202	20.134	0.486	645.651	28.679	51.649	6.376
AKC00223	36.989	986.8	52.648	358.234	352.371	9.904	7.525	0.082	909.9	0.615	833.180	29.111	47.463	6.219
AKC00221	16.992	3.616	44.163	297.128	504.870	6.421	4.698	0.024	1.625	0.414	652.798	22.651	39.578	5.015
AKC00220	49.661	4.678	65.212	333.529	1111.140	13.429	7.300	0.093	3.874	0.530	916.863	26.677	86.468	8.988
AKC00122	39.116	20.333	60.203	338.840	551.244	7.067	6.234	0.112	3.547	0.505	1214.765	27.522	45.055	4.968
AKC00278	2346.79	99.872	77.367	284.209	511.024	11.044	114.273	2.852	77.803	1.259	580.298	53.969	72.306	12.889
AKC00277	188.920	478.500	75.025	284.014	483.141	11.364	44.039	5.459	96.105	1.549	514.915	51.295	72.260	12.230
AKC00057	23.126	909.6	331.995	45.953	36.713	2.947	2.351	0.115	7.735	2.512	169.515	4.571	8.747	0.953
AKC00058	20.022	12.359	356.214	43.279	37.521	3.108	2.267	0.122	8.469	2.603	176.606	4.603	8.826	1.052
AKC00059	35.027	1.920	408.663	56.307	122.860	4.623	0.424	0.091	1.197	1.745	1042.662	16.738	111.019	4.489
AKC00117	56.532	0.348	23.155	500.160	209.912	5.657	0.565	0.394	12.927	0.819	259.887	11.735	21.293	2.463
AKC01651	000.69	11.330	34.000	164.200	468.000	10.000	4.620	0.130	1.000	086.0	748.000	26.000	44.000	5.900
AKC01652	34.000	008.9	45.000	527.700	406.000	8.000	5.270	1.110	1.000	0.710	811.000	33.000	58.000	7.700
AKC01658	20.000	5.350	47.000	335.600	675.000	7.000	1.110	0.190	1.000	0.510	820.000	28.000	50.000	000.9
AKC01677	54.000	22.850	43.000	374.200	222.000	7.000	5.420	1.050	1.000	0.710	517.000	26.000	44.000	000.9
AKC01679	53.870	78.330	44.370	426.330	395.110	7.040	14.610	0.700	0.500	0.750	617.120	31.750	53.220	6.630
AKC01685	50.000	41.120	73.000	537.300	227.000	8.000	3.210	0.350	22.000	0.700	713.000	35.000	000.99	7.800
AKC01683	75.480	20.460	37.710	189.710	813.690	9.160	6.190	0.160	1.080	0.770	988.260	26.900	40.120	5.940
AKC01686	128.000	39.700	53.000	546.400	369.000	8.000	17.860	0.290	13.000	0.610	742.000	35.000	000.89	7.800
AKC01688	26.000	19.430	47.000	227.200	881.000	13.000	5.840	0.470	3.000	1.270	853.000	41.000	64.000	7.700
AKC01692	62.000	30.870	51.000	339.200	471.000	8.000	3.110	0.100	5.000	1.150	000'889	26.000	45.000	5.500
AKC01696	63.000	79.630	72.000	425.600	361.000	8.000	17.220	0.180	10.000	1.060	805.000	29.000	51.000	6.200
AKC01697	39.000	7.530	41.000	330.700	245.000	7.000	6.610	0.350	0.000	0.950	489.000	31.000	000.09	7.400
AKC01699	28.000	6.200	51.000	340.000	532.000	7.000	0.930	0.270	1.000	0.500	916.000	24.000	44.000	5.400
AKC01702	19.400	6.650	31.170	383.330	341.960	3.980	0.460	0.150	3.010	0.430	662.610	21.620	37.000	4.530
AKC01722	29.000	3.130	39.000	361.400	409.000	5.000	096.0	0.160	3.000	069'0	1377.000	21.000	39.000	4.500

Pr	008.9	6.200	5.100	4.560	5.300	7.200	5.300	008.9	6.500	4.600	7.200	6.500	4.900	000.9	5.900	5.800	5.700	3.500	5.500	6.490	6.910	7.170	6.100	847
Ce	52.000 6	54.000 6	41.000 5	36.710 4	42.000 5	63.000 7	43.000 5	53.000 6	51.000 6	39.000 4	54.000 7	52.000 6	40.000 4	48.000 6	43.000 5	45.000 5	44.000 5	28.000 3	44.000 5	53.820 6	9 005.95	57.560 7	47.950 6	
La	31.000 5	31.000 5	24.000 4	18.460 3	23.000 4	36.000 6	24.000 4	31.000 5	30.000 \$	22.000 3	32.000 5	30.000 5	23.000 4	27.000 4	29.000 4	27.000 4	26.000 4	16.000 2	26.000 4	30.950 5	31.330 5	32.060 5	25.870 4	
Ва	853.000	821.000	000.986	271.700	494.000	1278.000	751.000 2	891.000	835.000	1394.000	000.688	849.000	776.000	863.000	847.000	622.000	348.000	719.000	838.000	662.600	604.870	580.200	530.990	
Cs	0.850 8	0.420	0.590	0.390 2	0.470 4	0.560	0.490	8 0.850	8 099.0	0.440	8 008.0	8 068.0	0.450 7	0.480	0.750	0.260	1.000	0.650 7	0.530	0.560	0.700	0.730 \$	099.0	
Sb	2.000	1.000	1.000	4.920	0.000	28.000	11.000	4.000	5.000	4.000	1.000	0.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	1.030	20.970	16.600	0.220	
In	0.070	0.200	0.160	0.280	0.030	0.100	0.250	0.130	090.0	0.150	0.170	090.0	0.240	0.040	0.110	0.050	0.030	0.200	0.030	1.190	0.280	0.580	0.080	
\mathbf{Ag}	0.560	3.440	0.770	15.190	0.940	14.090	1.540	0.620	069.0	0.800	0.540	0.590	7.300	0.490	0.880	0.280	0.310	3.610	0.470	4.240	24.520	14.820	0.270	
NP	8.000	8.000	5.000	5.400	000.9	12.000	000.9	8.000	8.000	5.000	8.000	000.9	000.9	7.000	8.000	000.9	10.000	4.000	7.000	7.000	7.370	7.040	00009	
Zr	558.000	355.000	410.000	465.860	284.000	870.000	523.000	463.000	542.000	425.000	404.000	456.000	405.000	452.000	459.000	235.000	744.000	411.000	468.000	380.510	398.190	401.440	373.300	
Sr	335.100	589.000	492.900	260.420	309.000	176.300	319.900	320.800	330.400	378.700	322.200	614.000	332.500	391.800	328.100	435.000	200.800	342.000	381.200	464.290	378.900	402.290	372.700	
Rb	23.000	45.000	41.000	37.680	32.000	145.000	44.000	49.000	50.000	39.000	48.000	38.000	46.000	53.000	62.000	44.000	30.000	47.000	51.000	45.910	42.360	46.740	37.970	
As	8.030	2.690	7.400	20.830	5.190	26.320	10.610	4.460	10.060	3.810	14.240	6.500	4.880	3.360	9.700	4.950	8.060	25.190	4.930	31.630	104.970	118.540	13.300	
uZ	27.000	39.000	31.000	99.140	30.000	37.000	29.000	39.000	23.000	26.000	34.000	41.000	21.000	27.000	27.000	22.000	30.000	100.000	25.000	56.970	71.360	47.510	23.300	
Database ID	AKC01724	AKC01726	AKC01727	AKC01729	AKC01731	AKC01731 bla	AKC01731 blb	AKC01731 blc	AKC01731 bld	AKC01731 ble	AKC01731 green	AKC01734	AKC01738	AKC01742	AKC01744	AKC01752	AKC01773	AKC01774	AKC01775	AKC01779	AKC01779y	AKC01780	AKC01790	

Database ID	Zn	As	Rb	Sr	Zr	Nb	Ag	In	Sb	Cs	Ва	La	Ce	Pr
AKC01791	38.450	4.400	54.980	259.630	579.350	16.530	0.290	090.0	0.160	0380	693.170	46.030	81.460	9.570
AKC01808	23.330	7.420	87.240	303.620	572.430	090'9	2.070	0.240	0.720	0.450	1065.760	25.760	44.120	5.600
AKC01695	35.022	4.032	13.012	444.301	183.749	5.410	0.346	0.442	0.730	0.161	147.272	8.084	16.571	2.113
AKC01700 black	36.655	4.402	22.928	660.675	84.933	3.069	0.932	0.210	0.209	0.640	263.406	5.946	11.351	1.405
AKC01700	43.034	2.440	31.071	679.152	82.713	3.058	2.300	0.039	0.242	0.586	267.430	6.037	12.137	1.403
AKC00443	36.500	11.497	31.823	306.350	139.975	2.710	0.374	0.054	0.162	0.443	2107.270	11.991	95.690	3.124
AKC00452	20.290	0.000	160.479	12.063	62.859	2.720	58.842	0.272	3.678	1.405	93.996	8.248	20.326	1.939
AKC00464	57.261	4.337	346.065	55.756	71.824	3.609	0.451	0.070	0.739	1.763	1084.759	10.542	33.785	3.024
AKC00466	41.066	0.000	34.086	300.962	75.335	2.263	0.292	0.038	0.302	0.339	1706.508	12.280	83.521	2.787
AKC00473	41.635	0.000	224.506	89.274	29.034	2.398	0.508	0.038	0.102	0.922	3231.791	14.560	318.584	5.512
AKC00485	18.723	0.000	114.523	82.732	39.099	1.986	0.350	0.046	0.125	0.532	1378.694	11.182	218.499	3.237
AKC00487	43.842	0.000	218.566	88.477	29.197	2.366	0.504	0.033	0.261	0.838	2853.589	15.063	320.473	5.561
AKC00516	24.858	0.000	288.538	25.146	123.269	4.434	0.279	0.024	0.332	1.845	653.534	12.901	91.711	3.829
AKC00541	27.359	0.000	284.101	25.786	124.221	4.237	0.302	0.035	0.457	1.849	683.025	13.363	94.290	3.785
AKC00545	34.119	0.000	320.463	67.361	111.969	3.966	0.278	0.137	1.608	3.037	1011.107	12.203	94.070	3.263
AKC00550	62.395	0.000	34.335	632.926	187.344	2.779	2.473	0.077	898.8	0.425	654.255	15.261	42.251	3.189
AKC00564	48.247	0.000	314.536	51.362	82.311	3.772	0.180	0.059	0.540	2.415	1164.802	9.518	26.799	2.243
AKC00569	47.396	16.688	540.308	31.400	209.406	6.985	3.638	0.857	4.539	4.912	66 <i>L</i> .77	13.455	26.165	3.021
AKC00572	45.701	0.000	371.688	56.344	80.648	4.092	0.302	0.084	1.025	1.508	1000.129	10.663	21.942	2.543
AKC00573	101.997	0.000	316.988	33.450	103.991	3.921	0.346	0.048	1.044	1.708	1304.282	15.095	151.716	4.203
AKC00579	27.936	0.000	207.789	44.107	13.219	0.984	0.225	680.0	1.919	0.916	2336.463	2.995	8.634	0.891
AKC00596	52.748	0.000	200.386	81.146	21.609	1.907	0.762	0.036	0.438	678.0	1771.015	11.647	254.898	4.340
AKC00597	37.312	0.000	292.425	59.029	109.443	4.007	0.183	0.1111	0.716	3.312	653.046	9.848	51.420	2.517
AKC00605	27.910	0.000	117.543	87.091	42.377	2.216	0.668	0.076	0.891	955.0	1549.172	11.585	193.952	3.755
AKC00624	37.671	0.000	219.486	85.680	28.898	2.096	0.443	0.035	0.161	622.0	3099.756	17.151	356.008	5.692

AKC00628 22.033 AKC00630 46.270 AKC00632 25.509				i		0		30		Ба	Là	Ce	ΓĽ
	033 0.000	269.364	21.906	51.559	2.072	0.810	0.036	0.612	2.429	20.965	7.115	15.348	1.547
	46.270 4.885	413.988	092.99	188.696	7.173	2.117	0.291	2.506	4.491	803.547	15.627	94.633	4.052
	25.509 0.000	446.842	20.820	151.765	5.109	0.309	0.041	0.345	2.224	1751.133	15.250	51.909	3.725
AKC00633 47.	47.730 3.182	543.120	43.379	57.546	4.200	0.230	0.045	0.334	3.737	925.742	10.042	19.704	2.739
AKC00634 34.	34.496 0.000	82.391	118.833	24.340	1.541	4.949	0.028	0.186	0.236	1824.729	6.212	20.422	1.518
AKC00641 26.2	26.292 14.065	5 147.057	112.959	82.633	2.929	996.0	0.072	0.974	2.583	286.265	11.137	23.204	2.578
AKC00662 31.7	31.706 0.000	22.700	345.953	123.965	3.838	0.813	0.144	0.308	0.134	1913.763	16.321	146.381	3.994
AKC00672 44.	44.112 0.000	556.022	46.816	55.342	3.410	0.249	990.0	0.303	2.887	1013.058	9.717	19.654	2.278
AKC00677 49.8	49.885 0.000	52.426	345.332	58.378	3.244	95.578	0.061	0.404	3.150	1840.586	15.012	142.244	4.102
AKC00683 35.911	911 0.000	25.411	367.175	129.042	4.220	1.108	0.041	0.200	0.121	2052.256	17.276	158.599	4.296
AKC00686 73.	73.733 0.000	381.870	66.442	790.67	4.381	0.264	0.041	0.795	1.674	1083.681	12.388	24.304	2.925
AKC00689 41.2	41.207 0.000	568.068	46.595	969.89	4.226	1.031	0.381	0.410	3.244	1125.399	11.725	24.671	2.896
AKC00726 9446.67	6.67 1.293	21.094	243.662	28.050	0.568	0.114	0.046	0.431	0.444	9862.367	2.639	5.019	0.618
AKC0733 39.8	39.859 4.662	26.665	286.393	64.013	2.892	408.485	0.535	1.031	0.878	1693.070	11.052	71.266	3.045
AKC0734 28.	28.713 8.629	40.842	343.064	50.122	2.729	2.099	0.168	0.449	0.427	1923.084	13.021	132.183	3.316
AKC0735 43.0	43.000 4.630	28.000	337.800	125.000	4.000	6.500	0.150	1.000	0.530	2167.000	16.000	142.000	4.100
AKC0736 19.0	19.000 6.840	312.000	16.400	43.000	2.000	0.710	0.150	2.000	1.980	15.000	5.000	11.000	1.500
AKC0737 51.0	51.000 3.950	200.000	83.700	17.000	2.000	0.140	0.020	0.000	2.350	1513.000	7.000	31.000	2.000
AKC0738 44.0	44.000 16.190) 181.000	72.900	24.000	2.000	0.470	0.030	1.000	0.560	2803.000	14.000	303.000	5.000
AKC0739 72.0	72.000 6.470	93.000	74.700	73.000	3.000	0.230	0.040	1.000	1.650	1828.000	000.9	12.000	1.600
AKC0740 47.0	47.000 6.350	200.000	82.000	23.000	2.000	0.670	0.040	000'0	0.820	3191.000	12.000	293.000	4.700
AKC0741 28.0	28.000 51.220) 26.000	88.600	82.000	2.000	3.440	0.140	2.000	1.530	109.000	11.000	24.000	2.500
AKC0742 50.7	50.799 6.183	215.417	124.198	18.716	1.321	0.437	0.026	0.185	0.711	2229.493	11.283	147.018	3.938
AKC0743 42.	42.428 5.382	187.223	88.439	20.723	1.716	0.501	0.055	0.401	0.522	1877.171	12.435	266.724	5.028
AKC0744 48.	48.478 4.289	220.680	90.383	22.246	1.767	0.822	0.034	0.290	0.700	2058.634	12.296	265.150	4.912
AKC0745 42.	42.400 9.855	198.399	88.033	20.078	2.297	0.712	0.041	0.320	0.754	1998.688	12.304	276.935	5.064

Pr	4.123	1.729	2.500	3.044	2.305	161	2.440	2.400	141	5.584	5.200	3.000	2.457	5.240	5.494	6.672	2.014		171	3.858	1.566	2.136	680	11	3.065	850
Ь		1.7	2.5	3.0	2.3	2.091	2.4	2.4	6.041			3.0	2.4				2.0		3.071	3.8		2.1	686.0	4.111		
Ce	153.270	18.689	22.000	37.917	21.699	19.117	20.419	23.000	45.913	311.314	168.000	26.000	21.878	280.829	312.497	378.858	17.174		95.136	107.621	15.606	84.901	8.609	33.605	27.457	
La	13.341	5.295	10.000	14.074	11.037	9.714	10.895	11.000	25.989	13.621	16.000	12.000	10.950	17.620	19.273	21.919	8.622		11.288	13.464	7.026	7.563	4.630	19.783	13.396	
Ba	1528.023	5332.095	1386.000	709.487	436.405	142.076	173.374	139.000	946.028	2375.314	1644.000	1462.000	104.461	2471.604	2770.028	3138.098	1070.397		998.424	987.372	686.56	1424.050	94.065	640.992	1275.099	
Cs	0.625	0.580	3.200	0.883	0.217	0.446	0.848	2.510	0.916	0.925	2.250	3.000	0.841	0.184	0.236	0.199	2.348		2.399	2.797	12.510	0.554	3.183	0.475	0.467	
Sb	0.219	0.412	1.000	13.282	0.447	1.210	1.374	16.000	1.196	0.375	1.000	1.000	2.536	0.115	0.101	0.161	0.459		1.173	0.804	1.811	0.359	11.776	12.591	0.509	
uĮ	0.018	0.017	0.240	0.072	0.026	0.094	0.139	0.470	0.215	0.030	0.050	0.040	0.113	0.029	0.024	0.029	0.013		0.026	0.035	0.045	0.024	0.032	0.028	0.165	
$\mathbf{A}\mathbf{g}$	0.326	0.130	0.760	2.739	1.103	0.115	1.931	15.720	0.759	0.597	0.180	0.160	3.059	0.562	0.389	0.554	0.106		0.615	0.925	0.390	0.253	1.778	32.490	6.929	
NP	1.855	3.999	3.000	4.328	1.861	2.227	2.652	7.000	8.097	1.798	4.000	5.000	2.589	2.832	2.880	3.298	2.876		3.913	3.793	2.391	2.015	3.925	6.111	18.585	
Zr	30.218	23.542	000.89	191.350	144.871	98.746	73.125	124.000	270.005	22.266	89.000	000.99	90.548	133.319	129.814	148.944	76.321		98.036	103.349	64.832	32.091	45.747	474.343	257.279	
Sr	73.191	55.231	63.000	583.331	370.348	101.127	81.138	15.500	229.379	96.440	40.700	68.700	53.699	455.790	450.354	483.791	43.144		36.282	36.543	30.348	97.746	37.403	288.557	368.924	
Rb	117.872	27.866	391.000	51.816	54.157	67.157	100.928	422.000	212.316	232.760	440.000	325.000	29.107	10.088	13.586	12.322	310.727		296.115	308.282	429.649	149.948	352.539	79.474	75.001	
As	2.242	6.957	096.6	8.851	25.207	10.265	5.023	159.770	18.988	0.000	0.000	0.000	37.257	10.715	0.000	0.000	0.000		5.723	0.000	0.000	14.800	1.985	9.567	0.000	
Zn	26.149	73.529	58.000	72.590	111.640	20.224	12.584	24.000	366.144	46.822	44.000	70.000	22.052	39.278	47.238	40.197	39.437		47.236	37.327	24.333	23.983	28.043	63.485	36.400	
Database ID	AKC0746	AKC0747	AKC0748	AKC0749	AKC0750	AKC0751	AKC0752	AKC0753	AKC0754	AKC0755	AKC0756	AKC0757	AKC0758	AKC00939	AKC01084	AKC00912	AKC01073_	violet	AKC01073_ blue	AKC01066	AKC00909	AKC00910	AKC00959_ dkblue	AKC00959_ red	AKC00959_ yellow	

8	5	

Pr	4.894	5.371	4.026	6.388	5.100	4.936	7.780	1.734	5.173	3.241	2.013	0.284	2.096	2.447	3.674	4.914	4.687	3.562	1.569	0.836	3.778	5.180	3.246	851
Ce	40.627	42.189	43.613	58.714	53.222	48.578	73.819	19.938	235.062	75.031	14.838	4.069	20.455	29.726	138.545	154.943	134.628	50.901	13.746	7.161	116.034	180.262	64.190	
La	21.755	24.359	17.879	29.760	23.052	23.443	32.014	6.901	20.880	13.528	7.855	1.307	9.421	12.506	12.757	16.550	16.213	14.190	6.931	4.089	13.656	16.766	12.275	
Ba	662.000	959.193	641.921	1309.493	1411.053	1183.656	375.858	331.763	3421.918	1275.460	166.487	52.946	113.078	248.283	1320.426	1408.841	1022.924	1711.564	550.708	46.276	1003.080	1855.237	662.546	
Cs	0.409	0.650	0.291	0.715	0.274	0.596	1.544	0.303	1.853	1.249	0.088	0.395	0.813	7.164	3.204	3.462	2.705	2.843	0.523	1.913	2.306	2.490	2.305	
qs	1.443	2.305	3.970	25.512	0.687	61.838	0.430	3848.95 0	61.184	2.074	5188.48 8	0.851	5.759	10.870	0.708	0.773	5.506	2.222	0.112	7.479	0.664	1.134	0.305	
In	0.136	0.485	0.070	0.138	0.114	0.600	0.027	0.429	0.105	0.104	800.0	0.276	090.0	0.215	0.040	0.043	0.154	0.077	0.023	0.233	0.063	0.070	090.0	
Ag	11.924	4.657	13.021	124.754	3.572	41.497	0.300	1.694	88.318	0.879	782.061	1.089	0.277	0.401	0.402	0.437	0.883	0.854	0.170	3.580	0.364	0.856	0.292	
Nb	7.715	6.617	7.204	8.882	12.884	6.837	12.381	2.195	4.195	5.298	4.102	0.429	2.193	4.212	3.083	4.340	4.442	5.180	1.450	2.507	3.842	4.707	3.705	
Zr	301.405	310.815	252.368	342.395	443.275	203.536	294.824	75.303	53.570	276.287	104.560	4.001	71.755	61.039	209.76	96.127	115.675	105.599	23.869	21.854	99.925	94.358	98.746	
Sr	238.118	382.667	444.246	563.873	729.331	633.566	256.692	415.534	274.323	469.746	632.121	24.336	79.490	307.930	37.985	57.363	889.69	112.835	122.375	26.477	42.092	40.900	28.794	
Rb	39.746	74.623	30.420	116.762	70.387	114.214	55.559	28.112	200.581	140.716	5.463	44.075	131.520	148.168	392.742	315.241	447.904	350.462	112.755	343.690	395.866	408.763	256.850	
As	0.000	33.434	6.797	14.660	0.000	245.536	0.000	6.268	0.000	4.340	17.418	0.000	7.201	0.000	6.568	6.817	5.928	3.031	1.271	30.728	5.133	8.317	4.746	
Zn	49.604	32.292	55.702	207.838	156.370	275.902	76.415	64.850	86.186	88.921	34.034	62.301	21.828	287.580	33.748	44.237	47.656	101.893	47.158	22.886	29.581	43.138	21.394	
Database ID	AKC00959_ turq	AKC01071 yellow	AKC01071 blue	AKC009590	AKC010570	AKC010710	AKC01043b	AKC0104w	AKC01059b	AKC0105w	AKC01057 gold	AKC01093	AKC00901	AKC01022	AKC00410	AKC00413	AKC00416	AKC00327	AKC00322	AKC00386	AKC00412	AKC00425a	AKC00425b	

Database ID	Zn	As	As Rb	Sr	Zr	NP	Ag	Ag In		Cs	Sb Cs Ba La	La	Ce Pr	Pr
AKC00372 55.415 2.667 281.705 32.953 129.307	55.415	2.667	281.705	32.953	129.307	5.562	0.296			1.506	0.463 1.506 958.145 16.079 115.599	16.079	115.599	4.317
AKC00381 19.012 20.894 29.812 101.021	19.012	20.894	29.812	101.021	22.799	1.958	0.588	0.337	0.209	0.330	0.209 0.330 1216.526		6.819 12.408	1.081
AKC00389 19.889 11.726 52.887 79.004	19.889	11.726	52.887	79.004	22.165	1.061	0.714	0.331		0.355	0.288 0.355 1275.996	3.762	9.154	0.793
AKC00376 37.981 13.909 77.891 67.887	37.981	13.909	77.891	67.887	28.449	2.633	1.549	609.0		0.406	0.169 0.406 2564.300 4.580 13.021	4.580	13.021	1.148
AKC00424g 33.644 4.702 415.899 39.048 28.678	33.644	4.702	415.899	39.048	28.678	2.857	4.965	880'0	0.396	6.057	58.131	2.803	8.352	0.687
AKC0042w 55.147 5.458 394.216 40.255 37.202	55.147	5.458	394.216	40.255	37.202	8.916	5.121		0.058 0.402 6.236	6.236	46.599	4.618	8.109	0.891

1.134 1.044 16.992 2 0.439 0.009 16.523 0 0.530 0.046 11.743 0 0.542 0.023 11.680 0 0.470 0.019 10.748 0 0.608 0.010 13.395 0 0.246 0.678 12.983 0 0.460 1.335 15.108 1 0.344 1.972 11.281 0 0.362 3.731 8.307 0 2.884 8.628 5.259 1 13 526 83.769 9.564 4 4 13.55 83.769 9.564 4	2.998									•	
16.523 11.743 11.680 10.748 13.395 12.983 15.108 11.281 8.307 8.629 5.259		6.263	0.515	1.789	46.471	7.574	1.374	5.273	0.561	2.858	0.707
0.046 11.743 0.023 11.680 0.019 10.748 0.010 13.395 0.678 12.983 1.335 15.108 1.972 11.281 3.731 8.307 6.832 8.629 8.628 5.259	0.048	4.735	0.267	0.949	17.014	3.101	0.794	2.692	0.413	2.602	0.591
0.023 11.680 0.019 10.748 0.010 13.395 0.678 12.983 1.335 15.108 1.972 11.281 3.731 8.307 6.832 8.629 8.628 5.259	0.119	14.156	0.300	1.372	18.164	3.133	0.702	2.531	0.350	1.953	0.415
0.019 10.748 0.010 13.395 0.678 12.983 1.335 15.108 1.972 11.281 3.731 8.307 6.832 8.629 8.628 5.259	0.069	16.035	0.310	1.439	17.482	3.014	0.691	2.412	0.339	1.834	0.418
0.010 13.395 0.678 12.983 1.335 15.108 1.972 11.281 3.731 8.307 6.832 8.629 8.628 5.259	0.090	15.730	0.290	1.323	16.299	2.895	0.659	2.300	0.324	1.740	0.401
0.678 12.983 1.335 15.108 1.972 11.281 3.731 8.307 6.832 8.629 8.628 5.259	0.093	8.102	0.265	1.075	22.470	3.757	0.880	2.946	0.419	2.104	0.489
1.335 15.108 1.972 11.281 3.731 8.307 6.832 8.629 8.628 5.259 83.769 9.264	0.881 2	22.780	0.731	4.912	14.649	3.382	0.622	3.357	0.435	2.922	0.572
1.972 11.281 3.731 8.307 6.832 8.629 8.628 5.259 83.769 9.264	1.342	11.552	0.304	2.414	17.685	3.806	0.781	2.966	0.501	3.182	0.683
3.731 8.307 6.832 8.629 8.628 5.259 83.769 9.264	0.576	11.522	1.156	3.332	12.462	2.682	989.0	2.402	0.511	2.170	0.536
6.832 8.629 8.628 5.259 83.769 9.264	0.309	1.121	0.854	2.197	7.081	1.896	0.352	1.572	0.213	1.406	0.456
8.628 5.259 83.769 9.264	0.414	2.313	1.754	2.606	9.311	2.183	0.446	2.774	0.367	2.025	0.377
83 769 9 264	1.346	3.185	0.467	1.231	6.122	1.263	0.291	1.620	0.178	1.029	0.246
01:0	4.093	2.868	126.714	3.673	14.289	5.979	1.039	3.571	3.218	6.146	2.042
0.361 0.240 11.681 0.	0.299	23.189	0.819	0.430	11.652	2.407	0.770	1.967	0.259	1.721	0.497
0.672 0.710 15.518 0	0.422	11.157	0.427	0.775	23.962	4.812	668.0	3.538	0.431	3.116	0.624
0.577 5.793 2.	2.324	0.743	1.180	40.130	8.199	1.741	0.286	1.395	0.282	1.532	0.249
0.190 0.092 6.972 0	608.0	0.763	0.714	33.747	8.002	1.600	0.264	1.269	0.194	1.216	0.244
0.222 0.185 6.993 1.	1.240	1.052	1.204	46.678	7.904	1.670	0.275	1.435	0.193	1.246	0.268
0.216 0.072 7.658 0.	0.871	0.911	1.980	73.822	7.911	1.519	0.341	1.469	0.213	1.393	0.286
0.382 0.331 13.408 2.	2.616	6.534	0.435	1.093	15.385	3.329	0.918	2.561	0.357	2.111	0.384
0.488 0.247 10.572 11.	701	5.193	0.314	4.746	19.213	3.294	0.950	2.464	0.360	1.823	0.351
0.607 0.000 9.654 0	0.225	4.439	0.439	1.518	18.645	2.993	0.754	2.495	0.266	1.685	0.411
0.504 0.378 14.908 0.3	55	10.557	0.773	1.446	16.689	3.347	0.912	2.356	0.412	1.997	0.524
0.649 0.616 8.611 2.	2.727	5.091	0.420	0.947	17.561	2.871	0.791	2.119	0.265	1.631	0.332
1.268 0.442 12.035 0.	651	8.619	0.650	1.770	30.505	5.315	922.0	3.864	0.485	2.607	0.401
0.361 0.383 17.750 0.	0.149	3.452	0.810	0.832	19.179	3.485	0.921	2.460	0.455	3.313	0.632

Но	0.538	0.292	0.541	0.088	0.059	0.030	0.103	0.432	0.201	0.244	0.481	0.386	0.382	0.469	0.294	0.939	0.341	0.543	0.491	0.421	0.707	965.0	0.426	0.319	0.582	0.528	854
Dy	2.712	1.484	2.850	0.464	0.305	0.119	0.395	2.657	0.681	1.145	2.384	2.215	1.287	3.351	1.872	4.590	1.700	2.812	2.463	2.289	2.953	2.499	1.851	1.498	2.303	2.406	
Tb	0.409	0.268	0.487	0.071	0.044	0.028	0.057	0.451	0.227	0.188	0.411	0.353	0.195	0.432	0.281	0.815	0.263	0.471	0.343	0.383	0.505	0.453	0.282	0.283	0.380	0.428	
Gd	2.889	2.113	3.628	0.433	0.258	0.158	0.417	2.573	1.407	1.262	2.364	2.267	1.669	2.106	1.693	4.416	1.729	2.462	2.217	2.407	3.202	2.859	1.564	2.110	2.164	2.437	
Eu	0.843	269.0	1.265	0.093	0.042	0.029	0.092	9/1/0	0.287	0.343	0.473	0.575	0.401	0.588	0.379	1.515	0.421	0.798	0.586	0.635	966.0	1.012	0.548	0.985	0.728	0.707	
Sm	3.291	2.765	4.923	0.495	0.243	0.233	0.427	3.328	1.428	1.546	2.717	2.451	1.504	2.451	2.616	5.453	1.646	3.025	2.705	3.098	3.858	3.585	2.197	3.439	2.859	3.083	
PΝ	15.892	17.283	27.256	2.276	1.211	1.064	1.071	13.190	2.706	7.067	13.301	9.982	4.175	8.899	10.213	17.935	8.991	12.471	11.644	13.032	18.109	20.230	7.865	22.405	13.896	12.189	
Mo	1.038	0.921	2.083	1.077	0.167	1.431	0.791	2.980	1.813	9.764	13.147	0.667	1.297	12.181	50.072	2.477	16.635	3.600	33.282	17.957	1.175	0.375	2.273	9/1/0	0.693	3.598	
W	0.326	0.219	0.337	0.198	0.109	0.446	0.250	0.701	0.773	1.082	3.983	0.615	1.171	9/9.0	1.286	0.333	0.496	0.753	0.504	0.392	0.272	0.239	0.368	0.352	0.432	0.368	
U	19.203	6.816	5.056	0.366	0.130	0.102	0.151	20.697	0.785	0.952	14.042	1.179	1.955	0.347	1.145	0.964	0.743	0.615	0.758	926.0	10.870	7.781	25.152	5.555	6.875	1.298	
Bi	7.191	989.0	0.263	11.854	1.601	318.964	1.957	0.558	0.242	0.082	19.861	2.630	0.452	1.061	1.704	0.262	28.412	3.236	0.028	0.043	0.135	0.077	0.092	0.951	4.326	0.200	
Y	15.099	8.485	14.806	2.999	2.256	0.701	1.567	11.189	4.019	6:029	12.792	10.477	5.211	10.211	8.733	15.792	9.675	12.774	10.685	10.438	17.397	14.919	7.655	8.575	12.944	11.901	
Au	0.050	0.202	6/179	0.367	0.129	0.146	0.484	0.465	0.573	0.048	0.170	0.000	0.588	0.500	0.401	0.422	0.200	0.253	0.074	0.050	0.332	0.168	0.300	0.378	1.202	0.245	
Ta	0.383	0.431	0.459	0.052	0.029	0.064	0.092	0.399	0.245	0.249	869.0	0.365	0.814	0.254	0.254	0.185	0.352	0.263	0.583	0.442	0.509	0.407	0.278	0.601	0.465	0.334	
Database ID	AKC02032	AKC02034	AKC02037	AKC02031	AKC02033	AKC02035	AKC02053	AKC02049	AKC02054	AKC02044	AKC02036	AKC02055	AKC02056	AKC02059	AKC02058	AKC00727	AKC00728	AKC00729	AKC00650	AKC00649	AKC02001	AKC02002	AKC02003	AKC02004	AKC02005	AKC02006	

2.004 11.293 2.0 0.244 10.609 1.2 1.264 9.374 0. 0.380 10.018 0. 0.236 11.170 0. 0.518 17.545 6. 0.483 12.623 14 0.526 10.459 1. 0.149 8.634 0. 0.250 8.782 0. 0.279 15.688 5. 0.251 12.913 16 0.0251 12.93 10 0.271 13.938 10 0.381 14.878 1. 0.199 13.438 0. 0.190 13.438 0. 0.241 13.823 20		0.280 0.205 0.146 0.317 0.374	1 034		7			0 387		
10.609 1.7 9.374 0.0 10.018 0.0 11.170 0.1 17.545 6.1 12.623 14 15.119 0.1 16.459 1.1 15.688 5.0 15.688 5.0 15.688 5.0 15.688 1.0 15.688 0.0 15.688 1.0 17.698 0.0 17.698 0.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0 17.698 1.0		0.205 0.146 0.317 0.374	- 00:-	15.772	7.924	0.871	2.814	, 50.5	2.442	0.542
0.599 1.264 9.374 0. 0.238 0.380 10.018 0. 0.802 0.236 11.170 0. 1.596 0.518 17.545 6. 1.199 0.483 12.623 14 1.095 0.120 15.119 0. 1.460 0.526 10.459 1. 0.390 0.250 8.732 0. 0.389 0.279 15.688 5. 0.484 0.279 15.688 5. 0.484 0.251 12.913 16 0.455 0.029 12.698 0. 0.456 0.271 13.938 10 0.555 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20		0.146 0.317 0.374	1.343	11.737	2.323	0.654	1.817	0.303	1.834	0.373
0.238 0.380 10.018 0. 0.802 0.236 11.170 0. 1.596 0.518 17.545 6. 1.199 0.483 12.623 14 1.095 0.120 15.119 0. 1.460 0.526 10.459 1. 0.390 0.250 8.782 0. 0.389 0.279 15.688 5. 0.446 0.446 9.790 0. 0.484 0.251 12.698 0. 0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.482 0.190 13.438 0. 0.482 0.190 13.438 0.		0.317	0.588	15.071	3.089	0.942	2.256	0.289	1.522	0.409
0.802 0.236 11.170 0. 1.596 0.518 17.545 6. 1.199 0.483 12.623 14 1.095 0.120 15.119 0. 1.460 0.526 10.459 1. 0.556 0.149 8.634 0. 0.390 0.250 8.782 0. 0.389 0.279 15.688 5. 0.484 0.251 12.913 16 0.484 0.251 12.913 16 0.456 0.271 13.938 10 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20		0.374	0.783	10.275	2.781	0.716	2.071	0.392	2.065	0.439
1.596 0.518 17.545 6. 1.199 0.483 12.623 14 1.095 0.120 15.119 0. 1.460 0.526 10.459 1. 0.390 0.250 8.782 0. 0.389 0.279 15.688 5. 0.446 0.446 9.790 0. 0.484 0.251 12.698 0. 0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.482 0.190 13.438 0.		1 720	0.492	25.649	4.629	0.940	2.787	0.402	1.989	0.409
1.199 0.483 12.623 14 1.095 0.120 15.119 0. 1.460 0.526 10.459 1. 0.556 0.149 8.634 0. 0.390 0.250 8.782 0. 0.389 0.279 15.688 5. 0.446 0.446 9.790 0. 0.484 0.251 12.913 16 0.456 0.271 13.938 10 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.438 0. 0.482 0.190 13.438 0. 0.482 0.190 13.438 0. 0.492 0.241 13.823 20		1.127	1.907	17.872	4.886	1.894	3.643	1.623	4.133	1.926
1.095 0.120 15.119 0. 1.460 0.526 10.459 1. 0.556 0.149 8.634 0. 0.390 0.250 8.782 0. 0.389 0.279 15.688 5. 0.446 0.446 9.790 0. 0.484 0.251 12.698 0. 0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.482 0.190 13.438 0. 0.492 0.241 13.823 20		1.121	2.025	17.486	3.886	1.367	3.086	1.070	2.690	1.284
1.460 0.526 10.459 1. 0.556 0.149 8.634 0. 0.390 0.250 8.782 0. 0.389 0.279 15.688 5. 0.446 0.446 9.790 0. 0.484 0.251 12.913 16 0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20		0.978	3.873	16.557	4.721	1.645	4.197	1.380	3.859	1.470
0.556 0.149 8.634 0. 0.390 0.250 8.782 0. 0.389 0.279 15.688 5. 0.446 0.446 9.790 0. 0.484 0.251 12.913 16 0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20		1.365	42.558	13.343	4.663	2.045	3.471	1.659	3.529	1.816
0.390 0.250 8.782 0. 0.389 0.279 15.688 5. 0.446 0.446 9.790 0. 0.484 0.251 12.913 16 0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20		0.358	0.408	19.186	3.494	0.813	2.507	0.374	2.216	0.407
0.389 0.279 15.688 5. 0.446 0.446 9.790 0. 0.484 0.251 12.913 16 0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20		0.118	0.847	20.128	3.270	0.733	2.241	0.271	1.535	0.265
0.446 0.446 9.790 0. 0.484 0.251 12.913 16 0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20		0.298	0.992	15.653	3.042	089.0	2.719	0.356	2.707	0.552
0.484 0.251 12.913 16 0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20	ļ	0.257	0.660	18.361	3.301	0.743	2.273	0.312	1.797	0.381
0.452 0.029 12.698 0. 0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20	.705 6.016	0.447	3.019	25.083	4.701	1.194	3.503	0.461	2.920	0.545
0.456 0.271 13.938 10 0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20	7.166	0.279	1.966	22.380	4.171	1.012	2.841	0.422	2.273	0.406
0.525 0.381 14.878 1. 0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20	.934 9.591	0.350	3.957	28.360	5.130	1.319	3.701	0.531	3.181	0.636
0.359 0.199 13.261 16 0.482 0.190 13.438 0. 0.492 0.241 13.823 20	1.066 5.846	0.390	2.219	23.036	4.112	1.088	3.213	0.468	2.567	0.582
0.482 0.190 13.438 0.3 0.492 0.241 13.823 20	.222 6.991	0.340	2.501	25.341	4.656	1.216	3.351	0.480	2.919	0.563
0.241 13.823 20	84 6.497	0.349	2.495	24.567	4.633	1.203	3.204	0.425	2.664	0.525
	.713 7.466	0.363	3.449	26.992	5.188	1.206	3.491	0.458	3.321	0.632
AKC02026r 0.419 0.141 14.128 0.8	0.835 6.401	0.334	1.787	22.634	4.272	0.971	3.017	0.456	2.539	0.505
AKC020270 0.491 0.537 13.791 16.7	.718 7.375	0.442	2.469	26.861	4.781	1.278	3.480	0.477	2.923	0.614
AKC02027r 0.489 0.247 14.525 0.828	7.507	0.408	2.598	26.132	5.207	1.274	3.701	0.513	3.046	0.644
AKC02028 0.818 0.220 12.554 22.0	.013 16.744	4.156	10.415	12.934	2.517	0.424	2.190	0.348	2.187	0.431
AKC02029 0.264 0.166 10.821 0.994	0.955	0.482	1.020	14.124	3.426	0.785	3.023	0.426	2.989	0.555
AKC02030 0.823 0.408 14.741 16.3	16.333 20.574	3.921	9.944	14.662	3.227	0.557	2.994	0.410	2.973	0.551

		, O:	2.065	2.065	2.065	2.065 2.065 1.684 1.387 1.731	2.065 2.065 1.684 1.387 1.731 4.647	2.065 2.065 1.684 1.387 1.731 4.647 3.319	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.871 2.733	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.678	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.871 2.733 2.733 1.201	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.678 2.678 1.201 1.201	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.871 2.733 2.649 1.201 1.967	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.678 2.733 2.733 1.201 1.967 1.976	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.649 1.201 1.907 1.907 1.976	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.678 2.733 2.733 2.733 1.201 1.907 1.140 3.044	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.649 1.201 1.907 1.907 1.976 1.976 2.379 2.379	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.649 1.201 1.907 1.907 1.907 1.907 2.339 2.339 2.339 2.3460	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.649 1.201 1.967 1.967 1.967 1.967 2.379 2.379 2.445 2.445	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.649 1.201 1.907 1.907 1.140 3.044 2.379 2.445 2.445 2.445 2.445 1.798	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.678 2.678 2.678 2.678 1.201 1.967 1.967 1.967 1.967 2.379 2.379 2.445 2.445 2.445 2.445 2.445 2.445 3.318	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.649 1.201 1.906 1.906 1.906 1.140 3.044 2.379 2.445 2.445 2.445 2.445 2.445 3.318 3.318	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.649 1.201 1.967 1.967 1.976 1.976 1.976 1.976 1.388 1.798 1.798 1.798 2.460 2.	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.649 1.201 1.907 1.908 1.
	2.677		2.065	2.065	2.065	2.065 1.684 1.387 1.731	2.065 1.684 1.387 1.731 4.647	2.065 1.684 1.387 1.731 4.647 3.319	2.065 1.684 1.387 1.731 4.647 3.319 2.678	2.065 1.684 1.387 1.731 4.647 3.319 2.678	2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.871 2.733	2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.733	2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.871 2.733 2.649	2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.733 2.733 1.201	2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.871 2.733 2.649 1.201 1.967	2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.871 2.733 2.649 1.201 1.967 1.976	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.871 2.733 2.649 1.201 1.967 1.967 1.140	2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.733 2.649 1.201 1.907 1.907 1.907 1.140	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.649 1.201 1.201 1.967 1.967 1.976 1.140 2.379	2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.649 1.201 1.907 1.907 1.976 1.140 3.044 2.379 2.379 2.445	2.065 2.065 1.684 1.387 1.387 2.678 2.678 2.649 1.201 1.967 1.967 1.140 3.044 2.379 2.445 2.445 2.445	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.649 1.907 1.907 1.907 1.907 2.379 2.379 2.445 2.445 2.445 2.445	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.649 1.201 1.976 1.140 3.044 2.379 2.445 2.445 2.445 2.445 2.445 3.318	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.649 1.201 1.907 1.908 1.	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.678 2.678 2.678 2.678 2.649 1.201 1.967 1.967 1.967 1.304 2.379 2.379 2.445 2.445 2.445 2.445 2.445 2.445 2.460 1.798 1.798 1.798 1.798	2.065 2.065 1.684 1.387 1.731 4.647 3.319 2.678 2.649 1.201 1.907 1.907 1.907 1.140 3.044 2.379 2.445 2.445 2.445 2.445 2.445 2.445 2.445 2.445 2.445 2.445 2.445 2.450 1.798 1.798 1.798 1.798 2.445 2.446 2.445 2.445 2.445 2.445 2.445 2.456 2.460 2.
323 0.448 2.677		0.355		0.263	0.263	0.263	0.263 0.248 0.280 0.766	0.263 0.248 0.280 0.766 0.535	0.263 0.248 0.280 0.766 0.535 0.425	0.263 0.248 0.280 0.766 0.535 0.425	0.263 0.248 0.280 0.766 0.535 0.425 0.445	0.263 0.248 0.280 0.766 0.535 0.425 0.445 0.435	0.263 0.248 0.280 0.766 0.535 0.425 0.445 0.435 0.396	0.263 0.248 0.280 0.766 0.535 0.425 0.445 0.445 0.396	0.263 0.248 0.280 0.766 0.535 0.425 0.445 0.445 0.435 0.396 0.396	0.263 0.248 0.280 0.766 0.535 0.425 0.445 0.445 0.445 0.396 0.396 0.396	0.263 0.248 0.280 0.766 0.535 0.425 0.445 0.445 0.435 0.396 0.396 0.345 0.345 0.373	0.263 0.248 0.280 0.766 0.535 0.425 0.425 0.445 0.445 0.396 0.396 0.396 0.373 0.373	0.263 0.248 0.280 0.766 0.535 0.425 0.445 0.445 0.445 0.396 0.396 0.373 0.373 0.373	0.263 0.248 0.280 0.766 0.535 0.425 0.425 0.445 0.396 0.396 0.396 0.373 0.373 0.374	0.263 0.248 0.280 0.766 0.445 0.445 0.445 0.396 0.396 0.396 0.373 0.373 0.373 0.373 0.374 0.378	0.263 0.248 0.280 0.766 0.535 0.425 0.425 0.445 0.396 0.373 0.374 0.374 0.374 0.374	0.263 0.248 0.280 0.766 0.425 0.445 0.396 0.396 0.396 0.345 0.373 0.373 0.373 0.373 0.374 0.228	0.263 0.248 0.280 0.766 0.535 0.425 0.445 0.345 0.373 0.374 0.374 0.374 0.374 0.378 0.378 0.378 0.378	0.263 0.248 0.280 0.766 0.425 0.445 0.396 0.396 0.345 0.373 0.373 0.373 0.373 0.374 0.521 0.521 0.521 0.521 0.417	0.263 0.248 0.280 0.766 0.535 0.425 0.445 0.345 0.373 0.374 0.374 0.374 0.378 0.378 0.378 0.378 0.440 0.440
3.323 0.448 2.426 0.355			1.414 0.263		1.299 0.248																					
			0.785 1.414	0.312 1.29		0.578 1.77:																				
				1.414 0.3	1 778 0.5						++++				 	++++++++	+++++++++	 	++++++++++++	+++++++++++++++++++++++++++++++++++++++	 	 		 		
				6.262 1.	8.474 1.		34.959 6.									 		 	 	 						
1.484 20 1.027 18 0.633 8					9.564 8	2.944 3		0.709 23																		
					0.364 9	0.456 2	0 428 0																			
7.606 (7.606 (14.913 (0.674 1						14.129 (6.549		0.201										+++++++	+++++++++++	+++++++++++++++++++++++++++++++++++++++					
14.794 0.839 1.540 25.702	0.839 1.540 25.702	1.540	25.702		1.296	6.872	0.836	0 148	0.110	2.721	2.721	2.721 2.587 1.081					 	 		 	 	 	 			
14.878 11.905 9.621 9.090 7.919				7.919		25.757	18.430	15.443		16.778	16.778	16.778 16.077 15.265	16.778 16.077 15.265 6.940	16.778 16.077 15.265 6.940			 	 		- 	- 	 	- 			
0.362 0.129 0.389 0.258	0.129 0.389 0.258	0.389	0.258		0.448	4.645	0.557	0.093	0.10	0.212	0.340	0.212 0.340 0.378	0.212 0.340 0.378 0.226	0.212 0.340 0.378 0.226 0.216	0.212 0.340 0.378 0.226 0.216 0.312	0.212 0.340 0.378 0.226 0.216 0.312 0.150	0.212 0.340 0.378 0.226 0.216 0.312 0.150	0.212 0.340 0.378 0.226 0.216 0.312 0.150 0.172	0.212 0.340 0.378 0.226 0.216 0.312 0.150 0.172 0.266	0.212 0.340 0.378 0.226 0.216 0.312 0.150 0.172 0.266 0.315	0.212 0.340 0.378 0.226 0.216 0.312 0.150 0.172 0.266 0.315	0.212 0.340 0.378 0.226 0.312 0.150 0.150 0.266 0.315 0.201 0.155	0.212 0.340 0.378 0.226 0.216 0.312 0.150 0.172 0.266 0.315 0.267 0.315	0.212 0.340 0.378 0.226 0.312 0.150 0.172 0.266 0.315 0.201 0.175 0.175 0.201	0.212 0.340 0.378 0.226 0.216 0.312 0.150 0.172 0.266 0.315 0.201 0.355 0.206	0.212 0.340 0.378 0.226 0.312 0.150 0.150 0.266 0.315 0.201 0.155 0.201 0.206 0.327 0.206
0.552 0.497 0.859	0.497	0.859		0.476	0.265	0.761	695.0	0.471		0.415	0.415	0.415 0.371 0.550	0.415 0.371 0.550 0.453	0.415 0.371 0.550 0.453 0.527	0.415 0.371 0.550 0.453 0.527	0.415 0.371 0.550 0.453 0.527 0.766	0.415 0.371 0.550 0.453 0.527 0.766 0.291	0.415 0.371 0.550 0.453 0.527 0.766 0.291 0.484	0.415 0.371 0.550 0.453 0.527 0.766 0.291 0.484 0.547	0.415 0.550 0.453 0.527 0.766 0.291 0.484 0.547 0.673	0.415 0.371 0.550 0.453 0.527 0.766 0.291 0.484 0.547 0.673	0.415 0.550 0.550 0.527 0.766 0.291 0.484 0.547 0.673 0.603	0.415 0.550 0.550 0.453 0.291 0.673 0.673 0.603 0.439	0.415 0.371 0.550 0.453 0.527 0.766 0.291 0.484 0.547 0.673 0.603 0.439 0.439	0.415 0.371 0.550 0.453 0.527 0.766 0.291 0.484 0.547 0.673 0.603 0.603 0.439 0.314	0.415 0.371 0.550 0.453 0.527 0.766 0.291 0.484 0.547 0.673 0.603 0.603 0.439 0.439 0.439 0.437 0.437
AKC01924	CCC	ANC01922	AKC01920	AKC01912	AKC01913	AKC01919	AKC00224	AKC00121		C00105	CC00105 CC00214	C00214 C00214 C00214b	\$C00105 \$C00214 \$C00214b \$C00090	\$\times \text{C00105} \\ \text{C00214} \\ \text{C000214b} \\ \text{C00090} \\ \text{C000080} \\ \text{C000080} \end{array}	AKC00105 AKC00214 AKC00214b AKC00090 AKC00080	AKC00105 AKC00214 AKC00090 AKC00080 AKC00069 AKC00069	CC00105 CC00214b CC000214b CC00090 CC00080 CC00069 CC000291	CC00105 CC00214 CC00214b CC00090 CC00080 CC00081 CC00087	AKC00105 AKC00214 AKC000214b AKC00080 AKC00069 AKC00069 AKC00081 AKC00081	CC00105 CC00214b CC00030 CC00080 CC00080 CC00081 CC00081 CC00081 CC000116	CC00105 CC00214b CC00030 CC00080 CC00080 CC00081 CC00081 CC000115 CC00115	CC00105 CC00214b CC00030 CC00080 CC00080 CC00081 CC00081 CC00116 CC00116 CC00116	\$\(\cdot \cd	CC00105 CC00214b CC00030 CC00080 CC00080 CC00081 CC00081 CC00116 CC00118 CC00118 CC00118 CC001240	CC00105 CC00214b CC000214b CC00080 CC00080 CC00081 CC00081 CC00116 CC00116 CC00118 CC00118 CC000240 CC00240	AKC00105 AKC00214b AKC002090 AKC00080 AKC00081 AKC00081 AKC00081 AKC00116 AKC00118 AKC00118 AKC00240 AKC00240 AKC00246 AKC00254r AKC002540

		l.	~									٥,	~					16	16		16	l_			6,	٥.
Ho	0.526	0.594	0.418	0.290	1.253	1.257	0.230	0.303	0.619	0.329	0.570	0.492	0.848	0.629	0.590	0.639	0.580	0.625	0.415	0.411	0.615	0.994	0.641	0.460	0.512	0 908
Dy	2.401	2.950	1.923	1.409	6.238	9:039	1.252	1.233	2.953	1.507	3.046	2.579	3.902	3.621	3.100	3.102	3.060	2.852	2.203	2.520	2.712	5.004	3.233	2.340	2.573	4 287
Tb	0.360	0.450	0.373	0.243	0.980	1.067	0.181	0.170	0.534	0.237	0.440	0.510	0.573	0.620	0.490	0.502	0.450	0.494	0.394	0.347	0.530	0.783	0.528	0.370	0.411	0.659
P5	2.456	3.012	2.829	1.823	890.8	8.076	0.939	0.959	3.145	1.471	3.122	4.388	3.480	3.449	3.540	4.023	3.300	3.990	2.828	1.907	4.174	5.988	3.311	2.430	2.466	4.178
Eu	0.952	668.0	1.089	0.625	2.030	2.084	0.200	0.214	1.020	0.471	692.0	1.158	1.105	0.971	1.060	1.322	0.830	1.231	1.066	0.856	1.144	1.228	906.0	0.740	0.897	1.178
Sm	3.381	3.309	4.087	2.648	10.112	8.501	0.839	0.812	3.790	1.876	3.551	4.881	3.714	4.170	4.420	5.288	3.860	4.931	4.100	3.042	3.645	862.9	3.809	3.250	3.035	4.584
PN	21.491	17.524	28.334	16.244	47.945	46.444	3.567	3.613	16.341	9.405	20.143	25.129	21.520	23.063	23.390	27.883	20.330	27.697	26.282	19.570	22.235	28.651	19.483	16.620	15.166	23.334
Mo	0.321	0.874	1.259	1.003	5.388	5.407	0.538	0.642	0.833	5.704	1.000	1.000	1.000	2.000	7.710	2.000	1.390	4.000	2.000	2.000	2.000	1.000	1.000	0.680	1.000	1.000
W	0.243	0.255	0.572	0.202	0.846	0.752	0.494	0.538	0.386	0.423	0.000	0.000	0.000	0.000	1.150	0.000	0.390	0.000	1.000	0.000	2.000	0.000	0.000	1.120	0.000	0.000
Ω	4.175	9.975	6.547	5.498	18.162	17.513	1.629	1.520	0.793	2.321	7.098	4.784	7.048	9.161	099.6	8.467	9.930	5.447	10.541	5.291	7.459	22.459	11.370	4.190	6.261	7.108
Bi	2.032	2.822	1.478	929.0	10.236	87.708	3.945	4.359	0.178	0.188	1.000	1.000	0.000	0.000	0.300	1.000	0.640	1.000	2.000	1.000	2.000	0.000	0.000	0.120	0.000	0.000
Y	13.599	17.743	12.035	8.735	38.050	35.979	8.135	8.429	13.173	9.021	15.600	12.900	22.600	19.400	15.810	15.400	15.920	15.200	10.900	13.400	12.900	24.000	18.100	11.530	14.000	24.100
Au	0.241	4.000	0.358	0.120	0.289	0.181	0.184	0.199	0.105	0.093	0.308	0.214	0.135	0.247	2.470	0.693	0.290	0.467	1.302	0.042	7.923	0.915	0.228	0.770	0.147	0.269
Та	0.497	0.431	0.749	0.373	089.0	0.787	0.527	0.583	0.301	0.290	0.650	0.658	0.493	0.450	0.510	0.480	0.540	0.529	0.837	968.0	0.800	0.739	0.493	0.260	0.318	995.0
Database ID	AKC00223	AKC00221	AKC00220	AKC00122	AKC00278	AKC00277	AKC00057	AKC00058	AKC00059	AKC00117	AKC01651	AKC01652	AKC01658	AKC01677	AKC01679	AKC01685	AKC01683	AKC01686	AKC01688	AKC01692	AKC01696	AKC01697	AKC01699	AKC01702	AKC01722	AKC01724

Но	0.514	0.500	0.750	0.747	0.444	0.773	0.911	0.948	0.521	0.973	0.509	0.549	0.807	0.748	0.620	0.593	0.434	0.720	099.0	0.880	0.870	098.0	0.730	858
Dy	2.222	2.604	3.970	3.657	2.325	3.701	4.618	4.433	2.938	4.999	2.680	2.660	3.614	3.382	2.931	2.827	2.061	3.183	2.880	4.050	4.150	4.290	3.470	
Tb	0.424	0.407	0.540	0.556	0.421	0.551	0.692	0.659	0.486	0.728	0.449	0.481	0.570	0.565	0.478	0.530	0.351	0.536	0.550	0.650	0.680	098.0	0.630	
Сd	3.292	3.139	3.430	3.957	3.554	3.946	4.899	4.808	2.842	4.604	3.220	3.169	4.273	3.713	3.530	3.325	2.128	3.631	3.520	4.740	4.410	4.900	4.750	
Eu	866.0	1.043	096.0	0.892	0.929	0.981	1.232	1.214	0.888	1.341	1.373	0.981	1.167	1.041	1.095	0.848	0.727	0.981	1.170	1.120	1.210	1.000	1.320	
Sm	3.326	3.652	3.870	3.930	4.534	3.877	4.863	4.633	3.022	4.971	4.173	3.357	4.105	3.656	3.991	3.653	2.509	3.791	4.440	5.280	5.510	5.310	6.120	
ΡN	20.895	18.691	16.850	19.136	24.513	18.913	24.433	23.707	16.542	25.092	22.820	17.747	22.008	20.872	20.791	20.016	12.089	19.233	23.690	26.930	25.570	23.060	34.810	
Mo	0.000	1.000	1.520	1.000	2.000	1.000	0.000	1.000	1.000	0.000	0.000	1.000	1.000	1.000	0.000	2.000	1.000	1.000	5.800	3.880	15.060	1.920	0.780	
M	0.000	0.000	0.480	0.000	1.000	0.000	0.000	0.000	2.000	1.000	0.000	0.000	0.000	0.000	0.000	1.000	0.000	0.000	0.240	0.380	0.280	0.540	0.960	
n	7.358	5.896	34.160	22.369	9.419	10.532	10.594	7.345	6.445	10.252	4.335	8.672	8.679	12.163	5.394	5.170	11.516	7.697	13.050	21.400	24.100	24.460	14.410	
Bi	0.000	0.000	2.360	0.000	0.000	1.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	4.110	22.230	9.790	0.160	0.130	
Y	12.600	14.600	20.650	20.200	12.800	19.500	26.100	24.800	14.800	26.400	13.800	14.100	21.400	20.200	17.500	16.000	10.700	20.100	15.970	22.170	22.410	20.990	16.990	
Au	0.884	0.563	0.550	2.072	0.801	0.415	0.241	0.328	629.0	0.645	0.495	1.001	0.287	0.210	0.281	0.390	0.362	0.303	0.640	0.099	0.550	2.610	0.460	
Та	0.441	0.281	0.450	0.523	0.900	0.452	0.530	0.440	0.376	0.442	0.397	0.499	0.464	0.555	0.429	0.533	0.270	0.385	0.510	099.0	0.620	0.530	1.070	
Database ID	AKC01726	AKC01727	AKC01729	AKC01731	AKC01731 bla	AKC01731 blb	AKC01731 blc	AKC01731 bld	AKC01731 ble	AKC01731 green	AKC01734	AKC01738	AKC01742	AKC01744	AKC01752	AKC01773	AKC01774	AKC01775	AKC01779	AKC01779y	AKC01780	AKC01790	AKC01791	

0	20	96	31	14	28	35	28	49	09	29	67	54	63	84	92	37	9/	92	64	33	25	97	49	62	98	859
Ho	0.820	0.396	0.231	0.214	0.458	0.235	0.358	0.349	096.0	0.467	1.029	0.554	0.563	0.484	0.265	0.337	0.576	0.492	0.564	0.233	0.825	0.326	0.649	0.962	0.186	
ρλ	3.740	1.363	2.287	696'0	2.036	1.119	2.012	1.387	5.505	2.545	5.533	2.851	3.102	2.238	1.061	1.715	2.347	1.951	3.059	1.030	4.497	1.482	3.202	5.414	9/90	
$\mathbf{T}\mathbf{b}$	0.580	0.352	0.308	0.164	0.384	0.231	0.326	0.343	0.795	0.457	0.894	0.457	0.521	0.387	0.204	0.336	0.363	0.438	0.570	0.258	0.724	0.271	0.569	0.938	0.168	
рЭ	3.510	1.272	1.197	1.009	2.599	1.286	2.222	2.174	2.667	2.583	5.320	2.966	3.280	2.348	1.595	2.173	1.798	2.562	3.289	1.463	3.753	1.728	3.235	5.169	0.745	
Eu	1.060	0.429	0.493	0.329	0.824	0.266	0.521	0.757	1.634	968.0	1.936	0.936	1.068	0.792	0.644	0.477	0.504	609.0	1.023	0.412	1.421	0.451	1.144	1.819	0.260	
Sm	4.080	1.542	966.0	1.028	2.866	1.588	2.343	2.244	6.485	3.426	886.9	3.377	4.216	2.869	1.952	2.159	2.491	2.679	3.849	1.694	5.081	2.217	4.540	6.199	1.079	
PΝ	19.940	8.100	6.404	5.227	11.892	7.451	9.838	10.131	21.203	12.139	21.873	13.856	14.298	12.025	11.800	8.914	10.666	9.555	15.764	3.517	16.763	9.403	14.378	22.155	5.176	
Mo	0.890	1.984	0.423	0.433	5.746	1.072	1.318	1.915	1.903	12.066	1.711	0.863	0.994	1.308	1.913	066.0	15.578	8.864	1.367	3.082	3.217	5.135	29.588	13.302	0.731	
W	0.520	0.750	0.164	0.130	0.703	0.421	0.434	0.791	0.166	0.651	0.556	0.400	0.461	0.388	0.364	0.253	0.474	1.383	0.427	0.926	0.190	0.302	0.394	0.149	0.369	
Ω	10.870	1.773	0.827	0.827	61.230	1.050	1.101	32.868	0.463	1.226	0.474	0.729	0.915	0.819	16.105	1.032	1.306	1.308	1.591	0.227	0.368	0.750	1.103	0.632	0.437	
Bi	0.190	0.322	0.188	0.101	0.036	0.691	0.142	060.0	0.020	0.117	0.022	0.113	0.049	0.321	0.224	0.030	19.855	0.239	0.024	0.443	0.166	0.196	0.012	0.045	0.094	
Y	21.210	9.171	5.788	5.658	8.227	4.197	8.348	5.215	15.932	7.654	16.283	11.031	11.165	9.836	6.257	8.201	12.058	668.6	11.817	4.974	13.935	7.819	12.312	15.907	4.271	
Au	3.470	0.734	0.857	0.199	0.042	0.127	0.170	0.430	0.074	0.651	0.059	0.281	0.758	0.073	0.101	0.048	890.0	0.268	0.303	0.799	0.362	0.196	0.221	0.065	0.243	
Та	0.400	0.575	0.343	0.227	0.207	0.339	0.260	0.182	0.192	0.202	0.315	0.374	0.362	0.316	0.192	0.249	0.551	0.413	0.280	0.163	0.151	0.224	0.197	0.132	0.173	
Database ID	AKC01808	AKC01695	AKC01700 black	AKC01700 red trim	AKC00443	AKC00452	AKC00464	AKC00466	AKC00473	AKC00485	AKC00487	AKC00516	AKC00541	AKC00545	AKC00550	AKC00564	AKC00569	AKC00572	AKC00573	AKC00579	AKC00596	AKC00597	AKC00605	AKC00624	AKC00628	

Но	0.683	0.435	0.276	0.237	0.338	0.750	0.316	0.462	0.651	0.413	0.379	0.150	0.684	0.512	0.634	0.223	0.374	0.798	0.386	0.743	0.280	0.762	0.905	0.883	098.0	0.498	860
Dy	3.530	2.249	1.452	1.237	1.570	3.049	1.749	2.559	3.365	1.788	1.794	0.441	1.504	2.040	3.068	692.0	2.017	5.137	1.940	4.075	1.369	3.763	5.072	4.609	4.855	2.828	
Tb	0.501	0.389	0.263	0.193	0.275	0.596	0.265	0.487	0.535	0.357	0.382	0.114	0.926	0.538	0.584	0.116	0.340	0.753	0.353	0.770	0.246	0.614	0.786	0.804	992.0	0.511	
РS	3.077	2.116	2.014	1.074	1.589	2.884	1.928	2.596	2.937	2.616	2.458	0.381	1.961	2.139	2.901	0.956	2.052	4.427	2.464	4.245	1.756	3.556	4.634	4.357	4.320	2.895	
Eu	0.759	0.640	0.404	998.0	0.381	1.178	0.443	1.038	1.351	0.558	0.510	0.177	1.023	1.046	1.248	0.230	0.621	1.513	0.497	1.583	0.318	1.267	1.615	1.556	1.533	1.015	
Sm	3.245	2.716	1.930	1.546	2.003	3.048	2.589	3.572	3.997	2.625	2.487	0.595	2.879	2.772	3.507	1.049	2.083	5.307	2.093	5.217	1.814	4.311	5.441	5.609	5.560	3.788	
PΝ	14.271	12.529	9.167	5.427	9.140	13.269	8.381	13.984	15.881	10.885	11.225	2.269	8.452	12.236	14.107	5.214	7.791	18.799	6.029	18.628	8.197	15.256	19.002	19.009	19.238	14.864	
Mo	17.449	18.202	18.109	3.138	42.084	0.980	18.235	1.733	1.015	7.474	19.283	629.0	1.953	1.583	1.000	1.000	1.000	10.000	4.000	1.000	166.000	2.461	2.746	2.648	2.715	21.439	
*	0.718	0.459	0.517	0.627	1.090	0.661	0.426	1.188	0.436	0.776	0.360	0.387	0.614	0.315	0.000	1.000	0.000	0.000	1.000	0.000	4.000	0.117	0.154	0.106	0.141	0.250	
n	1.801	0.923	806.0	0.634	1.105	52.488	0.804	16.530	58.461	1.216	1.068	0.339	35.246	14.272	51.424	1.264	1.186	0.582	0.965	0.323	0.934	0.283	0.330	0.323	0.335	0.904	
Bi	0.733	0.264	0.129	0.303	1.327	0.212	0.170	0.231	0.037	0.090	0.136	0.163	0.441	0.154	1.000	0.000	0.000	0.000	0.000	0.000	2.000	0.045	0.189	0.087	0.103	0.037	
Y	13.832	10.499	7.670	5.847	8.907	12.484	7.558	7.287	12.374	10.326	8.008	3.612	5.035	6.465	12.300	3.400	9.500	14.200	9.300	14.100	7.100	14.628	15.040	15.082	14.570	7.965	
Au	0.074	0.082	0.165	1.064	0.089	0.347	0.208	0.369	0.264	0.159	920.0	0.035	0.152	0.338	0.054	6.163	0.064	990.0	0.217	0.076	0.458	0.056	890.0	0.071	0.102	0.083	
Та	0.576	0.392	0.325	0.225	0.305	0.404	0.229	0.332	0.278	0.468	0.369	0.126	0.821	0.224	0.403	0.286	0.387	0.141	0.260	0.116	0.178	0.105	0.114	0.117	0.114	0.180	
Database ID	AKC00630	AKC00632	AKC00633	AKC00634	AKC00641	AKC00662	AKC00672	AKC00677	AKC00683	AKC00686	AKC00689	AKC00726	AKC0733	AKC0734	AKC0735	AKC0736	AKC0737	AKC0738	AKC0739	AKC0740	AKC0741	AKC0742	AKC0743	AKC0744	AKC0745	AKC0746	

	_																						
Но	0.347	0.346	0.188	0.186	0.264	0.286	0.472	0.757	1.026	0.786	0.383	0.279	0.718	0.794	906.0	0.244	0.444	0.547	0.222	0.226	0.231	0.455	0.308
Dy	1.215	1.837	1.047	0.974	1.130	1.433	1.800	3.543	5.621	4.216	2.068	1.431	3.915	4.196	5.046	1.285	2.168	2.678	086.0	1.434	0.932	1.970	1.480
Tb	0.264	0.331	0.195	0.173	0.201	0.292	0.280	0.599	0.818	0.716	0.350	0.215	0.582	699.0	0.743	0.212	0.362	0.517	0.118	0.226	0.135	0.325	0.289
Gd	1.510	2.252	1.402	1.125	1.080	1.428	1.850	4.774	5.037	4.259	2.358	1.348	3.607	4.015	4.922	1.606	2.654	2.637	0.753	1.518	0.804	2.403	1.713
Eu	0.413	0.501	0.582	0.394	0.271	0.367	0.416	1.067	1.740	1.398	0.594	0.244	1.199	1.390	1.626	0.317	0.693	0.851	0.219	0.422	0.135	602.0	0.902
Sm	1.384	2.101	1.772	1.475	1.501	1.571	1.842	4.196	6.470	5.469	3.470	1.579	4.890	5.420	6.628	1.474	2.481	3.571	1.090	1.791	0.870	2.592	2.184
Nd	6.351	9.137	11.420	8.128	7.261	8.586	8.751	22.623	21.292	20.232	10.871	7.756	18.412	20.477	24.298	7.267	11.423	14.466	5.088	7.367	3.415	14.546	10.434
Mo	14.191	7.000	2.292	981.9	37.794	50.335	3.000	3.623	3.041	2.000	1.000	182.377	3.261	3.306	4.024	1.031	962'0	0.844	0.905	42.448	0.498	0.915	2.294
W	1.180	0.000	0.572	0.861	1.578	1.725	0.000	0.762	0.142	0.000	0.000	6.387	0.112	0.147	0.196	0.127	0.196	0.302	0.232	0.557	0.144	0.165	0.152
U	0.755	1.037	14.249	52.799	0.829	1.001	0.970	4.180	0.452	1.277	1.441	686.0	33.950	32.104	39.673	0.778	0.738	1.029	0.488	0.539	1.681	4.638	5.883
Bi	0.163	0.000	0.297	0.167	1.649	4.155	27.000	1.438	0.071	0.000	0.000	2.534	0.041	0.035	990.0	0.046	0.058	0.064	0.256	0.054	2.103	2.000	0.211
Y	5.140	7.900	6.228	5.650	7.071	8.317	10.700	20.986	15.915	13.600	9.300	988.9	10.932	11.591	12.955	6.393	10.590	10.553	5.261	4.634	7.648	14.466	9.650
Au	0.254	0.085	0.555	0.362	0.101	0.392	0.135	0.141	0.104	0.052	0.046	0.508	0.013	0.000	0.000	0.007	0.009	0.000	0.139	0.000	0.099	0.127	0.331
Та	0.194	0.264	0.259	0.134	0.201	0.281	0.531	0.501	0.114	0.364	0.423	0.261	0.223	0.275	0.284	0.168	0.222	0.258	0.185	0.193	0.565	0.286	0.805
Database ID	AKC0747	AKC0748	AKC0749	AKC0750	AKC0751	AKC0752	AKC0753	AKC0754	AKC0755	AKC0756	AKC0757	AKC0758	AKC00939	AKC01084	AKC00912	AKC01073 violet	AKC01073 blue	AKC01066	AKC00909	AKC00910	AKC00959_dkblue	AKC00959_ red	AKC00959_ yellow

Но	809.0	1 0.537	1 0.363	3 0.550	7 0.510	0.412	1.032	1 0.267	199.0	3 0.394	0.299	5 0.031	3 0.227	9 0.287	906.0	0.704	1 0.708	1 0.537	3 0.203	7 0.103	3 0.540	3 0.852	5 0.416	5 0.587	8
Dy	3.065	2.551	1.601	2.663	2.627	2.022	4.714	1.201	3.730	1.788	1.379	0.126	1.103	1.399	4.916	4.440	3.704	2.714	1.033	0.597	2.973	4.268	2.095	3.046	
Tb	0.458	0.384	0.283	0.448	0.398	0.361	0.730	0.199	0.566	0.336	0.239	0.019	0.197	0.212	0.762	0.683	0.646	0.482	0.170	0.101	0.493	0.803	0.343	0.508	
P G	2.821	2.786	2.380	3.230	3.007	2.289	5.111	1.360	3.644	2.046	1.299	0.273	1.307	1.503	4.147	4.199	3.587	3.133	1.265	0.495	2.799	4.463	2.274	3.031	
Eu	9/1/0	806.0	1.009	0.844	0.892	0.787	1.070	0.370	1.195	0.672	0.365	0.054	0.275	0.559	1.032	1.213	1.213	0.826	0.310	0.118	0.917	1.406	0.664	0.915	
Sm	3.442	3.329	2.938	4.183	3.432	3.350	2.667	1.326	4.863	2.514	1.728	0.310	1.403	2.006	3.969	4.389	4.133	3.421	1.171	0.751	3.356	5.242	2.866	3.920	
PN	17.517	18.454	15.159	23.026	18.705	16.875	28.566	968.9	18.452	11.359	7.413	0.885	7.079	15.282	13.559	18.415	17.383	12.811	5.462	3.118	14.004	19.742	12.874	15.335	
Mo	0.688	0.637	0.462	3.379	3.144	3.476	0.379	1.480	16.200	3.668	0.519	0.140	19.258	0.726	1.041	0.467	0.736	1.365	3.400	1.519	989.0	5.457	1.360	0.502	
*	0.249	0.149	0.100	0.229	0.151	0.189	0.651	0.129	0.473	0.262	0.132	0.274	0.480	0.826	0.239	0.192	0.223	0.342	0.186	0.401	0.505	0.327	0.531	0.396	
n	6.048	17.744	10.690	6.290	6.807	8.129	3.255	068.6	2.565	12.286	1.383	0.127	0.878	0.794	0.677	992.0	0.855	1.225	1.094	0.694	0.577	0.825	0.854	0.910	
Bi	1.274	0.288	0.635	14.379	0.082	4.451	0.041	0.492	0.895	0.317	0.094	9.994	0.781	0.192	0.041	0.106	0.304	0.218	0.057	4.935	0.090	060.0	0.092	0.115	
Y	19.837	15.177	8.909	16.473	14.840	11.396	24.386	6.462	12.071	8.952	8.461	1.076	6.971	6.252	21.921	13.872	15.124	11.896	5.143	3.379	11.630	17.120	11.024	13.060	•
Au	880.0	0.208	0.428	0.081	2.390	2.050	0.019	2.952	52.252	1.678	18.969	0.570	0.854	0.219	0.220	0.106	9200	2.852	0.242	0.240	0.167	0.087	0.081	0.322	
Та	0.438	0.421	0.569	0.424	0.604	0.328	1.139	0.191	0.284	0.346	0.253	0.139	0.219	0.339	0.200	0.284	0.318	0.347	0.145	0.603	0.242	0.306	0.290	0.474	
Database ID	AKC00959_ turq	AKC01071 yellow	AKC01071 blue	AKC00959_	AKC010570	AKC010710	AKC01043b	AKC0104w	AKC01059b	AKC0105w	AKC01057 gold	AKC01093	AKC00901	AKC01022	AKC00410	AKC00413	AKC00416	AKC00327	AKC00322	AKC00386	AKC00412	AKC00425a	AKC00425b	AKC00372	

Database m	Ta	Ta Au	Y	Bi	Ω	M	Mo	PΝ	\mathbf{Sm}	nЭ	рЭ	$\mathbf{q}\mathbf{L}$	Dy	$_{ m Ho}$
AKC00381 0.235 0.199 2.236	0.235	0.199	2.236	1.740	0.308	0.237	5.092	3.346	0.952	0.548	0.867	0.109	0.466	0.101
AKC00389 0.178 0.113 2.177	0.178	0.113	2.177	1.730	0.401	0.278	5.584	2.805	0.646	0.152	0.545	0.106	0.470	0.094
AKC00376 0.223 0.659 3.618	0.223	0.659	3.618	1.484	1.129	0.314	4.723	3.762	0.914	0.259	0.749	0.120	0.707	0.132
AKC00424g 0.450 0.082 2.934 0.334	0.450	0.082	2.934	0.334	0.624	0.245	0.508	2.197	0.483	0.127	0.468	060'0	0.413	0.093
AKC0042w 0.581 0.268 3.778 0.4	0.581	0.268	3.778	0.491	0.70	668.0	9/9.0	3.260	0.540	0.230	0.716	0.107	0.835	0.105

																												86
Th	48.194	8.196	16.487	15.871	20.598	25.283	5.664	998.9	5.974	2.201	4.813	2.592	13.277	4.039	9.490	3.009	4.683	4.405	3.825	5.318	5.675	13.607	6.291	13.754	20.402	5.305	8.217	
Hf	40.679	11.895	17.042	18.293	16.527	10.462	4.069	9.354	6.382	4.442	7.282	4.032	58.890	8.416	19.148	2.120	3.148	2.102	2.124	10.113	7.612	14.260	13.606	13.076	24.963	4.909	8.844	
Lu	0.333	0.291	0.202	0.197	0.191	0.210	0.314	0.320	0.323	0.380	0.235	0.121	8.553	0.233	0.363	0.204	0.108	0.111	0.134	0.317	0.167	0.235	0.279	0.184	0.334	0.354	0.244	
ΛP	1.698	1.775	1.179	1.151	1.099	1.192	1.871	1.951	1.410	5.688	4.252	1.032	28.930	1.179	1.756	1.395	0.763	0.738	0.877	1.586	1.196	0.941	1.550	1.278	1.514	1.850	1.681	
Tm	0.300	0.259	0.175	0.158	0.162	0.185	0.255	0.312	0.189	1.272	0.459	0.228	2.581	0.276	0.209	0.208	0.089	0.098	0.116	0.188	0.170	0.192	0.230	0.182	0.217	0.263	0.221	
Er	2.001	1.668	1.106	1.075	1.038	1.227	1.541	1.901	1.363	5.087	1.206	0.706	2.307	1.247	1.617	0.872	099.0	0.763	0.808	1.232	1.358	0.792	1.724	0.831	1.587	1.575	1.569	
Database ID	AKC02589	AKC02519	AKC02585	AKC02584	AKC02590	AKC02591	AKC02587	AKC02588	AKC02586	AKC02594b	AKC02595	AKC02592	AKC02594y	AKC02593	AKC02596	AKC02057	AKC02039	AKC02043	AKC02038	AKC02045	AKC02046	AKC02047	AKC02050	AKC02048	AKC02052	AKC02051	AKC02032	

																												8
Th	13.951	668.9	0.624	0.300	0.615	0.343	4.106	1.282	2.084	8.414	4.209	5.419	0.338	4.856	1.299	4.325	3.265	4.188	4.595	7.271	7.281	3.624	18.526	6.163	4.415	7.205	7.189	
Ħ	15.678	5.407	0.303	0.101	0.105	0.357	4.491	1.613	3.187	1.695	2.885	6.463	0.900	2.577	1.162	3.193	2.909	3.414	4.219	13.284	12.688	3.822	19.495	13.225	3.930	12.246	8.960	
Lu	0.156	0.213	0.025	0.019	0.013	0.099	0.439	0.227	0.156	0.175	0.177	0.378	0.208	0.250	0.332	0.143	0.210	0.201	0.247	0.338	0.263	0.235	0.165	0.291	0.257	0.474	0.273	
Yb	0.952	1.454	0.197	0.125	0.056	809.0	1.809	0.994	0.683	1.284	0.985	1.257	1.648	1.298	2.219	1.025	1.669	1.738	1.449	2.188	1.710	1.277	1.119	2.199	1.532	2.026	1.469	
Tm	0.139	0.194	0.026	0.023	0.013	9/0.0	0.318	0.254	0.139	0.170	0.198	0.338	0.213	0.260	0.310	0.140	0.204	0.229	0.191	0.313	0.233	0.244	0.148	0.278	0.239	0.306	0.227	
Er	0.789	1.457	0.271	0.157	0.059	0.354	1.727	0.590	0.651	1.329	1.052	1.146	1.194	1.215	2.516	0.924	1.575	1.397	1.378	1.881	1.567	1.084	0.879	1.441	1.451	1.544	1.119	
Database ID	AKC02034	AKC02037	AKC02031	AKC02033	AKC02035	AKC02053	AKC02049	AKC02054	AKC02044	AKC02036	AKC02055	AKC02056	AKC02059	AKC02058	AKC00727	AKC00728	AKC00729	AKC00650	AKC00649	AKC02001	AKC02002	AKC02003	AKC02004	AKC02005	AKC02006	AKC02007	AKC02008	

																												86
$\mathbf{L}\mathbf{h}$	8.536	2.976	15.657	8.775	14.247	5.974	3.321	8.221	19.798	7.416	18.402	8.774	9.265	9.418	9.203	9.734	9.007	10.227	10.305	9.877	10.069	8.873	3.484	9.445	7.840	8.567	7.188	
JH	11.932	2.493	17.398	16.949	16.761	8.203	1.675	8.903	10.718	12.721	13.647	9.821	10.698	10.984	15.712	10.301	11.430	11.933	11.475	11.103	12.828	1.582	3.445	6.856	8.724	9.566	6.566	
Lu	0.238	0.183	0.244	1.889	1.007	1.006	1.278	0.133	0.121	0.230	0.248	0.215	0.188	0.222	0.222	0.231	0.218	0.263	0.184	0.200	0.262	0.195	0.212	0.255	0.190	0.167	0.202	
Λp	1.408	1.253	1.360	3.608	2.383	2.724	2.928	1.157	0.807	1.619	1.085	1.335	1.201	1.629	1.568	1.586	1.435	1.743	1.287	1.636	1.601	1.296	1.398	1.606	1.325	1.198	1.388	
Tm	0.164	0.213	0.162	1.812	1.049	0.975	1.141	0.209	0.122	0.215	0.161	0.232	0.209	0.309	0.258	0.219	0.229	0.236	0.208	0.267	0.275	0.183	0.232	0.285	0.210	0.153	0.166	
Er	1.179	1.337	1.165	2.957	2.050	2.707	2.523	1.046	0.834	1.619	1.032	1.536	1.310	1.640	1.687	1.616	1.515	1.683	1.451	1.471	1.520	1.345	1.592	1.752	1.370	1.222	1.144	
Database ID	AKC02009	AKC02010	AKC02012	AKC02013	AKC02014	AKC02015	AKC02016	AKC02019	AKC02020	AKC02021	AKC02022	AKC02023orange	AKC02023red	AKC02024orange	AKC02024red	AKC02025orange	AKC02025red	AKC02026orange	AKC02026red	AKC02027orange	AKC02027red	AKC02028	AKC02029	AKC02030	AKC01924	AKC01922	AKC01920	

																												80
Th	2.993	2.301	9.053	695.6	7.685	7.414	7.212	8.211	6.155	19.447	21.721	8.838	15.428	7.538	12.767	7.995	14.974	5.857	7.444	7.382	8.544	9.005	9.013	7.576	7.435	21.280	12.119	
Hf	3.255	2.416	13.598	11.910	11.500	15.180	14.081	10.384	8.718	17.298	15.837	10.481	8.512	14.307	17.424	9.313	17.036	12.228	12.242	10.886	9.995	986.6	7.168	9.423	13.276	28.388	13.350	
Гп	0.168	0.100	0.430	0.341	0.305	0.283	0.349	0.266	0.155	0.213	0.193	0.118	0.268	0.297	0.297	0.279	0.178	0.245	0.368	0.298	0.265	0.208	0.176	0.257	0.310	0.236	0.137	
Yb	1.156	0.992	2.563	1.887	1.822	1.889	1.722	1.557	0.876	1.203	1.007	0.694	1.830	1.597	1.525	1.470	0.955	1.621	2.417	1.987	1.188	1.468	1.234	1.620	2.237	1.466	0.937	
Tm	0.172	0.141	0.379	0.263	0.289	0.252	0.247	0.257	0.124	0.177	0.182	0.116	0.244	0.255	0.283	0.255	0.145	0.190	0.274	0.266	0.197	0.210	0.251	0.224	0.257	0.157	0.100	
Er	0.895	0.880	2.754	1.956	1.733	1.759	1.649	1.516	0.749	1.157	1.050	0.573	1.695	1.510	1.380	1.711	0.756	1.196	2.404	1.879	1.403	1.559	1.399	1.506	1.790	1.246	0.840	
Database ID	AKC01912	AKC01913	AKC01919	AKC00224	AKC00121	AKC00105	AKC00214	AKC00214b	AKC00090	AKC00080	AKC00069	AKC00291	AKC00087	AKC00081	AKC00116	AKC00115	AKC00095	AKC00118	AKC00240	AKC00245	AKC00254red	AKC00254orange	AKC00284	AKC00223	AKC00221	AKC00220	AKC00122	

Database ID	Er	Tm	AV	Lu	JH	$\mathbf{T}\mathbf{h}$
AKC00278	3.503	0.452	3.084	0.491	14.067	11.745
AKC00277	3.420	0.419	3.044	0.541	13.540	11.996
AKC00057	0.882	0.146	0.973	0.186	1.152	3.035
AKC00058	0.900	0.159	1.130	0.193	1.599	3.089
AKC00059	1.716	0.258	1.570	0.249	3.226	3.980
AKC00117	0.862	0.156	0.965	0.135	5.545	3.421
AKC01651	1.728	0.270	1.855	0.274	13.604	8.849
AKC01652	1.183	0.202	1.389	0.264	11.981	10.840
AKC01658	2.496	0.351	2.875	0.452	18.592	9.940
AKC01677	1.842	0.249	1.758	0.305	6.185	13.181
AKC01679	1.720	0.230	1.750	0.250	9.800	12.280
AKC01685	1.589	0.210	1.582	0.208	5.946	9.469
AKC01683	1.710	0.250	1.860	0.260	21.030	069.6
AKC01686	1.527	0.171	1.477	0.282	10.311	8.800
AKC01688	1.242	0.199	1.529	0.258	25.543	22.638
AKC01692	1.292	0.122	1.135	0.175	11.615	7.422
AKC01696	1.426	0.385	1.644	0.211	10.209	9.349
AKC01697	2.684	0.412	3.023	0.447	860.6	22.472
AKC01699	2.205	0.305	2.320	0.345	15.967	10.332
AKC01702	1.230	0.160	1.210	0.160	8.770	8.220
AKC01722	1.443	0.238	1.614	0.244	10.998	6.156
AKC01724	2.491	888:0	2.813	0.430	15.125	9.741
AKC01726	1.356	0.201	1.248	0.246	9.715	8.022
AKC01727	1.595	0.204	1.695	0.246	11.019	7.663
AKC01729	2.130	0.330	2.260	0.350	13.230	15.060
AKC01731	2.064	0.301	2.344	0.318	8.217	14.181
AKC01731bla	1.368	0.210	1.584	0.297	24.024	20.740

																												869
Th	9.340	8.714	9.853	6.359	8.350	5.796	7.644	8.512	8.224	5.912	8.686	8.841	8.607	13.480	17.430	18.830	17.590	20.140	9.040	2.450	2.027	1.863	8.732	4.858	3.470	3.990	1.209	
Hf	15.202	13.235	14.762	12.222	11.216	12.094	12.425	13.867	12.813	5.846	19.183	10.642	13.530	10.730	12.090	11.470	10.850	17.300	16.200	6.165	2.734	2.190	4.113	2.675	1.960	2.081	0.863	
Lu	0.457	0.411	0.482	0.274	0.502	0.311	0.284	0.367	0.334	0.264	0.338	0.169	0.349	0.300	0.390	0.460	0.790	098.0	0.390	0.176	0.116	0.097	0.211	0.146	0.137	0.144	0.388	
ΧÞ	2.298	2.549	2.832	1.723	2.636	1.347	1.860	2.484	2.527	2.133	1.904	1.252	2.044	1.620	2.320	2.390	2.420	2.200	2.560	1.020	969.0	0.627	1.243	0.829	0.915	1.025	2.734	
Tm	0.272	0.447	0.505	0.205	0.441	0.190	0.315	0.372	0.297	0.326	0.222	0.164	0.270	0.210	0.310	0.290	0.440	0.580	0.300	0.131	0.099	0.103	0.176	0.106	0.138	0.124	0.377	
Er	2.116	2.885	2.790	1.544	3.004	1.557	1.558	2.379	2.146	1.665	1.734	1.076	2.228	1.580	2.480	2.210	2.650	1.950	2.520	0.925	0.895	0.576	1.098	0.661	0.936	0.786	2.914	
Database ID	AKC01731blb	AKC01731blc	AKC01731bld	AKC01731ble	AKC01731green	AKC01734	AKC01738	AKC01742	AKC01744	AKC01752	AKC01773	AKC01774	AKC01775	AKC01779	AKC01779y	AKC01780	AKC01790	AKC01791	AKC01808	AKC01695	AKC01700black	AKC01700red trim	AKC00443	AKC00452	AKC00464	AKC00466	AKC00473	

I.h	4.812	1.360	3.851	3.863	3.364	4.976	3.407	6.134	5.137	4.097	0.788	0.941	3.691	4.497	1.625	2.179	6.326	4.696	4.718	1.983	4.418	5.112	3.930	6.421	5.859	5.847	5.182
Ħ	1.142	986.0	3.905	3.566	3.119	5.854	2.234	6.564	2.528	2.915	0.411	0.464	2.932	1.316	698.0	1.826	5.482	4.726	1.584	0.717	2.272	3.599	1.556	1.734	3.653	2.585	2.149
Lu	0.166	0.395	0.249	0.248	0.193	0.107	0.166	0.428	0.218	0.326	0.139	0.329	0.129	0.249	0.382	0.156	0.344	0.180	0.121	0.141	0.153	0.371	0.127	0.243	0.239	0.242	0.161
Ap	1.472	2.897	1.537	1.771	1.409	0.722	0.838	1.639	1.401	1.724	0.661	2.440	0.984	1.901	2.886	0.725	1.922	1.430	1.105	1.126	0.823	1.998	0.745	1.652	2.195	1.222	1.005
Lm	0.183	0.385	0.201	0.282	0.209	0.104	0.135	0.289	0.117	0.271	0.095	0.354	0.151	0.299	0.393	0.088	0.314	0.184	0.126	0.127	0.137	0.349	0.125	0.216	0.283	0.149	0.111
Ξ	1.267	2.733	1.478	1.498	1.286	908.0	0.877	1.292	1.187	1.625	0.643	2.353	0.937	1.762	2.669	0.487	2.104	1.197	0.827	0.632	608.0	1.684	0.732	1.315	2.396	1.046	1.005
Database ID	AKC00485	AKC00487	AKC00516	AKC00541	AKC00545	AKC00550	AKC00564	AKC00569	AKC00572	AKC00573	AKC00579	AKC00596	AKC00597	AKC00605	AKC00624	AKC00628	AKC00630	AKC00632	AKC00633	AKC00634	AKC00641	AKC00662	AKC00672	AKC00677	AKC00683	AKC00686	AKC00689

0.411	0.057	
1 1 7 1		
1.1.1		0.830
1.353		0.325
1.992		0.401
0.734		0.123
0.919		0.161
2.297		0.314
0.989		0.135
2.395		0.307
0.788		0.156
2.095		0.303
2.462		0.373
2.574		0.389
2.558		0.372
1.548		0.234
0.733		0.080
0.752		0.125
0.961		0.097
0.599		0.078
0.707		0.112
1.622		0.227
1.264		0.178
1.930		0.241
2.967		0.372
2.336		0.319
0.946		0.185
0.856		0.118

Database ID	Er	Tm	Λ	Lu	Hf	Th
AKC00939	2.058	0.303	2.490	0.281	3.714	5.788
AKC01084	2.207	0.379	2.518	0.392	3.635	5.352
AKC00912	2.578	0.360	2.516	0.394	4.799	7.411
AKC01073_violet	0.569	0.070	0.494	0.072	1.895	2.751
AKC01073_blue	1.265	0.169	1.180	0.181	2.567	3.335
AKC01066	1.665	0.221	1.685	0.181	3.374	3.945
AKC00909	689.0	0.105	0.821	0.103	2.027	2.801
AKC00910	0.703	0.123	099'0	0.107	1.011	4.569
AKC00959_dkblue	0.729	0.099	0.864	0.125	1.230	2.953
AKC00959_red	1.220	0.183	1.266	0.195	10.638	5.660
AKC00959_yellow	0.885	0.139	1.007	0.137	6.137	3.838
AKC00959_turq	2.066	0.274	1.980	0.294	7.321	7.249
AKC01071yellow	1.448	0.224	1.679	0.233	7.801	8.220
AKC01071blue	1.089	0.145	1.147	0.202	7.658	8.218
AKC00959_orange	1.404	0.204	1.295	0.208	7.854	7.223
AKC01057orange	1.598	0.218	1.515	0.287	11.467	6.979
AKC01071orange	766.0	0.139	0.988	0.161	4.866	907.9
AKC01043b	2.674	0.418	2.820	0.448	9.570	13.830
AKC01043w	298.0	0.106	0.849	0.112	2.539	3.143
AKC01059b	1.858	0.293	1.891	0.285	1.509	4.364
AKC01059w	1.414	0.150	1.124	0.169	7.095	5.791
AKC01057gold	0.780	0.112	0.894	0.111	2.526	1.815
AKC01093	0.087	0.045	0.103	0.047	0.129	0.797
AKC00901	899.0	0.092	0.722	0.104	2.047	4.416
AKC01022	698.0	0.146	0.989	0.207	2.271	1.798
AKC00410	2.649	0.410	2.583	0.354	2.693	3.045
AKC00413	1.980	0.287	2.030	0.311	2.218	3.676

Database ID	Er	Tm	AV	Lu	$_{ m JH}$	ųД
AKC00416	2.123	0.276	2.001	0.244	2.890	4.050
AKC00327	1.473	0.199	1.331	0.211	2.731	4.440
AKC00322	0.514	0.075	0.567	890.0	0.746	3.801
AKC00386	0.325	0.043	0.306	0.072	0.604	1.487
AKC00412	1.454	0.173	1.606	0.226	2.565	3.458
AKC00425a	2.250	0.318	2.301	0.357	2.533	3.348
AKC00425b	1.296	0.182	1.512	0.194	2.598	3.863
AKC00372	1.625	0.214	1.478	0.206	2.974	4.351
AKC00381	0.285	0.053	0.217	0.029	0.560	1.926
AKC00389	0.254	0.041	0.303	890.0	0.471	1.453
AKC00376	0.324	0.055	0.359	0.081	0.780	2.405
AKC00424g	0.317	0.045	0.328	0.048	698'0	1.537
AKC00424w	0.384	0.050	0.460	0.062	668.0	1.440

Not included due to			
weathering			
Ban Non Wat	AKC02040	Noen U-Loke	AKC02011
Ban Non Wat	AKC02041		
Ban Non Wat	AKC02042		

Appendix 7.3: PCA scores for Figure 7.30

Elements Used: Na, Ca, K, Mg,	Al, Fe, Ti, N	In, Cu, Zn,	Ba, Rb, Ce
	PCA1	PCA2	PCA3
Ban Non Wat, Thailand	0.63113	1.12463	0.04073
Noen U-Loke, Thailand 1	-0.13101	0.52856	-0.7359
Noen U-Loke, Thailand 2	0.24695	0.38732	-0.08673
Phu Khao Thong, Thailand 1	-0.0544	1.03317	-0.72759
Phu Khao Thong, Thailand 2	-1.07042	-0.6463	0.11789
Phu Khao Thong, Thailand 3	-1.53603	-1.19173	0.54637
Dong Klang, Thailand	1.235	-0.56821	0.67211
Ta Chana, Thailand	1.29916	-0.18184	1.12688
Chombeung, Thailand 1	0.39991	-0.34212	-1.14704
Chombeung, Thailand 2	1.10851	0.89418	0.36821
Chombeung, Thailand 3	1.14134	0.55908	0.23163
Khao Sam Kaeo, Thailand 1	-1.73294	0.0946	-0.26354
Khao Sam Kaeo, Thailand 2	-1.75374	-0.28939	-0.29457
Khao Sam Kaeo, Thailand 3	0.95357	-1.937	1.53704
Kodumanal, India	-1.33821	1.42185	1.67097
Dhalbhum, India	0.95544	-0.20428	0.64671
Dulhikotta, India 1	0.26153	1.23006	-0.74477
Dulhikotta, India 2	0.36193	1.1673	-0.96578
Kalahandi, India	-0.12579	-0.17074	-2.02545
Kausambi, India 1	0.10402	-1.74098	-0.80629
Kausambi, India 2	0.12879	-1.65394	-1.0052
Giong Ca Vo, Vietnam	-1.08475	0.48581	1.84431

Appendix 8.1: Garnet Zoning and Heterogenity

Although garnet is more geochemically homogeneous than agate and carnelian, there can still be heterogeneity within a garnet sample due to garnet zoning. As a garnet crystal grows, the distribution of elements can vary between the core and outer layers in a process called zoning. Identification of the zoning patterns of major elements (Fe, Ca, Mn, Mg) has assisted with understanding the temperature and pressure under which garnets were formed (Tracy et al. 1976). Trace element zoning of garnets has also been identified (see Hickmott et al. 1987; Hickmott 1988; Spear and Kohn 1996). In previous archaeological studies involving garnets, zoning has produced samples with a wide spread of values in certain elements, for example Y values ranging from 100 to 1000 ppm (Calligaro et al. 2002). Heterogeneity in garnet compositions was also identified in the current study and this became clear when looking at the relative standard deviation (%RSD) of various elements for the five point ablations performed on a single sample. Some elements had very high %RSD (50% or more), indicating a large variation in the concentration of elements within a single sample. The RSD of the point ablations for each sample were carefully examined and it was decided that the remaining statistical analyses would focus on elements with an RSD of ten percent or less. This number was chosen by the author in order to limit variation, while also acknowledging that a small amount of variation within the sample is unavoidable. Table 8.1.1 lists the thirteen elements with an RSD of ten percent or less in at least 75% of the 68 geologic samples (n=51). It should be noted that the Anthill source garnets were extremely heterogeneous, both within a single sample and when viewed as a group. This wide variation in element concentrations may be due to zoning; further analysis of additional samples from this source would clarify this issue. Heterogeneity was also identified in

the garnet artifacts. Table 5 lists the thirteen elements identified above and the proportion of artifacts that have a RSD above or below ten percent.

In addition to the thirteen elements discussed above, exploratory bivariate plotting identified additional elements that assisted with the discrimination of garnet source groups. Furthermore, previous research has identified elements such as Cr, Ti, and Y that are important in distinguishing between garnet types (Calligaro et al. 2002). These elements were heterogeneously distributed within the garnet samples, most likely as the result of zoning. Some of these important elements are discussed on a case-by-case basis below. However, this highlights an issue that must be considered when using LA-ICP-MS to analyze garnets, as one must carefully evaluate which elements are important for distinguishing a sample or group of samples, even if they are not distributed evenly. LA-ICP-MS has successfully measured heterogeneous materials such as ceramics (Dussubieux et al. 2007) and agate (Chapter 5). Therefore, the inclusion of some heterogeneously distributed elements was not expected to adversely affect results.

Element	Number of samples with 10% RSD or	Number of samples with 10% RSD or	Sample (%RSD)
	less	more	
Fe	68	0	N/A
Al	68	0	N/A
Mg	67	1	LamDong2 (11)
Mn	66	2	Anthill (16); SouthIndia4 (12)
			PhuTho1 (22); Sri Lanka Group1_1 (19); Sri Lanka
Ca	65	3	Group2_5 (33)
Co	63	5	LamDong1 (22); LamDong2 (11); SouthIndia1 (12); SouthIndia10 (15); SouthIndia7 (25)
			Anthill3 (15); Anthill4 (11); LamDong2 (18);
			Mozambique6 (13); SouthIndia7 (21); SriLankaGroup1_1
Sc	62	6	(17)
			LamDong2 (22); SouthIndia7 (17); Sri Lanka Group 2_2
			(13); Sri Lanka Group2_4 (11); Sri Lanka Group1_1 (25);
V	62	6	Sri Lanka Group 2_5 (12)
			Anthill2 (18); Anthill3 (60); Anthill4 (14); Anthill5 (30);
			Anthill6 (14); Mozambique1 (11); Mozambique 6 (60);
			SouthIndia7 (19); SriLankaGroup1_7 (11); Sri Lanka
Zn	58	10	Group2_5 (12)
			Anthill1 (73); Anthill2 (10); Anthill3 (19); Antill4 (32);
			Anthill5 (111); Anthill6 (48); LamDong2 (17);
т.	57	1.1	Mozambique6 (13); Orissa3 (21); PhuTho8 (12);
Li	57	11	SouthIndia4 (12)
			Anthill1 (14); Anthill2 (17); Anthill3 (19); Anthill4 (13); Anthill5 (38); LamDong1 (31); LamDong2 (11); PhuTho1
			(16); PhuTho10 (14); SouthIndia1 (19); SouthIndia7 (15);
P	53	15	SouthIndia8 (89); SouthIndia9 (12); SouthIndia10 (20)
1	33	13	Anthill2 (15); Anthill3 (16); Anthill 4 (26); Anthill5 (11);
			Anthill6 (28); India3 (11); India8 (20); LamDong2 (16);
			Mozambique5 (16); Mozambique6 (15); SouthIndia4 (11);
			SouthIndia5 (15); SouthIndia7 (17); SouthIndia9 (11); Sri
Gd	52	16	Lanka Group1_1 (47); Sri Lanka Group1_7 (11)
			Anthill3 (15); Anthill4 (33); Anthill6 (18); India1 (18);
			India8 (13); LamDong2 (25); Mozambique5 (25);
			PhuTho7 (14); PhuTho8 (18); PhuTho9 (17); SouthIndia4
			(20); SouthIndia5 (20); SouthIndia7 (17); SouthIndia9
Tb	52	16	(13); SouthIndia10 (11)

Table 8.1.1: Thirteen elements with relative standard deviation (RSD) under ten percent in at least 75% of the geologic samples analyzed in this study. The column on the right lists the samples with RSD of 10% or higher

878

Appendix 8.2: Garnet beads recorded in this study

Database ID	Site Name	Context	Catalogue Numbor	Raw Material	Color(s)	Bead Shape
AKC03030	Angkor Borei	Unit AB7 Block 2N Layer 7 Level 20	1767	Garnet	Dark Purple	Spherical
1 COCO CAR		Burial F16				
AKC03031	Angkor Borei	Unit AB7 Block 5N Layer 5 Level 25 Rurial E48	3284	Garnet	Dark Purple	Spherical
AKC03032	Angkor Borei	Unit AB7 Block 2N Layer 7 Level 21 Burial F21	1835	Garnet	Dark Purple	Spherical
AKC03033	Angkor Borei	Unit AB7 Block 4S Layer 5 Level 26	2801	Garnet	Dark Purple	Spherical
AKC03034	Angkor Borei	Unit AB7 Block 4N Layer 5 Level 30	3333	Garnet	Dark Purple	Spherical
AKC00310	Village 10.8	Unit EXVIII N/85 #46	N/A	Garnet	Dark Purple	Rough short barrel
AKC00311	Village 10.8	Unit EXXXII I/84 #32	N/A	Garnet	Dark Purple	Rough short barrel
AKC00333	Village 10.8	Unit E/1 T/92 #56	N/A	Garnet	Dark Purple	Rough long elliptical barrel
AKC00334	Village 10.8	Unit E 21/94 #37	N/A	Garnet	Dark Purple	Rough long elliptical barrel
AKC00335	Village 10.8	Unit E 21/94 #33	N/A	Garnet	Dark Purple	Rough short barrel
AKC00336	Village 10.8	Unit E/1 T/92 #30	N/A	Garnet	Dark Purple	Rough short barrel
AKC00337	Village 10.8	Unit E 21/94 #21	N/A	Garnet	Dark Purple	Rough short barrel
AKC00338	Village 10.8	Unit E 21/94 #32	N/A	Garnet	Dark Purple	Rough short barrel
AKC00339	Village 10.8	Unit E/1 T/92 #28	N/A	Garnet	Dark Purple	Rough long elliptical barrel
AKC00340	Village 10.8	Unit E 21/94 #20	N/A	Garnet	Dark Purple	Rough long elliptical barrel
AKC00341	Village 10.8	Unit E 21/94 #20	N/A	Garnet	Dark Purple	Rough short barrel

Garnet
Garnet

Hole Type Type 3 Type 3		Donforotion A						
Type 3		I ellolation A	Perforation B	Length	Width	Width A	Width B	
Type 3	Med-high	1.14	1.31	2.46	3.6			
	Med-high	1.52	1.33	3.7	4.69			
Type 2	Medium	6.0	1.27	3.74	4.97			
Type 3	Med-high	1.2	1.3	5.25	6.49			
Type 3	Med-high	1.4	1.34	3.46	4.58			
Type 4	No polish	1.18	1.16	5.66	5.61	4.39	4.25	
Type 4	No polish	1.47	1.58	9.62	8.4	2.57	5.41	6.57
Type 4	No polish	2.9	3.4	12.28	11.82			9.92
Type 4	No Polish	2.47	2.34	72.6	9.76			8.35
AKC00335 Type 4	No polish	2.15	1.85	9.55	7.86			7.75
AKC00336 Type 4	No polish	1.43	1.84	10.04	9.29			6L.L
Type 4	No polish	2.76	2.31	8.87	8.81			7.91
Type 4	No polish	1.49	1.37	9.11	7.81			7.04
Type 4	No polish	2.74	2.64	10.45	9.45			8.14
Type 4	No polish	2.84	2.56	8.81	8.83			7.2
Type 4	No polish	1.55	1.93	7.25	91.7			
AKC00590 Type 4	No polish	1.32	1.4	5.45	5.78			4.63
AKC00606 Type 4	No polish	1.4	1.32	5.72	4.97			
Type 4	No polish	1.25	1.35	5.44	5.29			4.09
Type 4	No polish	1.35	1.3	5.22	4.81			4.23
Type 4	No polish	1.57	1.75	5.52	5.71			3.71
Type 4	No polish	1.32	1.24	5.09	5.1			4.54
Type 4	No polish	1.69	1.97	8.48	7.31			8.31

881

Appendix 8.3: LA-ICP-MS data for garnet geologic sources and artifacts

Database ID	SiO2	$M_{\mathbf{gO}}$	A1203	P203	CaO	MnO	Fe2O3	CuO	SnO2
Orissa1	41.6%	14.0%	22.0%	%90:0	1.5%	0.4%	20.3%	%00.0	%00.0
Orissa2	40.9%	10.9%	21.8%	0.03%	2.4%	0.7%	23.3%	%00.0	%00.0
Orissa3	41.0%	11.2%	21.5%	0.04%	2.5%	%9.0	23.1%	%00.0	%00.0
Orissa4	41.6%	13.4%	22.2%	%80.0	1.8%	0.3%	20.6%	%00.0	%00.0
Orissa5	41.4%	12.2%	22.1%	0.04%	3.1%	0.3%	20.8%	%00.0	%00.0
Orissa6	40.1%	10.3%	22.1%	0.02%	3.3%	1.2%	22.9%	%00.0	%00.0
Orissa7	41.3%	14.4%	22.2%	0.04%	1.6%	0.3%	20.2%	%00.0	%00.0
Orissa8	40.4%	9.5%	21.9%	%80.0	%6.0	0.7%	26.5%	%00.0	%00.0
Orissa9	40.6%	%8.6	21.9%	0.03%	2.2%	1.0%	24.5%	%00.0	%00.0
Orissa10	41.2%	12.3%	22.5%	0.03%	2.7%	0.3%	20.9%	%00.0	%00.0
SouthIndia1	39.5%	4.9%	21.1%	0.01%	1.5%	1.1%	31.8%	%00.0	%00.0
SouthIndia2	38.2%	3.9%	22.3%	0.01%	1.6%	2.3%	31.7%	%00.0	%00.0
SouthIndia3	38.9%	3.8%	21.5%	0.02%	1.5%	2.2%	31.9%	%00.0	%00.0
SouthIndia4	39.1%	4.2%	21.3%	0.02%	1.3%	1.4%	32.6%	%00.0	%00.0
SouthIndia5	38.6%	9.6%	21.7%	0.01%	1.9%	0.2%	31.9%	%00.0	%00.0
SouthIndia6	38.7%	4.2%	21.4%	0.02%	1.5%	2.4%	31.7%	%00.0	%00.0
SouthIndia7	39.7%	4.6%	20.8%	0.01%	1.5%	1.7%	31.7%	%00.0	%00.0
SouthIndia8	38.4%	4.5%	21.9%	0.04%	1.6%	1.5%	32.1%	%00.0	%00.0
SouthIndia9	39.0%	5.0%	21.5%	0.01%	1.9%	1.3%	31.3%	%00.0	%00.0
SouthIndia10	39.0%	4.5%	22.3%	0.01%	1.7%	1.0%	31.5%	%00.0	%00.0
IndiaGarnet1	38.5%	10.2%	22.7%	0.14%	0.5%	0.5%	27.3%	%00.0	%00.0
IndiaGarnet2	39.2%	10.8%	22.6%	0.05%	2.0%	0.2%	25.1%	%00.0	%00.0
IndiaGarnet3	38.5%	10.1%	22.7%	0.13%	0.5%	0.3%	27.6%	0.00%	0.00%

																											882
SnO2	0.00%	0.00%	%00.0	%00'0	%00'0	%00.0	0.00%	0.00%	0.00%	%00.0	%00.0	%00'0	0.00%	0.00%	%00.0	%00.0	%00.0	%00.0	%00.0	0.00%	%00'0	%00.0	0.00%	0.00%	0.00%	%00'0	
CuO	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	
Fe2O3	28.5%	28.2%	28.5%	27.8%	28.9%	29.1%	29.9%	29.3%	29.7%	30.6%	29.6%	31.9%	31.4%	30.3%	30.6%	27.2%	26.4%	26.9%	27.5%	30.3%	30.8%	23.9%	20.7%	18.5%	17.5%	17.5%	
MnO	0.5%	0.3%	0.5%	0.5%	0.7%	0.7%	3.2%	6.3%	2.0%	3.9%	6.5%	1.6%	4.5%	5.0%	4.7%	0.7%	0.2%	0.2%	0.2%	0.1%	%6.0	2.9%	0.7%	%9.0	0.4%	0.4%	
CaO	0.5%	%8.0	0.5%	%6.0	0.5%	0.5%	2.1%	1.2%	1.5%	1.3%	1.1%	2.1%	1.0%	1.4%	1.6%	1.3%	1.1%	1.7%	0.8%	%6.0	1.6%	1.8%	2.6%	3.8%	3.7%	2.5%	
P203	0.10%	0.11%	0.19%	0.14%	0.18%	0.13%	0.01%	0.02%	0.02%	0.03%	0.03%	0.01%	0.04%	0.03%	0.02%	%60.0	0.07%	0.04%	0.07%	0.07%	0.07%	0.02%	0.03%	0.02%	0.03%	0.04%	
Al203	22.3%	22.7%	22.2%	22.9%	22.6%	22.8%	21.2%	21.8%	22.1%	22.1%	21.6%	22.1%	22.0%	21.8%	21.9%	24.7%	25.1%	26.2%	25.7%	24.9%	24.1%	23.5%	24.0%	23.6%	23.8%	24.0%	
MgO	9.4%	%9.6	%8.6	%5.6	%6'8	8.7%	4.3%	4.0%	4.3%	4.6%	4.1%	5.0%	4.3%	4.5%	4.3%	4.1%	5.7%	4.7%	5.5%	4.4%	3.5%	7.8%	11.0%	12.2%	13.1%	13.9%	
SiO2	38.6%	38.2%	38.3%	38.3%	38.1%	38.1%	39.3%	37.4%	37.3%	37.4%	37.1%	37.3%	36.6%	36.9%	36.8%	41.9%	41.5%	40.3%	40.3%	39.3%	39.0%	39.9%	40.8%	41.1%	41.4%	41.7%	
Database ID	IndiaGarnet4	IndiaGarnet5	IndiaGarnet6	IndiaGarnet7	IndiaGarnet8	IndiaGarnet9	SriLankaGroup1_1	SriLankaGroup1_2	SriLankaGroup1_3	SriLankaGroup1_4	SriLankaGroup1_5	SriLankaGroup1_6	SriLankaGroup1_7	SriLankaGroup1_8	SriLankaGroup1_9	SriLankaGroup2_1	SriLankaGroup2_2	SriLankaGroup2_3	SriLankaGroup2_4	SriLankaGroup2_5	SriLankaGroup2_6	PhuThoGarnet1	PhuThoGarnet2	PhuThoGarnet3	PhuThoGarnet4	PhuThoGarnet5	

SnO2	%00.0	%00.0	%00.0	%00.0	%00.0	%80.0	0.20%	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	0.00%	88
OnO	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	%00.0	0.00%	
Fe2O3	19.5%	18.9%	18.8%	18.8%	19.3%	%1.9	4.7%	19.5%	10.2%	16.4%	10.4%	%8.6	17.2%	20.1%	20.3%	19.1%	20.2%	18.5%	18.6%	14.7%	14.5%	12.4%	13.9%	12.7%	12.6%	11.8%	
MnO	0.5%	0.5%	0.4%	0.5%	%6.0	35.4%	37.0%	0.4%	0.5%	0.3%	0.5%	0.4%	0.3%	%9.0	%8.0	0.7%	%8.0	0.5%	0.5%	0.5%	0.5%	0.4%	0.5%	0.4%	0.4%	0.4%	
CaO	1.9%	3.0%	2.8%	2.6%	2.1%	0.5%	%9.0	8.0%	4.8%	12.7%	4.7%	4.4%	7.8%	4.1%	3.6%	4.4%	3.8%	4.1%	3.7%	6.4%	6.2%	%0.9	7.0%	%6.9	6.5%	6.3%	
P203	0.04%	0.03%	0.03%	0.04%	0.03%	%00.0	0.01%	0.07%	0.01%	0.01%	%00.0	0.02%	0.01%	0.04%	0.05%	0.04%	0.04%	0.04%	0.04%	0.02%	0.03%	0.02%	0.02%	0.02%	0.02%	0.02%	
AI203	23.9%	24.1%	24.1%	24.1%	24.2%	20.6%	20.6%	22.5%	21.8%	22.5%	22.1%	22.0%	22.1%	21.9%	22.8%	23.2%	22.4%	23.2%	23.2%	22.3%	22.8%	23.2%	22.8%	23.4%	23.3%	23.6%	
$_{ m MgO}$	12.8%	12.7%	13.1%	12.6%	12.2%	0.1%	%0.0	9.4%	18.7%	8.4%	18.8%	19.1%	11.7%	11.9%	12.0%	12.6%	12.3%	13.4%	13.6%	14.2%	14.0%	16.1%	15.8%	16.6%	17.0%	17.4%	
SiO2	41.4%	40.8%	40.9%	41.3%	41.1%	36.7%	36.9%	40.1%	44.0%	39.7%	43.4%	44.2%	40.8%	41.3%	40.4%	39.9%	40.5%	40.3%	40.4%	41.8%	42.0%	41.8%	40.0%	39.9%	40.1%	40.5%	
Database ID	Phu Tho Garnet6	PhuThoGarnet7	PhuThoGarnet8	PhuThoGarnet9	PhuThoGarnet10	LamDong1	LamDong2	Anthill1	Anthill2	Anthill3	Anthill4	Anthill5	Anthill6	Mozambique1	Mozambique2	Mozambique3	Mozambique4	Mozambique5	Mozambique6	AKC00590	AKC00606	AKC00651	AKC00311	AKC00310	AKC00338	AKC00339	

Database ID	SiO2	$M_{\mathbf{g}O}$	AI203	P203	CaO	MnO	Fe2O3	CuO	SnO2
AKC00731	40.0%	15.9%	23.4%	0.02%	%9.9	0.5%	13.6%	%00.0	%00.0
AKC03030	35.9%	2.7%	23.4%	%80.0	0.7%	2.0%	35.2%	%00.0	%00.0
AKC03031	35.8%	%0.€	24.0%	%90.0	0.7%	%6.0	35.4%	%00.0	%00.0
AKC03032	36.0%	2.7%	22.8%	0.04%	0.7%	1.0%	36.7%	%00.0	%00.0
AKC03033	36.5%	3.0%	23.2%	0.05%	%9.0	1.3%	35.2%	%00.0	%00.0
AKC03034	36.4%	7.7%	23.5%	0.03%	%8.0	%6.0	35.7%	%00.0	%00.0
PorunthalGarnet	37.6%	7.5%	21.6%	0.05%	%9.0	1.2%	36.4%	%00.0	%00.0
PKTgarnet	39.3%	12.0%	23.2%	0.03%	5.1%	0.9%	19.5%	0.00%	0.00%

	0.04 0.07	0.04 0.03	0.04 0.07	0.03																						
Zn	101.67	35.99	59.38	20 10	20.10	19.31	19.31	50.10 19.31 57.80 54.94	56.16 19.31 57.80 54.94 64.37	54.94 64.37 54.94 64.37	56.16 19.31 57.80 54.94 64.37 44.94 53.14	56.16 19.31 57.80 54.94 64.37 44.94 53.14	56.16 19.31 57.80 54.94 64.37 44.94 53.14 28.24	56.16 19.31 57.80 54.94 64.37 44.94 53.14 28.24 22.19	58.18 19.31 57.80 54.94 64.37 44.94 53.14 28.24 28.24 25.28	56.16 19.31 57.80 54.94 64.37 44.94 53.14 28.24 22.19 25.28 25.28	58.18 19.31 57.80 54.94 64.37 44.94 53.14 28.24 28.24 25.28 25.28 25.28 29.07	28.24 25.28 25.28 25.28 25.28 25.28 25.28 25.28 26.07	28.32 28.34 54.34 64.37 44.94 53.14 53.14 28.24 25.28 25.22 29.07 29.07 28.93 25.86	28.24 25.28	28.93 28.94 64.37 44.94 64.37 44.94 53.14 28.24 25.28 25.22 29.07 29.07 29.07 29.07 29.07 29.07 29.07 29.07 28.93 28.93 28.93 28.93 28.93 28.93 28.93 28.93 28.93 28.94 28.94 28.97 28	28.78 28.78 57.80 54.94 64.37 44.94 53.14 28.24 25.28 25.28 25.28 25.28 25.28 25.28 25.28 25.28 25.28 26.51 26.51	28.32 28.24 25.28 26.51 19.31 54.94 64.37 44.94 53.14 28.24 25.22 29.07 29.07 29.07 29.07 29.07 29.07 29.07 28.93 28.93 28.93 28.24 28.93 28.93 28.24 28.93 28.93 28.72 28.72 28.72 28.72 28.72 28.72 28.72 28.72 28.72 28.72 28.73 28.73 28.74 28.74 28.75 28	28.18 19.31 57.80 54.94 64.37 44.94 53.14 53.14 22.19 25.28 25.28 25.28 25.28 25.28 25.28 25.28 25.28 26.51 28.72 26.51 68.85 83.54	28.32 28.24 25.28 26.51 44.94 64.37 44.94 53.14 53.14 28.24 25.22 29.07 29.07 29.07 29.07 29.07 29.07 29.07 28.93 28.93 28.93 28.93 28.93 28.93 28.93 28.93 28.93 28.72 28.72 28.86 28.72 28.72 28.72 28.72 28.72 28.72 28.72 28.72 28.73 28.73 28.73 28.74 28.75 28	28.18 19.31 57.80 54.94 64.37 44.94 53.14 53.14 28.24 25.28 25.28 25.28 25.28 25.28 25.28 25.28 25.28 25.28 26.51 68.85 57.08 83.54 79.10
Co	67.73	46.16	37.99	56.09		31.03	31.03	31.03 39.97 59.71	31.03 39.97 59.71 15.78	31.03 39.97 59.71 15.78 32.22	31.03 39.97 59.71 15.78 32.22 51.50	31.03 39.97 59.71 15.78 32.22 51.50 6.31	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.98	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.98	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.98 7.17	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.98 7.17 7.02	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.98 7.17 7.02 5.89	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.38 7.17 7.17 7.17 7.17 7.14 5.89	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.98 7.17 7.02 5.89 5.89 5.89 6.86	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.31 6.38 7.17 7.17 7.17 7.17 7.02 5.89 5.89 5.89 6.86	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.98 7.17 7.02 5.89 5.89 7.44 7.44 6.86 6.86 6.86 6.23	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.31 6.38 7.02 7.02 5.89 7.44 7.44 7.44 7.44 6.86 6.86 6.86 6.86 6.23 6.23 6.23 6.23	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.98 7.17 7.02 5.89 5.89 5.89 6.86 6.86 6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.31 6.38 7.17 7.17 7.17 7.17 7.17 6.28 6.88 6.88 6.88 6.88 6.88 6.23 6.24 6.25 6.27	31.03 39.97 59.71 15.78 32.22 51.50 6.31 6.31 6.98 7.17 7.17 7.17 7.17 7.17 6.86 6.86 6.23 6.24 6.25 6.25 6.25 6.27	31.03 39.97 39.97 59.71 15.78 32.22 51.50 6.31 6.31 6.31 6.31 6.31 7.17 7.17 7.17 7.17 7.17 6.28 6.86 6.86 6.86 6.86 6.87 6.15 6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.23 6.24 6.25 6.25 6.25 6.25 6.25 6.25 6.25 6.27
Cr	563.54	331.71	12.85	197.94		61.61	61.61	61.61 246.32 161.43	61.61 246.32 161.43 20.52	61.61 246.32 161.43 20.52 126.87	61.61 246.32 161.43 20.52 126.87 44.08	61.61 246.32 161.43 20.52 126.87 44.08	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39 57.58	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39 57.58 63.34 59.09	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39 57.58 63.34 63.34 44.40	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39 57.58 63.34 63.34 70.89	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39 57.58 63.34 63.34 77.87	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39 57.58 63.34 59.09 44.40 70.89 75.87	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39 57.58 63.34 63.34 77.58 77.88 66.57	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39 57.58 63.34 59.09 44.40 70.89 75.87 66.57	61.61 246.32 161.43 20.52 126.87 44.08 52.47 69.23 56.96 60.64 61.39 57.58 63.34 63.34 63.34 77.58 66.57 70.89 70.17
>	99.35	156.76	56.86	28.32		56.37	56.37	56.37 141.01 32.32	56.37 141.01 32.32 23.53	56.37 141.01 32.32 23.53 54.54	56.37 141.01 32.32 23.53 54.54 60.88	56.37 141.01 32.32 23.53 54.54 60.88	56.37 141.01 32.32 23.53 54.54 60.88 18.06	56.37 141.01 32.32 23.53 54.54 60.88 18.06 15.12	56.37 141.01 32.32 23.53 54.54 60.88 18.06 15.12 17.55	56.37 141.01 32.32 23.53 23.53 54.54 60.88 18.06 15.12 17.55 17.55 17.55	56.37 141.01 32.32 23.53 54.54 60.88 18.06 15.12 17.55 17.55 17.55 17.55	56.37 141.01 32.32 23.53 23.53 54.54 60.88 18.06 15.12 17.55 17.55 17.55 17.55 17.55	56.37 141.01 32.32 23.53 24.54 60.88 18.06 15.12 17.55 17.55 17.55 17.55 17.55 17.55 17.00 10.70 10.70	56.37 141.01 32.32 23.53 23.53 24.54 60.88 18.06 15.12 17.55 17.55 17.55 17.55 17.00 10.70 16.00 10.70 16.00 10.70 16.00 16.00 16.00 17.00 1	56.37 141.01 32.32 23.53 23.53 54.54 60.88 18.06 15.12 17.55 17.55 17.55 17.00 10.70 10.70 10.89 10.89 10.16	56.37 141.01 32.32 23.53 23.53 24.54 60.88 18.06 15.12 17.55 17.55 17.55 17.60 10.70 10.70 10.70 27.60 10.89 10.16 26.73	56.37 141.01 32.32 23.53 23.53 24.54 60.88 18.06 15.12 17.55 17.55 17.55 17.60 10.70 10.89 10.89 10.16 27.60 2	56.37 141.01 32.32 23.53 23.53 24.54 60.88 18.06 15.12 17.55 17.55 17.55 16.19 10.70 10.70 10.70 10.89 10.89 10.16 27.60 2	56.37 141.01 32.32 23.53 23.53 23.53 54.54 60.88 18.06 15.19 17.55 17.55 17.55 10.70 10.70 10.89 10.89 10.16 27.60 27.60 27.60 27.60 27.60 27.60 27.60	56.37 141.01 32.32 23.53 23.53 24.54 60.88 18.06 15.12 17.55 15.19 10.70 10.70 15.22 27.60 10.89 10.89 10.16 26.73 26.73 26.73 27.62 27.62 27.62 27.62 27.62 27.63 2
П	140.65	132.12	188.31	296.07		183.41	183.41	183.41 163.60 166.87	183.41 163.60 166.87 65.43	183.41 163.60 166.87 65.43 50.12	183.41 163.60 166.87 65.43 50.12	183.41 163.60 166.87 65.43 50.12 280.12	183.41 163.60 166.87 65.43 50.12 280.12 8.47 6.60	183.41 163.60 166.87 65.43 50.12 280.12 8.47 6.60	183.41 163.60 166.87 65.43 50.12 280.12 8.47 6.60 6.19	183.41 163.60 166.87 65.43 50.12 280.12 8.47 6.60 6.19 4.72	183.41 163.60 166.87 65.43 50.12 280.12 8.47 6.60 6.19 4.72 7.12	183.41 163.60 166.87 65.43 50.12 280.12 8.47 6.60 6.19 4.72 7.12 5.95	183.41 163.60 166.87 65.43 50.12 280.12 280.12 8.47 6.60 6.19 4.72 7.12 5.95 31.72	183.41 163.60 166.87 65.43 50.12 280.12 280.12 8.47 6.60 6.19 4.72 7.12 5.95 31.72 4.72 6.05	183.41 163.60 166.87 65.43 50.12 280.12 8.47 6.60 6.19 4.72 7.12 5.95 31.72 4.72 4.72 7.12 5.95 5.95 6.05	183.41 163.60 166.87 65.43 50.12 280.12 280.12 8.47 6.60 6.19 4.72 7.12 5.95 5.95 5.95 4.72 4.72 4.72 6.05 15.97	183.41 163.60 166.87 65.43 50.12 280.12 280.12 8.47 6.19 4.72 7.12 5.95 31.72 4.72 4.72 4.72 6.05 15.97 17.36	183.41 163.60 166.87 65.43 50.12 280.12 280.12 280.12 8.47 6.60 6.19 4.72 7.12 5.95 31.72 4.72 6.05 17.36 26.68	183.41 163.60 166.87 65.43 50.12 280.12 280.12 28.47 6.60 6.19 4.72 7.12 5.95 31.72 4.72 6.05 15.97 17.36 26.68 12.42 14.85	183.41 163.60 166.87 65.43 50.12 280.12 280.12 280.12 8.47 6.60 6.19 4.72 7.12 5.95 31.72 4.72 6.05 17.36 17.36 26.68 17.36 17.36 26.68 17.36 26.68 17.36 26.68 17.36 26.68 17.36 26.68 26.78 17.36 27.12 27.1
36	75.63	120.94	32.93	80.56	000	/4.93	126.93	74.93 126.93 59.28	74.93 126.93 59.28 73.70	74.93 126.93 59.28 73.70 118.46	74.93 126.93 59.28 73.70 118.46 82.08	74.93 126.93 59.28 73.70 118.46 82.08 110.00	74.93 126.93 59.28 73.70 118.46 82.08 110.00	74.93 126.93 59.28 73.70 118.46 82.08 110.00 123.97	74.93 126.93 59.28 73.70 118.46 82.08 110.00 123.97 94.55	74.93 126.93 59.28 73.70 118.46 82.08 110.00 123.97 94.55 88.50	74.93 126.93 59.28 73.70 118.46 82.08 110.00 123.97 94.55 88.50 48.60	74.93 126.93 59.28 73.70 118.46 82.08 110.00 113.97 94.55 88.50 48.60 95.26	74.93 126.93 59.28 73.70 118.46 82.08 110.00 123.97 94.55 88.50 48.60 95.26 60.88	74.93 126.93 59.28 73.70 1118.46 82.08 110.00 1123.97 94.55 88.50 48.60 95.26 60.88 85.60	74.93 126.93 59.28 73.70 118.46 82.08 110.00 123.97 94.55 88.50 48.60 95.26 60.88 85.60 34.78	74.93 126.93 59.28 73.70 1118.46 82.08 110.00 113.97 94.55 88.50 48.60 95.26 60.88 85.60 34.78 73.01	74.93 126.93 59.28 73.70 118.46 82.08 110.00 123.97 94.55 88.50 95.26 60.88 85.60 34.78 73.01 65.35	74.93 126.93 59.28 73.70 1118.46 82.08 110.00 1123.97 94.55 88.50 95.26 60.88 85.60 95.26 60.88 85.60 95.26 60.88 85.60 95.26 60.88 85.60 95.26 60.88 85.60 95.26 60.88 85.60 95.26 60.88 85.60 95.26 60.88 85.60 95.26 60.88 85.60 95.26 60.88 85.60 95.26 85.60 95.26	74.93 126.93 59.28 73.70 118.46 82.08 110.00 113.97 94.55 88.50 95.26 60.88 85.60 95.26 60.88 85.60 44.66 44.66 47.54	74.93 126.93 59.28 73.70 1118.46 82.08 110.00 1123.97 94.55 88.50 95.26 60.88 85.60 95.26 60.88 85.60 95.26 44.66 44.66 47.54 77.49
В	0.57	0.41	0.37	0.44	0.53	CC.U	0.39	0.39	0.39 0.47 0.54	0.39 0.39 0.47 0.54	0.39 0.39 0.47 0.54 0.65 0.48	0.33 0.39 0.47 0.54 0.65 0.48	0.39 0.39 0.47 0.65 0.65 0.48 0.57	0.33 0.39 0.47 0.54 0.65 0.48 0.57 0.57	0.39 0.39 0.47 0.54 0.65 0.48 0.57 0.57	0.33 0.39 0.47 0.54 0.65 0.57 0.57 0.70 0.70	0.39 0.39 0.47 0.65 0.65 0.57 0.57 0.70 0.70 0.46	0.33 0.39 0.47 0.54 0.65 0.57 0.57 0.70 0.70 0.70 0.70 0.70	0.35 0.39 0.47 0.54 0.65 0.65 0.57 0.70 0.70 0.70 0.70 0.70 0.71 0.91	0.33 0.39 0.47 0.54 0.65 0.57 0.57 0.70 0.70 0.70 0.91 1.53 0.73	0.35 0.39 0.47 0.54 0.65 0.65 0.70 0.70 0.70 0.91 1.53 0.73 0.73	0.33 0.39 0.47 0.54 0.65 0.57 0.57 0.70 0.70 0.70 0.70 0.71 0.73 0.73	0.35 0.39 0.47 0.54 0.65 0.65 0.70 0.70 0.70 0.70 0.70 0.71 0.73 0.73 0.73 0.74 0.46 0.91 0.91 0.74 0.46 0.91 0.77 0.76 0.77	0.33 0.39 0.39 0.54 0.65 0.65 0.57 0.57 0.70 0.70 0.70 0.71 0.73 0.73 0.73 0.73 0.73 0.73 0.74 0.74 0.74 0.74 0.73	0.39 0.39 0.47 0.54 0.65 0.65 0.70 0.70 0.70 0.71 0.73 0.73 0.73 0.74 0.74 0.74 0.74 0.74 0.74 0.74 0.76 0.77 0.76 0.77 0.76 0.77 1.70	0.33 0.39 0.47 0.54 0.65 0.65 0.70 0.70 0.70 0.70 0.70 0.71 0.73 0.73 0.73 0.73 0.73 0.73 0.74 0.91 1.63 1.63 0.70
Be	0.25	0.22	0.22	0.16	0.30	2	0.26	0.26	0.20 0.26 0.27 0.51	0.26 0.26 0.27 0.51 0.18	0.26 0.26 0.27 0.51 0.18	0.26 0.26 0.27 0.51 0.18 0.18	0.26 0.26 0.27 0.51 0.18 0.14 0.28	0.26 0.26 0.27 0.51 0.18 0.18 0.28 0.28	0.26 0.27 0.27 0.51 0.18 0.14 0.15 0.15	0.26 0.26 0.27 0.51 0.18 0.18 0.28 0.15 0.16	0.20 0.27 0.21 0.18 0.14 0.15 0.15 0.16 0.20	0.26 0.26 0.27 0.51 0.18 0.18 0.18 0.18 0.19 0.16 0.10 0.10	0.20 0.26 0.27 0.18 0.14 0.15 0.15 0.16 0.10 0.20 0.20 0.20 0.20 0.20	0.26 0.27 0.27 0.51 0.18 0.18 0.18 0.16 0.16 0.16 0.16 0.20 0.20 0.34 0.25	0.20 0.26 0.27 0.18 0.18 0.14 0.15 0.16 0.16 0.10 0.20 0.20 0.20 0.25 0.25 0.25	0.26 0.27 0.27 0.51 0.18 0.18 0.18 0.16 0.16 0.16 0.20 0.20 0.20 0.25 0.25 0.26 0.27	0.20 0.26 0.27 0.18 0.18 0.18 0.18 0.19 0.10 0.10 0.20 0.20 0.20 0.25 0.26 0.26 0.27	0.26 0.26 0.27 0.21 0.18 0.18 0.18 0.19 0.16 0.16 0.16 0.20 0.20 0.25 0.26 0.26 0.27 0.27 0.27	0.26 0.26 0.27 0.51 0.18 0.18 0.18 0.16 0.16 0.16 0.20 0.20 0.25 0.26 0.25 0.26 0.27 0.27 0.28	0.26 0.27 0.27 0.28 0.18 0.18 0.18 0.16 0.16 0.16 0.20 0.20 0.20 0.25 0.26 0.26 0.27 0.27 0.27 0.27 0.27 0.27
r.	7.39	1.62	0.48	8.26	1 20	1.3%	2.18	2.18	2.18 4.03 2.41	2.18 4.03 4.43	2.18 2.18 4.03 2.41 4.43 4.42	2.18 2.18 4.03 2.41 4.43 4.42 2.29	1.39 2.18 4.03 4.43 4.42 2.29 2.29	2.18 2.18 4.03 2.41 4.43 4.42 2.29 3.38	1.39 2.18 4.03 2.41 4.42 4.42 2.29 3.38 2.57	2.18 2.18 4.03 2.41 4.42 4.42 2.29 3.38 3.38 2.67 1.62	1.39 2.18 4.03 2.41 4.42 2.29 2.29 3.38 2.67 1.62	2.18 2.18 4.03 2.41 4.42 4.43 4.42 2.29 3.38 3.38 2.57 2.67 2.67 1.62	2.18 2.18 4.03 2.41 2.41 4.42 2.29 3.38 3.38 2.57 2.67 1.62 1.62 1.66 1.66	2.18 2.18 4.03 2.41 4.43 4.42 2.29 3.38 3.38 2.57 2.67 2.67 2.90 1.66 1.66 2.51	1.39 2.18 2.18 4.03 2.41 2.41 4.42 2.29 3.38 3.38 2.57 2.67 1.62 1.66 1.66 1.66 1.66 1.68	2.18 2.18 4.03 2.41 4.43 4.43 4.42 2.29 2.29 2.57 2.67 2.67 2.90 1.66 2.90 2.90 2.90 2.90 2.90 2.90 2.90 2.91 2.07	2.18 2.18 4.03 2.41 2.41 4.43 4.42 2.29 2.29 2.29 2.57 2.67 1.66 1.66 1.66 1.68 1.68 1.68 1.68 1.68	2.18 2.18 4.03 2.41 4.42 4.43 4.42 2.29 2.29 2.57 2.57 2.67 1.66 2.90 1.66 2.90 2.90 2.90 2.90 2.90 2.07 2.07	2.18 2.18 4.03 2.41 4.43 4.43 4.42 2.29 2.29 2.29 2.57 2.67 1.66 1.66 1.68 2.07 9.10 9.10 9.10 9.10	2.18 2.18 4.03 2.41 4.43 4.43 4.42 2.29 2.29 2.37 2.57 2.67 2.67 2.67 2.67 2.07 2.07 2.07 2.07 2.07 2.07 2.07 2.0
Database ID	Orissa1	Orissa2	Orissa3	Orissa4		Orissa5	Orissa5 Orissa6	Orissa5 Orissa6 Orissa7	Orissa5 Orissa6 Orissa7 Orissa8	Orissa5 Orissa7 Orissa7 Orissa8 Orissa8	Orissa5 Orissa6 Orissa7 Orissa8 Orissa9 Orissa10	Orissa5 Orissa6 Orissa7 Orissa8 Orissa9 Orissa10 SouthIndia1	Orissa5 Orissa7 Orissa8 Orissa8 Orissa9 Orissa10 SouthIndia1	Orissa5 Orissa6 Orissa7 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia2	Orissa5 Orissa7 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia3 SouthIndia3	Orissa5 Orissa7 Orissa8 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia2 SouthIndia3 SouthIndia4 SouthIndia5	Orissa5 Orissa7 Orissa8 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia3 SouthIndia5 SouthIndia5	Orissa5 Orissa7 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia2 SouthIndia4 SouthIndia6 SouthIndia6 SouthIndia6 SouthIndia6	Orissa5 Orissa7 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia3 SouthIndia5 SouthIndia6 SouthIndia6 SouthIndia6 SouthIndia6 SouthIndia7 SouthIndia8	Orissa5 Orissa7 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia4 SouthIndia5 SouthIndia6 SouthIndia6 SouthIndia6 SouthIndia8 SouthIndia8 SouthIndia8 SouthIndia8 SouthIndia8	Orissa5 Orissa7 Orissa8 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia3 SouthIndia5 SouthIndia6 SouthIndia6 SouthIndia6 SouthIndia8 SouthIndia9 SouthIndia9 SouthIndia9	Orissa5 Orissa7 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia4 SouthIndia5 SouthIndia6 SouthIndia8 SouthIndia8 SouthIndia8 SouthIndia8 SouthIndia8 SouthIndia9 SouthIndia9 IndiaGarnet1	Orissa5 Orissa7 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia3 SouthIndia5 SouthIndia5 SouthIndia6 SouthIndia6 SouthIndia9 SouthIndia9 SouthIndia9 IndiaGarnet1 IndiaGarnet2	Orissa5 Orissa6 Orissa7 Orissa8 Orissa10 SouthIndia1 SouthIndia2 SouthIndia5 SouthIndia6 SouthIndia6 SouthIndia8 SouthIndia8 SouthIndia9 SouthIndia9 IndiaGarnet1 IndiaGarnet2 IndiaGarnet2	Orissa5 Orissa7 Orissa8 Orissa9 Orissa10 SouthIndia1 SouthIndia3 SouthIndia5 SouthIndia6 SouthIndia6 SouthIndia9 SouthIndia9 SouthIndia9 SouthIndia9 IndiaGarnet1 IndiaGarnet2 IndiaGarnet3 IndiaGarnet3	Orissa5 Orissa7 Orissa8 Orissa8 Orissa10 SouthIndia1 SouthIndia2 SouthIndia5 SouthIndia6 SouthIndia8 SouthIndia9 SouthIndia9 SouthIndia10 IndiaGarnet1 IndiaGarnet2 IndiaGarnet4 IndiaGarnet4

Sr	0.04	0.02	0.02	0.13	0.03	0.05	0.02	0.04	0.01	0.02	0.02	0.02	0.03	0.03	0.02	0.01	0.03	0.02	0.63	0.39	0.13	0.17	0.19	90.0	0.05	0.29
Rb	90.0	90.0	0.04	0.21	60.0	0.14	0.07	90.0	0.03	90.0	0.05	90.0	0.05	80.0	0.04	90.0	80.0	0.10	0.29	0.29	60.0	0.10	0.16	90.0	0.11	0.16
Zn	80.59	59.48	96.46	9.19	18.32	19.71	28.17	20.96	15.46	27.12	14.72	20.49	4.01	13.04	5.31	8.21	8.74	5.40	129.56	42.03	37.83	36.35	36.66	45.07	39.31	99.89
Co	45.24	66.31	46.70	18.16	18.15	19.24	20.24	17.56	21.94	17.75	20.58	18.84	3.61	2.91	4.68	3.54	4.18	3.45	32.78	19.81	19.63	34.13	20.54	25.80	34.25	39.96
Cr	65.60	73.49	72.85	64.46	54.70	85.52	84.19	261.34	92.53	130.61	31.90	301.34	38.96	43.85	7.06	2.61	17.19	15.25	74.93	283.89	291.05	511.84	117.49	103.25	37.51	92.73
^	25.93	42.97	41.40	37.65	31.35	34.04	39.43	35.57	46.01	32.76	44.86	46.44	5.32	0.31	3.08	1.55	1.52	1.16	42.70	34.72	31.86	29.05	11.58	20.22	19.42	38.35
Ţ	18.96	27.00	22.33	27.79	57.22	48.97	39.65	83.34	38.44	37.20	71.80	285.73	63.92	17.06	69.15	19.64	55.88	79.51	64.44	103.72	148.18	110.50	51.35	54.54	156.00	82.91
Sc	64.96	52.24	83.03	150.41	152.78	183.05	150.44	147.71	263.73	175.99	154.05	153.94	16.20	2.90	21.45	21.89	15.53	00.9	212.07	106.42	69.62	80.50	79.52	104.35	80.27	77.23
В	0.79	0.77	29.0	0.89	0.74	1.05	0.74	1.26	0.85	0.62	0.59	0.82	0.35	0.31	0.62	0.55	0.35	0.27	1.88	1.39	1.68	1.00	1.05	1.07	1.54	1.42
Be	0.35	0.51	0.31	0.40	0.23	0.33	0.28	0.36	0.40	0.31	0.25	0.30	0.13	0.29	0.11	0.12	0.20	0.18	0.67	0.70	29.0	0.63	0.74	0.39	0.62	0.67
Li	9.05	13.41	9.27	10.36	18.17	19.21	9.05	14.66	11.35	13.04	12.15	12.51	30.79	30.43	29.98	30.69	37.28	16.53	8.84	9.29	4.74	5.77	5.77	7.46	7.98	5.36
Database ID	IndiaGarnet7	IndiaGarnet8	IndiaGarnet9	SriLankaGroup1_1	SriLankaGroup1_2	SriLankaGroup1_3	SriLankaGroup1_4	SriLankaGroup1_5	SriLankaGroup1_6	SriLankaGroup1_7	SriLankaGroup1_8	SriLankaGroup1_9	SriLankaGroup2_1	SriLankaGroup2_2	SriLankaGroup2_3	SriLankaGroup2_4	SriLankaGroup2_5	SriLankaGroup2_6	PhuThoGarnet1	PhuThoGarnet2	PhuThoGarnet3	PhuThoGarnet4	PhuThoGarnet5	PhuThoGarnet6	PhuThoGarnet7	PhuThoGarnet8

•	1	4	9	0	6	5	1	9	0	4	4	5	2	1	7	6	6	4	5	7	3	4	0	4	6	7	887
Sr	0.11	0.14	0.16	0.10	2.79	0.65	0.81	90.0	0.10	0.64	0.04	0.05	0.02	0.01	0.07	60.0	0.43	0.64	0.25	0.37	0.33	0.34	0.40	0.34	5.29	0.17	
Rb	0.10	0.12	0.11	1.08	60.0	0.54	0.02	60.0	0.05	0.05	0.03	0.03	0.04	0.03	0.05	0.04	0.52	0.92	0.03	0.21	0.10	90.0	0.17	60.0	0.92	0.11	
Zn	54.98	132.18	260.09	186.71	76.44	18.79	25.74	12.22	15.76	30.97	49.90	38.80	41.43	36.17	54.13	102.83	43.07	44.04	34.12	41.56	36.84	36.04	34.79	42.26	125.72	126.37	
Co	25.85	30.03	0.07	0.05	51.57	40.13	46.22	38.77	41.85	62.78	60.95	63.24	56.64	49.27	59.77	62.00	68.49	65.44	61.47	08.99	64.50	63.79	62.90	66.37	37.41	29.18	
\mathbf{Cr}	1213.43	711.28	0.70	0.46	262.32	14897.54	315.52	12875.00	10726.24	293.05	128.15	110.78	123.89	175.79	139.94	198.60	8.11	5.68	15.04	46.14	18.30	23.28	55.97	39.16	21.98	18.40	
^	51.10	80.15	2.11	1.40	94.66	171.21	199.12	123.21	109.65	156.17	61.31	54.95	48.77	44.28	53.31	57.39	144.48	162.19	166.64	190.15	163.95	168.18	158.92	159.31	23.21	36.72	
П	70.24	63.91	801.63	1021.62	178.37	314.58	219.31	157.89	235.49	198.71	184.12	195.83	143.33	154.46	143.91	166.76	2077.33	2442.75	1882.44	2401.70	2216.39	2233.04	2121.10	2131.90	32.26	35.79	
Sc	109.98	264.86	90.097	982.57	40.29	93.92	35.84	105.34	112.69	32.69	41.63	46.09	49.51	42.99	47.29	46.83	63.96	71.65	95.52	111.36	131.67	132.49	82.83	99.51	92.31	163.70	
В	1.24	0.77	2.55	8.85	1.43	1.84	0.59	09.0	86.0	1.02	99.0	0.64	0.30	0.47	0.93	0.92	0.91	1.14	1.11	1.15	0.91	1.22	0.49	1.37	0.97	0.54	
Be	0.32	0.44	0.49	1.64	0.34	0.39	0.35	88.0	0.37	0.50	0.28	0.19	0.29	0.38	0.31	0.23	0.42	0.37	0.31	0.48	0.38	0.45	0.35	0.45	0.13	0.07	
Li	9.12	21.81	83.27	41.44	0.93	0.83	0.45	0.33	92.0	1.15	12.54	12.64	13.38	11.13	14.35	16.19	0.48	0.43	0.23	0.24	0.15	0.36	0.22	0.20	20.12	21.10	
Database ID	PhuThoGarnet9	PhuThoGarnet10	LamDong1	LamDong2	Anthill1	Anthill2	Anthill3	Anthill4	Anthill5	Anthill6	Mozambique1	Mozambique2	Mozambique3	Mozambique4	Mozambique5	Mozambique6	AKC00590	AKC00606	AKC00651	AKC00311	AKC00310	AKC00338	AKC00339	AKC00731	AKC03030	AKC03031	

\mathbf{Sr}	0.15	0.22	0.35	0.46	0.03
Rb	0.32	0.40	0.20	0.26	0.04
Zn	134.44	140.76	115.68	82.77	27.24
Co	39.96	42.98	25.34	24.69	62.19
Ç	49.42	42.17	38.52	24.65	173.99
>	27.26	32.98	19.09	23.15	20.81
Ξ	21.00	24.00	12.41	23.56	138.65
Sc	22.86	111.20	108.65	112.51	32.59
В	0.31	0.57	0.65	0.52	0.85
Be	0.11	0.11	60.0	0.14	0.88
Ę	21.41	19.29	15.12	20.54	2.79
Database ID	AKC03032	AKC03033	AKC03034	PorunthalGarnet 20.54 0.14	PKTgarnet

		10	~	2	~	10	5	7	7		(7	7	4		7	~	8	~		5	~	4	4		2	889
Nd	0.70	1.05	3.28	1.72	0.48	1.55	2.56	0.47	0.47	2.71	0.09	0.07	0.07	0.04	0.11	0.07	0.18	0.23	0.08	0.10	90.0	0.48	0.04	0.04	0.10	90.0	
Mo	0.05	80.0	80.0	90.0	0.07	90.0	0.07	90.0	0.08	0.05	0.11	0.08	0.10	60.0	0.08	90.0	80.0	0.08	0.11	60.0	90.0	0.03	0.03	0.03	0.02	0.05	
Ω	00.00	0.01	0.05	0.01	0.03	0.03	0.01	0.01	0.01	00.00	0.08	90.0	0.04	0.07	0.02	0.28	0.56	0.02	0.01	00.00	90.0	0.11	0.02	0.01	0.04	0.02	
Bi	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.02	0.01	0.01	0.01	0.03	0.00	0.01	0.01	0.01	0.05	0.04	0.02	0.02	0.01	0.04	
Y	47.93	257.88	223.78	81.14	63.64	207.80	31.38	273.33	81.57	41.37	24.89	162.37	08.09	61.64	3.35	85.45	70.51	20.65	4.34	26.53	123.25	116.77	110.79	85.28	143.32	108.73	
Pr	0.04	90.0	0.24	60.0	0.04	60.0	0.15	0.03	0.01	0.15	0.02	0.03	0.01	0.00	0.01	0.03	0.03	0.04	0.01	0.01	0.02	0.04	0.01	0.01	0.01	0.04	
Ce	0.02	80.0	0.40	0.05	0.07	0.12	0.14	0.04	0.01	0.15	0.02	0.07	0.01	0.00	0.01	0.29	0.02	0.23	0.01	0.01	0.03	0.07	0.02	0.01	0.01	0.02	
Cs	0.01	00.00	0.01	0.01	0.01	00.00	00.00	0.01	0.02	0.01	00.00	0.04	0.01	0.00	0.01	0.01	0.02	0.01	0.01	0.01	0.03	0.01	0.02	0.01	0.00	0.01	
\mathbf{Ag}	0.02	0.01	0.02	0.03	0.01	0.02	0.02	0.02	90.0	0.01	0.03	0.02	0.01	0.02	0.03	0.14	90.0	0.03	0.02	0.07	0.03	0.03	0.05	0.05	0.04	0.04	
QN.	0.01	0.01	0.03	0.01	0.01	0.02	0.02	0.01	0.00	00.00	0.02	90.0	0.02	0.01	0.01	0.01	0.19	0.02	0.03	0.02	90.0	0.04	0.05	0.05	0.04	80.0	
Zr	28.04	15.38	31.81	81.62	25.13	20.29	45.28	10.15	11.66	54.34	17.30	4.99	10.02	13.87	98.9	12.51	20.25	4.85	3.23	4.01	6.24	14.69	2.67	4.26	54.79	13.51	
Database ID	Orissa1	Orissa2	Orissa3	Orissa4	Orissa5	Orissa6	Orissa7	Orissa8	Orissa9	Orissa10	SouthIndia1	SouthIndia2	SouthIndia3	SouthIndia4	SouthIndia5	SouthIndia6	SouthIndia7	SouthIndia8	SouthIndia9	SouthIndia10	IndiaGarnet1	IndiaGarnet2	IndiaGarnet3	IndiaGarnet4	IndiaGarnet5	IndiaGarnet6	

pN	0.05	0.02	0.03	0.13	90.0	0.05	0.04	90.0	0.07	0.03	90.0	80.0	0.17	0.10	0.21	0.05	0.05	0.32	0.81	0.59	0.70	0.51	0.34	0.22	0.54	0.48
Mo	0.03	0.02	0.03	0.03	0.03	0.02	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.02	0.04	0.03	0.03	0.05	0.05	0.19	0.05	0.04	0.04	0.05	0.04	0.07
Ω	0.01	0.03	0.01	0.85	0.01	0.02	0.01	0.02	0.01	0.03	0.04	0.14	0.13	0.25	0.03	0.02	0.02	0.25	90.0	0.32	90.0	0.04	0.02	0.03	0.02	0.04
Bi	0.02	0.01	0.01	90.0	0.02	0.01	0.01	0.03	0.01	0.02	0.05	0.02	0.02	0.02	0.01	0.02	0.03	0.02	90.0	0.13	0.13	90.0	0.04	0.03	0.04	0.04
Y	282.41	133.38	82.54	1175.10	621.49	998.34	528.41	637.23	340.71	430.46	596.70	704.61	73.22	21.16	118.44	179.88	111.49	73.52	513.58	712.67	39.56	60.45	15.08	71.06	393.09	2.51
Pr	0.02	0.01	0.01	0.05	0.00	00.00	00.00	00.00	00.00	0.00	00.00	00.00	0.01	0.01	0.01	0.00	0.00	0.01	0.05	0.29	0.05	0.04	0.04	0.02	0.03	0.05
Ce	0.02	0.01	0.01	0.18	0.00	0.01	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.01	0.79	0.61	0.16	0.25	0.25	0.04	80.0	0.23
Cs	0.00	0.01	00.00	0.02	0.01	0.00	0.00	0.02	0.00	00.00	0.00	0.01	0.00	00.00	0.00	00.00	00.00	0.01	0.07	0.17	0.04	0.02	0.02	0.01	0.01	0.03
\mathbf{Ag}	0.05	90.0	0.04	0.04	0.02	0.05	0.02	0.04	0.01	0.02	90.0	0.04	0.07	0.12	0.04	0.07	0.11	0.07	0.03	0.21	90.0	90.0	0.05	0.04	0.03	0.04
qN	0.03	0.03	0.04	0.23	0.03	0.03	0.02	0.01	0.02	0.01	0.02	0.62	0.02	0.01	0.01	0.00	0.08	0.02	0.17	0.29	0.46	0.29	0.17	60.0	0.14	0.14
Zr	31.24	11.22	5.77	50.03	4.06	4.19	5.26	6.61	5.07	5.84	7.28	16.66	5.34	8.09	8.02	5.40	7.13	6.46	5.33	7.04	8.26	17.60	5.87	4.08	9.42	10.66
Database ID	IndiaGarnet7	IndiaGarnet8	IndiaGarnet9	SriLankaGroup1_1	SriLankaGroup1_2	SriLankaGroup1_3	SriLankaGroup1_4	SriLankaGroup1_5	SriLankaGroup1_6	SriLankaGroup1_7	SriLankaGroup1_8	SriLankaGroup1_9	SriLankaGroup2_1	SriLankaGroup2_2	SriLankaGroup2_3	SriLankaGroup2_4	SriLankaGroup2_5	SriLankaGroup2_6	Phu Tho Garnet 1	PhuThoGarnet2	Phu Tho Garnet3	Phu ThoGarnet4	PhuThoGarnet5	Phu Tho Garnet6	PhuThoGarnet7	PhuThoGarnet8

Nd	0.33	0.31	1.41	99.5	2.08	0.15	3.35	0.12	0.38	2.32	0.30	0.24	0.34	0.18	0.26	0.25	1.10	1.13	0.94	1.14	1.24	1.20	1.15	1.01	0.15	0.05	891
Mo	0.03	0.04	0.03	0.16	80.0	0.08	90.0	0.08	90.0	0.07	0.07	0.07	80.0	90.0	60.0	90.0	0.05	0.03	0.02	0.04	0.02	0.03	0.03	0.03	60.0	0.05	
Ω	0.03	0.02	0.12	0.75	0.01	0.01	0.02	0.00	0.01	0.01	0.03	0.00	0.01	0.01	0.01	0.01	0.04	0.03	0.01	0.02	0.02	0.02	0.07	0.02	90.0	0.05	
Bi	90.0	0.04	0.04	0.04	0.03	0.01	0.02	0.01	0.01	0.04	0.03	0.01	0.02	0.01	0.02	0.02	0.05	0.02	0.01	0.01	0.02	0.02	0.04	0.04	0.01	0.01	
Y	09.76	164.62	507.46	694.85	28.59	12.87	13.19	6.37	33.08	96.9	20.86	23.80	28.79	22.35	19.78	21.98	94.02	99.01	92.98	101.14	92.68	86.54	62.07	96.17	187.20	236.57	
Pr	0.03	0.02	0.10	0.50	0.26	0.03	0.29	0.05	90.0	0.44	0.03	0.02	0.03	0.02	0.03	0.02	0.14	0.14	60.0	0.11	0.15	0.12	60.0	80.0	0.03	0.01	
Ce	60.0	0.16	0.50	0.64	0.61	0.33	0.34	0.05	0.16	2.42	90.0	0.04	0.05	0.03	90.0	60.0	0.46	0.46	0.27	0.26	0.40	0.31	0.42	0.25	0.28	80.0	
Cs	0.03	0.03	0.01	0.29	90.0	0.05	0.02	0.01	0.01	0.02	0.01	0.01	0.03	0.02	0.01	0.01	0.05	0.07	0.01	0.01	0.01	0.01	0.02	0.01	0.04	0.01	
Ag	0.04	0.05	0.46	0.10	0.05	60.0	0.02	0.04	0.04	90.0	0.03	0.03	0.03	0.03	0.03	0.04	60.0	60.0	0.11	0.04	0.04	0.04	60.0	0.05	0.01	0.01	
NP	80.0	0.11	7.35	102.96	90.0	0.25	0.02	0.16	0.23	0.05	0.05	0.01	0.04	0.02	0.02	0.03	0.16	0.11	0.05	0.19	0.16	0.05	0.19	0.03	0.02	0.03	
Zr	7.54	5.69	4.93	21.30	4.11	2.96	8.32	0.70	4.02	7.13	22.02	41.19	30.32	28.32	29.06	32.29	38.71	50.63	45.05	51.02	51.85	54.31	56.39	41.52	3.01	6.64	
Database ID	Phu ThoGarnet9	PhuThoGarnet10	LamDong1	LamDong2	Anthill1	Anthill2	Anthill3	Anthill4	Anthill5	Anthill6	Mozambique1	Mozambique2	Mozambique3	Mozambique4	Mozambique5	Mozambique6	AKC00590	AKC00606	AKC00651	AKC00311	AKC00310	AKC00338	AKC00339	AKC00731	AKC03030	AKC03031	

80.0	0.03	0.17	0.01	16.05	0.01	0.03	0.01	0.03	_	0.11	18.72 0.1
0.03	0.05	0.01	0.02	269.22	0.02	0.16	0.01	0	0.03		0.03
0.04	90.0	0.04	0.05	323.66	0.01	0.10	2	0.02	0.01 0.0		0.01
0.11	0.11	0.04	0.04	263.07	0.02	0.04		0.07	0.03 0.07		0.03
6.03	0.07	0.01	0.02	289.16	0.01	0.04		0.02	0.02 0.02		0.02
PΝ	Mo	Ω	Bi	Ā	Pr	Ce		Cs	Ag Cs	Nb Ag	Ag

	3	6	3	4	8		8		0	7	~	3	7	2	8	4		4	6	7	8	7	8	8	7	6	893
H	0.53	0.29	0.63	1.44	0.48	0.41	1.05	0.21	0.20	0.97	0.58	0.13	0.27	1.45	0.15	0.34	1.31	0.14	60'0	0.07	0.18	0.37	0.15	0.08	0.67	0.29	
Lu	0.71	4.28	3.64	96.0	1.51	4.12	0.47	5.90	1.30	0.93	0.46	7.50	0.63	08.0	0.07	1.89	1.06	0.31	80.0	0.28	2.04	1.36	1.54	1.59	2.01	1.66	
ΛP	4.87	30.76	27.08	6.51	9.12	27.53	3.11	38.05	8.97	90.9	2.73	43.82	4.06	5.21	0.35	11.96	7.41	1.85	0.39	2.60	14.19	10.50	9.22	10.18	13.93	11.00	
Tm	0.71	4.47	3.99	86.0	1.22	3.81	0.46	5.06	1.27	08.0	0.42	5.44	0.65	0.85	0.04	1.56	1.05	0.28	0.05	0.39	2.27	1.56	1.49	1.40	2.07	1.68	
Er	4.97	30.92	27.36	7.39	7.57	25.15	3.42	30.40	8.39	5.24	3.11	29.38	6.32	95.9	0.33	9.74	7.42	1.99	0.32	2.33	13.03	11.23	10.79	8.92	13.83	11.00	
Ho	1.90	10.21	9.18	2.77	2.34	8.48	1.24	9.19	3.13	1.73	96.0	7.09	2.49	2.39	0.17	3.40	2.82	0.91	0.16	0.95	4.75	4.19	3.58	2.57	5.10	3.77	
Dy	9.54	38.14	38.87	13.24	8.41	36.31	6.03	35.16	16.80	7.97	5.16	20.60	12.64	9.82	1.44	15.82	13.53	5.39	1.75	5.29	13.01	19.07	10.93	8.01	22.80	14.24	
Tb	1.48	3.98	4.70	1.87	68.0	4.45	0.92	3.54	2.62	1.07	0.65	1.58	1.35	1.01	0.49	1.83	1.68	0.88	0.55	68.0	98.0	2.77	0.71	0.55	2.67	1.24	
рS	7.59	11.98	17.31	9.61	2.85	15.77	4.97	8.46	10.20	5.68	1.98	2.86	3.13	2.36	3.17	4.55	99'5	2.98	3.08	3.80	1.34	11.32	1.07	88.0	7.29	2.36	
Eu	1.13	0.59	1.37	1.96	0.47	1.08	1.50	0.33	0.56	1.90	0.27	0.26	0.28	0.20	0.55	0.33	0.51	0.31	0.62	0.51	0.11	0.49	0.05	0.04	0.19	60.0	
Sm	2.34	2.89	6.30	4.17	89.0	3.97	3.58	1.50	1.97	4.16	0.36	0.27	0.39	0.21	0.58	0.45	1.07	0.47	0.65	0.59	60.0	2.08	0.11	80.0	99.0	0.16	
Database ID	Orissa1	Orissa2	Orissa3	Orissa4	Orissa5	Orissa6	Orissa7	Orissa8	Orissa9	Orissa10	SouthIndia1	SouthIndia2	SouthIndia3	SouthIndia4	SouthIndia5	SouthIndia6	SouthIndia7	SouthIndia8	SouthIndia9	SouthIndia10	IndiaGarnet1	IndiaGarnet2	IndiaGarnet3	IndiaGarnet4	IndiaGarnet5	India Garnet6	

Hf	0.59	0.25	0.11	1.38	0.07	80.0	0.10	0.11	60.0	60.0	0.18	0.49	0.13	0.24	0.19	0.15	0.17	0.17	0.10	0.27	0.26	0.41	0.17	0.13	0.18	0.37
Lu	2.27	3.46	1.68	20.60	12.11	34.30	4.82	4.48	3.19	13.30	8.84	4.92	0.70	0.14	2.65	4.07	1.73	0.62	39.95	5.58	0.25	0.33	0.25	0.29	16.44	0.12
ΛP	18.74	22.12	12.08	166.92	89.51	230.52	43.70	45.61	21.24	62'98	67.11	45.62	5.37	1.08	18.52	27.32	11.52	4.65	213.56	52.48	1.68	3.02	1.14	2.63	112.20	0.45
Tm	3.04	3.13	1.76	27.36	12.27	30.62	7.29	8.03	3.40	12.44	10.45	7.92	62.0	0.16	2.37	3.30	1.55	69.0	23.22	86.8	0.28	0.53	0.13	0.47	13.35	90.0
Er	22.79	18.91	10.75	185.33	74.15	172.71	53.57	09:09	27.10	72.61	08.89	59.55	5.16	1.03	13.70	16.89	9.05	4.41	93.45	66.62	2.49	4.71	1.09	4.46	66.29	0.35
Ho	96.8	5.36	3.10	52.79	21.76	42.22	19.21	21.92	12.39	19.27	22.48	23.80	1.96	0.50	4.26	4.83	2.82	1.87	19.66	23.64	1.22	2.06	0.53	2.21	15.10	0.11
Dy	39.94	14.75	8.87	151.17	68.62	103.56	67.81	69.87	59.21	48.54	80.59	96.14	9.37	3.40	15.48	17.05	11.43	10.41	47.47	89.85	69.7	11.13	3.73	13.13	41.74	0.51
Tb	3.96	1.00	0.58	9.16	4.90	00.9	4.94	5.64	2.67	2.92	92.9	7.43	1.29	99.0	1.56	1.66	1.33	1.71	2.58	8.05	1.46	1.55	62.0	2.02	3.67	0.12
РS	8.59	1.80	0.91	11.00	8.42	96.8	7.95	9.22	10.58	4.38	12.94	13.46	4.48	3.19	4.01	3.72	3.49	7.47	4.13	17.62	9.03	6.40	3.88	7.92	11.90	1.29
Eu	0.31	90.0	0.05	0.27	0.31	0.26	0.19	0.31	0.27	0.15	0.42	0.36	0.87	0.46	89.0	0.21	0.23	1.77	0.22	0.88	1.31	69.0	0.58	0.58	1.26	0.41
Sm	0.54	60.0	0.07	0.46	0.58	0.50	0.43	0.50	0.62	0.25	0.81	0.73	66.0	06.0	1.11	0.46	0.38	2.51	1.24	2.23	3.61	1.43	0.97	1.47	2.40	1.16
Database ID	IndiaGarnet7	IndiaGarnet8	IndiaGarnet9	SriLankaGroup1_1	SriLankaGroup1_2	SriLankaGroup1_3	SriLankaGroup1_4	SriLankaGroup1_5	SriLankaGroup1_6	SriLankaGroup1_7	SriLankaGroup1_8	SriLankaGroup1_9	SriLankaGroup2_1	SriLankaGroup2_2	SriLankaGroup2_3	SriLankaGroup2_4	SriLankaGroup2_5	SriLankaGroup2_6	Phu Tho Garnet 1	PhuThoGarnet2	Phu Tho Garnet3	PhuThoGarnet4	PhuThoGarnet5	Phu Tho Garnet6	PhuThoGarnet7	PhuThoGarnet8

Hf	0.20	0.19	0.51	4.77	0.07	0.10	0.11	0.05	0.11	0.14	0.34	0.53	0.45	0.38	0.47	0.49	0.78	1.00	98.0	1.00	1.08	1.09	1.25	68.0	0.07	0.11
Lu	1.90	0.94	11.11	13.05	0.56	0.30	0.22	0.21	1.10	60.0	0.45	0.59	29.0	0.53	0.45	0.36	1.32	1.36	1.48	1.89	1.91	1.85	0.95	1.88	5.56	08.9
A	11.36	6.87	72.86	79.28	3.66	2.04	1.34	0.81	6.55	0.79	3.01	3.51	4.26	3.39	2.66	2.38	90.6	9.73	9.83	12.23	11.58	11.48	6.71	12.39	39.23	43.20
Tm	1.94	1.20	8.24	8.37	0.48	0.25	0.20	0.16	62.0	0.11	0.36	0.46	0.56	0.42	0.35	0.33	1.39	1.45	1.37	1.68	1.53	1.50	96.0	1.70	5.18	5.80
Er	12.04	10.78	40.76	41.49	3.23	1.62	1.43	1.04	4.29	0.75	2.42	2.83	3.49	2.78	2.42	2.41	9.30	9.72	88.88	10.64	9.52	9.26	6.30	10.58	25.89	30.97
Ho	3.43	5.12	12.87	13.63	1.10	0.44	0.47	0.22	1.19	0.26	92.0	0.87	1.09	0.81	0.75	0.79	2.94	3.06	2.73	3.27	2.80	2.79	2.04	3.14	7.05	9.33
Dy	10.60	27.41	58.17	26.68	5.04	1.66	2.55	1.38	3.63	1.42	3.08	3.33	4.28	2.92	2.98	3.32	11.17	11.74	9.64	11.65	10.26	69.6	8.08	11.38	18.18	28.04
Tb	0.92	3.19	7.32	12.64	89.0	0.18	0.35	0.14	0.34	0.24	0.35	0.36	0.45	0.31	0.32	0.35	1.23	1.29	1.03	1.24	1.09	1.02	0.91	1.16	1.22	2.09
РS	2.77	7.27	19.68	39.70	3.55	89.0	2.33	0.46	0.93	1.59	1.19	1.27	1.59	1.09	1.10	1.33	4.16	4.76	3.61	4.44	4.04	4.00	3.59	4.21	1.75	3.41
Eu	92.0	0.16	0.00	0.00	1.23	0.11	1.14	60.0	0.15	0.87	0.27	0.25	0.32	0.29	0.24	0.19	0.81	0.85	99.0	0.78	0.78	92.0	69.0	0.74	0.11	0.14
Sm	1.20	1.05	90.9	15.88	2.10	0.14	2.38	0.20	0.31	1.32	0.36	0.35	0.61	0.29	0.33	0.28	1.32	1.43	1.10	1.42	1.50	1.37	1.25	1.30	0.12	0.20
Database ID	PhuThoGarnet9	PhuThoGarnet10	LamDong1	LamDong2	Anthill1	Anthill2	Anthill3	Anthill4	Anthill5	Anthill6	Mozambique1	Mozambique2	Mozambique3	Mozambique4	Mozambique5	Mozambique6	AKC00590	AKC00606	AKC00651	AKC00311	AKC00310	AKC00338	AKC00339	AKC00731	AKC03030	AKC03031

Database ID	Sm	Eu	РS	$\mathbf{q}\mathbf{L}$	Dy	$_{ m H_0}$	Ξr	шL	A	Γ n	Hf
AKC03032	0.11	60.0	2.02	1.90	31.45	12.52	34.34	4.75	26.39	3.41	90.0
AKC03033	0.11	0.14	1.95	1.58	24.77	10.88	37.07	6.30	40.88	6.32	0.10
AKC03034	0.14	0.12	2.55	2.04	30.91	10.95	29.20	4.17	23.04	2.73	0.04
PorunthalGarnet	0.13	0.13	2.47	1.82	29.60	10.83	32.52	5.43	32.35	4.49	0.05
PKTgarnet	0.14	0.24	0.64	0.18	1.80	0.50	1.70	0.28	2.39	0.46	0.16

Appendix 8.4: Differentiating between garnet sources

In order to better distinguish between the garnet sources, I used Principal Components Analysis (PCA) and bivariate plotting to highlight geochemical differences between these different sources. I began with the almandine-rich sources. Figure 8.4.1 presents these groups plotted by their first and second components using the elements Co, Tb, V, and Zn. Table 8.4.1 lists the PCA scores used in this scatterplot. The Sri Lanka Group 1 garnets are differentiated from the other two sources by their higher levels of Co and Tb. Sri Lanka Group 2 has lower concentrations V and Zn, while the South India source had moderate amounts of all four elements. Bivariate plotting of these sources also identified that the South India source is notable for low concentrations of Cu (approximately 1 ppm), while Sri Lanka Group 1 has high levels of Dy (48-151 ppm) in comparison to the other source groups (Figure 8.4.2).

Garnet Source	Principal Component	Principal Component
	Score 1	Score 2
SriLankaGroup1_1	0.52756	2.00465
SriLankaGroup1_2	0.58962	1.06061
SriLankaGroup1_3	0.70709	1.19293
SriLankaGroup1_4	0.8586	0.83624
SriLankaGroup1_5	0.68416	1.11391
SriLankaGroup1_6	0.76171	1.31738
SriLankaGroup1_7	0.62348	0.4068
SriLankaGroup1_8	0.74092	1.48991
SriLankaGroup1_9	0.84103	1.3788
SouthIndia1	-0.3384	-0.91313
SouthIndia2	-0.24537	-0.04955
SouthIndia3	-0.17535	-0.24089
SouthIndia4	-0.28462	-0.49049
SouthIndia5	-0.56606	-1.21249
SouthIndia6	-0.09186	-0.07922
SouthIndia7	-0.1703	-0.01988
SouthIndia8	-0.4324	-0.61848
SouthIndia9	-0.53175	-1.10507
SouthIndia10	-0.15022	-0.56833
SriLankaGroup2_1	-1.49496	0.70091
SriLankaGroup2_2	-2.13144	-0.82718
SriLankaGroup2_3	-1.38988	0.63103
SriLankaGroup2_4	-1.55732	0.36732
SriLankaGroup2_5	-1.50339	0.14073
SriLankaGroup2_6	-1.79084	0.61025
AB1767	0.88853	-1.38051
AB3284	1.42773	-1.15107
AB2801	1.6087	-1.15762
AB3333	0.69625	-1.37355
AB1835lg	0.92246	-1.38174
PorunthalGarnet	0.9763	-0.68227

Table 8.4.1: PCA scores for the almandine-rich sources and artifacts.




Figure 8.4.1: Principal component analysis of the Group 1 almandine garnets. The first component summarizes 59% of the variance and the second component accounts for 32%.




Figure 8.4.2: A bivariate plot of Cu vs. Dy highlighting the high concentration of Dy in the Sri Lanka Group 1 garnet group and the low concentration of Cu in the South India garnet group

A similar analysis was done on the almandine-pyrope source groups. PCA was performed using the elements Al, Ca, Co, Cu, Fe, Li, Sc, Tb and V (Figure 8.4.3). The table of the PCA scores is listed in Table 8.4.2 and a table for the PCA scores for the almandine-pyrope artifacts discussed in Chapter 8 is in Table 8.4.3. The element Cu was added to better distinguish the Orissa source from the other sources in the group. Cu was distributed relatively evenly within this source group, with only two samples containing an RSD above 10%. The Anthill source is clearly separated from the other groups by the higher levels of Ca, however three samples from this source (Anthill12, Anthill14, and Anthill5) had lower levels of iron than magnesium. The Phu The source is notable for higher concentrations of Cu (3-5 ppm) and Sc (70-265). Conversely, the Mozambique source group had lower levels of Sc than the Phu Tho source, but generally higher concentrations of Li (11-16 ppm). The India source had higher concentrations of Fe (68-77%), although one sample (India 2) consistently plotted with the Orissa source. The Orissa source was perhaps the most problematic source group to evaluate, as the samples were not tightly clustered and overlapped with the Phu Tho source. This highlights a drawback of not personally collecting geologic samples directly from a source, as the variation may be the result of garnets from multiple distinct sources. It is hoped that this problem will be corrected in future studies.

	PCA1	PCA2		PCA1	PCA2
PhuTho1	0.83841	1.81762	Mozambique6	0.18117	-1.14029
Phulhol	0.03041	1.01/02	Mozambiqueo	0.16117	-1.14029
PhuTho2	1.03073	2.2892	Orissa1	0.1017	-0.15563
PhuTho3	0.63578	0.94673	Orissa2	-0.07795	0.34271
PhuTho4	0.50713	0.75848	Orissa3	0.09501	-0.38537
PhuTho5	0.94668	1.33368	Orissa4	0.53903	0.27446
PhuTho6	0.98618	1.33581	Orissa5	0.08542	-0.00157
PhuTho7	0.8863	0.78325	Orissa6	-0.00036	0.58505
PhuTho8	0.28864	-0.13724	Orissa7	0.3375	-0.32005
PhuTho9	0.61945	0.81618	Orissa8	1.15561	0.60434
PhuTho10	0.69924	2.4496	Orissa9	0.50806	0.41409
Anthill1	-0.48394	-0.67561	Orissa10	0.17453	-0.20581
Anthill2	-1.22471	0.39788	India1	1.0293	-0.75459
Anthill3	-1.03123	-1.58572	India2	0.70494	0.06312
Anthill4	-1.23018	0.22378	India3	1.25238	-0.87257
Anthill5	-1.06626	0.56721	India4	0.95895	-0.7954
Anthill6	-0.86294	-1.58128	India5	1.14778	-0.52327
Mozambique1	0.02447	-1.49193	India6	0.94628	-0.8792
Mozambique2	0.19147	-1.49031	India7	1.18665	-0.0882
Mozambique3	0.23115	-1.12933	India8	0.98573	-1.09782
Mozambique4	0.23656	-1.45333	India9	1.03736	-0.76137
Mozambique5	0.15478	-0.95799			

Table 8.4.2: PCA scores for the almandine-pyrope garnet sources and artifacts.

	PCA1	PCA2
AKC00590	-1.62482	0.77633
AKC00606	-1.64772	0.57773
AKC00651	-1.74228	0.27444
AKC00311	-1.79034	0.492
AKC00310	-1.82342	0.63429
AKC00338	-1.70533	0.70244
AKC00339	-1.74937	0.28334
AKC00731	-1.77421	0.56347
PKTgarnet	-0.86932	-1.82335

Table 8.4.3: PCA scores for the almandine-pyrope artifacts discussed in Chapter 8.




Figure 8.4.3:Principal component analysis of the group 2 almandine-pyrope garnets. The first component summarizes 44% of the variance and the second component accounts for 22%.

Lastly, the Lam Dong garnets were clearly different from the other two groups, being primarily spessartine garnets. A 3D scatterplot also shows that these samples have high concentrations of In (1-8ppm), Ti (802-1022 ppm) and Zn (187-260 ppm), the highest concentration of these elements of all the sources. (Figure 8.4.4).




Figure 8.4.4:A 3D scatterplot showing the high levels of In, Ti, and Zn (all PPM) in the Lam Dong garnets as compared to the other garnet sources.