



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 4116: Fulton Mill Pond, Rock County, Township 4N, Range 11E, Section 13. 1954-08-04

[s.l.]: [s.n.], 1954-08-04

<https://digital.library.wisc.edu/1711.dl/ZZC3O2SHEHEXR8X>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

STAND RECORD

FORESTS

Stand No. 4116

Name: Fulton Mill Pond

County: Rock

Date: Aug 4, 1954

Size of Stand: 2 Acres

Forest Type: Floodplain Hardwoods

Topography: low, flat

Locality: NE: SE

T: 4N

R: 11E

Sec: 13

Observers: Ware, Anderson

Size of Area Sampled: 2 Acres

Soil Type:

Slope:

Directions

Condition of Stand:

Very small, but with no sign of cutting. Several snags still standing in woods. Several Aesculus glabra saplings recorded on data sheets.

Open Grown Trees:

% Canopy:

Stumps:

1.	4.	7.	10.
2.	5.	8.	11.
3.	6.	9.	12.

Soil Data:

	pH	N	P	K	Ca	Mg	Org. Mat.	Colloids	W.H.C.
A ₀	_____	_____	_____	_____	_____	_____	_____	_____	_____
A ₁	_____	_____	_____	_____	_____	_____	_____	_____	_____
A ₂	_____	_____	_____	_____	_____	_____	_____	_____	_____
B	_____	_____	_____	_____	_____	_____	_____	_____	_____


DEPTH

CHARACTERISTICS (Color, Texture, Structure, etc.)

A ₀	_____
A ₁	_____ Sand and silt - little profile development
A ₂	_____
B	_____

Parent Material: Gravelly material, which also was at surface in places

Map:



STATION NO.	1	2	3	4	5	6	7	8	9	10
<i>Acer negundo</i>		2	50			✓			2	
<i>A. saccharinum</i>	100 95	1	✓ 30	4	25	2	130 400 140	75	110	95 140 145
<i>A. saccharum</i>									140 50	
<i>Betula nigra</i>										
<i>Carya cordiformis</i>										
<i>Celtis occident.</i>										
<i>Crataegus sp.</i>										
<i>Fraxinus americ.</i>										
<i>F. nigra</i>										
<i>F. pensylvanica</i>		30						120		
<i>Gleditsia triacan.</i>										
<i>Gymnocladus dioica</i>										
<i>Juglans cinerea</i>										
<i>Platanus occident.</i>										
<i>Populus deltoides</i>				430						
<i>P. tremuloides</i>										
<i>Prunus serotina</i>										
<i>Quercus bicolor</i>										
<i>Q. rubra</i>										
<i>Robinia pseudo.</i>										
<i>Salix nigra</i>		400		350						
<i>Tilia americana</i>										
<i>Ulmus americana</i>					40		40			
<i>U. rubra</i>										
Distance	13	12	12	21	32	14	34	22	21	18 1/2

STATION NO.	1	2	3	4	5	6	7	8	9	10
Acer negundo										
A. saccharinum	180 40	100 50 170 120	70 120	40	320 45	42	130 50 80	2	85 480	460
A. saccharum										
Betula nigra										
Carya cordiformis										
Celtis occident.										
Crataegus sp.										
Fraxinus americ.										
F. nigra										
F. pensylvanica										
Gleditsia triacan.										
Gymnocladus dioica										
Juglans cinerea										
Platanus occident.										
Populus deltoides										
P. tremuloides										
Prunus serotina										
Quercus bicolor										
Q. rubra										
Robinia pseudo.										
Salix nigra						280		360		
Tilia americana										
Ulmus americana				290			580		240	
U. rubra										
Aster glabra							3	2		
Distance	19	18	20	23	15	20	16	18	21	25

Red mulberry
seedling

Prunus
virginiana