



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 0120: Brady's Bluff, Trempealeau County, Township 18N, Range 9W, Section 20. 1952-06-16

[s.l.]: [s.n.], 1952-06-16

<https://digital.library.wisc.edu/1711.dl/M3IH43P2DQ7CW8R>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

CI = 377.6

110

Data Form No. 20

Plant Ecology Research

Univ. of Wisconsin

STAND RECORD

FORESTS

Stand No. 120

Name: Brady's Bluff

Locality: Perrot State Park

County: Trempealeau

T: 18 N R: 9 W Sec: SE 20

Date: 6/16/52

Observers: JTC

Size of Stand: ca 40 acres

Size of Area Sampled: ca 5 acres

Forest Type: Dry hemic

Soil Type:

Topography: Steep river bluffs

Slope: ca 100% Directions W

Condition of Stand:

Excellent. Undisturbed except for path

Open Grown Trees:

% Canopy:

Stumps:

1.	4.	7.	10.
2.	5.	8.	11.
3.	6.	9.	12.

Soil Data:

	pH	N	P	K	Ca	Mg	Org. Mat.	Colloids	W.N.C.
A ₀	_____	_____	_____	_____	_____	_____	_____	_____	_____
A ₁	_____	_____	_____	_____	_____	_____	_____	_____	_____
A ₂	_____	_____	_____	_____	_____	_____	_____	_____	_____
B	_____	_____	_____	_____	_____	_____	_____	_____	_____


DEPTH

CHARACTERISTICS (Color, Texture, Structure, etc.)

A ₀	-----
A ₁	-----
A ₂	-----
B	-----

Parent Material:

Map:



Data Form No. 36

Plant Ecology Research

Univ. of Wisconsin

Presence List
(Uncommon species)

PRAIRIES

Stand No. 120

(See Anderson's list)

Locality: Brady's Bluff - Perrot State Park

County: Trempealeau

Sec: SE20 T: 18 N R: 9 W

Date: 6/16/52

Observers: JTC

Size of Stand: ca 40 acres

Size of Area Sampled: ca 5 acres

Condition of Stand: Excellent

Type: Dry, lime

<i>Acer negundo</i>	<i>Celastrus scandens</i>	<i>L. spicata</i>	<i>Prenanthes alba</i>
<i>Agoseris cuspidata</i>	<i>Chrysopsis villosa</i>	<i>Lobelia kalmii</i>	<i>P. aspera</i>
<i>Agropyron subsecun</i>	<i>Cirsium hillii</i>	<i>Lupinus perennis</i>	<i>Prunella vulgaris</i>
<i>Aletris farinosa</i>	<i>C. undulatum</i>	<i>Lycopus americanus</i>	<i>Psoralea argophyll</i>
<i>Allium canadense</i>	<i>Crataegus sp.</i>	<i>L. uniflorus</i>	<i>Pteridium latiuscu</i>
<i>A. cernuum</i>	<i>Cypripedium candid</i>	<i>Lysimachia ciliata</i>	<i>Pyrus ioensis</i>
<i>Amphicarpa monoica</i>	<i>C. pubescens</i>	<i>L. lanceolata</i>	<i>Rudbeckia subtomen</i>
<i>Anemone quinquefol</i>	<i>Draba reptans</i>	<i>L. quadriflora</i>	<i>Sanicula sp.</i>
<i>A. virginiana</i>	<i>Dryopteris thelypt</i>	<i>L. quadrifolia</i>	<i>Scleria triglomera</i>
<i>Apios americana</i>	<i>Echinacea pallida</i>	<i>Lythrum alatum</i>	<i>Scrophularia lance</i>
<i>Aquilegia canadens</i>	<i>E. virginicus</i>	<i>Mirabilis nyctagin</i>	<i>Selaginella rupest</i>
✓ <i>Arabis lyrata</i>	<i>Equisetum hyemale</i>	<i>Monarda punctata</i>	<i>Senecio aureus</i>
<i>Artemisia ludovici</i>	<i>Erigeron philadelp</i>	<i>Napaea dioica</i>	✓ <i>S. pauperculus</i>
<i>A. serrata</i>	<i>E. pulchellus</i>	<i>Oenothera perennis</i>	<i>Silene antirrhina</i>
<i>Asclepias incarnat</i>	<i>Eupatorium altissi</i>	<i>O. rhombipetala</i>	<i>S. stellata</i>
<i>A. lanuginosa</i>	<i>Galium tinctorium</i>	<i>Onoclea sensibilis</i>	<i>Silphium perfoliat</i>
<i>A. longifolia</i>	<i>Gaura biennis</i>	<i>Orobanche fascicul</i>	<i>Smilacina racemosa</i>
<i>A. ovalifolia</i>	<i>Gentiana crinita</i>	<i>O. uniflora</i>	<i>Solidago riddellii</i>
<i>A. purpurascens</i>	<i>G. flavida</i>	✓ <i>Panicum praecocius</i>	<i>Specularia perfoli</i>
<i>A. sullivantii</i>	<i>G. procera</i>	<i>Parnassia glauca</i>	<i>Spiranthes ochrole</i>
✓ <i>Aster linariifoliu</i>	<i>G. quinquefolia</i>	<i>Parthenium integri</i>	<i>Sporobolus asper</i>
<i>A. pilosus</i>	<i>Gerardia aspera</i>	<i>Parthenocissus ins</i>	<i>S. cryptandrus</i>
<i>A. sagittifolius</i>	<i>G. gattingeri</i>	<i>Pedicularis canade</i>	<i>S. vaginiflorus</i>
<i>A. umbellatus</i>	✓ <i>G. grandiflora</i>	<i>P. lanceolata</i>	<i>Stachys palustris</i>
<i>Astragalus candens</i>	<i>Gnaphalium obtusif</i>	<i>Pentstemon digital</i>	✓ <i>Symphoricarpos occ</i>
<i>Blephilia ciliata</i>	<i>Grindelia squarros</i>	<i>Petalostemum villo</i>	<i>Taenidia integerri</i>
<i>Bromus kalmii</i>	<i>Habenaria leucopha</i>	<i>Phalaris arundinac</i>	<i>Thaspium aureum</i>
<i>Cacalia atriplicif</i>	<i>Hieracium canadens</i>	<i>Phlox glaberrima</i>	<i>Triosteum perfolia</i>
<i>Cacalia suaveolens</i>	<i>Hierochloe odorata</i>	<i>Plantago rugelii</i>	<i>Valeriana ciliata</i>
<i>Callirhoe triangul</i>	<i>Houstonia caerulea</i>	<i>Polemonium reptans</i>	✓ <i>Verbena hastata</i>
<i>Calopogon pulchell</i>	<i>H. longifolium</i>	<i>Polygala polygama</i>	<i>Vernonia fascicula</i>
<i>Carex muhlenbergii</i>	<i>Hystrix patula</i>	<i>P. sanguinea</i>	<i>Vicia angustifolia</i>
<i>C. pensylvanica</i>	<i>Lathyrus ochroleuc</i>	<i>P. verticillata</i>	<i>V. villosa</i>
<i>C. vulpinoidea</i>	<i>Lechea tenuifolia</i>	<i>Polygonatum commut</i>	✓ <i>Viola sagittata</i>
<i>Castilleja coccine</i>	<i>Leptoloma cognatum</i>	<i>Populus tremuloide</i>	<i>Wulfenia bullii</i>
<i>C. sessiliflora</i>	<i>Liatris ligulostyl</i>	<i>Potentilla frutico</i>	<i>Zigadenus elegans</i>
<i>Ceanothus ovatus</i>			

Additional species:

Data Form No. 35

Plant Ecology Research

Univ. of Wisconsin

Presence or Frequency
(Common species only)

PRAIRIES

Stand No. **1164/20**
Quadrat No.

✓ *Achillea millefolium*
✓ *Ambrosia artemisifolia*
✓ *Ambrosia psilostachya*
✓ *Amorpha canescens*
✓ *Andropogon gerardi*
✓ *Andropogon scoparius*
✓ *Anemone canadensis*
✓ *Anemone cylindrica*
✓ *Anemone patens*
✓ *Antennaria* sp.
✓ *Apocynum androsaemifolium*
✓ *Apocynum cannabinum*
✓ *Arenaria stricta*
✓ *Artemisia caudata*
✓ *Asclepias amplexicaulis*
✓ *Asclepias syriaca*
✓ *Asclepias tuberosa*
✓ *Asclepias verticillata*
✓ *Asclepias viridiflora*
✓ *Aster azureus*
✓ *Aster ericoides*
✓ *Aster laevis*
✓ *Aster novae-angliae*
✓ *Aster oblongifolius*
✓ *Aster ptarmicoides*
✓ *Aster sericeus*
✓ *Baptisia leucantha*
✓ *Baptisia leucophaea*
✓ *Bouteloua curtipendula*
✓ *Bouteloua hirsuta*
✓ *Cacalia tuberosa*
✓ *Calamagrostis canadensis*
✓ *Ceanothus americanus*
✓ *Cicuta maculata*
✓ *Cirsium discolor*
✓ *Comandra richardsoniana*
✓ *Convolvulus sepium*
✓ *Coreopsis palmata*
✓ *Cornus femina*
✓ *Corylus americana*
✓ *Desmodium canadense*
✓ *Desmodium illinoense*
✓ *Dodecatheon meadia*
✓ *Elymus canadensis*
✓ *Equisetum arvense*
✓ *Equisetum kansanum*
✓ *Erigeron strigosus*
✓ *Eryngium yuccifolium*
✓ *Euphorbia corollata*

✓ *Fragaria virginiana*
✓ *Galium boreale*
✓ *Gentiana andrewsii*
✓ *Gentiana puberula*
✓ *Geranium maculatum*
✓ *Geum triflorum*
✓ *Hedeoma hispida*
✓ *Helianthemum* sp.
✓ *Helianthus grosseserratus*
✓ *Helianthus laetiflorus*
✓ *Helianthus occidentalis*
✓ *Helianthus strumosus*
✓ *Heliopsis helianthoides*
✓ *Heuchera richardsonii*
✓ *Hieracium longipilum*
✓ *Hypoxis hirsuta*
✓ *Iris virginica*
✓ *Koeleria cristata*
✓ *Krigia biflora*
✓ *Kuhnia eupatorioides*
✓ *Lactuca canadensis*
✓ *Lactuca ludoviciana*
✓ *Lathyrus palustris*
✓ *Lathyrus venosus*
✓ *Lespedeza capitata*
✓ *Liatris aspera*
✓ *Liatris cylindracea*
✓ *Liatris pycnostachya*
✓ *Lilium michiganense*
✓ *Lilium philadelphicum*
✓ *Linum sulcatum*
✓ *Lithospermum canescens*
✓ *Lithospermum croceum*
✓ *Lithospermum incisum*
✓ *Lobelia spicata*
✓ *Monarda fistulosa*
✓ *Muhlenbergia cuspidata*
✓ *Muhlenbergia racemosa*
✓ *Oenothera biennis*
✓ *Oxalis violacea*
✓ *Oxypolis rigidior*
✓ *Panicum leibergii*
✓ *Panicum oligosanthos*
✓ *Panicum perlongum*
✓ *Panicum virgatum*
✓ *Petalostemum candidum*
✓ *Petalostemum purpureum*
✓ *Phlox pilosa*
✓ *Physalis heterophylla*

✓ *Physalis subglabrata*
✓ *Physalis virginiana*
✓ *Polygala senega*
✓ *Polytaenia nuttallii*
✓ *Potentilla arguta*
✓ *Potentilla canadensis*
✓ *Prenanthes racemosa*
✓ *Psoralea esculenta*
✓ *Pycnanthemum virginicum*
✓ *Pyrus melanocarpa*
✓ *Quercus macrocarpa*
✓ *Ratibida pinnata*
✓ *Rhus glabra*
✓ *Rhus radicans*
✓ *Rosa* sp.
✓ *Rudbeckia hirta*
✓ *Salix humilis*
✓ *Saxifraga pensylvanica*
✓ *Scutellaria parvula*
✓ *Silphium integrifolium*
✓ *Silphium laciniatum*
✓ *Silphium terebinthinaceum*
✓ *Sisyrinchium campestre*
✓ *Smilacina stellata*
✓ *Solidago altissima*
✓ *Solidago gigantea*
✓ *Solidago graminifolia*
✓ *Solidago juncea*
✓ *Solidago missouriensis*
✓ *Solidago nemoralis*
✓ *Solidago rigida*
✓ *Solidago speciosa*
✓ *Sorghastrum nutans*
✓ *Spartina pectinata*
✓ *Spiraea alba*
✓ *Sporobolus heterolepis*
✓ *Stipa spartea*
✓ *Tephrosia virginiana*
✓ *Thalictrum dasycarpum*
✓ *Tradescantia ohioensis*
✓ *Verbena stricta*
✓ *Veronicastrum virginicum*
✓ *Vicia americana*
✓ *Viola pedata*
✓ *Viola pedatifida*
✓ *Vitis vulpina*
✓ *Zizia aptera*
✓ *Zizia aurea*

Additional species:

Campanula rotundifolia
Pentstemon gracilis
Juniperus virginiana

Delphinium virens

60 sp