



LIBRARIES
UNIVERSITY OF WISCONSIN - MADISON

Percodan advertisement.

[s.l.]: [s.n.], 1972

<https://digital.library.wisc.edu/1711.dl/ZLL3KUKBEFJLV83>

<http://rightsstatements.org/vocab/InC/1.0/>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

Send her home with an APC/narcotic that doesn't contain codeine

Percodan does what you want an APC/narcotic to do. It effectively relieves moderate to moderately severe pain. But it's different from all the other widely prescribed APC/narcotics because it doesn't contain codeine.

The chief analgesic agent in Percodan is oxycodone. A semisynthetic narcotic analgesic, oxycodone represents a therapeutic alternative to codeine. Percodan can produce drug dependence of the morphine type and has the potential

of being abused. Percodan should be used with the same degree of caution appropriate to other oral narcotic-containing medications.

One tablet of Percodan every six hours is usually sufficient for adults. However, it occasionally may be necessary to exceed the usual dosage in cases of severe pain or in those patients who have built up a tolerance to the analgesic effect of narcotics. Percodan. The APC/narcotic that doesn't contain codeine.

Percodan®

Each yellow, scored tablet contains 4.50 mg. oxycodone HCl (Warning: May be habit-forming), 0.38 mg. oxycodone terephthalate (Warning: May be habit-forming), 224 mg. aspirin, 160 mg. phenacetin, and 32 mg. caffeine.

**reliable pain relief
without codeine**

Please refer to brief summary on facing page.

