

Stuart Formula advertisement.

[s.l.]: [s.n.], 1948

https://digital.library.wisc.edu/1711.dl/PTVD3SSZWGSI59D

http://rightsstatements.org/vocab/InC/1.0/

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

the Stuart formula

Constant improvements have kept the Stuart Formula one of the finest multivitamins available

now contains B₁₂ and trace minerals

TWO TABLETS (average daily dose) standardized to contain:

VITAMINS A 5,000 USP units

| D | | | • | | | | | | | | | | 80 | 00 | USP units |
|--|-----|------------|-----|-----|-----|------|------|------|----|---|---|---|----|----|-----------|
| C | | | | | | | • | | | | | | | | 100 mg. |
| E | | | | ٠ | | | | | | | • | | | | 0.2 mg. |
| | | | C | OI | MI | L | ET | E | B | C | 0 | M | PL | E | < |
| \mathbf{B}_1 | | | | | | | | | | | | | | | 5 mg. |
| B_2 | | | | | | | | | | | | | | | 5 mg. |
| Ni | aci | n a | ano | d P | Via | cin | A | mi | de | | | | | | 30 mg. |
| B ₆ | | | | | | | | | | | | | | | 0.2 mg. |
| B ₁ | 2 { | 509 509 | % U | SP | Cr | ysta | llii | ne (| | | | | | | 1 mcg. |
| Pa | nt | her | ıol | | | | | | | | | | | | 4.3 mg. |
| Also other members of the B Complex from natural | | | | | | | | | | | | | | | |
| sources, yeast and liver fraction 2 | | | | | | | | | | | | | | | |

MAINTENANCE MINERALS

| Iron . | | | • | | | | | * | • | | 15 | mg. |
|--------|------|----|---|----|---|----|------|----|---|----|------|-----|
| Iodine | 1.00 | | | | | | | | | | 0.15 | mg. |
| | | FD | A | CE | B | AI | NI I | FD | A | 16 | | |


TRACE MINERALS

| Boron | | | | | | | | 0.2 mg. |
|--------|----|---|--|--|--|--|--|----------|
| Cobalt | | | | | | | | 0.2 mg. |
| Copper | | | | | | | | 0.75 mg. |
| Mangan | es | e | | | | | | 1 mg. |
| Zinc . | | | | | | | | 0.3 mg. |

AVAILABLE AT ALL PHARMACIES
STILL THE SAME LOW COST













Capsule form easier to take—Capsule breaks down quickly; unlike tablet, causes no feeling of stickiness in throat. Easier

Smaller dosage-2 capsules 1 to 3 times daily at first. Later than drinking gels. 1 or 2 capsules daily. Each capsule contains approximately 0.65 gram sodium Carboxymethylcellulose.

More effective-Superiority proved both in clinical and

LOW IN COST TO PATIENTS "in vitro" tests.

***Evaluation of Hydrophilic Properties of Bulk Laxatives, Including the New Agent, Sodium Carboxymethylcellulose," Blythe, Rudolph H., Gulesich, John J., and Tut-

Nataophe 11., Guiesten, John J., and Tur-hill, Harlan L., Scientific Edition, Journal of American Pharmaceutical Association, February, 1949.

Available at All Pharmacies



CARBOXY METHYL CELLULOSE w non-irritating bulk laxe Orrective treatment of the more commitypes of constipation. Fast purgative action should not be expected. Best results after several days use.

the Stuart Company

