



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 5018: Oneida County, Township 38N, Range 11E, Section 8.

[s.l.]: [s.n.], [s.d.]

<https://digital.library.wisc.edu/1711.dl/SLLP7HY5QC6F78W>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

CONIFER SWAMP

Ecology Form # 71

Stand #

Alnus
Q. car. rub.
Larix
Picea
Pinus str.
~~19~~ Janga

Field Data Sheet - Trees

Redox

Conduc.

Cat. Cap.

Location 18

pH

02

36" Bore

% Cover 65

Basal Area

Distances

Larix	Picea	Thuja <i>Alnus</i>	Pop. tr.	Betula pap.	Janga			
	3 4 5 5 6						8	11.5 12
	6 7 5 5 8						16.5	4.0 17.0
	6.5 4 6.5 7 4						17.0	11.25 26.0
4 4 4		7		6			21.0	17.5 10.75
4 4				8	4		14.5	5.0 10.5
		4 4		4			8.25	18.5 6.0
				4 4 4 4			7.5	14.5 5.0
4	4			4	4 5		9.5	8.0 8.0
	7 7 4 4 5						7.5	8.0 8.0
4 4	7 6.5				4		7.5	15.0 2.0
	4 4 5 5 5						8.0	5.5 12.0
	4 5 4 5.5 5						8.0	7.5 2.0
	5 4 4 5						8.0	3.0 14.0
5	4 4 4 4						12.0	10.5 6.0
	7 7 6 5 5			4 4			11.5	12.5 21.0
4	6 6			4 4			12.5	8.0 4.0
	4			4 4 4 5			10.0	4.0 14.5
4	5.5			4 4	5		5.0	8.0 15.0
4	4 4 4				4		10.0	10.5 8.0
5 4 4		4			4		9.5	13.5 19.0

TOTALS

Sketch Map:

Punctor
5 1.20

Lance
4 IIII 13.12 156
5 I 1.20 20
9. 176

Pic
4 IIII 20.12 240
1 I 1.16 16
5 IIII 14.20 280
III 3.24 82
6 III 6.28 168
II 2.34 68
7 IIII 7.38 266
8 II 2.50 100
55 1220

Beer mid
4 1.12
7 1.38
2 50

Alies
4 IIII 17.12 204
5 I 1.20 20
6 I 1.28 28
1.50 50
8 I 20 302

Box Pap
4 1.12

Jungas
4 III 4.12 48
3.20 60
5 III 7 108

12
13
36
12
156

Research in Progress - Taxonomy

North American Physalacera in America. The Arctic are also being worked on by H. J. Monaghan of the U.S. Fish and Wildlife Service. Lichens collected by several other workers in the Arctic area, based on the collections made by the Hudson Bay Expedition in 1950. Thomson is writing a paper on the lichens of the Hudson Bay Expedition in 1950.

12
17
84
12
204

Plant Ecology Laboratory
Data Form 68

Station No. 5018 level 13

Tree	No. Pts.	No. Tr.	Size Cl. sq. in.			No. Dom.	F% Sap.	F% Seed	D% Tr.	Dom% Tr.	DFD Index		
			12-80	81-320	321+								
Abies balsamea	8	20	20			302		19.0	20	15.9	54.9	220	247.05
Acer rubrum	2	2	2			50		4.8	2	2.6	9.4	72	56.4
Acer spicatum													
Betula lutea													
B. papyrifera	1	1	1			12		2.4	1	0.6	4.0	24	20.0
Carya cord.													
C. ovata													
Fraxinus nigra													
Juglans cinerea													
Larix laricina	8	14	14			176		19.0	14	9.3	42.3	40	42.3
Picea glauca													
P. mariana	16	55	55			1220		3.8	55	64.6	157.7	200	315.4
Pinus resinosa													
P. strobus	1	1	1			20		2.4	1	1.0	4.4	8	17.6
Pop. balsamifera													
P. grand.													
P. trem.													
Prunus serotina													
Pyrus americana													
Quercus bicolor													
Q. rubra													
Thuja occ.													
Tilia americana													
Tsuga can.	6	7	7			108		14.3	7	5.7	27.0	5	229.5
Ulmus americana													
U. rubra													

Total tran. 42 100. Av. Tr. Dis. 1988 Av. BA 100 100 99.7 299.7 No. Tr./Acre 529 (928.2)

Check Abies + Picea

Date Form No. 22

Plant Ecology Research

Univ. of Wisconsin

PRESENCE LIST

CONIFER BOG

Stand No. 5018

no dr purp. take unless into

W

- Abies balsamea
- ✓ Acer rubrum
- Acer spicatum
- Betula lutea
- Betula papyrifera
- Carya cordiformis
- Fraxinus nigra

38N 11E 8

- Juglans cinerea
- ✓ Larix laricina
- Picea glauca
- Picea mariana
- Pinus resinosa
- Pinus strobus
- Populus tremuloides

fairly open
lots sedge & sedum
near highway
7c +++ } neg
7c +++ } neg
can't see road
near 5"

- Prunus serotina
- Quercus bicolor
- Quercus rubra
- Sorbus americana
- ✓ Thuja occidentalis
- ✓ Tsuga canadensis 17, 20
- Ulmus americana

7-25-53

HERBS AND SHRUBS

- Alnus incana
- Alnus rugosa 16, 9
- Andromeda glaucophylla
- Anemone canadensis
- Aralia hispida
- Aralia nudicaulis
- Arceuthobium pusillum
- Arctostaphylos uva-ursi
- Arethusa bulbosa
- Arisaema atrorubens
- Asclepias incarnata
- Aster lateriflorus
- Aster novae-angliae
- ✓ Aster umbellatus 6
- Betula pumila
- Betula sandbergii
- Bidens coronata
- Boehmeria cylindrica
- Botrychium virginianum
- Bromus ciliatus
- Calamagrostis canadensis 19
- Calla palustris
- Calopogon pulchellus
- Caltha palustris
- Campanula aparinoides
- ✓ Chamaedaphne calyculata 2, 4, 11, 12
- ✓ Chiogenes hispidula 2, 14
- Cicuta bulbifera
- Cicuta maculata
- Circaea alpina
- Cirsium muticum
- ✓ Clintonia borealis 5, 13
- ✓ Coptis trifolia 16, 17, 20
- Corallorrhiza trifida
- ✓ Cornus canadensis 15, 16, 18, 19
- Cornus obliqua
- Cornus stolonifera
- ✓ Cypripedium acaule 12, 19
- Cypripedium arietinum
- Cypripedium parviflorum
- Cypripedium pubescens
- Cypripedium reginae
- Decodon verticillatus
- Diervilla lonicera
- Drosera intermedia
- Drosera longifolia
- Drosera rotundifolia
- Dryopteris linneana

- Dryopteris phegopteris
- ✓ Dryopteris spinulosa 19
- Dryopteris thelypteris
- Dulichium arundinaceum
- Epigaea repens
- Epilobium adenocaulon
- Epilobium angustifolium
- Epilobium densum 12
- Equisetum scirpoides
- Eriophorum angustifolium
- Eriophorum virginicum
- Eriophorum viridi-carinatum
- Eupatorium perfoliatum
- Eupatorium maculatum
- Galium aparine
- Galium concinnum
- Galium labradoricum
- Galium trifidum
- ✓ Gaultheria procumbens 3, 8, 13, 18, 12
- Gaylussacia baccata
- Gentiana linearis
- Geum rivale
- Glyceria striata
- Goodyera repens
- Habenaria clavellata
- Habenaria dilatata
- Habenaria hyperborea
- Habenaria lacera
- Habenaria leucophaea
- Habenaria media
- Habenaria obtusata
- Habenaria psycodes
- Halenia deflexa
- Helenium autumnale
- Hypericum virginicum
- Ilex verticillata
- Impatiens biflora
- Iris versicolor
- Iris virginica
- Juncus tenuis
- Kalmia polifolia
- ✓ Ledum groenlandicum 1, 2, 3, 4, 5, 8, 9, 10
- Leersia oryzoides 11, 12, 13, 14, 16, 19
- Linnaea borealis 20
- Liparis loeselii
- Listera cordata
- Lobelia kalmii
- Lobelia siphilitica

- Lonicera caerulea
- Lonicera oblongifolia
- ✓ Lycopus uniflorus
- Lysimachia terrestris
- ✓ Maianthemum canadense 15, 16, 17, 18, 19, 20
- Malaxis unifolia
- Menyanthes trifoliata
- Mimulus ringens
- Mitchella repens
- Mitella nuda
- Moneses uniflora
- Muhlenbergia mexicana
- Muhlenbergia racemosa
- Myrica gale
- ✓ Nemopanthus mucronata 18
- Onoclea sensibilis
- ✓ Osmunda cinnamomea
- Osmunda regalis
- Parnassia caroliniana
- Parthenocissus vitacea
- Pedicularis lanceolata
- Phalaris arundinacea
- Physocarpus opulifolius
- Poa palustris
- Pogonia ophioglossoides
- Polygala pauciflora
- Potentilla palustris
- Prenanthes alba
- Pyrola asarifolia
- Pyrola elliptica
- Pyrola rotundifolia
- Pyrola secunda
- Ranunculus abortivus
- Rhamnus alnifolia
- Rhus radicans
- Rhus vernix
- Ribes americanum
- Ribes cynosbati
- Ribes hirtellum
- Ribes lacustre
- Ribes triste
- Rorippa palustris
- Rosa caroliniana
- Rubus idaeus
- ✓ Rubus triflorus
- Rynchospora alba
- Salix candida
- Sarracenia purpurea

not ok
not 2
back of

5018

Data Form No. 22 (P.2)

Saxifraga pennsylvanica
 Scirpus cyperinus
 Scirpus acutus
 Scirpus hudsonianus
 Scirpus rubrotinctus
 Scirpus validus
 Scutellaria epilobifolia
 Scutellaria lateriflora
 Selaginella selaginoides
 Sium suave

✓ Smilacina trifolia 2, 4, 5, 14,
 Smilax herbacea
 ✓ Solidago serotina 12,
 Spiraea alba
 Spiraea tomentosa
 Steironema lanceolatum
 Symplocarpus foetidus
 Thalictrum dasycarpum
 ✓ Trientalis borealis 16, 17, 18, 19, 20
 Triglochin maritima

Typha latifolia
 ✓ Vaccinium angustifolium 2, 3, 8, 15
 Vaccinium macrocarpon 3,
 Vaccinium oxycoccus 13
 Vaccinium pennsylvanicum
 Viburnum opulus
 Viola canadensis
 ✓ Viola pallens 6,
 Vitis riparia

Additional species:

Oxalis^{mon} 15, 16, 17, 18, 19, 20, 15,

~~Vacc. vitid 20~~

Vacc mytilloides (see spec in presence of gnats 1-5) 6, 7, 8, 10, 11, 12, 13, 15, No, 18, 19, 5, 14, 9.

~~Op~~

✓ Lyc luc

✓ Agrostis perennans

Cenna lat

~~Bet pap esed 2,~~

✓ C cunita v ggnandra

✓ C intumescens 1,

✓ C triperma 8, 7, 6, 5, 2, 19, 16, 15, 12, 14, 11, 10, 20, 17, 18