



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 0020: 2 mi. S. of Milton Jct., along R.R., Rock County, Township 4N, Range 13E, Section 32. 1947-07-11

[s.l.]: [s.n.], 1947-07-11

<https://digital.library.wisc.edu/1711.dl/W4JIYSTGE2CWN8C>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

Prairie Relic Study. III.

Section 32 Township 4N Range 13E County Rock Place 2 mi. S. of Milton
Date 7/11/47 Observer J. T. Curtis: H. C. Greene Det. along R. R.
Habitat Description

..... High, deep soil prairie, in oak opening region

- | | | |
|-------------------------|-----------------------|--------------------------|
| ✓ Achillea millefolium | ✓ Eryngium yuccif. | ✓ Petalostemum pur. |
| Ambrosia artemisiif. | ✓ Euphorbia corollata | ✓ Phlox pilosa |
| ✓ Amorpha canescens | ✓ Fragaria virginiana | Physalis heteroph. |
| ✓ Andropogon furcatus | ✓ Galium boreale | ✓ Physalis virginiana |
| Andropogon scoparius | Gentiana andrewsii | Potentilla arguta |
| Anemone cylindrica | ✓ Gentiana puberula | Potentilla canad. |
| Antennaria sp. | ✓ Geranium maculatum | ✓ Pycnanthemum virg. |
| ✓ Apocynum androsaemif. | Geum triflorum | ✓ Quercus macrocarpa |
| — Apocynum cannabinum | Helianthemum sp. | ✓ Ratibida pinnata |
| Artemisia caudata | — Helianthus grosse. | ✓ Rhus glabra |
| ✓ Asclepias syriaca | Helianthus occid. | ✓ Rosa sp. |
| Asclepias verticill. | ✓ Helianthus rigidus | ✓ Rudbeckia hirta |
| Aster azureus | Heuchera richard. | ✓ Silphium integrif. |
| ✓ Aster ericoides | ✓ Hypoxis hirsuta | Silphium laciniat. |
| ✓ Aster laevis | Koeleria cristata | ✓ Silphium terebinth. |
| Aster novae-angliae | Kuhnia eupatorioid. | ✓ Sisyrinchium sp. |
| Aster sericeus | Lactuca canadensis | ✓ Smilacina stellata |
| Baptisia leucantha | Lactuca ludoviciana | Solidago graminifolia |
| ✓ Baptisia leucophaea | ✓ Lathyrus venosus | ✓ Solidago missouriensis |
| Bouteloua curtipend. | ✓ Lespedeza capitata | Solidago nemoralis |
| Calamagrostis canad. | ✓ Liatris aspera | ✓ Solidago rigida |
| ✓ Ceanothus americanus | Liatris cylindracea | ✓ Solidago speciosa |
| ✓ Cirsium discolor | Liatris pycnostachya | ✓ Sorghastrum nutans |
| ✓ Comandra umbellata | Lithospermum angust. | Spartina pectinata |
| ✓ Convolvulus sepium | ✓ Lithospermum canes. | Spiraea alba |
| ✓ Coreopsis palmata | Lobelia spicata | ✓ Sporobolus heterolepis |
| ✓ Corylus americana | ✓ Monarda fistulosa | ✓ Stipa spartea |
| ✓ Desmodium canadense | Oenothera biennis | Thalictrum dasycarpum |
| ✓ Desmodium illinoense | Oxybolis rigidior | ✓ Tradescantia ohioensis |
| ✓ Dodecatheon meadia | ✓ Panicum leibergii | Veronicastrum virgin. |
| ✓ Elymus canadensis | ✓ Panicum scribner. | Viola pedata |
| Equisetum laevigatum | Panicum virgatum | ✓ Viola petatifida |
| Erigeron ramosus | ✓ Petalostemum can. | Vitis vulpina |
| | | ✓ Zizia aurea |

.....
Additional Species

58 on List III

15 " " IV

1 extra

74

~~Polygala serotina~~

Salix sp

Prairie Relic Study. IV.

Section 32 Township 4N Range 13E County Rock Place 2 mi. S. of Milton
Date 7/1/47 Observer J. T. Curtis; H. C. Greene Loc., along R. R.
Habitat Description

High, deep soil prairie, in oak opening region

- | | | |
|------------------------------|-------------------------------|--------------------------------|
| ✓ <i>Acer negundo</i> | <i>Draba caroliniana</i> | ✓ <i>Polygala senega</i> |
| <i>Acerates floridaana</i> | <i>Elymus virginicus</i> | <i>Polygala polygama</i> |
| <i>Acerates lanuginosa</i> | <i>Equisetum arvense</i> | <i>Polygala sanguinea</i> |
| <i>Acerates viridifl.</i> | <i>Equisetum hyemale</i> | <i>Polygala verticillata</i> |
| <i>Agoseris cuspidata</i> | <i>Erigeron philadelph.</i> | <i>Polygonatum commut.</i> |
| <i>Allium canadense</i> | <i>Erigeron pulchellus</i> | ✓ <i>Polytaenia nuttallii</i> |
| <i>Allium cernuum</i> | <i>Galium tinctorium</i> | <i>Populus tremuloides</i> |
| <i>Ambrosia psilostach.</i> | <i>Gentiana procera</i> | <i>Prenanthes alba</i> |
| <i>Anemone canadensis</i> | <i>Gerardia aspera</i> | — <i>Prenanthes racemosa</i> |
| <i>Anemone patens</i> | <i>Habenaria leucophaea</i> | <i>Prunella vulgaris</i> |
| <i>Anemone quinquef.</i> | <i>Hedeoma pinnatif.</i> | <i>Psedera quinquefolia</i> |
| <i>Arabis lyrata</i> | ✓ <i>Helianthus strumosus</i> | <i>Psoralea esculenta</i> |
| <i>Arenaria stricta</i> | <i>Helopsis scabra</i> | ✓ <i>Pteridium latiusculum</i> |
| <i>Artemisia ludovic.</i> | <i>Hieracium canadense</i> | <i>Pyrus ioensis</i> |
| <i>Asclepias amplexic.</i> | <i>Hieracium longipil.</i> | <i>Rhus radicans</i> |
| <i>Asclepias ovalifolia</i> | <i>Hierochloa odorata.</i> | <i>Rudbeckia subtomentosa</i> |
| <i>Asclepias purpurasc.</i> | <i>Iris virginica</i> | <i>Sanicula sp.</i> |
| <i>Asclepias sullivant.</i> | <i>Krigia biflora</i> | <i>Saxifraga pennsylvanica</i> |
| ✓ <i>Asclepias tuberosa</i> | <i>Lathyrus ochroleucus</i> | <i>Scutellaria parvula</i> |
| <i>Aster linariifolius</i> | ✓ <i>Lathyrus palustris</i> | <i>Senecio aureus</i> |
| <i>Aster oblongifolius</i> | <i>Liatris spicata</i> | <i>Silene antirrhina</i> |
| <i>Aster pilosus</i> | <i>Lilium michiganense</i> | <i>Silene stellata</i> |
| <i>Aster ptarmicoides</i> | ✓ <i>Lilium philadelph.</i> | <i>Silphium perfoliatum</i> |
| <i>Aster sagittifolius</i> | <i>Linum sulcatum</i> | ✓ <i>Smilacina racemosa</i> |
| <i>Astragalus canad.</i> | <i>Lithospermum croceum</i> | — <i>Solidago altissima</i> |
| <i>Aureolaria grandifl.</i> | <i>Lupinus perennis</i> | ✓ <i>Solidago juncea</i> |
| <i>Besseyia bullii</i> | <i>Lycopus americanus</i> | <i>Solidago riddellii</i> |
| <i>Blephilia ciliata</i> | <i>Lysimachia quadrifol.</i> | <i>Solidago serotina</i> |
| <i>Bouteloua hirsuta</i> | <i>Lythrum alatum</i> | <i>Specularia perfoliata</i> |
| <i>Brauneria pallida</i> | <i>Muhlenbergia racemosa</i> | <i>Spiranthes ochroleuca</i> |
| <i>Bromus kalmii</i> | <i>Onoclea sensibilis</i> | <i>Stachys palustris</i> |
| <i>Cacalia graveolens</i> | <i>Orobanche uniflora</i> | <i>Steironema ciliatum</i> |
| <i>Cacalia tuberosa</i> | <i>Oxalis violacea</i> | <i>Steironema lanceolatum</i> |
| <i>Calopogon pulchell.</i> | ✓ <i>Oxybaphus nyctagin.</i> | <i>Steironema quadriflorum</i> |
| <i>Carex pennsylvan.</i> | <i>Panicum praecocius</i> | <i>Taenidia integerrima</i> |
| <i>Castilleja coccinea</i> | <i>Panicum perlongum</i> | <i>Tephrosia virginiana</i> |
| <i>Castilleja sessilifl.</i> | <i>Parnassia carolin.</i> | <i>Thaspium aureum</i> |
| <i>Celastrus scandens</i> | <i>Parthenium integrif.</i> | <i>Valeriana edulis</i> |
| <i>Cicuta maculata</i> | <i>Pedicularis canadens.</i> | ✓ <i>Verbena stricta</i> |
| <i>Cirsium hillii</i> | <i>Pedicularia lanceol.</i> | <i>Veronica fasciculata</i> |
| <i>Cornus racemosa</i> | <i>Phalaris arundinacea</i> | — <i>Vicia americana</i> |
| <i>Cypripedium candidum</i> | <i>Phlox glaberrima</i> | <i>Viola sagittata</i> |
| <i>Cypripedium pubesc.</i> | <i>Polemonium reptans</i> | <i>Zigadenus elegans</i> |
| | | <i>Zizia aptera</i> |