



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 0200: Falls City, Dunn County, Township 27N, Range 11W, Section 29. 1956-09-10

[s.l.]: [s.n.], 1956-09-10

<https://digital.library.wisc.edu/1711.dl/QEDTO2W65O4MB8E>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

Presence List
(Uncommon species)

PRAIRIES

Stand No. 200

Locality: Falls City

County: Dunn

Sec: NW 29 T: 27 N R: 11 W

Date: 9/10/56

Observers: JTC & HCG

Size of Stand: 2 acres

Size of Area Sampled:

Condition of Stand: Excellent - Constant

Type:

<i>Acer negundo</i>	<i>Celastrus scandens</i>	<i>L. spicata</i>	<i>Prenanthes alba</i>
<i>Agoseris cuspidata</i>	<i>Chrysopsis villosa</i>	<i>Lobelia kalmii</i>	<i>P. aspera</i>
<i>Agropyron subsecun</i>	<i>Cirsium hillii</i>	<i>Lupinus perennis</i>	<i>Prunella vulgaris</i>
<i>Aletris farinosa</i>	<i>C. undulatum</i>	<i>Lycopus americanus</i>	<i>Psoralea argophyll</i>
<i>Allium canadense</i>	<i>Crataegus sp.</i>	<i>L. uniflorus</i>	<i>Pteridium latiuscu</i>
<i>A. cernuum</i>	<i>Cypripedium candid</i>	<i>Lysimachia ciliata</i>	<i>Pyrus ioensis</i>
<i>Amphicarpa monoica</i>	<i>C. pubescens</i>	<i>L. lanceolata</i>	<i>Rudbeckia subtomen</i>
<i>Anemone quinquefol</i>	<i>Draba reptans</i>	<i>L. quadriflora</i>	<i>Sanicula sp.</i>
<i>A. virginiana</i>	<i>Dryopteris thelypt</i>	<i>L. quadrifolia</i>	<i>Scleria triglomera</i>
<i>Apios americana</i>	<i>Echinacea pallida</i>	<i>Lythrum alatum</i>	<i>Scrophularia lance</i>
<i>Aquilegia canadens</i>	<i>E. virginicus</i>	<i>Mirabilis nyctagin</i>	<i>Selaginella rupest</i>
<i>Arabis lyrata</i>	<i>Equisetum hyemale</i>	<i>Monarda punctata</i>	<i>Senecio aureus</i>
✓ <i>Artemisia ludovici</i>	<i>Erigeron philadelp</i>	<i>Napaea dioica</i>	<i>S. pauperculus</i>
<i>A. serrata</i>	<i>E. pulchellus</i>	<i>Oenothera perennis</i>	<i>Silene antirrhina</i>
<i>Asclepias incarnat</i>	<i>Eupatorium altissi</i>	<i>O. rhombipetala</i>	<i>S. stellata</i>
<i>A. lanuginosa</i>	<i>Galium tinctorium</i>	<i>Onoclea sensibilis</i>	<i>Silphium perfoliat</i>
<i>A. longifolia</i>	<i>Gaura biennis</i>	<i>Orobanche fascicul</i>	<i>Smilacina racemosa</i>
<i>A. ovalifolia</i>	<i>Gentiana crinita</i>	<i>O. uniflora</i>	<i>Solidago riddellii</i>
<i>A. purpurascens</i>	<i>G. flavida</i>	<i>Panicum praecocius</i>	<i>Specularia perfoli</i>
<i>A. sullivantii</i>	<i>G. procera</i>	<i>Parnassia glauca</i>	<i>Spiranthes ochrole</i>
<i>Aster linariifoliu</i>	<i>G. quinquefolia</i>	<i>Parthenium integri</i>	<i>Sporobolus asper</i>
<i>A. pilosus</i>	<i>Gerardia aspera</i>	<i>Parthenocissus ins</i>	<i>S. cryptandrus</i>
<i>A. sagittifolius</i>	<i>G. gattingeri</i>	<i>Pedicularis canade</i>	<i>S. vaginiflorus</i>
<i>A. umbellatus</i>	<i>G. grandiflora</i>	<i>P. lanceolata</i>	<i>Stachys palustris</i>
<i>Astragalus candens</i>	✓ <i>Gnaphalium obtusif</i>	<i>Pentstemon digital</i>	<i>Symphoricarpos occ</i>
<i>Blephilia ciliata</i>	<i>Grindelia squarros</i>	<i>Petalostemum villo</i>	<i>Taenidia integerri</i>
<i>Bromus kalmii</i>	<i>Habenaria leucopha</i>	<i>Phalaris arundinac</i>	<i>Thaspium aureum</i>
<i>Cacalia atriplicif</i>	✓ <i>Hieracium canadens</i>	<i>Phlox glaberrima</i>	<i>Triosteum perfolia</i>
<i>Cacalia suaveolens</i>	<i>Hierochloe odorata</i>	<i>Plantago rugelii</i>	<i>Valeriana ciliata</i>
<i>Callirhoe triangul</i>	<i>Houstonia caerulea</i>	<i>Polemonium reptans</i>	<i>Verbena hastata</i>
<i>Calopogon pulchell</i>	<i>H. longifolium</i>	✓ <i>Polygala polygama</i>	<i>Vernonia fascicula</i>
<i>Carex muhlenbergii</i>	<i>Hystrix patula</i>	<i>P. sanguinea</i>	<i>Vicia angustifolia</i>
<i>C. pensylvanica</i>	<i>Lathyrus ochroleuc</i>	<i>P. verticillata</i>	<i>V. villosa</i>
<i>C. vulpinoidea</i>	<i>Lechea tenuifolia</i>	<i>Polygonatum commut</i>	<i>Viola sagittata</i>
<i>Castilleja coccine</i>	<i>Leptoloma cognatum</i>	<i>Populus tremuloide</i>	<i>Wulfenia bullii</i>
<i>C. sessiliflora</i>	<i>Liatris ligulostyl</i>	<i>Potentilla frutico</i>	<i>Zigadenus elegans</i>
<i>Ceanothus ovatus</i>			

Additional species:

Presence or Frequency
(Common species only)

PRAIRIES

Stand No. 200
Quadrat No.

Falls City Garden

C. I. = 375.0

- | | | |
|---|----------------------------------|----------------------------------|
| ✓ <i>Achillea millefolium</i> | <i>Fragaria virginiana</i> | <i>Physalis subglabrata</i> |
| <i>Ambrosia artemisifolia</i> | <i>Galium boreale</i> | <i>Physalis virginiana</i> |
| <i>Ambrosia psilostachya</i> | <i>Gentiana andrewsii</i> | <i>Polygala senega</i> |
| <i>Amorpha canescens</i> | <i>Gentiana puberula</i> | <i>Polytaenia nuttallii</i> |
| ✓ <i>Andropogon gerardi</i> | <i>Geranium maculatum</i> | ✓ <i>Potentilla arguta</i> |
| <i>Andropogon scoparius</i> | <i>Geum triflorum</i> | <i>Potentilla canadensis</i> |
| <i>Anemone canadensis</i> | <i>Hedeoma hispida</i> | <i>Prenanthes racemosa</i> |
| <i>Anemone cylindrica</i> | ✓ <i>Helianthemum</i> sp. | <i>Psoralea esculenta</i> |
| <i>Anemone patens</i> | <i>Helianthus grosseserratus</i> | <i>Pycnanthemum virginicum</i> |
| ✓ <i>Antennaria</i> sp. <i>neglecta</i> | ✓ <i>Helianthus laetiflorus</i> | <i>Pyrus melanocarpa</i> |
| <i>Apocynum androsaemifolium</i> | ✓ <i>Helianthus occidentalis</i> | <i>Quercus macrocarpa</i> |
| <i>Apocynum cannabinum</i> | <i>Helianthus strumosus</i> | <i>Ratibida pinnata</i> |
| <i>Arenaria stricta</i> | <i>Heliopsis helianthoides</i> | <i>Rhus glabra</i> |
| <i>Artemisia caudata</i> | <i>Heuchera richardsonii</i> | <i>Rhus radicans</i> |
| <i>Asclepias amplexicaulis</i> | ✓ <i>Hieracium longipilum</i> | ✓ <i>Rosa</i> sp. |
| <i>Asclepias syriaca</i> | <i>Hypoxis hirsuta</i> | ✓ <i>Rudbeckia hirta</i> |
| <i>Asclepias tuberosa</i> | <i>Iris virginica</i> | <i>Salix humilis</i> |
| <i>Asclepias verticillata</i> | <i>Koeleria cristata</i> | <i>Saxifraga pensylvanica</i> |
| <i>Asclepias viridiflora</i> | <i>Krigia biflora</i> | <i>Scutellaria parvula</i> |
| <i>Aster azureus</i> | <i>Kuhnia eupatorioides</i> | <i>Silphium integrifolium</i> |
| ✓ <i>Aster ericoides</i> | <i>Lactuca canadensis</i> | <i>Silphium laciniatum</i> |
| <i>Aster laevis</i> | <i>Lactuca ludoviciana</i> | <i>Silphium terebinthinaceum</i> |
| <i>Aster novae-angliae</i> | <i>Lathyrus palustris</i> | <i>Sisyrinchium campestre</i> |
| <i>Aster oblongifolius</i> | <i>Lathyrus venosus</i> | <i>Smilacina stellata</i> |
| <i>Aster ptarmicoides</i> | ✓ <i>Lespedeza capitata</i> | <i>Solidago altissima</i> |
| <i>Aster sericeus</i> | <i>Liatris aspera</i> | <i>Solidago gigantea</i> |
| <i>Baptisia leucantha</i> | <i>Liatris cylindracea</i> | <i>Solidago graminifolia</i> |
| <i>Baptisia leucophaea</i> | <i>Liatris pycnostachya</i> | ✓ <i>Solidago juncea</i> |
| <i>Bouteloua curtipendula</i> | <i>Lilium michiganense</i> | <i>Solidago missouriensis</i> |
| <i>Bouteloua hirsuta</i> | <i>Lilium philadelphicum</i> | ✓ <i>Solidago nemoralis</i> |
| <i>Cacalia tuberosa</i> | ✓ <i>Linum sulcatum</i> | ✓ <i>Solidago rigida</i> |
| <i>Calamagrostis canadensis</i> | <i>Lithospermum canescens</i> | ✓ <i>Solidago speciosa</i> |
| <i>Ceanothus americanus</i> | <i>Lithospermum croceum</i> | ✓ <i>Sorghastrum nutans</i> |
| <i>Cicuta maculata</i> | <i>Lithospermum incisum</i> | <i>Spartina pectinata</i> |
| <i>Cirsium discolor</i> | <i>Lobelia spicata</i> | <i>Spiraea alba</i> |
| <i>Comandra richardsoniana</i> | <i>Monarda fistulosa</i> | <i>Sporobolus heterolepis</i> |
| <i>Convolvulus sepium</i> | <i>Muhlenbergia cuspidata</i> | ✓ <i>Stipa spartea</i> |
| <i>Coreopsis palmata</i> | <i>Muhlenbergia racemosa</i> | <i>Tephrosia virginiana</i> |
| <i>Cornus femina</i> | <i>Oenothera biennis</i> | <i>Thalictrum dasycarpum</i> |
| <i>Corylus americana</i> | <i>Oxalis violacea</i> | <i>Tradescantia ohioensis</i> |
| <i>Desmodium canadense</i> | <i>Oxypolis rigidior</i> | <i>Verbena stricta</i> |
| <i>Desmodium illinoense</i> | <i>Panicum leibergii</i> | <i>Veronicastrum virginicum</i> |
| <i>Dodecatheon meadia</i> | ✓ <i>Panicum oligosanthos</i> | <i>Vicia americana</i> |
| <i>Elymus canadensis</i> | <i>Panicum perlongum</i> | ✓ <i>Viola pedata</i> |
| <i>Equisetum arvense</i> | <i>Panicum virgatum</i> | <i>Viola pedatifida</i> |
| <i>Equisetum kansanum</i> | ✓ <i>Petalostemum candidum</i> | <i>Vitis vulpina</i> |
| ✓ <i>Erigeron strigosus</i> | <i>Petalostemum purpureum</i> | <i>Zizia aptera</i> |
| <i>Eryngium yuccifolium</i> | <i>Phlox pilosa</i> | <i>Zizia aurea</i> |
| <i>Euphorbia corollata</i> | ✓ <i>Physalis heterophylla</i> | |

Additional species:

Potamogeton amplifolius