



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Wisconsin farm crop report. 1915

Wisconsin State Board of Agriculture

[Madison, Wisconsin]: Wisconsin State Board of Agriculture, 1915

<https://digital.library.wisc.edu/1711.dl/7BHLTOTGFHMWV8V>

Based on date of publication, this material is presumed to be in the public domain.

For information on re-use, see

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

Wisconsin Farm Crop Report

May 15, 1915

Issued by the Wisconsin State Board of Agriculture

Wis. Historical Library

JUN 25 1915

Public Document Dept

Wisconsin Farm Crop Report

OFFICE OF WISCONSIN STATE BOARD OF AGRICULTURE,
Madison, May 15, 1915.

Following is the average condition of crops in the State on May 1st as reported to this department, 100 per cent representing "normal" condition: Winter wheat, 96.3; winter rye, 96.9; alfalfa, 97.4; clover meadows, 96.3; timothy meadows, 95.5; pastures, 97. For comparison the averages of May 1, 1914, are given: Winter wheat, 92.2; winter rye, 93.6; alfalfa, 89; clover meadows, 92.1; timothy meadows, 93.1.

The acreage of crops as compared with 1914 is as follows: Winter wheat, 100.3; winter wheat, acreage abandoned, 2.8; winter rye, 99.4; winter rye, acreage abandoned, 3.1; spring wheat, 100.8; spring rye, 97.5; oats, 104.2; barley, 97; alfalfa, 107.1; clover meadows, 101.5; timothy meadows, 98.6. It will be noted that there is a considerable increase in the acreage of oats and alfalfa.

73 per cent of the plowing was done in the state on May 1st. 9.8 per cent of the 1914 hay crop was in the hands of the farmer and 85.8 per cent of the crop has been or will be consumed on farms producing it. 10.4 per cent of the 1914 corn crop was in the hands of the farmer and 93 per cent of the crop has been or will be consumed on farms producing it. 3.2 per cent of silage was lost principally by reason of failure to run enough water with cut silage.

Correspondents' reports on condition of live stock show the following percentages, 100 representing "normal" condition: Horses, 98.6; cattle, 97.3; sheep, 98.1; swine, 98.3. The percentages of 1914 are as follows: Horses, 95.9; cattle, 94.5; sheep, 95; swine, 93.7. The percentage of spring pigs saved as compared with 1914 is 101.8, spring lambs, 102.7. Due to the

early spring, more lambs and pigs were saved than a year ago.

The average wage paid for farm help is \$30.15 and reports indicate that it is not as difficult to secure reliable help as in former years.

Farm work is well advanced, soil conditions are favorable, but rain is still needed in many localities of the state.

A. W. KALBUS, *Asst. Secretary.*

A complete detailed report of conditions, etc., is shown by the following tables:

NORTHERN DIVISION.	CONDITION OF CROPS.						COMPARATIVE ACREAGE.			
	Winter wheat.	Winter rye.	Alfalfa.	Clover meadows.	Timothy meadows.	Pastures.	Winter wheat.	Acres abandoned.	Winter rye.	Acres abandoned.
Ashland.....	100	97	95	100	98	95	90	10	102
Barron.....	96	95	97	90	97	100	95	105
Bayfield.....	100	97	98	93	92	95	105	104
Burnett.....	97	100	95	91	90	100	100
Chippewa.....	91	94	80	97	91	101	105	103
Door.....	100	98	95	100	97	94	90	100
Douglas.....	90	95	90	95
Dunn.....	99	98	91	100	100	101	100	3	101	2
Florence.....	95	95	90	100	100	100	98	100
Forest.....	100	100	97	98	95	100	105	90
Iron.....	100	100	90	100	100	85	107	100
Langlade.....	100	100	100	98	96	100	95	7	100	5
Lincoln.....	98	95	100	100	97	99	98	98
Marathon.....	94	98	97	101	100	100	100	100
Marinette.....	95	100	95	98	99	100	100	4	100	3
Oconto.....	90	97	91	90	85	93	105	105
Oneida.....	102	98	97	100	95	97	100	100
Polk.....	100	94	95	98	98	95	100	100
Price.....	100	91	97	98	100	98	105	104
Rusk.....	100	100	95	100	97	95	100	103
St. Croix.....	100	98	102	97	101	100	100	100
Shawano.....	100	97	101	100	95	95	100	100
Sawyer.....	98	100	104	91	100	100	105	4	95
Taylor.....	88	90	95	98	96	95	100	100
Vilas.....	100	100	97	95	100	100
Washburn.....	100	95	90	100	100	100	100	98

NORTHERN DIVISION.	COMPARATIVE ACREAGE.							Plowing done.	1914 hay crop on farm.	1914 hay crop consumed on farms producing it.
	Spring wheat.	Spring rye.	Oats.	Barley.	Alfalfa.	Clover meadows.	Timothy meadows.			
Ashland.....	110	112	100	105	110	112	40	12	85
Barron.....	95	100	106	91	107	100	100	77	15	84
Bayfield.....	89	102	112	90	110	110	100	80	14	80
Burnett.....	95	90	108	107	105	75	20	90
Chippewa.....	85	100	100	100	110	105	94	78	12	84
Door.....	104	110	98	105	108	100	80	20	89
Douglas.....	100	104	97	105	100	100	82	5	85
Dunn.....	104	97	102	95	107	103	100	81	10	88
Florence.....	101	100	108	92	100	104	107	74	7	77
Forest.....	110	90	112	100	110	100	105	50	12	80
Iron.....	105	95	115	95	90	100	100	65	15	50
Langlade.....	90	91	108	104	110	107	110	61	10	75
Lincoln.....	100	97	107	100	110	103	103	65	3	97
Marathon.....	97	103	107	104	100	70	13	77
Marinette.....	95	95	107	96	102	103	98	80	14	65
Oconto.....	100	100	105	102	110	104	104	58	11	85
Oneida.....	106	93	115	100	115	105	104	50	14	91
Polk.....	105	100	96	100	100	100	98	75	6	94
Price.....	110	107	103	100	106	105	104	80	5	85
Rusk.....	95	100	110	95	107	108	100	60	5	85
St. Croix.....	110	100	100	110	107	93	70	5	85
Shawano.....	105	100	110	97	108	100	100	60	5	85
Sawyer.....	102	96	106	94	112	105	100	75	8	85
Taylor.....	100	105	110	115	100	100	90	10	95
Vilas.....	100	100	107	98	110	100	100	80	10	90
Washburn.....	100	95	105	97	108	100	100	70	7	90

NORTHERN DIVISION.	1914 corn crop on farms.	1914 corn crop consumed on farms.	Silage lost.	CONDITION OF LIVE STOCK.						Farm labor. Wages per month including board.
				Horses.	Cattle.	Sheep.	Swine.	Spring's pigs saved, compared with 1914.	Spring lambs saved, compared with 1914.	
Ashland	100			100	102	95	96	98	100	\$25.00
Barron	10	97	3	98	98	100	100	90	90	28.00
Bayfield	5	98	10	94	91	95	90	100	102	25.00
Burnett	15	100		100	95	98	100	91	93	30.00
Chippewa	12	95	5	100	99	95	97	93	100	29.50
Door	10	90		100	97	100	100	98	99	26.00
Douglas		85		100	98	97	100	100	97	27.00
Dunn	12	90	5	98	97	100	100	99	100	30.00
Florence		100		95	90	95	95	94	98	26.00
Forest	15	100	7	100	108	97	103	95	100	25.00
Iron	10	90		95	90	97	95	95	100	26.00
Langlade		90	3	100	95	98	95	100	98	26.00
Lincoln		100		100	98	100	100	95	95	26.00
Marathon	5	100	5	95	95	98	99	105	103	28.00
Marinette	10	85	7	100	98	100	98	107	100	26.00
Oconto	20	94	7	97	92	98	95	102	100	26.50
Oneida		98	5	99	96		100	105		25.00
Polk	10	90		97	92	100	91	98	100	27.00
Price	2	100	2	100	100		102	100	100	30.00
Rusk		100		100	100	95	100	100	100	29.00
St. Croix	10	95		100	105	100	100	107	100	29.50
Shawano	7	90		100	98	100	103	105	100	30.00
Sawyer	5	96	2	102	105	102	100	105	100	30.00
Taylor		100		100	100	100	105	100	105	25.00
Vilas	5	95	7	100	100	101	98	100	100	28.00
Washburn	5	90	5	100	98	100	100	98	100	29.00

CENTRAL DIVISION.	CONDITION OF CROPS.						COMPARATIVE ACREAGE.			
	Winter wheat.	Winter rye.	Alfalfa.	Clover meadows.	Timothy meadows.	Pastures.	Winter wheat.	Acreage abandoned.	Winter rye.	Acreage abandoned.
Adams	94	95	83	80	88	95	100		100	
Brown	90	95	90	100	100	95	100		100	
Buffalo	98	97	100	90	100	105	104		100	
Calumet	90	95	90	91	90	93	90		94	
Clark	96	100		103	102	105	100		98	
Eau Claire	100	97	95	96	95	93	100		97	
Fond du Lac	90	94	103	95	93	90	103	10	98	2
Green Lake	90	98	101	95	93	96	100		100	
Jackson	100	103	100	98	101	100	98	5	97	
Juneau	102	100	104	90	93	100			105	
Kewaunee	93	95	98	96	95	96	100	12	100	
La Crosse	95	99	105	97	96	97	103	10	100	
Manitowoc	94	96	97	93	95	98	98	10	100	
Marquette	92	93	88	94	88	93	95	2	107	5
Monroe	97	100	96	98	94	100	94	12	95	5
Outagamie	100	97	98	95	94	100	95	1	96	
Pepin	95	99	98	98	100	100			95	
Pierce	90	100	99	100	97	100	100		94	
Portage	94	95	100	95	96	100	100		100	
Sheboygan	100	98	100	98	95	98	100	4	96	5
Trempealeau	99	97	98	95	93	100	108	2	106	3
Waupaca	93	97	98	94	98	95	95	7	103	5
Waushara	95	94	97	99	97	100			100	7
Winnebago	100	100	102	98	94	90	100		100	
Wood	95	103	100	95	97	104	93	4	98	

CENTRAL DIVISION.	COMPARATIVE ACREAGE.							Plowing done.	1914 hay crop on farms.	1914 hay crop consumed on farms producing it.
	Spring wheat.	Spring rye.	Oats.	Barley.	Alfalfa.	Clover meadows.	Timothy meadows.			
Adams	100	96	103	100	108	100	97	70	10	80
Brown	100		100	95	105	103	100	65	10	75
Buffalo	101		103	92	108	100	100	71	17	95
Calumet			104	93	105	101	100	84	20	85
Clark	102		102	100		100	100	87	12	82
Eau Claire	100	97	104	100	105	104	95	90	8	75
Fond du Lac	102	100	103	94	108	101	99	75	12	85
Green Lake	105	105	107	90	110	100	94	90	10	90
Jackson	95	93	105	97	109	104	100	85	10	87
Juneau	100	92	103	93	108	104	103	60	10	90
Kewaunee	105	95	100	97	105	100	101	95	12	65
La Crosse	97	100	103	93	106	103	100	80	9	95
Manitowoc	95	98	104	98	110	102	97	75	15	80
Marquette	90	90	105	101	108	105	102	78	12	93
Monroe	104	100	107	93	110	97	95	90	13	89
Outagamie			103	98	105	100	100	67	8	75
Pepin			100	97	104	100	100	92	15	95
Pierce	105		106	91	100	104	100	85	11	92
Portage	103	100	103	101	107	93	95	70	12	85
Sheboygan	95	94	105	95	108	98	98	72	20	94
Trempealeau	102	96	100	95	105	97	95	77	8	75
Waupaca	90	97	100	105	104	100	100	75	15	100
Wausara	100	98	102	92	110	100	98	60	14	90
Winnebago	100		103	96	107	100	95	83	20	73
Wood	100	105	107	97	110	103	101	75	8	80

CENTRAL DIVISION.	1914 corn crop on farms.	1914 corn crop consumed on farms producing it.	Silage lost.	CONDITION OF LIVE STOCK.						Farm labor.
				Horses.	Cattle.	Sheep.	Swine.	Spring pigs saved compared with 1914.	Spring lambs saved compared with 1914.	
Adams	20	87	7	97	95	100	96	110	100	\$28.00
Brown	10	95	5	95	100	100	98	100	98	28.90
Buffalo	13	90	5	94	87	80	98	95	100	35.00
Calumet	25	90	10	98	94	100	99	97	100	32.50
Clark	5	95	12	84	88	90	97	100	100	28.00
Eau Claire	7	93	10	99	98	100	100	102	98	30.00
Fond du Lac	10	97	4	97	95	100	96	103	99	31.50
Green Lake	10	100	10	98	97	100	100	101	104	32.00
Jackson	7	96	5	98	97	100	98	100	98	31.00
Juneau	5	97	4	97	100	102	99	98	100	30.00
Kewaunee	2	90	2	98	99	100	98	97	98	27.00
La Crosse	10	98	5	100	99	100	102	98	100	35.00
Manitowoc	15	88	12	97	95	98	99	98	99	33.00
Marquette	25	90	8	95	90	90	96	95	100	32.00
Monroe	14	100	10	99	98	100	100	102	95	31.50
Outagamie	15	93	3	105	102	100	100	98	97	32.00
Pepin	20	95		100	98	100	100	98	100	32.50
Pierce	12	90	5	99	97	97	100	90	97	32.00
Portage	10	90	4	97	93	98	100	100	100	31.00
Sheboygan	11	97	6	102	99	100	97	100	99	33.00
Trempealeau	9	90	10	97	94	100	98	99	100	35.00
Waupaca	10	95		99	95	97	98	100	100	33.00
Wausara	12	90	5	98	98	97	95	100	100	28.00
Winnebago	20	85	9	100	100	98	95	100	100	30.00
Wood	12	93	6	100	101	100	98	100	99	30.50

SOUTHERN DIVISION.	CONDITION OF CROPS.						COMPARATIVE ACREAGE.			
	Winter wheat.	Winter rye.	Alfalfa.	Clover meadows.	Timothy meadows.	Pastures.	Winter wheat.	Acres abandoned.	Winter rye.	Acres abandoned.
Columbia.....	86	90	88	94	90	80	98		98	
Crawford.....	93	95	93	84	86	85	102		100	
Dane.....	95	94	100	97	98	100	102		100	
Dodge.....	98	100	100	99	100	100	110	10	101	5
Grant.....	80	90	98	105	103	105	98		100	
Green.....	98	90	103	100	98	92			90	10
Iowa.....	93	98	99	98	100	96	100		103	
Jefferson.....	97	98	98	94	93	87	105		102	
Kenosha.....	98	98	99	94	95	95	103		95	10
Lafayette.....	98	100	101	100	96	99	102		101	
Milwaukee.....	99	102	100	93	85	91	107		107	
Ozaukee.....	97	98	95	100	99	100	98		97	
Racine.....	99	100	102	100	90	100	97		100	
Richland.....	98	97	105	88	87	94	110		95	
Rock.....	100	98	102	94	94	95	105	2	101	
Sauk.....	100	100	103	98	99	98	99		97	
Vernon.....	103	100	106	103	101	100	96		100	
Walworth.....		85	100	90	88	100			90	
Washington.....	100	98	99	100	102	100	103	5	101	
Waukesha.....	93	92	95	94	92	98	97	4	95	5

SOUTHERN DIVISION.	COMPARATIVE ACREAGE.							Plowing done.	1914 hay crop on farms.	1914 hay crop consumed on farms producing it.
	Spring wheat.	Spring rye.	Oats.	Barley.	Alfalfa.	Clover meadows.	Timothy meadows.			
Columbia.....	97	96	105	98	102	95	97	75	10	90
Crawford.....	107		104	102	100	105	95	80	3	98
Dane.....			100	99	105	100	100	77	13	87
Dodge.....	110	100	103	92	107	99	97	60	15	85
Grant.....	105		104	95	103	102	98	70	8	93
Green.....			100	99	104	103	95	67	12	95
Iowa.....	102		101	98	102	101	98	75	11	93
Jefferson.....	95		107	90	110	100	95	65	9	94
Kenosha.....	110	100	104	100	120	103	87	88	10	90
Lafayette.....	105		105	93	115	101	92	65	14	85
Milwaukee.....	105	95	99	103	104	89	94	83	12	78
Ozaukee.....	95	100	104	100	105	99	100	90	15	87
Racine.....			100	98	110	100	100	85	14	75
Richland.....	110		90	110	100	104	94	58	7	89
Rock.....	97	94	105	95	105	104	94	60	12	97
Sauk.....	100		95	110	103	94	78	11	82	
Vernon.....	104		104	100	110	102	94	65	15	80
Walworth.....	105		105	100	107	93	97	58	14	97
Washington.....	104		100	97	110	100	95	78	15	85
Waukesha.....	92		108	98	107	101	103			

SOUTHERN DIVISION.	1914 corn crop on farms.	1914 corn crop consumed on farms producing it.	Silage lost.	CONDITION OF LIVE STOCK.						Farm labor. Wages per month including board.
				Horses.	Cattle.	Sheep.	Swine.	Spring pigs saved compared with 1914.	Spring lambs saved compared with 1914.	
Columbia.....	15	96	11	98	85	95	99	100	100	\$34.00
Crawford.....	5	96	2	93	88	90	85	100	98	35.00
Dane.....	12	95	3	100	98	100	99	100	100	34.50
Dodge.....	15	90	9	100	95	97	95	91	97	30.50
Grant.....	10	98	4	102	100	101	103	102	102	33.50
Green.....	17	99	6	100	97	100	102	100	100	35.00
Iowa.....	10	97	6	98	101	98	100	95	98	36.00
Jefferson.....	8	93	7	95	99	100	99	98	100	30.00
Kenosha.....	18	97	4	98	98	100	99	100	98	29.00
Lafayette.....	12	78	3	99	97	100	100	105	100	35.00
Milwaukee.....	10	90	5	95	100		90	97	100	27.50
Ozaukee.....	10	90	8	101	98	100	96	98	100	28.00
Racine.....	16	85		100	99	102	100	100	99	30.00
Richland.....	17	93	3	102	105	98	100	97	100	32.50
Rock.....	14	86	7	101	98	100	100	95	97	31.00
Sauk.....	12	98	8	100	101	95	100	96	100	34.00
Vernon.....	10	95	4	102	101	100	100	98	100	32.00
Walworth.....	20	82	8	95	97	90	98	100	100	30.00
Washington.....	12	97	6	100	98	100	100	101	100	28.50
Waukesha.....	14	89	7	98	100	96	93	94	97	30.00

Wisconsin Farm Crop Report

June 15, 1915

Issued by the Wisconsin State Board of Agriculture

Wis. Historical Library

JUN 25 1915

Public Document Dept

Wisconsin Farm Crop Report

OFFICE OF WISCONSIN STATE BOARD OF AGRICULTURE
Madison, June 15, 1915.

The abundance of rainfall during the month of May has materially improved meadows and pastures. The present outlook for the various grains is also very promising. The cold wet weather has retarded corn and potato planting, and many farmers are replanting early corn. The soil is saturated with water—an essential condition—and with warm weather crops will flourish. The average condition of winter wheat is 94.4 per cent; spring wheat 95; winter rye 96; spring rye 94.8; barley 94.5; oats 95.6; clover meadows 95.1; timothy meadows 94.2; alfalfa 96.7; pastures 96.1.

Owing to recent weather conditions, it is difficult to predict the fruit crop. Several hard frosts did considerable damage to fruits particularly in the northern section of the state, the estimated percentage of damage for the entire state being 14.6 per cent. The reported condition of the apple crop is 86.4 per cent; small fruit 84.7; damage to fruit by insects 5.2.

The acreage of corn as compared with the year 1914 is 106.5, and the per cent planted June 1st 78.7; acreage of potatoes 99.1, per cent planted 57.9; acreage of sugar beets 96; tobacco 93.9; flax 95.5; field peas 96.6; beans 95.4; cabbage 99.5; corn for canning 99.7; peas for canning 97.4.

Correspondents in the northern section of the state report an increase of 11.2 per cent in acreage of cleared land since January 1, 1914.

A. W. KALBUS,
Assistant Secretary.

A complete detailed report of conditions, etc., is shown by the following tables:

CONDITION OF CROPS.

NORTHERN DIVISION.	Winter wheat.		Spring wheat		Winter rye.		Spring rye.		Barley.	Oats.	Clover meadows.	Timothy meadows.	Alfalfa.	Pastures.	Apple crop predicted.	Small fruit crop predicted.	Damage to fruit trees by insects.	Damage by frost to fruit trees and small fruits.
Ashland	93	100	90	95	90	98	90	98	90	90	92	100	85	95				5
Barron	99	100	96	100	100	98	102	95	94	100	90	90	85	90				12
Bayfield	95	100	110	100	95	100	90	90	100	90	90	90	90	94				10
Burnett	90	90	100	100	98	85	70	75	80	95	80	95	80	75	10			15
Chippewa	95	92	90	94	100	85	85	80	95	80	95	80	80	75				15
Door	96	98	94	95	75	76	84	94	88	91	80	65	30					30
Douglas	95	90	91	93	95	90	88	87	85	88	40	50	5					5
Dunn	98	95	97	98	92	95	95	93	95	90	85	80	10					5
Florence		100			100	105	100	105		110	80	75	5					10
Forest	100	110	97		100	110	94	90	95	110	75	50	25					25
Iron	93	95	105	100	95	105	98	103		95	95	85	90	12				25
Langlade	85	98	97		95	98	98	99	95	97	85	85	30					30
Lincoln	95	90	98	90	94	100	98	91	98	95	60	45	20					20
Marathon	75	90	97		85	85	97	97	91	98	75	70	30					30
Marinette	97	95	100	95	98	100	102	100	100	103	80	80	5					20
Oconto	95	90	85	90	98	98	85	75	95	95	50	50	15					25
Oneida	90	95	85		100	90	95	97	83	90	70	75	20					20
Polk	95	100	102		95	92	95	98	95	100	80	75	40					40
Price	90	95	100		100	93	90	95	100	94	75	90	10					10
Rusk	100	98	100	90	91	98	100	103	92	103	65	75	30					30
St. Croix		100	90		75	100	100	97		95	90	80	25					25
Sawyer	98	99	104	100	100	105	98	99	102	103	90	95	8					8
Shawano	87	93	94	90	98	102	97	95	98	100	75	60	5					20
Taylor	70	100	95		97	95	88	95	98	95	75	90	15					15
Vilas	88	95	93		100	97	90	95	96	95	70	87	10					10
Washburn	100	102	97	95	97	98	105	102	100	94	70	75	3					20

COMPARATIVE ACREAGE.

NORTHERN DIVISION.	CORN.		POTA- TATOES.		Sugar beets.	Tobacco.	Flax.	Field peas.	Beans.	Cabbage.	Corn for canning.	Peas for canning.	Increased acreage of cleared land since Jan. 1, 1914.
	Acreage.	Per cent planted.	Acreage.	Per cent planted.									
Ashland.....	110	20	115	25			100	103	110		110	100	12
Barron.....	108	70	110	45	75	100	100	105	97	110	100	100	7
Bayfield.....	115	85	105	70				95	100	103	98	98	10
Burnett.....	105	90	115	80				90	100	97	100	95	25
Chippewa.....	100	90	100	80				95	97	100	95	100	7
Door.....	107	60	100	40				100	90			80	2
Douglas.....	120	65	100	60				100	95	95			12
Dunn.....	110	90	100	65	25	80	100	100	95	100	100	95	8
Florence.....	125	50	100	25				75	100	100			15
Forest.....	130	80	115	60				110	100	97			20
Iron.....	120	70	105	65				109	98				10
Langlade.....	105	80	100	60				110			100		10
Lincoln.....	110	40	85	75				100	97				4
Marathon.....	105	90	100	75			100	100	97		99		10
Marinette.....	108	85	95	45	104			95	100				12
Oconto.....	105	90	100	80	65			75	75	50	75		10
Oneida.....	108	90	97	85				98	101	96			30
Polk.....	115	92	95	65	50		100			100		100	10
Price.....	112	65	120	55						95		95	5
Rusk.....	120	70	110	45	100		95	100	100	105		100	15
St. Croix.....	100	60	100	80	40		45			100			10
Sawyer.....	112	90	98	82			100	104	98	102	102	98	10
Shawano.....	104	80	100	55	100			78	70	105	100	100	8
Taylor.....	150	95	75	25	200			100		125			10
Vilas.....	110	80	80	35	140			97		110			10
Washburn.....	112	85	98	71	100		100	98		100			8

CONDITION OF CROPS.

CENTRAL DIVISION.	Winter wheat.	Spring wheat	Winter rye.	Spring Rye.	Barley.	Oats.	Clover meadows.	Timothy meadows.	Alfalfa.	Pastures.	Apple crop predicted.	Small fruit crop predicted.	Damage to fruit trees by insects.	Damage by frost to fruit trees and small fruits.
Adams.....	100	95	85	90		100	95	85	100	100	60	60		25
Brown.....	90	90	92		90	90	100	95	90	90	60	50	20	25
Buffalo.....	88	95	97	100	100	103	90	100	100	100	65	77		23
Calumet.....	90	88	90		88	98	90	85	90	95	65	68		20
Clark.....	95	97	100		95	98	103	103		95	85	90	5	10
Eau Claire.....			91	85	90	90	75	80	90	86	60	45		15
Fond du Lac.....	94	95	95		100	98	95	92	100	95	70	65	5	20
Green Lake.....	96	95	98		95	100	97	97	100	100	85	70	5	10
Jackson.....	98	90	100	90	97	98	90	95	93	95	73	70	3	18
Juneau.....			93	90		93	95	95		97	65	55		25
Kewaunee.....	93	88	97		90	94	88	95	105	88	85	60		20
La Crosse.....	99	100	100	98	103	103	94	97	95	100	60	70	5	23
Manitowoc.....	91	88	93		76	80	90	90	89	90	75	90		20
Marquette.....	97	96	92	90	95	92	98	97	97	98	82	90	5	5
Monroe.....	98	95	99	90	100	98	104	98	100	100	87	80	3	25
Outagamie.....	98	90	100	90	90	90	100	95	98	90	90	90		10
Pepin.....			100		100	102	103	99	104	94	85	94		
Pierce.....	100	94	100		98	100	98	99	98	102	75	55	10	25
Portage.....	100	100	103		100	102	105	102	97	105	50	55		30
Sheboygan.....	90		85		95	90	85	93	95	80	75	95		
Trempealeau.....	98	100	102	97	92	98	100	98	93	102	80	65	7	25
Waupaca.....	93	100	99	100	94	98	99	100	98	95	72	65	10	20
Waushara.....			95	99	98	100	100	100	97	100	85	78	10	0
Winnebago.....	95	80	95		80	90	100	90	95	80	95	90	5	1
Wood.....	90		99	90		100	95	100	100	100	75	80		30

COMPARATIVE ACREAGE

CENTRAL DIVISION.	CORN.		POTATOS.		Sugar beets.	Tobacco.	Flax.	Field peas.	Beans.	Cabbage.	Corn for canning.	Peas for canning.
	Acreage.	Per cent planted.	Acreage.	Per cent planted.								
Adams.....	100	80	90	20					85	90		
Brown.....	105	90	95	80	110		100	100	97	102	100	100
Buffalo.....	110	97	100	75				100	95		125	
Calumet.....	100	80	95	75	100			100	90			100
Clark.....	108	90	100	55			95	105		115		110
Eau Claire.....	106	98	95	84						105	100	
Fond du Lac.....	102	80	100	65	95			80		100	100	90
Green Lake.....	101	70	100	60	100			91		100	97	95
Jackson.....	100	88	105	70		90	100	120	90	70		
Juneau.....	105	85	94	40								
Kewaunee.....	107	90	103	70			100	95	100	105		80
La Crosse.....	103	87	103	70				100		107	110	115
Manitowoc.....	105	68	100	57				98	105	105	105	90
Marquette.....	100	90	93	10					100			
Monroe.....	112	90	94	83		90						
Outagamie.....	100	75	100	65	90					100		
Pepin.....	100	95	100	50				85			90	
Pierce.....	102	92	95	80			90			105		
Portage.....	112	100	103	45								
Sheboygan.....	110	90	90	95						100		
Trempealeau.....	105	85	100	90	100	95			100			
Waupaca.....	102	98	100	90				100	100	90		
Wausara.....	102	75	99	25					105			
Winnebago.....	100	95	100	95	100							95
Wood.....	107	87	89	45		125				100		

CONDITION OF CROPS.

SOUTHERN DIVISION.	Winter wheat.	Spring wheat	Winter rye.	Spring rye.	Barley.	Oats.	Clover meadows.	Timothy meadows.	Alfalfa.	Pastures.	Apple crop predicted.	Small fruit crop predicted.	Damage to fruit trees by insects.	Damage by frost to fruit trees and small fruits.
Columbia.....	85	100	93	99	93	88	92	100	98	80	85	20	15
Crawford.....	98	90	100	90	88	85	95	100	95	90	75	65	12	10
Dane.....	95	98	85	97	98	100	97	98	100	97	100	2	8
Dodge.....	98	89	98	85	90	93	100	98	103	100	75	85	29	15
Grant.....	95	92	95	98	92	96	90	100	98	90	95	4	5
Green.....	85	85	92	90	95	90	95	95	97	90	95	90	10
Iowa.....	94	90	90	94	80	85	88	95	95	90	80	10	10
Jefferson.....	103	100	105	98	98	100	97	95	97	95	90	94	15	10
Kenosha.....	100	100	90	97	90	97	96	98	97	100	100
Lafayette.....	100	95	98	95	90	98	95	100	96	95	90	5	10
Milwaukee.....	100	98	99	98	95	105	97	94	98	100	90	85	8
Ozaukee.....	95	98	94	100	94	93	104	98	95	100	85	90	10	15
Racine.....	103	94	101	95	98	95	85	108	100	80	97	8
Richland.....	95	100	95	90	97	90	85	105	94	100	100	3
Rock.....	90	93	85	95	96	94	90	132	97	102	105	4	7
Sauk.....	100	97	95	95	95	98	95	96	96	100	93	2	10
Vernon.....	100	102	97	103	100	97	98	105	100	105	100	10	12
Walworth.....	95	95	97	99	98	100	95	101	97	90	94	10	15
Washington.....	100	98	100	94	96	93	90	98	98	63	83
Waukesha.....	92	94	95	93	96	95	95	97	92	85	88	3	10

COMPARATIVE ACREAGE.

SOUTHERN DIVISION	CORN.		POTATOES.									
	Acres.	Per cent planted.	Acres.	Per cent planted.								
Columbia.....	103	70	100	30	70	85	100	95	100	102	100	100
Crawford.....	110	65	95	50		75		95		90	85	
Dane.....	101	75	98	70	100	100				90	100	102
Dodge.....	105	87	95	68	90		100	100	110	100	107	99
Grant.....	103	90	98	40		100						
Green.....	100	90	99	80	100	98		100				95
Iowa.....	100	80	96	30				100			100	
Jefferson.....	100	80	98	50	110	100		93			90	100
Kenosha.....	110	25	103	20	90					90		
Lafayette.....	100	70	100	40	100			100	100	100		
Milwaukee.....	100	60	108	60	103			90	95	97	85	85
Ozaukee.....	100	63	95	70	100	90	85	95	70	98	105	100
Racine.....	102	64	104	87	105			100	100	97	112	
Richland.....	105	87	100	55				90	97	100		
Rock.....	103	85	104	40	103	95		95	95	100	105	105
Sauk.....	100	95	90	10	102	98		100	100	103	97	97
Vernon.....	110	85	97	50		75				100	98	100
Walworth.....	101	60	100	40						100	100	95
Washington.....	102	76	102	65	100							100
Waukesha.....	101	65	100	55				80	90	100	95	98

Wisconsin Farm Crop Report

July 15, 1915

Issued by the Wisconsin State Board of Agriculture

Wis. Historical Library

JUL 22 1915

Public Document Dept.

Annual Report

1911

Report of the Board of Directors

Wm. H. H. H. H.

1911

Public Document

WISCONSIN FARM CROP REPORT

OFFICE OF WISCONSIN STATE BOARD OF AGRICULTURE,
Madison, Wis., July 15, 1915.

The following notes from some of our correspondents are an excellent report of the condition of crops on July 1st.

NORTHERN DIVISION

BURNETT COUNTY:

All crops are about three weeks behind but are doing very good since warm weather set in; lots of rain; crops drowned out in low places; cut worms doing some damage.

Everything is backward because of cold wet weather; corn has grown very little until the last few days of June. Heavy frost hurt corn also. Hay crop is very short and will be a couple of weeks late.

CHIPPEWA COUNTY:

The favorable weather of the past two weeks has done much to improve conditions. A great deal of corn had to be replanted but shows rapid gain now.

DOOR COUNTY:

Heavy rain and cold weather has held back all crops on account of flooding; thirty per cent of corn was planted second time. Clover shows spots of killing out last winter. Some rot will show in potato fields when they come up.

Corn very backward and generally a poor stand due to wet cold weather. Hay is thin from winter injury. Pastures are excellent and live stock in splendid condition.

MARATHON COUNTY:

Small grains are very good, only late. Corn is also good but very far back. Pastures are exceptionally good. White clover is better than I have seen it for many years.

RUSK COUNTY:

All crops, except timothy and clover, are a little backward on account of excessive cold rains, but all are good and healthy and coming on fine now.

Continued cold and rainy weather was detrimental to corn and general growth, but during the last ten days all crops have taken a decided turn to the good. Indications for this county are very encouraging.

CENTRAL DIVISION

EAU CLAIRE COUNTY:

Cool weather is retarding the growth of corn, but it does not seem to be materially injured. Hay seems to be a good crop on new seedings, on old seedings it is not quite so well. We have only made one cutting of alfalfa,—about one and one-fourth tons per acre.

Owing to the cold wet weather this spring, the corn is very backward. However the few warm days of late has helped it considerable. Pastures are very short. Hay crop will be comparatively small. Alfalfa doing well.

JACKSON COUNTY:

Alfalfa is in the first stage of life in this part of the county; there was a good acreage sown this spring. Corn is very backward on account of the cold wet weather, but has been coming good the last few days.

MANITOWOC COUNTY:

Along the lake shore and for five miles back, continued east and north east winds has kept air unusually cold and all crops are backward, especially corn and potatoes.

PIERCE COUNTY:

Grain is thick and heavy but is about two weeks later than usual. Corn is extremely backward this year, but at present has a very good color and is doing fine.

All crops except corn look very good. Pastures are very good. Corn was very much damaged by a heavy rain storm the first part of June; stand is not very good and very small for this time of the year.

SHEBOYGAN COUNTY:

Cold wet spring caused poor pastures, but warm weather have brought them almost up to average. Corn several weeks behind from same cause.

All small grains show a considerable gain for this date compared with a year ago, except corn which is a little backward on account of cold wet weather. Apples and small fruits promise a bumper crop.

SOUTHERN DIVISION

COLUMBIA COUNTY:

There are lots of small grubs in the ground, but not much damage as yet from them. Corn has been doing fine the last four or five days.

DANE COUNTY:

Tobacco looks fine, but on account of slow growth will be some later than usual. Corn is backward owing to the cold weather in June, some having to be replanted.

GRANT COUNTY:

Too much rainy weather and extreme cold for corn. Crop at this time looks exceedingly bad. Only a favorable fall and warm weather can give us a 75 per cent crop. All grains have improved wonderfully the last two weeks. Some clover hay is very heavy. If small grains have favorable conditions from now on, 98 per cent is low enough.

MILWAUKEE COUNTY:

Grass and grain has improved wonderfully during the wet and cool weather, but corn has not grown at all and is two weeks behind. With favorable weather during July, corn and potatoes will be normal by August first.

WAUKESHA COUNTY:

Buckwheat and tobacco are not grown for market in this section. Corn is the only real poor prospect at present. The winter wheat and rye crop is almost a sure thing. There is some chance for spring sown grain to improve yet.

A complete detailed report of conditions etc. is shown by the following tables:

NORTHERN DIVISION.	CONDITION OF CROPS.										
	Winter wheat.	Winter rye.	Spring wheat.	Spring rye.	Barley.	Oats.	Corn.	Field peas.	Peas for canning.	Potatoes.	Cabbage.
Ashland					90	80	75	80		75	
Barron	100	102	97		100	100	75	98	98	95	95
Bayfield	100	100	85		100	90	65	100		80	
Burnett	93	95	90		90	95	75			88	
Chippewa	100	100	96	100	92	100	85	100	98	98	96
Door	95	95	96		93	90	75	100	100	92	
Douglas		95	80		75	85	60	90		65	
Dunn	98	92	90	91	85	97	84			95	
Florence		97			90	100	75	90		85	90
Forest			85	80	75	75	60	90		70	95
Iron	95	100	100	100	90	100	85	95		95	
Langlade	100	100	100		102	100	60	90	90	65	
Lincoln	90	95	97		90	98	60			90	
Marathon	96	102			97	102	92	95	97	94	90
Marinette	95	102	95	90	95	98	90	98		95	
Oconto	93	95	92		99	93	78	87	95	85	
Oneida					90	70		100			
Polk		95	93		96	95	70			85	
Price	100	90	100	100	102	90	70	85		89	90
Rusk	100	100	95		95	98	90	100		90	100
St. Croix	100	87	102		93	100	75	100		95	98
Sawyer	100	98	101	94	92	100	90	100		96	100
Shawano	96	98	92	85	100	98	70	90	100	95	100
Taylor	80	100			95	95	90	97		100	100
Vilas	90	98			100	100	75	100	90	95	100
Washburn	95	97			90	100	80	97	95	100	100

NORTHERN DIVISION.	CONDITION OF CROPS.								Comparative acreage of crops.		
	Tobacco.	Sugar beets.	Pastures.	Apples.	Small fruits.	Alfalfa		Tame hay		Buck- wheat.	Tobacco.
						Condition.	Yield per acre.	Condition.	Yield per acre.		
Ashland			85		80			80	1.5		
Barron			100		75	95	4.3	100	1.5	100	
Bayfield			100	100	100	85	1.2	98	1.7		
Burnett			90		65	100	2.1	78	1.	103	
Chippewa	90	70	98	50	85	93	1.3	90	1.7	98	93
Door		98	100	98	80	98	2.1	87	1.3	100	
Douglas			95	80	60	65		85	1.6		
Dunn			94	65	60	97	1.	95	1.5	110	90
Florence			103	85	90			98	1.5		
Forest			100		80	95		70			
Iron			95	70	65						
Langlade			105	70	70			80	1.4		
Lincoln			100	75	70	97	1.7	80	1.5		
Marathon			98	101	97	95	1.8	90	1.5		
Marinette		85	105	90	80	90	.8	90	1.	102	
Oconto		90	82	85	70	100	1.7	90	1.3		
Oneida		100	70	75	85	97	1.3	95	1.5		
Polk			97	75	60	85	1.5	97	2.		
Price			105	89	97	98	1.8	90	2.		
Rusk	85	95	110	90	100	95	1.5	100	1.8	100	90
St. Croix		95	92	60	90	100	1.5	90	1.5	100	
Sawyer			100	98	100	100	2.1	100	2.5	96	
Shawano			100	90	95	100	1.5	90	1.8	80	
Taylor			100		95	98	1.5	92	1.7		
Vilas			100	87	90	100	1.7	95	1.8	100	
Washburn			95	95	85	90	1.5	98	1.9	100	

CENTRAL DIVISION.	CONDITION OF CROPS.										
	Winter wheat.	Winter rye.	Spring wheat.	Spring rye.	Barley.	Oats.	Corn.	Field peas.	Peas for canning.	Potatoes.	Cabbage.
Adams.....	98	101	93	85	98	100	70	75		98	100
Brown.....	95	100	95	90	96	98	75	90		95	100
Buffalo.....	95	100	90	95	85	95	70	100		100	
Calumet.....	93	95	90	90	90	93	60	100	100	95	100
Clark.....	100	105			90	100	60	90		90	
Eau Claire.....		98		100	97	96	75	75	100	97	95
Fond du Lac.....	97	95	96		95	100	65	97	92	100	96
Green Lake.....		100			100	100	75		100	90	
Jackson.....	95	100	90	95	100	100	80	100		95	
Juneau.....		94		90		90	65			90	
Kewaunee.....	88	90	89		89	90	60	85		80	
La Crosse.....	100	95	100	100	95	94	78		90	85	
Manitowoc.....	97	100	95		97	99	82	95	105	98	97
Marquette.....	96	98	96	92	96	97	52			96	70
Monroe.....	95	96	95		100	98	70	80	95	90	75
Outagamie.....	97	98	95	95	96	94	80	100	100	93	90
Pepin.....	100	102			94	97	84			100	
Pierce.....	100	95	100		94	96	65	95		80	95
Portage.....	100	100		97	95	100	75			93	
Sheboygan.....	98	93	90	95	98	95	83	105	100	95	98
Trempealeau.....	100	98	98	95	96	97	82	95	95	100	96
Waupaca.....	97	100	100		99	98	80	95	95	97	
Waushara.....		100	94	95	100	100	78			98	
Winnebago.....	90	95	98		90	85	70	95	100	95	93
Wood.....	95	103	100		98	100	74	95		93	100

CENTRAL DIVISION.	CONDITION OF CROPS.								Comparative acreage of crops.		
	Tobacco.	Sugar beets.	Pastures.	Apples.	Small fruits.	Alfalfa.		Tame hay.		Buck- wheat.	Tobacco.
						Condition.	Yield per acre.	Condition.	Yield per acre.		
Adams			97	75	85	85	1.5	73	1.5	100	
Brown			100	80	80	95	1.7	90	1.5	100	
Buffalo			90	85	85	90	1.5	90	1.5		
Calumet		90	90	73	80	92	2.3	85	1.8		
Clark			95					90	1.5		
Eau Claire			85	92	80	98	1.3	93	1.8	100	
Fond du Lac		91	95	78	80	100	1.3	95	1.7	100	
Green Lake			85	90	95	103	1.5	90	1.7	100	
Jackson			100	80	100	95	1.7	90	1.5	90	
Juneau			95	60	75			70	1.5	105	
Kewaunee			90	90	90	95	1.	75	.8		
La Crosse			100	75	75	100	1.5	100	1.5	110	
Manitowoc		98	97	95	95	98	2.2	94	1.3		
Marquette			98	78	90	94	2.	95	1.5	80	
Monroe	90	100	96	89	90	95	2.	97	2.	97	90
Outagamie		88	87	94	95	98	2.	85	1.4		
Pepin			94	85	90	103	1.4	100	1.3		
Pierce			98	90	84	85	1.8	90	1.8		
Portage			80		85	90	1.3	80	1.	90	
Sheboygan		85	93	85	97	100	1.8	85	1.3	90	
Trempealeau	97	90	100	98	96	100	1.6	95	1.5	75	90
Waupaca			95	95	94	98	1.5	88	1.4		
Waushara			95	88	90	97	1.4	100	1.8		
Winnebago		95	87	70	80	93	1.2	80	1.4	100	
Wood			100	80	85	100	1.7	85	1.8	100	80

SOUTHERN DIVISION.	CONDITION OF CROPS.										
	Winter wheat.	Winter rye.	Spring wheat.	Spring rye.	Barley.	Oats.	Corn.	Field peas.	Peas for canning.	Potatoes.	Cabbage.
Columbia	98	90	88	95	85	85	74			100	
Crawford	95	100	94	96	97	95	70	84		85	85
Dane	95	95	97	94	100	98	75	90	93	97	100
Dodge	104	100	92	95	98	95	70	95	90	90	
Grant	100	100	100	97	103	100	75	90		100	
Green	98	97	90	90	98	95	80	85	90	95	95
Iowa	93	100	98		95	97	80	100		102	
Jefferson	103	100	97	100	100	96	78	100	105	100	97
Kenosha	100	97	100	100	103	97	75	100		90	85
Lafayette	98	95	90		100	98	87	95		107	100
Milwaukee	101	98	98		103	95	65			85	87
Ozaukee	103	100	97	100	91	90	65	95	98	97	85
Racine	102	102	96	100	98	95	80	100		85	96
Richland	88	97	88		90	87	60			95	
Rock	100	90	100	100	95	90	65		94	94	97
Sauk	102	98	105	100	105	100	80	100	100	103	100
Vernon	100	100	100		94	97	75	100		100	
Walworth	90	100	90		102	100	70	100		100	90
Washington	95	100	95		95	94	80		100	90	
Waukesha	95	95	88		90	93	85			90	85
Average for state	96.8	97.6	94.7	94.7	95.	95.2	74.3	94.	96.8	92.2	94.

SOUTHERN DIVISION.	CONDITION OF CROPS.								Comparative acreage of crops.		
	Tobacco.	Sugar beets.	Pastures.	Apples.	Small fruits.	Alfalfa.		Tame hay.		Buck- wheat.	Tobacco.
						Condition.	Yield per acre.	Condition.	Yield per acre.		
Columbia	75		85	75	100	93	1.5	87	1.4	100	85
Crawford	85		100	70	75	100	1.8	95	2.1	90	88
Dane	95	90	97	94	97	98	1.8	95	1.5	100	98
Dodge		100	90	94	97	102	2.	100	1.9	100	
Grant	100		103	105	102	100	1.8	101	1.5	104	100
Green			97	97	100	103	2.	95	1.8		90
Iowa			95	102	94	98	1.5	90	1.5		
Jefferson		95	100	100	98	102	1.7	100	1.8	90	
Kenosha		80	105	90	100	105	2.	98	1.		
Lafayette		98	95	95	98	103	2.2	95	2.	110	
Milwaukee		90	100	87	95	98	1.5	101	1.3	110	
Ozaukee		88	100	98	100	105	2.1	97	1.7		
Racine		87	102	105	104	105	2.	95	1.6	120	
Richland			80	84	84	98	1.4	85	1.2	95	
Rock	85	92	95	88	93	98	1.7	90	1.4		95
Sauk			97	108	105	100	1.9	96	1.5	100	
Vernon	85		100	95	100	100	1.7	90	1.3	100	85
Walworth		85	95	93	95	100	1.8	93	1.5	100	
Washington		90	100	70	88	101	1.9	100	1.4		
Waukesha			90	92	93	98	2.1	98	1.9		
Average for state	88.7	91.	95.6	85.9	87.7	96.7	1.7	91.1	1.6	98.6	97.

Wisconsin Farm Crop Report

August 15, 1915

Issued by the Wisconsin State Department of
Agriculture

Wis. Historical Library

SEP 27 1915

Public Document Dept

WISCONSIN FARM CROP REPORT

A. W. KALBUS, Statistician

Madison, Wis., August 15, 1915.

The following notes from our correspondents give a summary of the condition of crops on August 1st.

NORTHERN DIVISION.

The hay crop looked very poor a month ago but turned out to be a bumper crop and haying is still going on. This section will yield about 200 per cent of former years. Pastures are better than ever before. Oats look very good and will be ready to harvest in about two weeks. Corn is very poor in stand and growth; we will have a very poor crop unless we have an exceptionally warm and late fall.

CENTRAL DIVISION.

On the whole crops are good. Yield of hay was from fair to heavy, much lost and spoiled by bad weather. Grain all looked fine, never better, but the last rain we had with wind laid heavy grain flat. Pastures are good and milk production holds up fine. The corn crop is coming to its own fast and by September 1st there will be plenty of silage, but more than a month is needed to mature corn.

SOUTHERN DIVISION.

The backward season coupled with the excessive rains makes it exceedingly hard to report with any positiveness. It has rained in this locality for nineteen successive days. The small grain is certainly above the average; it stood up fine, having a good stiff straw and good heads. Most barley and some oats has been cut; all is ready to be cut. The uncertain weather in haying delayed farmers in finishing that harvest, otherwise nearly all oats would have been in the shock. Field peas need dry weather to insure a good crop as there is an abundant growth of vines and if they lodge it

will undoubtedly cause a rotting of the crop. Potatoes are fine. Occasionally one is found rotting. Pastures for this season of the year were never better. Buckwheat is looking very well. Farmers seem to be more hopeful of a crop of corn. There has been a few days of excessive heat spells and corn certainly has developed wonderfully. It is about two weeks at least behind the usual crop of corn at this season. It has a green and a very fine and healthy appearance. Favorable weather with a late fall yet may give us a pretty good crop. Summing it all up, our crops are good and all we need is fine weather to bring all crops up to or better than the average year.

A detailed report of conditions, etc., is shown by the following tables:

NORTHERN DIVISION	CONDITION OF CROPS										Alfalfa—yield per acre second cut- ing
	Corn	Field Peas	Potatoes	Cabbage	Beans	Tobacco	Sugar Beets	Pastures	Buckwheat	Alfalfa	
Ashland.....	68	83	85	80	80	102	100	100	1.5
Barron.....	75	103	100	90	100	95	105	95	102	1.5
Bayfield.....	80	94	90	92	97	94	100	98	100	1.3
Burnett.....	78	97	95	91	95	90	97	98	100	1.1
Chippewa.....	70	90	98	94	90	87	90	90	95	1.5
Door.....	75	91	95	90	90	95	85	100	98	1.4
Douglas.....	80	90	87	94	90	96	95	94	95	1.1
Dunn.....	78	90	91	95	88	95	90	91	94	1.5
Florence.....	70	91	96	94	89	90	91	97	86	1.3
Forest.....	74	96	95	90	84	94	90	95	89	1.4
Iron.....	80	95	90	93	88	96	93	95	91	1.5
Langlade.....	83	91	94	96	87	95	96	91	97	1.4
Lincoln.....	84	96	93	95	90	93	95	90	96	1.5
Marathon.....	85	90	95	95	93	87	96	96	93	1.1
Marinette.....	84	91	96	90	90	89	95	93	90	1.3
Oconto.....	86	81	94	93	91	85	100	98	93	1.7
Oneida.....	74	98	96	91	100	83	98	100	100	1.5
Polk.....	78	90	97	90	90	89	100	95	90	1.1
Price.....	77	94	95	91	96	90	95	95	93	1.3
Rusk.....	70	89	93	90	95	81	96	95	100	1.2
St. Croix.....	75	94	100	91	100	87	95	90	93	1.4
Sawyer.....	72	96	89	90	90	86	101	94	95	1.5
Shawano.....	75	95	90	92	91	85	100	95	95	1.5
Taylor.....	72	90	95	91	89	84	97	94	95	1.4
Vilas.....	71	93	95	92	90	90	95	92	95	1.6
Washburn.....	70	96	100	95	100	90	94	90	95	1.5

CENTRAL DIVISION	CONDITION OF CROPS									
	Corn	Field Peas	Potatoes	Cabbage	Beans	Tobacco	Sugar Beets	Pastures	Buckwheat	Alfalfa
Adams.....	70	80	85	80	87		95	100	100	100
Brown.....	71	85	96	87	90		94	97	100	98
Buffalo.....	75	90	100	88	90		95	93	100	95
Calumet.....	71	95	96	90	95		90	95	93	94
Clark.....	73	90	98	87	90		88	100	95	97
Eau Claire.....	75	86	95	90	90		89	97	93	100
Fond du Lac.....	78	90	93	90	87		90	100	95	87
Green Lake.....	80	85	90	86	84		90	95	95	88
Jackson.....	80	81	94	92	85		97	103	100	98
Juneau.....	85	90	95	90	87		95	100	89	90
Kewaunee.....	78	90	100	97	90		94	96	93	100
La Crosse.....	75	89	95	91	94		92	100	100	97
Manitowoc.....	70	90	100	93	96		91	89	94	95
Marquette.....	75	90	94	95	95		90	93	95	96
Monroe.....	74	96	95	90	98	93	95	96	100	100
Outagamie.....	75	95	95	90	91		90	95	92	94
Pepin.....	78	91	90	95	92		90	93	80	91
Pierce.....	70	90	80	85	91			100	83	90
Portage.....	75		100	90	87		94	97		96
Sheboygan.....	76	90	100	93	88		90	100	86	90
Trempealeau.....	70	94	98	91	91	97	89	100	87	94
Waupaca.....	74	93	96	90	95		91	98	90	95
Waushara.....	75	90	95	91	96		90	95	94	95
Winnebago.....	78	91	94	98	96		90	94	95	93
Wood.....	75	95	90	95	95		91	93	96	95

SOUTHERN DIVISION	CONDITION OF CROPS									
	Corn	Field Peas	Potatoes	Cabbage	Beans	Tobacco	Sugar Beets	Pastures	Buckwheat	Alfalfa
Columbia.....	75	85	96	85	90	85	97	100	100	98
Crawford.....	70	90	100	88	87	89	98	100	95	97
Dane.....	77	90	100	90	89	97	95	98	92	100
Dodge.....	75	91	97	90	92		96	95	90	95
Grant.....	70	95	99	92	94	98	95	100	94	98
Green.....	80	90	97	90	90		90	100	95	90
Iowa.....	78	85	92	85	92			95	90	100
Jefferson.....	71	89	93	88	91		92	95	93	97
Kenosha.....	77	93	94	87	99		91	100	94	98
Lafayette.....	78	94	93	89	95		90	98	81	95
Milwaukee.....	76	91	94	90	95		85	95	94	96
Ozaukee.....	79	93	92	84	93		86	96	98	91
Racine.....	74	90	85	90	95			100	88	97
Richland.....	75	91	100	97	83		89	99	89	95
Rock.....	70	89	98	90	85	88	93	95	90	93
Sauk.....	72	93	100	92	87		96	100	94	95
Vernon.....	75	91	98	96	89	90	96	95	95	100
Walworth.....	76	92	91	96	91		95	90	90	100
Washington.....	77	91	85	90	90		91	90	83	85
Waukesha.....	76	93	85	80	93		90	85	95	85
Average for state.....	76.4	93	95.3	95	91	91.4	92.5	97.3	90	98