



LIBRARIES
UNIVERSITY OF WISCONSIN - MADISON

Lipo Gantrisin advertisement.

[s.l.]: [s.n.], 1956

<https://digital.library.wisc.edu/1711.dl/OA3RB7KNYINGC85>

<http://rightsstatements.org/vocab/InC/1.0/>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.



***Times Square's** largest sign isn't big enough to cover all the pages of scientific reports published on GANTRISIN.

The efficacy of GANTRISIN as an anti-bacterial agent is recognized everywhere. Of its ten forms it can be said that each provides an action against infections that is decisive, rapid, enduring and, above all, safe.

Lipo Gantrisin
for infections
in children →

LIPO GANTRISIN

'ROCHE'

**provides therapeutic blood levels of time-proved Gantrisin
around-the-clock—with only two doses daily**

DESCRIPTION:

Lipo Gantrisin should be considered for use in many systemic and urinary tract infections because it provides:

1. the time-proved wide-spectrum antibacterial action of Gantrisin in a stable, free-flowing homogenized emulsion
2. convenience of therapeutic blood levels for 24 hours with just two daily doses
3. delicious taste that assures wide acceptance by children and adults
4. no need for forced fluids...no danger of renal blocking or secondary fungus growth

INDICATIONS:

Systemic and urinary tract infections due to streptococci, staphylococci, pneumococci, H. influenzae, K. pneumoniae, meningococci, E. coli, B. proteus, B. pyocyaneus, A. aerogenes, B. paracolon and Alcaligenes fecalis.

DOSAGE:

Children:	teaspoonfuls every 12 hours
20 lbs	1
40 lbs	1½
60 lbs	2
80 lbs	3
Adults:	4

CAUTION:

The usual precautions in sulfonamide therapy should be observed.

SUPPLIED:

Lipo Gantrisin Acetyl, containing 20 per cent Gantrisin (1 Gm per 5 cc in the form of Gantrisin Acetyl), in a palatable, readily digestible homogenized emulsion that prolongs the action of the drug. In bottles of 4 and 16 oz.

Lipo Gantrisin® Acetyl — brand of acetyl sulfisoxazole

