

Diuril advertisement.

[s.l.]: [s.n.], 1960

<https://digital.library.wisc.edu/1711.dl/V47CTOV5ZIT6B9A>

<http://rightsstatements.org/vocab/InC/1.0/>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.


When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

in edema or hypertension

more doctors are prescribing—

more patients are receiving the benefits of—

more clinical evidence exists for—



DIURIL[®]

CHLOROTHIAZIDE

than for any other diuretic-antihypertensive

DIURIL is unique. There is no other brand of chlorothiazide.

Dosage: Edema—One or two 500-mg. tablets DIURIL once or twice a day. Hypertension—One 250-mg. tablet DIURIL or one 500-mg. tablet DIURIL two to three times a day.


Supplied: 250-mg. and 500-mg. scored tablets DIURIL chlorothiazide in bottles of 100 and 1000.

DIURIL is a trademark of Merck & Co., INC.

Additional information is available to the physician on request.



MERCK SHARP & DOHME
Division of Merck & Co., INC., West Point, Pa.



HYPERTENSION CONGESTIVE FAILURE PREMENSTRUAL TENSION EDEMA OF PREGNANCY CIRRHOSIS WITH ASCITES RENAL EDEMA