



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 4124: Lake Mills - Crawfish River, Jefferson County, Township 7N, Range 14E, Section 9. 1954-08-25

[s.l.]: [s.n.], 1954-08-25

<https://digital.library.wisc.edu/1711.dl/7EOTYN6ZBU57T8Z>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

STAND RECORD

FORESTS

Stand No. 4124

Name: Lake Mills - Crawfish R.

Locality:

NE:NE

County: Jefferson

T: 7N

R: 14E

Sec: 9

Date: Aug 25, 1954

Observers: Ware, Bray

Size of Stand: 20 A

Size of Area Sampled: 10 A.

Forest Type: Lowland hardwoods

Soil Type:

Topography: Low, gently sloping

Slope:

Directions

Condition of Stand:

Old cutting - sampling was confined to little
disturbed portions

Open Grown Trees:

% Canopy:

Stumps:

1.	4.	7.	10.
2.	5.	8.	11.
3.	6.	9.	12.

Soil Data:

	pH	N	P	K	Ca	Mg	Org. Mat.	Colloids	W.H.C.
Ao	_____	_____	_____	_____	_____	_____	_____	_____	_____
A1	_____	_____	_____	_____	_____	_____	_____	_____	_____
A2	_____	_____	_____	_____	_____	_____	_____	_____	_____
B	_____	_____	_____	_____	_____	_____	_____	_____	_____

DEPTH


CHARACTERISTICS (Color, Texture, Structure, etc.)

A ₀	2-4"	Black heavy clay
A ₁	2-4"	Black clay
A ₂		
B		Dark brown clay

Parent Material:

Gley horizon at about 2 ft.

Map:



STATION NO.	1	2	3	4	5	6	7	8	9	10
<i>Acer negundo</i>						19				
<i>A. saccharinum</i>										
<i>A. saccharum</i>		2	1		1	3	3	2	4	30 4
<i>Betula nigra</i>										
<i>Carya cordiformis</i>	140	1 24	1	2						
<i>Celtis occident.</i>										
<i>Crataegus sp.</i>										
<i>Fraxinus americ.</i>										
<i>F. nigra</i>										
<i>F. pensylvanica</i>										
<i>Gleditsia triacan.</i>										
<i>Gymnocladus dioica</i>										
<i>Juglans cinerea</i>										
<i>Platanus occident.</i>										
<i>Populus deltoides</i>										
<i>P. tremuloides</i>										
<i>Prunus serotina</i>										
<i>Quercus alba bicolor</i>							170	160		
<i>Q. rubra</i>				560			8	300		
<i>Robinia pseudo.</i>					170 170 170 18					
<i>Salix nigra</i>										
<i>Tilia americana</i>	65	140 205	250 250		140	210	1		170 160	
<i>Ulmus americana</i>										
<i>U. rubra</i>									140	140
<i>Ostrya</i>	3	1	1	14 4	3		120 1	2		
Distance	7	27	21	18	18	21	23	24	21	17

STATION NO.	1	2	3	4	5	6	7	8	9	10
<i>rubra</i> Acer negundo					330 27					
A. saccharinum										
A. saccharum	120	4720	312	4		11	150	1	1	
Betula nigra										
Carya cordiformis					1				1	
Celtis occident.										
Crataegus sp.										
Fraxinus americ.										
F. nigra							18	1		
F. pensylvanica										
Gleditsia triacan.										
Gymnocladus dioica										
Juglans cinerea										
Platanus occident.										
Populus deltoides										
P. tremuloides										
Prunus serotina										1
<i>alba</i> Quercus bicolor	630 200			660						
Q. rubra						410				270
Robinia pseudo.										
Salix nigra										
Tilia americana		170	200 45						1	160
Ulmus americana								270 50		
U. rubra									170	
<i>Ostrya</i>		1		20		1	29	4	170	1
Distance	27	25	26	21	37	17	15	29	18	19