



LIBRARIES
UNIVERSITY OF WISCONSIN - MADISON

Hycomine advertisement.


[s.l.]: [s.n.], 1955

<https://digital.library.wisc.edu/1711.dl/VRYT5SZ6FGJCS8B>

<http://rightsstatements.org/vocab/InC/1.0/>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.



who coughed?

WHENEVER COUGH THERAPY IS INDICATED

Hycomine[®]

SYRUP

THE *complete* Rx FOR COUGH CONTROL

cough sedative / antihistamine / expectorant

- relieves cough and associated symptoms in 15-20 minutes
- effective for 6 hours or longer
- promotes expectoration
- rarely constipates
- agreeably cherry-flavored

Each teaspoonful (5 cc.) of HYCOMINE* contains:
Hycodan[®]

Dihydrocodeinone Bitartrate	5 mg.	} 6.5 mg.
(Warning: May be habit-forming) Homatropine Methylbromide	1.5 mg.	
Pyrilamine Maleate	12.5 mg.	
Phenylephrine Hydrochloride	10 mg.	
Ammonium Chloride	60 mg.	
Sodium Citrate	85 mg.	

Supplied: As a pleasant-to-take syrup. May be habit-forming. Federal law permits oral prescription.

NOW MORE EFFECTIVE
THAN EVER WITH THE
NASAL DECONGESTANT
PHENYLEPHRINE



Literature
on request

ENDO LABORATORIES Richmond Hill 18, New York

* U.S. Pat. 2,630,400