



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 0018: 2 mi. SW of Rockdale, Dane County, Township 6N, Range 12E, Section 27. 1947-07-11

[s.l.]: [s.n.], 1947-07-11

<https://digital.library.wisc.edu/1711.dl/FRYDB7IW5T2HU9E>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

Prairie Relic Study. III.

Section 27 Township 6N Range 12E County Dane Place 2 mi SW of
Date 7/11/49 Observer J. T. Curtis: H. C. Greene Rockdale
Habitat Description

Thin sod - lime hill - quarry grounds

- | | | |
|------------------------|-----------------------|--------------------------|
| Achillea millefolium | Eryngium yuccif. | ✓ Petalostemum pur. |
| Ambrosia artemisiif. | ✓ Euphorbia corollata | Phlox pilosa |
| ✓ Amorpha canescens | Fragaria virginiana | ✓ Physalis heteroph. |
| ✓ Andropogon furcatus | Galium boreale | Physalis virginiana |
| Andropogon scoparius | Gentiana andrewsii | ✓ Potentilla arguta |
| Anemone cylindrica | Gentiana puberula | Potentilla canad. |
| Antennaria sp. | Geranium maculatum | Pycnanthemum virg. |
| Apocynum androsaemif. | Geum triflorum | Quercus macrocarpa |
| ✓ Apocynum cannabinum | Helianthemum sp. | ✓ Ratibida pinnata |
| Artemisia caudata | ✓ Helianthus grosse. | ✓ Rhus glabra |
| ✓ Asclepias syriaca | Helianthus occid. | ✓ Rosa sp. |
| ✓ Asclepias verticill. | ✓ Helianthus rigidus | Rudbeckia hirta |
| Aster azureus | Heuchera richard. | ✓ Silphium integrif. |
| ✓ Aster ericoides | Hypoxis hirsuta | ✓ Silphium laciniat. |
| Aster laevis | Koeleria cristata | Silphium terebinth. |
| Aster novae-angliae | Kuhnia eupatorioid. | Sisyrinchium sp. |
| ✓ Aster sericeus | Lactuca canadensis | Smilacina stellata |
| Baptisia leucantha | Lactuca ludoviciana | ✓ Solidago graminifolia |
| Baptisia leucophaea | Lathyrus venosus | ✓ Solidago missouriensis |
| Bouteloua curtipend. | Lespedeza capitata | ✓ Solidago nemoralis |
| Calamagrostis canad. | ✓ Liatris aspera | ✓ Solidago rigida |
| Ceanothus americanus | Liatris cylindracea | Solidago speciosa |
| Cirsium discolor | Liatris pycnostachya | ✓ Sorghastrum nutens |
| ✓ Comandra umbellata | Lithospermum angust. | Spartina pectinata |
| Convolvulus sepium | Lithospermum canes. | Spiraea alba |
| ✓ Coreopsis palmata | Lobelia spicata | ✓ Sporobolus heterolepis |
| Corylus americana | ✓ Monarda fistulosa | ✓ Stipa spartea |
| Desmodium canadense | ✓ Oenothera biennis | Thalictrum dasycarpum |
| Desmodium illinoense | Oxypolis rigidior | Tradescantia ohioensis |
| Dodecatheon meadia | Panicum leibergii | Veronicastrum virgin. |
| Elymus canadensis | ✓ Panicum scribner. | Viola pedata |
| Equisetum laevigatum | Panicum virgatum | Viola petatifida |
| ✓ Erigeron ramosus | Petalostemum can. | ✓ Vitis vulpina |
| | | Zizia aurea |

Additional Species

33 on List III
3 " " IV
36

Prairie Relic Study. IV.

Section 27 Township 6N Range 12E County Dane Place 2 mi. SW of Rockdale
Date 7/11/49 Observer J.T. Curtis: H.C. Greene
Habitat Description

Thin sod - lime hill - quarry grounds

Acer negundo	Draba caroliniana	<i>Polygala senega</i> Polygala polygama
Acerates floridana	Elymus virginicus	Polygala sanguinea
Acerates lanuginosa	Equisetum arvense	Polygala verticillata
Acerates viridifl.	Equisetum hyemale	Polygonatum commutat.
Agoseris cuspidata	Erigeron philadelph.	Polytaenia nuttallii
Allium canadense	Erigeron pulchellus	Populus tremuloides
Allium cernuum	Galium tinctorium	Prenanthes alba
Ambrosia psilostach.	Gentiana procera	Prenanthes racemosa
Anemone canadensis	Gerardia aspera	Prunella vulgaris
Anemone patens	Habenaria leucophaea	Psedera quinquefolia
Anemone quinquef.	Hedeoma pinnatifida	Psoralea esculenta
Arabis lyrata	Helianthus strumosus	Pteridium latiusculum
✓ Arenaria stricta	Helipopsis scabra	Pyrus ioensis
Artemisia ludovic.	Hieracium canadense	Rhus radicans
Asclepias amplexic.	Hieracium longipil.	Rudbeckia subtomentosa
Asclepias ovalifolia	Hierochloa odorata.	Sanicula sp.
Asclepias purpurasc.	Iris virginica	Saxifraga pensylvanica
Asclepias sullivant.	Krigia biflora	Scutellaria parvula
Asclepias tuberosa	Lathyrus ochroleucus	Senecio aureus
Aster linariifolius	Lathyrus palustris	Silene antirrhina
Aster oblongifolius	Liatris spicata	Silene stellata
Aster pilosus	Lilium michiganense	Silphium perfoliatum
Aster ptarmicoides	Lilium philadelph.	Smilacina racemosa
Aster sagittifolius	Linum sulcatum	Solidago altissima
Astragalus canad.	Lithospermum croceum	✓ Solidago juncea
Aureolaria grandifl.	Lupinus perennis	Solidago riddellii
Besseyia bullii	Lycopus americanus	✓ Solidago serotina
Blephilia ciliata	Lysimachia quadrifol.	Specularia perfoliata
Bouteloua hirsuta	Lythrum alatum	Spiranthes ochroleuca
Brauneria pallida	Muhlenbergia racemosa	Stachys palustris
Bromus kalmii	Onoclea sensibilis	Steironema ciliatum
Cacalia snaveolens	Orobanche uniflora	Steironema lanceolatum
Cacalia tuberosa	Oxalis violacea	Steironema quadriflorum
Calopogon pulchell.	Oxybaphus nyctagin.	Taenidia integerrima
Carex pennsylvan.	Panicum praecocius	Tephrosia virginiana
Castilleja coccinea	Panicum perlongum	Thaspium aureum
Castilleja sessilifl.	Parnassia carolin.	Valeriana edulis
Celastrus scandens	Parthenium integrif.	Verbena stricta
Cicuta maculata	Pedicularis canadens.	Veronica fasciculata
Cirsium hillii	Pedicularia lanceol.	Vicia americana
Cornus racemosa	Phalaris arundinacea	Viola sagittata
Cypripedium candidum	Phlox glaberrima	Zigadenus elegans
Cypripedium pubesc.	Polemonium reptans	Zizia aptera