

Noctec advertisement.

[s.l.]: [s.n.], 1960


https://digital.library.wisc.edu/1711.dl/MSSNM6TDAEW2485

http://rightsstatements.org/vocab/InC/1.0/

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

Noctec® SQUIBB CHLORAL HYDRATE



With Noctec (chloral hydrate), your patient's rest will be <u>safe</u> as well as easy. After a half century's use, chloral hydrate is still praised for its "wide margin of safety" and for its "light' rather than 'heavy' "hypnotic and sedative character.* That's why when you prescribe Squibb chloral hydrate, there'll be no preliminary excitement, no barbiturate "hangover," nothing but a sound refreshing sleep. Easy rest for the young and elderly, for cardiac patients, in psychiatric complications, during the first stage of labor, and for pre- and postoperative sedation.

WARNING: May be habit-forming. SIDE EFFECTS: Gastric irritation may occur; excitement, delirium, and tolerance are rare. Large doses should not be used when cardiac disease is severe or renal or hepatic function is markedly impaired.

DOSAGE: Adults: 1 or 2 capsules (0.5 to 1.0 Gm.) or 1 or 2 teaspoonfuls of syrup, 15 to 30 minutes before bedtime or $\frac{1}{2}$ hour before surgery. Children: 25 mg./lb. body weight (maximum: 2 Gm.) as a single hypnotic dose. For sedation, 5 to 10 mg./lb. body weight (maximum: 1 Gm.). SUPPLY: Capsules, 500 mg. (7½ gr.) and 250 mg. (3¾gr.). Syrup, 500 mg. (7½ gr.) per 5 cc. teaspoonful. For full information, see your Squibb Product Reference or Product Brief.

Announcing...new NOCTAGETIC™ (Squibb Acetaminophen 300 mg. and Chloral Hydrate 500 mg. per capsule) The sedating properties of chloral hydrate plus an effective analgesic. NOTE: Not recommended for children under 6 years of age.

*Stetson, J. B., and Jessup, G. V. S.: Anesth. & Analg. <u>41</u>:203, 1962.

