



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 0015: Exeter, along ICR.R., Green County, Township 4N, Range 8E, Section 32. 1947-06-17

[s.l.]: [s.n.], 1947-06-17

<https://digital.library.wisc.edu/1711.dl/JX5ODDSXC56FL8N>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

- 8/27/47
(Additions to orig. list)

Substitute 15a
216.1
15
A

Prairie Relic Study. III.

Section 32 Township 4N Range 8E County Green Place Exeter, along
Date 6/17/47 + earlier Observer J.T. Curtis; H.C. Greene ICR.R.
Habitat Description

Low, deep soil prairie, along R.R.

- | | | |
|------------------------|--------------------------|--------------------------|
| ✓ Achillea millefolium | ✓ Eryngium yuccif. | ✓ Petalostemum pur. |
| - Ambrosia artemisiif. | ✓ Euphorbia corollata | ✓ Phlox pilosa |
| Amorpha canescens | ✓ Fragaria virginiana | Physalis heteroph. |
| ✓ Andropogon furcatus | Galium boreale | Physalis virginiana |
| Andropogon scoparius | ✓ Gentiana andrewsii | Potentilla arguta |
| Anemone cylindrica | - Gentiana puberula 9/49 | Potentilla canad. |
| ✓ Antennaria sp. | ✓ Geranium maculatum | ✓ Pycnanthemum virg. |
| Apocynum androsaemif. | Geum triflorum | ✓ Quercus macrocarpa |
| Apocynum cannabinum | Helianthemum sp. | Ratibida pinnata |
| Artemisia caudata | Helianthus grosse. | - Rhus glabra |
| Asclepias syriaca | ✓ Helianthus occid. | - Rosa sp. |
| - Asclepias verticill. | Helianthus rigidus | ✓ Rudbeckia hirta |
| ✓ Aster azureus | ✓ Heuchera richard. | Silphium integrif. |
| Aster ericoides | ✓ Hypoxis hirsuta | Silphium laciniat. |
| Aster laevis | Koeleria cristata | Silphium terebinth. |
| ✓ Aster novae-angliae | Kuhnia eupatorioid. | ✓ Sisyrinchium sp. |
| Aster sericeus | ✓ Lactuca canadensis | Smilacina stellata |
| ✓ Baptisia leucantha | Lactuca ludoviciana | - Solidago graminifolia |
| ✓ Baptisia leucophaea | ✓ Lathyrus venosus | - Solidago missouriensis |
| Bouteloua curtipend. | Lespedeza capitata | Solidago nemoralis |
| Calamagrostis canad. | ✓ Liatris aspera | Solidago rigida |
| Ceanothus americanus | Liatris cylindracea | ✓ Solidago speciosa |
| - Cirsium discolor | - Liatris pycnostachya | - Sorghastrum nutans |
| ✓ Comandra umbellata | Lithospermum angust. | Spartina pectinata |
| Convolvulus sepium | ✓ Lithospermum canes. | ✓ Spiraea alba |
| ✓ Coreopsis palmata | Lobelia spicata* | ✓ Sporobolus heterolepis |
| ✓ Corylus americana | ✓ Monarda fistulosa | Stipa spartea |
| Desmodium canadense | - Oenothera biennis | ✓ Thalictrum dasycarpum |
| ✓ Desmodium illinoense | ✓ Oxypolis rigidior | ✓ Tradescantia ohioensis |
| ✓ Dodecatheon meadia | ✓ Panicum leibergii | ✓ Veronicastrum virgin. |
| ✓ Elymus canadensis | Panicum scribner. | Viola pedata |
| Equisetum laevigatum | Panicum virgatum | Viola petatifida |
| Erigeron ramosus | Petalostemum can. | Vitis vulpina |
| | | ✓ Zizia aurea |

Additional Species

- Aster umbellatus
- Muhlenbergia racemosa
- Salix sp.
- Gentiana Saponaria 9/49

50 on List III
21 " " IV
3 extra

74
3

77

- 8/27/47
 (Additions to orig. list)

(15)
 A

Prairie Relic Study. IV.

Section 32 Township 4N Range 8E County Green Place Exeter, along
 Date 6/17/49 + earlier Observer J. T. Curtis; H. C. Greene I.C. R.R.
 Habitat Description

Low, deep soil prairie along R.R.

- | | | |
|------------------------|-------------------------|------------------------------|
| Acer negundo | Draba caroliniana | <i>Polygala senega</i> |
| Acerates floridana | Elymus virginicus | Polygala polygama |
| Acerates lanuginosa | ✓ Equisetum arvense | Polygala sanguinea |
| Acerates viridifl. | Equisetum hyemale | Polygala verticillata |
| Agoseris cuspidata | Erigeron philadelph. | Polygonatum commutata. |
| Allium canadense | Erigeron pulchellus | Polytaenia nuttallii |
| Allium cernuum | Galium tinctorium | Populus tremuloides |
| Ambrosia psilostach. | Gentiana procera | ✓ Prenanthes alba |
| Anemone canadensis | Gerardia aspera | ✓ Prenanthes racemosa |
| Anemone patens | Habenaria leucophaea | - Prunella vulgaris |
| Anemone quinquef. | Hedeoma hisida | Psedera quinquefolia |
| Arabis lyrata | Helianthus strumosus | Psoralea esculenta |
| Arenaria stricta | Heliphsis scabra | ✓ Pteridium latiusculum |
| Artemisia ludovic. | ✓ Hieracium canadense | Pyrus iowensis |
| Asclepias amplexic. | Hieracium longipil. | Rhus radicans |
| Asclepias ovalifolia | ✓ Hierochloa odorata. | Rudbeckia subtomentosa |
| - Asclepias purpurasc. | Iris virginica | Sanicula sp. |
| Asclepias sullivant. | ✓ Krigia biflora | ✓ Saxifraga pennsylvanica |
| Asclepias tuberosa | Lathyrus ochroleucus | Scutellaria parvula |
| Aster linariifolius | - Lathyrus palustris | Senecio aureus |
| Aster oblongifolius | Liatris spicata | Silene antirrhina |
| Aster pilosus | Lilium michiganense | ✓ Silene stellata |
| Aster ptarmicoides | Lilium philadelph. | Silphium perfoliatum |
| Aster sagittifolius | Linum sulcatum | ✓ Smilacina racemosa |
| Astragalus canad. | Lithospermum croceum | - Solidago altissima |
| Aureolaria grandifl. | Lupinus perennis | - Solidago juncea |
| Besseyia bullii | - Lycopus americanus | Solidago riddellii |
| Blechnia ciliata | Lysimachia quadrifol. | - Solidago serotina |
| Bouteloua hirsuta | Lythrum alatum | Specularia perfoliata |
| Brauneria pallida | Muhlenbergia racemosa | - Spiranthes ochroleuca 9/49 |
| - Bromus kalmii | Onoclea sensibilis | Stachys palustris |
| Cacalia spaveolens | Orobanche uniflora | Steironema ciliatum |
| Cacalia tuberosa | Oxalis violacea | Steironema lanceolatum |
| Calopogon pulchell. | Oxybaphus nyctagin. | Steironema quadriflorum |
| Carex pennsylvan. | Panicum praecocius | Taeniadia integerrima |
| Castilleja coccinea | Panicum perlongum | Tephrosia virginiana |
| Castilleja sessilifl. | Parnassia carolin. | - Thaspium aureum |
| Celastrus scandens | Parthenium integrif. | Valeriana edulis |
| Cicuta maculata | ✓ Pedicularis canadens. | Verbena stricta |
| Cirsium hillii | Pedicularia lanceol. | Veronia fasciculata |
| - Cornus racemosa | Phalaris arundinacea | Vicia americana |
| Cypripedium candidum | Phlox glaberrima | ✓ Vicia sagittata |
| Cypripedium pubesc. | Polemonium reptans | Zigadenus elegans |
| | | Zizia aptera |

Presence List
(Uncommon species)

PRAIRIES

Stand No. 15

Locality: Exeter

County:

Sec: T: R:

Date: 1950

Observers: B.G. Wagner

Size of Stand:

Size of Area Sampled:

Condition of Stand:

Type:

Acer negundo	Celastrus scandens	L. spicata	Prenanthes alba
Agoseris cuspidata	Chrysopsis villosa	Lobelia kalmii	P. aspera
Agropyron subsecun	Cirsium hillii	Lupinus perennis	Prunella vulgaris
Aletris farinosa	C. undulatum	Lycopus americanus	Psoralea argophyll
Allium canadense	Crataegus sp.	L. uniflorus	Pteridium latiuscu
A. cernuum	Cypripedium candid	Lysimachia ciliata	Pyrus ioensis
Amphicarpa monoica	C. pubescens	L. lanceolata	Rudbeckia subtomen
Anemone quinquefol	Draba reptans	L. quadriflora	Sanicula sp.
A. virginiana	Dryopteris thelypt	L. quadrifolia	Scleria triglomera
Apios americana	5 Echinacea pallida	Lythrum alatum	Scrophularia lance
Aquilegia canadens	E. virginicus	Mirabilis nyctagin	Selaginella rupest
Arabis lyrata	Equisetum hyemale	Monarda punctata	Senecio aureus
Artemisia ludovici	Erigeron philadelp	Napaea dioica	S. pauperculus
A. serrata	E. pulchellus	Oenothera perennis	Silene antirrhina
Asclepias incarnat	Eupatorium altissi	O. rhombipetala	S. stellata
A. lanuginosa	Galium tinctorium	Onoclea sensibilis	Silphium perfoliat
A. longifolia	Gaura biennis	Orobanche fascicul	Smilacina racemosa
A. ovalifolia	Gentiana crinita	O. uniflora	Solidago riddellii
A. purpurascens	G. flavida	65 Panicum praecocius	Specularia perfoli
A. sullivantii	G. procera	Parnassia glauca	Spiranthes ochrole
Aster linariifoliu	G. quinquefolia	Parthenium integri	Sporobolus asper
A. pilosus	Gerardia aspera	Parthenocissus ins	S. cryptandrus
A. sagittifolius	G. gattingeri	Pedicularis canade	S. vaginiflorus
A. umbellatus	G. grandiflora	P. lanceolata	Stachys palustris
Astragalus candens	Gnaphalium obtusif	Pentstemon digital	Symphoricarpos occ
Blephilia ciliata	Grindelfa squarros	Petalostemum villo	Taenidia integerri
Bromus kalmii	Habenaria leucopha	Phalaris arundinac	Thaspium aureum
Cacalia atriplicif	Hieracium canadens	Phlox glaberrima	Triosteum perfolia
Cacalia suaveolens	Hierochloe odorata	Plantago rugelii	Valeriana ciliata
Callirhoe triangul	Houstonia caerulea	Polemonium reptans	Verbena hastata
Calopogon pulchell	H. longifolium	Polygala polygama	Vernonia fascicula
Carex muhlenbergii	Hystrix patula	P. sanguinea	Vicia angustifolia
C. pensylvanica	Lathyrus ochroleuc	P. verticillata	V. villosa
C. vulpinoidea	Lechea tenuifolia	Polygonatum commut	Viola sagittata
Castilleja coccine	Leptoloma cognatum	Populus tremuloide	Wulfenia bullii
C. sessiliflora	Liatriis ligulostyl	Potentilla frutico	Zigadenus elegans
Ceanothus ovatus			

Additional species:

Presence or Frequency
(Common species only)

PRAIRIES

Stand No. 15
Quadrat No.

F% (1 M)

65	<i>Achillea millefolium</i>	55	<i>Fragaria virginiana</i>		<i>Physalis subglabrata</i>	
P	<i>Ambrosia artemisifolia</i>	P	<i>Galium boreale</i>		5	<i>Physalis virginiana</i>
	<i>Ambrosia psilostachya</i>	10	<i>Gentiana andrewsii</i>			<i>Polygala senega</i>
P	<i>Amorpha canescens</i>		<i>Gentiana puberula</i>			<i>Polytaenia nuttallii</i>
5	<i>Andropogon gerardi</i>		<i>Geranium maculatum</i>		5	<i>Potentilla arguta</i>
55	<i>Andropogon scoparius</i>		<i>Geum triflorum</i>		60	<i>Potentilla canadensis</i>
	<i>Anemone canadensis</i>		<i>Hedeoma hispida</i>			<i>Prenanthes racemosa</i>
P	<i>Anemone cylindrica</i>		<i>Helianthemum sp.</i>			<i>Psoralea esculenta</i>
	<i>Anemone patens</i>		<i>Helianthus grosseserratus</i>			<i>Pycnanthemum virginianum</i>
45	<i>Antennaria sp.</i>	P	<i>Helianthus laetiflorus</i>			<i>Pyrus melanocarpa</i>
P	<i>Apocynum androsaemifolium</i>		<i>Helianthus occidentalis</i>			<i>Quercus macrocarpa</i>
	<i>Apocynum cannabinum</i>		<i>Helianthus strumosus</i>		30	<i>Ratibida pinnata</i>
	<i>Arenaria stricta</i>	P	<i>Heliopsis helianthoides</i>		10	<i>Rhus glabra</i>
	<i>Artemisia caudata</i>		<i>Heuchera richardsonii</i>			<i>Rhus radicans</i>
	<i>Asclepias amplexicaulis</i>		<i>Hieracium longipilum</i>		5	<i>Rosa sp.</i>
P	<i>Asclepias syriaca</i>		<i>Hypoxis hirsuta</i>			<i>Rudbeckia hirta</i>
	<i>Asclepias tuberosa</i>		<i>Iris virginica</i>			<i>Salix humilis</i>
5	<i>Asclepias verticillata</i>		<i>Koeleria cristata</i>			<i>Saxifraga pennsylvanica</i>
	<i>Asclepias viridiflora</i>		<i>Krigia biflora</i>			<i>Scutellaria parvula</i>
100	<i>Aster azureus</i>		<i>Kuhnia eupatorioides</i>		P	<i>Silphium integrifolium</i>
5	<i>Aster ericoides</i>	10	<i>Lactuca canadensis</i>		P	<i>Silphium laciniatum</i>
P	<i>Aster laevis</i>		<i>Lactuca ludoviciana</i>		P	<i>Silphium terebinthinaceum</i>
10	<i>Aster novae-angliae</i>		<i>Lathyrus palustris</i>			<i>Sisyrinchium campestre</i>
	<i>Aster oblongifolius</i>		<i>Lathyrus venosus</i>			<i>Smilacina stellata</i>
	<i>Aster ptarmicoides</i>	90	<i>Lespedeza capitata</i>			<i>Solidago altissima</i>
	<i>Aster sericeus</i>	15	<i>Liatris aspera</i>			<i>Solidago gigantea</i>
5	<i>Baptisia leucantha</i>		<i>Liatris cylindracea</i>		5	<i>Solidago graminifolia</i>
P	<i>Baptisia leucophaea</i>		<i>Liatris pycnostachya</i>		40	<i>Solidago juncea</i>
	<i>Bouteloua curtipendula</i>	P	<i>Lilium michiganense</i>		25	<i>Solidago missouriensis</i>
	<i>Bouteloua hirsuta</i>		<i>Lilium philadelphicum</i>			<i>Solidago nemoralis</i>
	<i>Cacalia tuberosa</i>		<i>Linum sulcatum</i>		5	<i>Solidago rigida</i>
P	<i>Calamagrostis canadensis</i>		<i>Lithospermum canescens</i>		10	<i>Solidago speciosa</i>
	<i>Ceanothus americanus</i>		<i>Lithospermum croceum</i>		40	<i>Sorghastrum nutans</i>
	<i>Cicuta maculata</i>		<i>Lithospermum incisum</i>		P	<i>Spartina pectinata</i>
25	<i>Cirsium discolor</i>		<i>Lobelia spicata</i>			<i>Spiraea alba</i>
35	<i>Comandra richardsiana</i>	70	<i>Monarda fistulosa</i>		10	<i>Sporobolus heterolepis</i>
P	<i>Convolvulus sepium</i>		<i>Muhlenbergia cuspidata</i>			<i>Stipa spartea</i>
	<i>Coreopsis palmata</i>	10	<i>Muhlenbergia racemosa</i>			<i>Tephrosia virginiana</i>
	<i>Cornus femina</i>	5	<i>Oenothera biennis</i>		15	<i>Thalictrum dasycarpum</i>
	<i>Corylus americana</i>	5	<i>Oxalis violacea</i>		P	<i>Tradescantia ohioensis</i>
5	<i>Desmodium canadense</i>		<i>Oxypolis rigidior</i>			<i>Verbena stricta</i>
30	<i>Desmodium illinoense</i>	30	<i>Panicum leibergii</i>			<i>Veronicastrum virginicum</i>
P	<i>Dodecatheon meadia</i>	55	<i>Panicum oligosanthos</i>			<i>Vicia americana</i>
P	<i>Elymus canadensis</i>		<i>Panicum perlongum</i>			<i>Viola pedata</i>
15	<i>Equisetum arvense</i>	P	<i>Panicum virgatum</i>			<i>Viola pedatifida</i>
	<i>Equisetum kansanum</i>	5	<i>Petalostemum candidum</i>			<i>Vitis vulpina</i>
	<i>Erigeron strigosus</i>	20	<i>Petalostemum purpureum</i>			<i>Zizia aptera</i>
60	<i>Eryngium yuccifolium</i>	P	<i>Phlox pilosa</i>			<i>Zizia aurea</i>
70	<i>Euphorbia corollata</i>		<i>Physalis heterophylla</i>			

Additional species:

Presence List
(Uncommon species)

PRAIRIES

Stand No. 15a

Just north of #182

NW-PNW

Sec: 32 T: 4N R: 8E

Locality: Exeter I

County: Green

Date: July 8, '53 - earlier Observers: Archbald, Bray, Butler, Curtis, Greene, Wagner, etc.

Size of Stand: 3 acres

Size of Area Sampled: 3 acres

Condition of Stand: Good - along E side of tracks.

Type: Mesic only
See 182 for wet

Acer negundo	Celastrus scandens	L. spicata	Prenanthes alba
Agoseris cuspidata	Chrysopsis villosa	Lobelia kalmii	P. aspera
Agropyron subsecum	Cirsium hillii	Lupinus perennis	Prunella vulgaris
Aletris farinosa	C. undulatum	Lycopus americanus	Psoralea argophyll
Allium canadense	Crataegus sp.	L. uniflorus	✓ Pteridium latiuscu
A. cernuum	Cypripedium candid	Lysimachia ciliata	Pyrus ioensis
✓ Amphicarpa monoica	C. pubescens	L. lanceolata	Rudbeckia subtomen
✓ Anemone quinquefol 6/55	Draba reptans	L. quadriflora	Sanicula sp.
A. virginiana	Dryopteris thelypt	L. quadrifolia	✓ Scleria triglomera
Apios americana	Echinacea pallida	Lythrum alatum	Scrophularia lance
Aquilegia canadens	E. virginicus	Mirabilis nyctagin	Selaginella rupest
Arabis lyrata	Equisetum hyemale	Monarda punctata	Senecio aureus
Artemisia ludovici	Erigeron philadelp	Napaea dioica	S. pauperculus
A. serrata	E. pulchellus	Oenothera perennis	Silene antirrhina
Asclepias incarnat	Eupatorium altissi	O. rhombipetala	S. stellata
A. lanuginosa	✓ Galium tinctorium	Onoclea sensibilis	Silphium perfoliat
A. longifolia	Gaura biennis	Orobanche fascicul	✓ Smilacina racemosa
A. ovalifolia	Gentiana crinita	O. uniflora	Solidago riddellii
✓ A. purpurascens	G. flavida	Panicum praecocius	Specularia perfoli
A. sullivantii	G. procera	Parnassia glauca	Spiranthes ochrole
Aster linariifolium	G. quinquefolia	Parthenium integri	Sporobolus asper
✓ A. pilosus	Gerardia aspera	Parthenocissus ins	S. cryptandrus
A. sagittifolius	G. gatteringeri	✓ Pedicularis canad	S. vaginiflorus
✓ A. umbellatus	G. grandiflora	P. lanceolata	Stachys palustris
Astragalus candens	Gnaphalium obtusif	Pentstemon digital	Symphoricarpos occ
Blephilia ciliata	Grindelia squarros	Petalostemum villo	Taenidia integerri
✓ Bromus kalmii	Habenaria leucopha	Phalaris arundinac	✓ Thaspium aureum
Cacalia atriplicif	✓ Hieracium canadens	Phlox glaberrima	Triosteum perfolia
Cacalia suaveolens	✓ Hierochloe odorata	Plantago rugelii	Valeriana ciliata
Callirhoe triangul	Houstonia caerulea	Polemonium reptans	Verbena hastata
Calopogon pulchell	H. longifolium	Polygala polygama	Vernonia fascicula
Carex muhlenbergii	Hystrix patula	P. sanguinea	Vicia angustifolia
C. pensylvanica	Lathyrus ochroleuc	P. verticillata	V. villosa
C. vulpinoidea	Lechea tenuifolia	✓ Polygonatum commut 6/55	✓ Viola sagittata
Castilleja coccine	Leptoloma cognatum	Populus tremuloide	Wulfenia bullii
C. sessiliflora	Liatrix ligulostyl	Potentilla frutico	Zigadenus elegans
Ceanothus ovatus			

Additional species:

Rubus allegheniensis
Carex Bicknellii
Gentiana saponaria

Oxalis violacea 6/55
Potentilla simplex 6/55

Data Form No. 35

Plant Ecology Research

Univ. of Wisconsin

Presence or Frequency
(Common species only)

PRAIRIES

Exeter I

Stand No. 15a
Quadrat No.

- | | | |
|----------------------------|-----------------------------|----------------------------|
| ✓ Achillea millefolium | ✓ Fragaria virginiana | Physalis subglabrata |
| ✓ Ambrosia artemisifolia | Galium boreale | Physalis virginiana |
| Ambrosia psilostachya | ✓ Gentiana andrewsii | Polygala senega |
| Amorpha canescens | ✓ Gentiana puberula | Polytaenia nuttallii |
| ✓ Andropogon gerardi | ✓ Geranium maculatum | ✓ Potentilla arguta |
| ✓ Andropogon scoparius | Geum triflorum | Potentilla canadensis |
| ✓ Anemone canadensis | Hedeoma hispida | ✓ Prenanthes racemosa |
| Anemone cylindrica | Helianthemum sp. | Psoralea esculenta |
| Anemone patens | ✓ Helianthus grosseserratus | Pycnanthemum virginicum |
| ✓ Antennaria sp. | ✓ Helianthus laetiflorus | Pyrus melanocarpa |
| Apocynum androsaemifolium | ✓ Helianthus occidentalis | ✓ Quercus macrocarpa |
| Apocynum cannabinum | Helianthus strumosus | ✓ Ratibida pinnata |
| Arenaria stricta | Helionopsis helianthoides | ✓ Rhus glabra |
| Artemisia caudata | ✓ Heuchera richardsonii | Rhus radicans |
| Asclepias amplexicaulis | Hieracium longipilum | ✓ Rosa sp. |
| ✓ Asclepias syriaca | ✓ Hypoxis hirsuta | ✓ Rudbeckia hirta |
| Asclepias tuberosa | Iris virginica | ✓ Salix humilis |
| ✓ Asclepias verticillata | Koeleria cristata | Saxifraga pensylvanica |
| Asclepias viridiflora | ✓ Krigia biflora | Scutellaria parvula |
| ✓ Aster azureus (abundant) | Kuhnia eupatorioides | Silphium integrifolium |
| Aster ericoides | ✓ Lactuca canadensis | Silphium laciniatum |
| ✓ Aster laevis | Lactuca ludoviciana | Silphium terebinthinaceum |
| ✓ Aster novae-angliae | Lathyrus palustris | ✓ Sisyrinchium campestris |
| Aster oblongifolius | ✓ Lathyrus venosus | Smilacina stellata |
| Aster ptarmicoides | ✓ Lespedeza capitata | ✓ Solidago altissima |
| Aster sericeus | ✓ Liatris aspera | ✓ Solidago gigantea |
| ✓ Baptisia leucantha | Liatris cylindracea | ✓ Solidago graminifolia |
| ✓ Baptisia leucophaea | Liatris pycnostachya | ✓ Solidago juncea |
| Bouteloua curtipendula | Lilium michiganense | ✓ Solidago missouriensis |
| Bouteloua hirsuta | Lilium philadelphicum | Solidago nemoralis |
| Cacalia tuberosa | Linum sulcatum | Solidago rigida |
| ✓ Calamagrostis canadensis | ✓ Lithospermum canescens | ✓ Solidago speciosa |
| ✓ Ceanothus americanus | Lithospermum croceum | ✓ Sorghastrum nutans |
| Cicuta maculata | Lithospermum incisum | Spartina pectinata |
| ✓ Cirsium discolor | ✓ Lobelia spicata | Spiraea alba |
| ✓ Comandra richardsiana | ✓ Monarda fistulosa | ✓ Sporobolus heterolepis |
| Convolvulus sepium | Muhlenbergia cuspidata | Stipa spartea |
| ✓ Coreopsis palmata | Muhlenbergia racemosa | Tephrosia virginiana |
| ✓ Cornus femina | ✓ Oenothera biennis | ✓ Thalictrum dasycarpum |
| ✓ Corylus americana 6/55 | Oxalis violacea | ✓ Tradescantia ohioensis |
| ✓ Desmodium canadense | Oxypolis rigidior | Verbena stricta |
| ✓ Desmodium illinoense | ✓ Panicum leibergii | ✓ Veronicastrum virginicum |
| ✓ Dodecatheon meadia | Panicum oligosanthos | Vicia americana |
| Elymus canadensis | Panicum perlongum | Viola pedata |
| ✓ Equisetum arvense | Panicum virgatum | Viola pedatifida |
| Equisetum kansanum | ✓ Petalostemum candidum | Vitis vulpina |
| ✓ Erigeron strigosus | ✓ Petalostemum purpureum | Zizia aptera |
| ✓ Eryngium yuccifolium | Phlox pilosa | Zizia aurea |
| ✓ Euphorbia corollata | Physalis heterophylla | |

Additional species: