



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 4085: Pilsen #2, Kewaunee County, Township 23N, Range 23E, Section 31. 1953-07-29

[s.l.]: [s.n.], 1953-07-29

<https://digital.library.wisc.edu/1711.dl/DNY6KTGNWDQ5Q8L>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

STAND RECORD

FORESTS

Stand No. 4085

Name: Pilsen #2

County: Kewaunee

Date: 7/24/53

Size of Stand: 1A

Forest Type: low hardwood

Topography: low + almost flat

Locality:

T: 23 N R: 23 E

Sec: 31

Observers: Ware, Anderson

Size of Area Sampled: 1A

Soil Type:

Slope:

Directions

Condition of Stand:

Trees on slightly higher ground than swamp area
 Adjacent to a good elm swamp stand (#4079) and
 slightly higher.

Open Grown Trees:

90 % Canopy:

Stumps:

1.	4.	7.	10.
2.	5.	8.	11.
3.	6.	9.	12.

Soil Data:

	pH	N	P	K	Ca	Mg	Org. Mat.	Colloids	W.H.C.
A ₀	_____	_____	_____	_____	_____	_____	_____	_____	_____
A ₁	_____	_____	_____	_____	_____	_____	_____	_____	_____
A ₂	_____	_____	_____	_____	_____	_____	_____	_____	_____
B	_____	_____	_____	_____	_____	_____	_____	_____	_____


DEPTH

CHARACTERISTICS (Color, Texture, Structure, etc.)

A ₀	-----
A ₁	-----
A ₂	-----
B	-----

Parent Material:

Map:



small area, slightly higher
 swamp hardwoods

(3)

STATION NO.	1	2	3	4	5	6	7	8	9	10
Acer negundo										
A. saccharinum										
A. saccharum	2	500 40	4	60 45	2	1			2	2
Betula nigra										
Carya cordiformis										
Celtis occident.										
Crataegus sp.										
Fraxinus americ.										
F. nigra										
F. pensylvanica					2	2	20	4		
Gleditsia triacan.										
Gymnocladus dioica										
Juglans cinerea										
Platanus occident.										
Populus deltoides										
P. tremuloides										
Prunus serotina										
Quercus bicolor										
Q. rubra										
Robinia pseudo.										
Salix nigra										
Tilia americana	40 45	30 50	2		2			30 190	85 90	25 20
Ulmus americana	40	260		30 20	75 65	100			110	
U. rubra										
Distance	21	22	12	16	16	9	11	12	20	13

(3) Page 3 on slightly higher ground

funeral
moss