



**LIBRARIES**  
UNIVERSITY OF WISCONSIN - MADISON

## Robitussin-DM advertisement.

[s.l.]: [s.n.], 1965

<https://digital.library.wisc.edu/1711.dl/GG7IB262GOT5R85>

<http://rightsstatements.org/vocab/InC/1.0/>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

SHHHH



A-H-ROBINS

4 fl. oz.

**Robitussin-DM**

Each 5 cc. (1 teaspoonful) contains:

Glyceril guaiacolate 100.0 mg

Dextromethorphan hydrobromide 15.0 mg

Alcohol 1.4 per cent

In a palatable aromatic syrup.

**KEEP ALL MEDICINES OUT OF REACH OF CHILDREN**

**FOR THE TEMPORARY RELIEF OF COUGH DUE TO THE COMMON COLD**

CAUTION  
Do not use  
2 years of  
physician  
Do not use  
fever  
indications  
consult  
DOSAGE  
Adults  
to 12 years  
to 4 years  
six to eight  
physician  
of age  
Do not use

A-H-1330

# Give coughs a 6-8 hour silent treatment with Robitussin-DM<sup>®</sup>

Robitussin-DM works two ways to help silence coughs: Glyceril Guaiacolate (100 mg. per 5 cc.) helps loosen congestion so that dry coughs become more productive and less frequent. Dextromethorphan (15 mg. per 5 cc.) acts directly on the cough center to suppress the cough reflex for 6-8 hours.

**A·H·ROBINS**

A. H. Robins Company, Richmond, Va. 23220