



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 3172: Arena, Iowa County. Summer 1953

[s.l.]: [s.n.], Summer 1953

<https://digital.library.wisc.edu/1711.dl/S4MO3RNXFALUC8A>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

Arena, Iowa Co.


Jack Pine woods.

Stand No. 3172

T. 8N., R. 4E., Sect. 13.

In a 20-point (40 tree) sample taken, for cryptogamic data, the only trees encountered were Jack Pines (i.e., C.D. = 300), however the usual 40-point sample would doubtless have picked up a bit of *Quercus ellipsoidalis*.

Good stand, trees of all ages, including seedlings.
Little disturbance.



W. L. Culberson
Summer 1953

THE CORTICOLOUS VEGETATION OF THE NORTHERN WISCONSIN UPLAND
Data collected by William L. Culberson, Summers 1952-1953.

From a 40-tree sample, the continuum index of this stand is 300
Abbreviations in the data sheets refer to the following species:

<i>Alectoria nidulifera</i>	<i>Parmelia saxatilis</i>	(Bryophytes)
<i>Allarthonia caesia</i>	<i>Parmelia subaurifera</i>	
<i>Anaptychia palmatula</i>	<i>Parmelia subquercifolia</i>	<i>Amblystegium varium</i>
<i>Anaptychia speciosa</i>	<i>Parmelia sulcata</i>	<i>Anomodon attenuatus</i>
<i>Arthonia radiata</i>	<i>Parmelia trichotera</i>	<i>Anomodon minor</i>
<i>Bacidia chlorococca</i>	<i>Parmeliopsis ambigua</i>	<i>Anomodon rostratus</i>
<i>Bacidia fuscorubella</i>	<i>Parmeliopsis hyperopta</i>	<i>Anomodon tristis</i>
<i>Bacidia</i> sp.	<i>Parmeliopsis placorodia</i>	<i>Bazzania trilobata</i>
<i>Buellia punctata</i>	<i>Peltigera canina</i>	<i>Brachythecium</i> sp.
<i>Buellia stillingiana</i>	<i>Pertusaria</i> sp.	<i>Brotherella recurvans</i>
<i>Caloplaca aurantiaca</i>	<i>Physcia aipolia</i>	<i>Campylium hispidulum</i>
<i>Caloplaca cerina</i>	<i>Physcia ascendens</i>	<i>Chamberlainia acuminata</i>
<i>Caloplaca</i> sp.	<i>Physcia ciliata</i>	<i>Dicranum flagellare</i>
<i>Candelaria concolor</i>	<i>Physcia grisea</i>	<i>Dicranum montanum</i>
<i>Candelaria fibrosa</i>	<i>Physcia millegrana</i>	<i>Dicranum</i> sp.
<i>Cetraria atlantica</i>	<i>Physcia orbicularis</i>	<i>Entodon</i> sp.
<i>Cetraria ciliaris</i>	<i>Physcia syncolla</i>	<i>Eurhynchium serrulatum</i>
<i>Cetraria fendleri</i>	<i>Physcia tribacoides</i>	<i>Eurhynchium strigosum</i>
<i>Cetraria oakesiana</i>	<i>Pyrenula leucoplaca</i>	<i>Frullania asagrayana</i>
<i>Cetraria pinastri</i>	<i>Pyrenula nitida</i>	<i>Frullania bolanderi</i>
<i>Cladonia botrytes</i>	<i>Pyxine soreliata</i>	<i>Frullania eboracensis</i>
<i>Cladonia cenotea</i>	<i>Ramalina fastigiata</i>	<i>Heterophyllum</i>
<i>Cladonia chlorophaea</i>	<i>Ramalina pollinaria</i>	<i>haldanianum</i>
<i>Cladonia coniocraea</i>	<i>Rinodina halei</i>	<i>Hypnum reptile</i>
<i>Cladonia cristatella</i>	<i>Rinodina papillata</i>	<i>Hypnum</i> sp.
<i>Cladonia verticillata</i>	<i>Rinodina</i> sp.	<i>Jamesoniella autumnalis</i>
<i>Collema subfurvum</i>	<i>Trypethelium virens</i>	<i>Leskea</i> sp.
<i>Conotrema urceolatum</i>	<i>Usnea</i> sp.	<i>Leucodon sciuroides</i>
<i>Evernia mesomorpha</i>	<i>Xanthoria fallax</i>	<i>Lindbergia brachyptera</i>
<i>Graphis scripta</i>	<i>Xanthoria polycarpa</i>	var. <i>austinii</i>
<i>Lecanora pallida</i>		<i>Lophocolea heterophylla</i>
<i>Lecanora subfusca</i>		<i>Mnium cuspidatum</i>
<i>Lecanora varia</i>		<i>Mnium spinulosum</i>
<i>Lecidea berengeriana</i>		<i>Neckera pennata</i>
<i>Lecidea nylanderii</i>		<i>Orthotrichum</i> sp.
<i>Lecidea vernalis</i>		<i>Plagiochila asplenioides</i>
<i>Lepraria aeruginosa</i>		<i>Plagiothecium</i> sp.
<i>Leptorhaphis epidermidis</i>		<i>Platygyrium repens</i>
<i>Le sym</i> = unknown crustose		<i>Porella platy-</i>
<i>Lobaria pulmonaria</i>		<i>phylloidea</i>
<i>Lobaria quercizans</i>		<i>Ptilidium pulcherrimum</i>
<i>Normandina pulchella</i>		<i>Pylasia</i> sp.
<i>Ochrolechia pallescens</i>		<i>Radula complanata</i>
<i>Opegrapha varia</i>		<i>Tetraphis pellucida</i>
<i>Parmelia andreana</i>		<i>Thuidium delicatulum</i>
<i>Parmelia aurulenta</i>		<i>Ulota crispa</i>
<i>Parmelia borrieri</i>		
<i>Parmelia caperata</i>		
<i>Parmelia cetrarioides</i>		
<i>Parmelia crinita</i>		
<i>Parmelia physodes</i>		
<i>Parmelia rudecta</i>		

Ecology Laboratory
University of Wisconsin
Madison

[illegible]

Cryptogam Summary. ~~DEH~~ Level ~~BASE~~. W.L.Culberson. Stand No. ~~112~~ 3172-3

[illegible]