

Mornidine advertisement.

[s.l.]: [s.n.], 1958

<https://digital.library.wisc.edu/1711.dl/XL5HYRLG7S5YD8V>

<http://rightsstatements.org/vocab/InC/1.0/>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

**NOW SHE
CAN COOK
BREAKFAST
AGAIN**



... WHEN YOU PRESCRIBE NEW
MORNIDINE™
(BRAND OF PIPAMAZINE)

A new drug with specific effectiveness in nausea and vomiting of pregnancy, Mornidine eliminates the ordeal of morning sickness.

With its selective action on the vomiting center, or the medullary chemoreceptor "trigger zone," Mornidine possesses the advantages of the phenothiazine drugs without unwanted tranquilizing activity.

Doses of 5 to 10 mg., repeated at intervals of

six to eight hours, provide excellent relief all day. In patients who are unable to retain oral medication when first seen, Mornidine may be administered intramuscularly in doses of 5 mg. (1 cc.).

Mornidine is supplied as tablets of 5 mg. and as ampuls of 5 mg. (1 cc.).

G. D. Searle & Co., Chicago 80, Illinois.
Research in the Service of Medicine.