



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 0021: Schultz, Green County, Township 3N, Range 8E, Section 31. 1947-06-17

[s.l.]: [s.n.], 1947-06-17

<https://digital.library.wisc.edu/1711.dl/ZGVXMTJQRPSRN8Z>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

- 8/27/47

(Additions to orig. list)

380.5

(21)

C

Prairie Relic Study. III.

Section NE 1/4 531 Township 3N Range 8E County Green Place Schultz

Date 6/17/47 Observer J. T. Curtis & H. C. Greene

Habitat Description

..... High, lime hill, thin soil, prairie

- | | | |
|-------------------------------|-------------------------------|---------------------------------|
| ✓ <i>Achillea millefolium</i> | <i>Eryngium yuccif.</i> | ✓ <i>Petalostemum pur.</i> |
| - <i>Ambrosia artemisiif.</i> | ✓ <i>Euphorbia corollata</i> | <i>Phlox pilosa</i> |
| ✓ <i>Amorpha canescens</i> | <i>Fragaria virginiana</i> | - <i>Physalis heteroph.</i> |
| - <i>Andropogon furcatus</i> | <i>Galium boreale</i> | - <i>Physalis virginiana</i> |
| <i>Andropogon scoparius</i> | <i>Gentiana andrewsii</i> | ✓ <i>Potentilla arguta</i> |
| - <i>Anemone cylindrica</i> | <i>Gentiana puberula</i> | <i>Potentilla canad.</i> |
| <i>Antennaria sp.</i> | <i>Geranium maculatum</i> | <i>Pycnanthemum virg.</i> |
| <i>Apocynum androsaenif.</i> | ✓ <i>Geum triflorum</i> | <i>Quercus macrocarpa</i> |
| <i>Apocynum cannabinum</i> | ✓ <i>Helianthemum sp.</i> | ✓ <i>Ratibida pinnata</i> |
| ✓ <i>Artemisia caudata</i> | <i>Helianthus grosse.</i> | <i>Rhus glabra</i> |
| <i>Asclepias syriaca</i> | <i>Helianthus occid.</i> | ✓ <i>Rosa sp.</i> |
| ✓ <i>Asclepias verticill.</i> | ✓ <i>Helianthus rigidus</i> | <i>Rudbeckia hirta</i> |
| <i>Aster azureus</i> | - <i>Heuchera richard.</i> | <i>Silphium integrif.</i> |
| <i>Aster ericoides</i> | ✓ <i>Hypoxis hirsuta</i> | <i>Silphium laciniat.</i> |
| <i>Aster laevis</i> | <i>Koeleria cristata</i> | <i>Silphium terebinth.</i> |
| <i>Aster novae-angliae</i> | - <i>Kuhnia eupatorioid.</i> | ✓ <i>Sisyrinchium sp.</i> |
| ✓ <i>Aster sericeus</i> | <i>Lactuca canadensis</i> | <i>Smilacina stellata</i> |
| <i>Baptisia leucantha</i> | - <i>Lactuca ludoviciana</i> | <i>Solidago graminifolia</i> |
| <i>Baptisia leucophaea</i> | <i>Lathyrus venosus</i> | - <i>Solidago missouriensis</i> |
| - <i>Bouteloua curtipend.</i> | <i>Lespedeza capitata</i> | ✓ <i>Solidago nemoralis</i> |
| <i>Calamagrostis canad.</i> | ✓ <i>Liatris aspera</i> | ✓ <i>Solidago rigida</i> |
| <i>Ceanothus americanus</i> | ✓ <i>Liatris cylindracea</i> | <i>Solidago speciosa</i> |
| <i>Cirsium discolor</i> | <i>Liatris pycnostachya</i> | <i>Sorghastrum nutans</i> |
| ✓ <i>Comandra umbellata</i> | ✓ <i>Lithospermum angust.</i> | <i>Spartina pectinata</i> |
| <i>Convolvulus sepium</i> | ✓ <i>Lithospermum canes.</i> | <i>Spiraea alba</i> |
| ✓ <i>Coreopsis palmata</i> | <i>Lobelia spicata</i> | ✓ <i>Sporobolus heterolepis</i> |
| <i>Corylus americana</i> | <i>Monarda fistulosa</i> | ✓ <i>Stipa spartea</i> |
| <i>Desmodium canadense</i> | <i>Oenothera biennis</i> | <i>Thalictrum dasycarpum</i> |
| <i>Desmodium illinoense</i> | <i>Oxybolis rigidior</i> | ✓ <i>Tradescantia ohioensis</i> |
| - <i>Dodecatheon meadia</i> | <i>Panicum leibergii</i> | <i>Veronicastrum virgin.</i> |
| <i>Elymus canadensis</i> | ✓ <i>Panicum scribner.</i> | <i>Viola pedata</i> |
| <i>Equisetum laevigatum</i> | <i>Panicum virgatum</i> | <i>Viola petatifida</i> |
| <i>Erigeron ramosus</i> | <i>Petalostemum can.</i> | <i>Vitis vulpina</i> |
| | | <i>Zizia aurea</i> |

Additional Species

- *Aronia melanocarpa*
- *Grindelia squarrosa*
- *Physalis subglabrata*
- *Salix sp.*
- *Selaginella rupestris*

38 on List III

7 " " IV

5 extra

50

-8/27/47

(Additions to orig. list)

(21)

C

Prairie Relic Study. IV.

Section NE 1/4 Township 3N Range 8E County Green
Date 6/17/47 Observer J.T. Curtis: H.C. Greene
Habitat Description

Place Schultz

..... High, lime hills, thin soil prairie

Polygala senega

- | | | |
|-----------------------|-----------------------|-------------------------|
| Acer negundo | Draba caroliniana | Polygala polygama |
| Acerates floridana | Elymus virginicus | Polygala sanguinea |
| -Acerates lanuginosa | Equisetum arvense | Polygala verticillata |
| Acerates viridifl. | Equisetum hyemale | Polygonatum commutat. |
| Agoseris cuspidata | Erigeron philadelph. | Polytaenia nuttallii |
| Allium canadense | Erigeron pulchellus | Populus tremuloides |
| Allium cernuum | Galium tinctorium | Prenanthes alba |
| Ambrosia psilostach. | Gentiana procera | Prenanthes racemosa |
| Anemone canadensis | Gerardia aspera | Prunella vulgaris |
| Anemone patens | Habenaria leucophaea | -Psedera quinquefolia |
| Anemone quinquef. | -Hedeoma pinnatifida | Psoralea esculenta |
| Arabis lyrata | Helianthus strumosus | Pteridium latiusculum |
| ✓Arenaria stricta | Helopsis scabra | Pyrus ioensis |
| Artemisia ludovic. | Hieracium canadense | Rhus radicans |
| Asclepias amplexic. | Hieracium longipil. | Rudbeckia subtomentosa |
| Asclepias ovalifolia | Hierochloa odorata. | Sanicula sp. |
| Asclepias purpurasc. | Iris virginica | Saxifraga pennsylvanica |
| Asclepias sullivant. | Krigia biflora | Scutellaria parvula |
| Asclepias tuberosa | Lathyrus ochroleucus | Senecio aureus |
| Aster linariifolius | Lathyrus palustris | Silene antirrhina |
| ✓Aster oblongifolius | Liatris spicata | Silene stellata |
| Aster pilosus | Lilium michiganense | Silphium perfoliatum |
| -Aster ptarmicoides | Lilium philadelph. | Smilacina racemosa |
| Aster sagittifolius | Linum sulcatum | Solidago altissima |
| Astragalus canad. | Lithospermum croceum | Solidago juncea |
| Aureolaria grandifl. | Lupinus perennis | Solidago riddellii |
| Besseyia bullii | Lycopus americanus | Solidago serotina |
| Blephilia ciliata | Lysimachia quadrifol. | Specularia perfoliata |
| Bouteloua hirsuta | Lythrum alatum | Spiranthes ochroleuca |
| Brauneria pallida | Muhlenbergia racemosa | Stachys palustris |
| Bromus kalmii | Onoclea sensibilis | Steironema ciliatum |
| Cacalia sp. aveolens | Orobanche uniflora | Steironema lanceolatum |
| Cacalia tuberosa | Oxalis violacea | Steironema quadriflorum |
| Calopogon pulchell. | Oxybaphus nyctagin. | Taenidia integerrima |
| Carex pennsylvan. | Panicum praecocius | Tephrosia virginiana |
| Castilleja coccinea | Panicum perlongum | Thaspium aureum |
| Castilleja sessilifl. | Parnassia carolin. | Valeriana edulis |
| Celastrus scandens | -Parthenium integrif. | Verbena stricta |
| Cicuta maculata | Pedicularis canadens. | Veronica fasciculata |
| Cirsium hillii | Pedicularis lanceol. | Vicia americana |
| Cornus racemosa | Phalaris arundinacea | Viola sagittata |
| Cypripedium candidum | Phlox glaberrima | Zigadenus elegans |
| Cypripedium pubesc. | Polemonium reptans | Zizia aptera |