



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

Site 0115: Ipsich (Along C&NRR), Lafayette County, Township 3N, Range 1E, Section 30; Township 3N, Range 1E, Section 31. 1951-08-16

[s.l.]: [s.n.], 1951-08-16

<https://digital.library.wisc.edu/1711.dl/EAQ6LCBCHZYPE9D>

This material may be protected by copyright law (Title 17, US Code).

For information on re-use see:

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.

Presence List
(Uncommon species)

PRAIRIES

Stand No.

SW of 30 & NW of 31

Locality: Ipswich (along C&NW RR)

County: Lafayette

Sec: T: 3N R: 1E

Date: 8/16/52

Observers: H.C. Greene & J.T. Curtis

Size of Stand: ca 1 1/2 miles by 200 ft.

Size of Area Sampled: 1 mile x 30 feet

Condition of Stand: Excellent - burned regularly by RR. An exceptionally wide strip between RR & Town Road. The largest stand of prairie yet found in Wis.

Type: Mesic

Acer negundo	Celastrus scandens	L. spicata	Prenanthes alba
Agoseris cuspidata	Chrysopsis villosa	Lobelia kalmii	P. aspera
Agropyron subsecun	X Cirsium hillii	Lupinus perennis	Prunella vulgaris
Aletris farinosa	C. undulatum	Lycopus americanus	Psoralea argophyll
Allium canadense	Crataegus sp.	L. uniflorus	Pteridium latiuscu
A. cernuum	Cypripedium candid	Lysimachia ciliata	7 Pyrus ioensis
Amphicarpa monoica	C. pubescens	L. lanceolata	Rudbeckia subtomen
Anemone quinquefol	Draba reptans	L. quadriflora	Sanicula sp.
A. virginiana	Dryopteris thelypt	L. quadrifolia	Scleria triglomera
Apios americana	Echinacea pallida	Lythrum alatum	Scrophularia lance
Aquilegia canadens	E. virginicus	Mirabilis nyctagin	Selaginella rupest
Arabis lyrata	Equisetum hyemale	Monarda punctata	Senecio aureus
Artemisia ludovici	Erigeron philadelp	Napaea dioica	S. pauperculus
A. serrata	E. pulchellus	Oenothera perennis	Silene antirrhina
Asclepias incarnat	Eupatorium altissi	O. rhombipetala	S. stellata
A. lanuginosa	Galium tinctorium	Onoclea sensibilis	Silphium perfoliat
A. longifolia	X Gaura biennis	Orobanche fascicul	Smilacina racemosa
A. ovalifolia	Gentiana crinita	O. uniflora	Solidago riddellii
A. purpurascens	G. flavida	Panicum praecocius	Specularia perfoli
A. sullivantii	G. procera	Parnassia glauca	Spiranthes ochrole
Aster linariifoliu	G. quinquefolia	Parthenium integri	X Sporobolus asper
A. pilosus	Gerardia aspera	Parthenocissus ins	S. cryptandrus
A. sagittifolius	G. gattingeri	Pedicularis canade	S. vaginiflorus
A. umbellatus	G. grandiflora	P. lanceolata	X Stachys palustris
Astragalus candens	Gnaphalium obtusif	Pentstemon digital	Symphoricarpos occ
Blephilia ciliata	Grindelia squarros	Petalostemum villo	Taenidia integerri
Bromus kalmii	Habenaria leucopha	Phalaris arundinac	Thaspium aureum
Cacalia atriplicif	X Hieracium canadens	Phlox glaberrima	Triosteum perfolia
Cacalia suaveolens	Hierochloa odorata	Plantago rugelii	Valeriana ciliata
Callirhoe triangul	Houstonia caerulea	Polemonium reptans	Verbena hastata
Calopogon pulchell	H. longifolium	Polygala polygama	Vernonia fascicula
Carex muhlenbergii	Hystrix patula	X P. sanguinea	Vicia angustifolia
C. pensylvanica	Lathyrus ochroleuc	P. verticillata	V. villosa
C. vulpinoidea	Lechea tenuifolia	Polygonatum commut	Viola sagittata
Castilleja coccine	Leptoloma cognatum	X Populus tremuloide	Wulfenia bullii
C. sessiliflora	Liatris ligulostyl	Potentilla frutico	Zigadenus elegans
Ceanothus ovatus			

Additional species:

- X Panicum implicatum
- X Prunus americana

40 sp. in 10 minutes
68 sp total in 40 minutes

Gentiana puberula abundant, large & freely flowering (budding) but all infected with systemic Asteriomyella fungus

1-5-10-7-0

Data Form No. 35

Plant Ecology Research

Univ. of Wisconsin

Presence or Frequency
(Common species only)

PRAIRIES

Ipswich Prairie

8/16/52

Stand No. 1164
Quadrat No.

- X Achillea millefolium
- Ambrosia artemisifolia
- Ambrosia psilostachya
- 1 Amorpha canescens
- 1 Andropogon gerardi
- 1 Andropogon scoparius
- Anemone canadensis
- 1 Anemone cylindrica
- Anemone patens
- X Antennaria sp.
- Apocynum androsaemifolium
- X Apocynum cannabinum
- Arenaria stricta
- Artemisia caudata
- Asclepias amplexicaulis
- X Asclepias syriaca
- Asclepias tuberosa
- Asclepias verticillata
- Asclepias viridiflora
- 8 Aster azureus
- 1 Aster ericoides
- 1 Aster laevis
- Aster novae-angliae
- Aster oblongifolius
- Aster ptarmicoides
- Aster sericeus
- Baptisia leucantha
- Baptisia leucophaea
- Bouteloua curtipendula
- Bouteloua hirsuta
- Cacalia tuberosa
- X Calamagrostis canadensis
- 3 Ceanothus americanus
- Cicuta maculata
- X Cirsium discolor
- Comandra richardsiana
- 3 Convolvulus sepium
- 5 Coreopsis palmata
- 7 Cornus femina
- Corylus americana
- X Desmodium canadense
- 2 Desmodium illinoense
- Dodecatheon meadia
- Elymus canadensis
- Equisetum arvense
- 2 Equisetum kansanum
- 3 Erigeron strigosus
- 2 Eryngium yuccifolium
- 1 Euphorbia corollata

- X Fragaria virginiana
- Galium boreale
- Gentiana andrewsii
- 8 Gentiana puberula
- Geranium maculatum
- Geum triflorum
- Hedeoma hispida
- Helianthemum sp.
- X Helianthus grosseserratus
- 6 Helianthus laetiflorus
- Helianthus occidentalis
- Helianthus strumosus
- 1 Heliopsis helianthoides
- Heuchera richardsonii
- Hieracium longipilum
- Hypoxis hirsuta
- Iris virginica
- Koeleria cristata
- Krigia biflora
- Kuhnia eupatorioides
- 4 Lactuca canadensis
- X Lactuca ludoviciana
- Lathyrus palustris
- Lathyrus venosus
- 3 Lespedeza capitata
- 1 Liatris aspera
- Liatris cylindracea
- Liatris pycnostachya
- Lilium michiganense
- Lilium philadelphicum
- X Linum sulcatum
- X Lithospermum canescens
- Lithospermum croceum
- Lithospermum incisum
- X Lobelia spicata
- 9 Monarda fistulosa
- Muhlenbergia cuspidata
- X Muhlenbergia racemosa
- X Oenothera biennis
- Oxalis violacea
- Oxypolis rigidior
- 2 Panicum leibergii
- Panicum oligosanthos
- X Panicum perlongum
- X Panicum virgatum
- X Petalostemum candidum
- 5 Petalostemum purpureum
- 6 Phlox pilosa
- Physalis heterophylla

- Physalis subglabrata
- Physalis virginiana
- Polygala senega
- Polytaenia nuttallii
- 1 Potentilla arguta
- Potentilla canadensis
- Prenanthes racemosa
- Psoralea esculenta
- Pycnanthemum virginicum
- Pyrus melanocarpa
- Quercus macrocarpa
- 1 Ratibida pinnata
- X Rhus glabra
- Rhus radicans
- 5 Rosa sp.
- X Rudbeckia hirta
- Salix humilis
- Saxifraga pennsylvanica
- Scutellaria parvula
- 1 Silphium integrifolium
- X Silphium laciniatum
- Silphium terebinthinaceum
- Sisyrinchium campestre
- Smilacina stellata
- Solidago altissima
- Solidago gigantea
- Solidago graminifolia
- Solidago juncea
- 5 Solidago missouriensis
- 10 Solidago nemoralis
- 1 Solidago rigida
- 6 Solidago speciosa
- 9 Sorghastrum nutans
- Spartina pectinata
- Spiraea alba
- 6 Sporobolus heterolepis
- 2 Stipa spartea
- Tephrosia virginiana
- Thalictrum dasycarpum
- Tradescantia ohioensis
- Verbena stricta
- Veronicastrum virginicum
- Vicia americana
- Viola pedata
- 4 Viola pedatifida
- Vitis vulpina
- Zizia aptera
- Zizia aurea

1-13
2-6
3-4
4-2
5-4
6-4
7-2
8-2
9-2
10-1
40-28

Additional species:

- 2 Carex Bicknellii

Species marked according to minute in which first observed by one person (HCG)
After first 10 minutes, all additional marked with X for next 30 minutes