

Proluton advertisement.

[s.l.]: [s.n.], 1949

https://digital.library.wisc.edu/1711.dl/NVYHIBYBW3XGX82

http://rightsstatements.org/vocab/InC/1.0/

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.



security

because of deficiency in the secretion of corpus luteum hormone."1 By supplying adequate amounts of progesterone beforehand, the physician may help make the position of the embryo more secure and prevent loss of the conceptus.

Time-tested, purified endocrine preparations are required such as

ampuls and vials for intramuscular injection.

Packaging: Proluton in ampuls of 1, 2, 5 or 10 mg.; in boxes of 3, 6 and 50 ampuls. Multiple dose vials of 10 cc.; 10, 25 or 50 mg. per cc.; boxes of 1 and 6 vials.

Buccal Tablets-for intraoral administration.

Packaging: PROLUTON Buccal Tablets of 10 mg.; bottles of 30 and 100 tablets.

Tablets for ingestion.

Packaging: Pranone Tablets of 5, 10 or 25 mg.; in boxes of 20, 40, 100 and 250 tablets.

Letters, Notes and Answers: Brit. M. J. 2:68, 1945.
*T.M.

Schering CORPORATION BLOOMFIELD, N. J.

