

Thorazine advertisement.


[s.l.]: [s.n.], 1956

<https://digital.library.wisc.edu/1711.dl/TAS7ZYD4ECJNO8U>

<http://rightsstatements.org/vocab/InC/1.0/>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.



“ . . . a highly effective antiemetic
and is safe for use in children.”¹

THORAZINE* chlorpromazine, S.K.F.

The safety and effectiveness of ‘Thorazine’ for control of vomiting in children has been confirmed by a number of clinicians.

Results in refractory cases have been particularly dramatic.¹⁻⁵

*‘Thorazine’ is available
in ampuls, tablets and syrup,
as the hydrochloride; and in
suppositories, as the base.*

Pediatric Bibliography

1. Wikler: The Use of Chlorpromazine as an Anti-emetic in Children, *Arch. Pediat.* 72:197 (June) 1955.
2. Daeschner et al.: Chlorpromazine in the Control of Vomiting in Children, *Am. J. Dis. Child.* 89:525 (May) 1955.
3. Steigman and Vallbona: Chlorpromazine, A Useful Antiemetic in Pediatric Practice, *J. Pediat.* 46:296 (March) 1955.
4. Steigman and Vallbona: Experience with Chlorpromazine in Pediatrics, *Internat. Rec. Med. & Gen. Pract. Clinics* 168:351 (May) 1955.
5. Moyer et al.: Clinical Studies of an Anti-emetic Agent, Chlorpromazine, *Am. J. M. Sc.* 228:174 (Aug.) 1954.