



Obedrin advertisement.


[s.l.]: [s.n.], 1964

<https://digital.library.wisc.edu/1711.dl/KFOILH7ES73WZ8W>

<http://rightsstatements.org/vocab/InC/1.0/>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.



YOUR SUPERVISION



OBEDRIN-LA



OBEDRIN MENU PLAN

A WEIGHT CONTROL PROGRAM YOUR PATIENTS WILL STAY WITH . . . AND FEEL BETTER

1. YOUR SUPERVISION orients the patient to the need, goals and course of weight reduction . . . regular checkups confirm progress and support patient's morale.

2. OBEDRIN-LA: 1 tablet daily "trickle releases" medication for all-day appetite suppression.

3. OBEDRIN MENU PLAN: . . . aids weight reduction . . . provides a plan for necessary nutritional support and helps patients establish better eating habits.

Write today for free starter doses and Menu Plans, or contact your Massengill Representative.

DOSAGE is 1 tablet daily, usually at 10 a.m.

SUPPLIED in bottles of 50 and 250 tablets, on prescription only.

CAUTION: Insomnia, excitability, nervousness may occur if dosage is excessive. These occur infrequently and are mild with the recommended dosage. Use with caution in patients having a sensitivity to sympathomimetic compounds or barbiturates and in cases of coronary or cardiovascular disease or severe hypertension. Excessive use of amphetamines by unstable individuals has been reported to result in a psychological dependence. In such instances, withdrawal of the medication is necessary. All medication should be used with caution during pregnancy, especially in the first trimester.

LONG ACTING

Obedrin®-LA*
"TRICKLE RELEASE" TABLETS

Each tablet contains Methamphetamine HCl*, 12.5 mg.; Pentobarbital*, 50 mg. (Barbituric Acid derivative; Warning: May be habit forming); Ascorbic Acid, 200 mg.; Thiamine Mononitrate, 1 mg.; Riboflavin, 2 mg.; Nicotinic Acid (Niacin), 10 mg. *U. S. Pat. Nos. 2,736,682; 2,809,916; 2,809,917; 2,809,918 and pat. pending.

MASSENGILL The S. E. Massengill Company, Bristol, Tennessee

New York • Chicago • Dallas • Kansas City • San Francisco