



LIBRARIES

UNIVERSITY OF WISCONSIN-MADISON

A natural history of birds : most of which have not been figur'd or describ'd, and others very little known from obscure or too brief descriptions without figures, or from figures very ill design'd. ...

Edwards, George, 1694-1773.

London: College of Physicians, 1743

<https://digital.library.wisc.edu/1711.dl/2KGQCXL5CT4DK8J>


<http://rightsstatements.org/vocab/NKC/1.0/>

For information on re-use, see

<http://digital.library.wisc.edu/1711.dl/Copyright>

The libraries provide public access to a wide range of material, including online exhibits, digitized collections, archival finding aids, our catalog, online articles, and a growing range of materials in many media.

When possible, we provide rights information in catalog records, finding aids, and other metadata that accompanies collections or items. However, it is always the user's obligation to evaluate copyright and rights issues in light of their own use.



Fine set - original issue




Lord Wenman.

~~I. 3.~~

D. 3. 4.

~~D. 3. 10~~







GEORGII EDVARDI
ORNITHOLOGIA NOVA

A
N A T U R A L H I S T O R Y
O F
U n c o m m o n B I R D S,

A N D O F
S o m e o t h e r R a r e a n d U n d e s c r i b e d A N I M A L S,

Q U A D R U P E D E S,
R E P T I L E S,



F I S H E S,
I N S E C T S, &c.

Exhibited in Two Hundred and Ten COPPER-PLATES,
From Designs copied immediately from NATURE, and curiously coloured after LIFE.

With a full and accurate Description of each FIGURE.


To which is added,

A Brief and General Idea of DRAWING and PAINTING in *Water-Colours*; with Instructions for ETCHING on Copper with *Aqua Fortis*: Likewise some *Thoughts* on the PASSAGE OF BIRDS; and ADDITIONS to many of the SUBJECTS described in this WORK.

In Four P A R T S.

By GEORGE EDWARDS,

Library-Keeper to the Royal-College of PHYSICIANS.



L O N D O N :

Printed for the AUTHOR, at the *College of Physicians*, in *Warwick-Lane*.

MULTI-MEDIA

THE UNIVERSITY OF MICHIGAN LIBRARY

1777-1781

1781-1785

1785-1790

1790-1795

1795-1800

1800-1805

1805-1810

1810-1815

1815-1820

1820-1825

1825-1830

1830-1835

1835-1840

1840-1845

1845-1850

1850-1855

1855-1860

1860-1865

1865-1870

1870-1875

1875-1880

1880-1885

1885-1890

1890-1895

THIS Work having been delivered in Parts at different Times during the Term of about ten Years (counting from its Beginning to the Delivery of the last Part) it was not at first possible to give it a proper General Title, as it was then altogether uncertain where it might end: But since the Book is now brought to a Conclusion, I thought it necessary to prefix the foregoing General Title Page.

And as I have here an Opportunity publickly to shew my Gratitude to the President and Council of the *Royal Society*, for that distinguishing Mark of Favour and Honour they were pleased to confer upon me at their Grand Meeting on St. *Andrew's Day*, Anno 1750, by presenting me with the * Gold Medal (annually given on that Day) in Consideration of this History of Animals, which was just then concluded: It might be deemed an unpardonable Omiffion and Neglect, should I forbear on this Occasion to return my humble Thanks to the President and Council, as well as to the other Members of that Learned and useful Body, many of whom have, I know, been instrumental in procuring me this Favour and Honour.

I must likewise take this last Opportunity to thank my Friends in general, that have any Ways contributed to this History, by furnishing me with Matter to bring it to a Length, that I at first imagined, it could never attain, as well as to those Gentlemen that have promoted the Design, by continuing their generous Subscriptions through the whole Work.

As Sight, and Steadiness of Hand begin to fail me, I shall here beg Leave to inform such Gentlemen who have formerly employed me in Drawing, or any other Way, that I shall for the future decline all such Business, and desire they would accept of my grateful Thanks for the Encouragement they have formerly given me.

I must

* This was the Donation of Sir GODFREY COPLEY, Bart. who gave a Sum of Money to the *Royal Society*, the Interest of which he appointed annually to be disposed of by Trustees by him named, and after their Decease by the President and Council of the *Royal Society* for the Time being, to any Person that should make any new Discovery in Art or Nature, or perform any other Work that should be thought worthy of that Favour. But the *Society* judging it, of late Years, more Eligible and Honourable to give this annual Donation in form of a Medal, than to pay it in Money, caused a Die to be cut, one Side of which has on it the Donor's Name, &c. round it, and in the Middle a Device, *viz.* *Minerva*, with the Symbols of the Sciences at her Feet, holding the Emblem of Nature in her Left-Arm, her Right-Arm being extended with a Wreath of Laurel in her Hand; and on her Shield are the Arms of Sir GODFREY. The Reverse has on it the Arms, Crest, Supporters, Motto, &c. of the *Royal Society of London*. A Copy of this Medal, curiously engraved, you will see placed under the General Title of this Work.

I Must not forget to acknowledge the many kind Offers of Service which have been made me by my Curious and Learned Friends (some of which I have accepted) towards compleating this Work, by perusing the Manuscript Copies, and giving me their Advice, which I have found to be of great Advantage, tho' none of them have thought proper to make any material Alterations in the descriptive Parts of the Work. The most considerable Help I have received was from Dr. *Mortimer*, Secretary of the *R. S.* whom I consulted in Relation to the proper Classfical *Latin* Names, as they are placed together with the *Englisch* Names I have given in the Catalogues at the Ends of the second and fourth Parts of the Book: There was a more than ordinary Difficulty in this, as the Subjects consisted mostly of Things, which were never before described, and consequently no Classfical *Latin* Names could be found to answer many of them; in those Cases the Doctor took much Pains to consider, what might be the most proper Names for them.

I am sensible that in the Course of this Work there are many Errors of my own, and others of the Press, but I imagine none of them are so very material as not to be corrected by every common Reader in the Course of their Reading, so that I think it not proper to trouble other People or myself with a long *Errata*.

ADDITION to PAGE 128.

I Have had the good Fortune since the Publication of the third Part of this Work, to meet with the GREEN GOLDFINCH alive, which differs in some Things from the Description I have given it, which inclines me to believe that Mrs. *Cannon's* Bird was a Hen, and what I have since seen is a Cock. They differ in the following Particulars: The Bill of this last is of a fine Red, and I think rather shorter than in that I have figur'd; the Rump, Coverts of the Tail, and the Tail itself, are all of a fine deep red Colour; the Belly is of a yellowish Green, with small transverse Bars and Spots of White a-cross it; the Shoulder, or Ridge of the Wing is Green, inclining to Red; in all other Points it agrees with the Bird I have described in Page 128. This Bird is the Property of the most obliging Mrs. *Clayton*, of *Flower*, in *Surry*, who was pleas'd to communicate several curious living Birds in her Possession to me; it was brought to *England* from *Lisbon*, and is, as I am informed, a Native of the *Brazils*.

SUBSCRIBERS NAMES omitted in the former LISTS.

Benjamin Barlow, *Esq;*
Mrs. Clayton, of Flower, in the County of Surry.
William Denn, *Esq;* of Ongar, in Essex.
Philip Carteret Webb, *Esq;* F. R. S.

A
NATURAL HISTORY
O F
B I R D S.

Most of which have not been figur'd or describ'd, and others very little known from obscure or too brief Descriptions without Figures, or from Figures very ill design'd.

CONTAINING

The Figures of Sixty BIRDS and Two QUADRUPEDS, engrav'd on Fifty-two Copper Plates, after curious Original Drawings from Life, and exactly Colour'd. With full and accurate Descriptions.

By GEORGE EDWARDS.

Natura semper eadem, sed Artes sunt variae.

L O N D O N :

Printed for the AUTHOR, at the *College of Physicians* in *Warwick-Lane.*
M.DCC.XLIII.



To the HONOURABLE the
PRESIDENT and FELLOWS
OF THE
Royal College of PHYSICIANS, *of* LONDON.

Honoured SIRs,

THE just Sense I have of Your great Learning and profound Judgment in all the Sciences, and my own Ignorance in most of them, might deter me from Presenting this Trifle, was I not encouraged by Your great Goodness and Willingness to cherish and give Life to the least Spark of Knowledge You perceive kindling in any one, tho' of inferior Rank; which Benevolence in You removes that Fear, that otherwise would forbid my Approach. This Work hath, indeed, receiv'd its very Being from your Smiles; for the favourable Reception my first Essays in this Way, some-time ago presented to the College met with, hath

A 2

encouraged

encouraged me to publish this History of BIRDS, which would otherwise have continued in Obscurity ; so that I may esteem Your Honours, in some measure, Parents of it ; therefore I humbly beg You would please to favour it with your Patronage, which I shall always esteem its greatest Merit. I shall forbear to enter upon the Excellencies and Virtues of your Honourable Society, since the World is, by Experience, thoroughly convinced of Your publick Usefulness and Worth.

But it would be inexcusable in me, should I slip this Opportunity, publickly to acknowledge the many and great Favours I have received from Your Hands, as a Publick Body, such as generous Gratuities for slight Services, and many other Privileges and Conveniencies, over and above the Salary of my Office : I have not only received these publick Kindnesses, but innumerable private Favours from the illustrious Members of Your honourable Society, who have furnish'd me with all Things necessary to forward me in this Work, and have freely given me their Advice and Instructions. For these many and great Favours, I cannot conclude without acknowledging, with a grateful Mind, the many Obligations You have laid upon him who is in a particular Manner,

H O N O U R E D S I R S,

Your most Dutiful,

and most obliged humble Servant,

G E O R G E E D W A R D S.



T H E
P R E F A C E.



THE Wisdom and Power of God are manifest to all Rational Creatures, from a Contemplation of his wonderful Works in the Creation of this World: He hath formed every Beast of the Field, Bird of the Air, and Fish of the Waters: He hath also formed every Tree and Plant; every creeping Insect was made by Him. All that the Earth, Air, or Waters produce were created by God's Power. Now Man being the only rational Being in this World, it seemeth plain by natural Light, that the Dominion of all Creatures was given to him by God; therefore since Man's Obligation to God is greater than that of any other Creature, his Acts of Humiliation, Adoration and Gratitude ought to be in some degree proportionable to the Favour and Benefits he hath received. Amongst the many Acts of Gratitude we owe to God, it may be accounted one, to study and contemplate the Perfections and Beauties of his Works of Creation. Every new Discovery must necessarily raise in us a fresh Sense of the Greatness, Wisdom and Power of God: He hath so order'd Things that almost every Part of

the Creation is for our Benefit, either to the Support of our Being, the Delight of our Senses, or the agreeable Exercise of the rational Faculty. If there are some few poisonous Animals and Plants fatal to Man, these may serve to heighten the contrary Blessings; since we could have no Idea of Benefits, were we insensible of their Contraries; and seeing God has given us Reason by which we are able to choose the Good and avoid the Evil, we suffer very little from the malignant Parts of the Creation.

God hath given to brutal Animals a certain Law whereby to govern themselves, which is called an Instinct, it being an inward implanted Tendency to particular Actions, from which they cannot stray. This Instinct or inward Force appears to be stronger in Brutes than in the human Species, and supplies to them the defect of Reason. Man hath an Instinct also, but much weaker than that in other Animals, but to make up that Want God hath given him a glimmering of that heavenly Light, called Reason. Now as Man was design'd Lord of this lower World, and the Possession of every Part thereof was given to him, the Instinct of Brutes would not have been sufficient, nor would Reason itself have been enough without some inward Appetites; for without Instinct his Generation would probably have soon been at an end; and we should have neglected the Support of our individual Bodies, had we only Reason, and not Hunger to tell us, that Eating was necessary to Life.

Reason is our director, when we change our Country from one extreme Climate to another: The Russian tho' inclosed in close Houses firmly secur'd against the penetration of the cold Air, and inwardly heated with Stoves, when he travels into Persia and India, is directed by the same Reason to sleep in the open Air, and on the Tops of Houses, and to use Machines to agitate and bring fresh Air about him; and on the contrary the Ethiopian, tho' his Lodging be in the open Plains and Deserts, and he without any Clothing, yet when he is brought to Europe, he is glad to screen himself in warm Houses, and warm himself by Fires, and cover himself with thick Clothing. Reason giveth Man this Pre-eminence over brute Beasts; by it he can make almost all Parts of the World habitable to him by Arts and Inventions to screen himself from the great Heats in some Parts, and defend himself from the piercing Colds in other Parts of the World. No brute Animal can thus indifferently inhabit any Part of
the

the World, because their innate Laws are unchangeable, and accommodated only to such Climates as Nature has placed them in; so that I believe there is no Creature whose Race is spread in all habitable Parts of the World, as is that of the human Species. Each Animal seems to have his appointed Climate, out of which, if he be removed to one far different, his Generation ceaseth or loseth its first Properties; whereas such Creatures as continue where Nature placed them, vary hardly at all from the Species from which they sprang, preserving the same Magnitude, Form and Colours throughout all Ages; for it seemeth as if God had set particular marks of Distinction on each Species from which they cannot stray.

From this Reason I found the agreement between each different Generation of Animal and Plant, which always continues to bear the Form and Likeness of those in which they were first inclosed. Indeed some domestick Animals and Plants differ in some sort from their first Parents, which were savage. I take these Differences not to be very material, and to proceed from the unnatural Food, Habitation, and other Circumstances that may alter the Plant or Animal in Magnitude or Colour; which is not material, seeing these Things so made domestick, if turned again to their native Habitations in a Generation or two cast off those Accidents attain'd by unnatural Situations, and recover their first Forms and Colours stamped on them in the first Creation of the whole Species.

Many who have wrote in former Times on Nature, suppose that all Things which were at first created by God on this Globe, have been ever since, by his Providence, continued through an implanted seminal Power down to these Times, and will continue as long as the Earth endureth; yet some great Naturalists in these Days are quite of a different Opinion, and their Reasons for these Opinions are founded on the great Variety of fossil Substances found daily in many Parts of the World, resembling Animals and Parts of Animals now in being, as well as Animals and Parts of Animals not to be met with by the most laborious Searches of the Curious.

From the general face of Things we may safely conclude there have been great Revolutions on the Face of this Earth, which in many Places seem to have been caused by a great Quantity of Water prevailing, and passing very swiftly over its Surface, breaking up its lower Parts, and
rearing

rearing them into Mountains, and carrying other Parts which have lain high into the Sea; so that in many Places we find buried in high Mountains far Inland, Substances which received their first Formation in the Sea, and in some low Grounds deep buried near the Sea, we find many Things that received their first Forms in the Mountains. It is probable some of these great Revolutions might be so wide spread at once, as utterly to extinguish some Animals that were in God's original Creation of this World.

If we consider the beautiful Parts of Nature, so far as they charm the Sight by the lustre and variety of Colours, and the fineness of the Texture of Parts, I think many will agree, that the fine Things produced may charm the Eye, as much as the most studied and harmonious Compositions in Musick can charm the Ear. But it is common to say, that People who have no delight in Musick, have no Ear: And I think, we may as justly say of those who are no ways moved to Admiration, when the Beauties of Nature present themselves, that they want Eyes. Whether or not Nature design'd the beautiful Forms and Colourings we perceive in several kinds of Insects and other Animals, as things to delight and please the Sense of those Animals and others of the brute Creation: Or whether they were design'd principally for the Delight and Contemplation of Man the Lord of this lower World, is a Question. A Reason in my Opinion, why Insects are not sensible of their own Beauty, is the Form of their Eyes, which let in the Light through a kind of Net-work, which must discover the Objects in a confused manner; or if we suppose each little part a distinct Eye, they are so small that an Object must almost touch them, to be distinctly perceived in its Parts, and the Quantity taken in at once so small, that the intire Form of one Insect can hardly appear plain to another; these Eyes may indeed serve them to distinguish opake Bodies from the clear Air they fly in, and when they approach very near to pick out small Particles lying on Leaves and Fruits which supply most Insects with Food.

Now seeing the Eyes of Man seem to be more adapted than those of Insects to receive the various Forms and Colours of natural Things, I am of Opinion that God principally design'd these things not only to please and delight the outward Senses of Man, but that the Contemplation of them should

should point out to the Mind the surprising Manner of God's Method of working who created all things; and this may serve as natural Arguments of his infinite Wisdom and Power.

Mr. Horsley in his *Britannia Romana*, making a sort of *Apology* for that Work in his Preface, has these Words, which will not be amiss to quote for my present Purpose. "I have always looked on it as an Instance of divine Wisdom, that it should be so order'd that different Men have such different Tastes and Inclinations. By this means the several Parts of Knowledge are more cultivated: And I think we owe our Thanks to any one, who will apply himself to the Study of any particular Thing; though it seem minute, and may not suit our Taste or Inclination to pursue it ourselves. This gives us, at least, an Opportunity of knowing on easier Terms what can be said on that Subject."

It is always necessary that every Age should labour to discover something, and not sit down content with the Discoveries of our Forefathers, for Experience shews the Knowledge of our Ancestors dwindles away, and decays daily; for such is the nature of Time, that it obscures or destroys the Knowledge of past Ages by the many wasteful Events which happen in a long course of Years, such as Fire, Rapine, Inundations, Loss of the Liberties of Countries, and many other Things. But more than all these, the change of Languages affects our Knowledge; for no Language continues the same for many Centuries: Inscriptions indeed have continued some thousands of Years, but when the Languages are dead in which they are wrote, the Sense of them by Ages becomes darker and darker, till at last they are utterly obscure, as we find the most antient are, witness the Monuments of the antient Egyptians, the Ruins of Persepolis, and other mighty Ruins in many Parts of the World: So that we see we cannot depend on the Knowledge of the Antients as a perpetual Fund; we must, as Times go, gather what we can from them, and add to it as much as we can of our own, that we may keep up the Stock we have by adding something in the room of what must inevitably be lost; for if we sit down content with what is already known, which is a Knowledge we are sure is decreasing every Day, we in a few Ages may know nothing, and be reduced to a state equal to the wild Americans, since we know that Europe

[b]

itself

itself hath been well nigh reduced to such a State a few Centuries ago by falling into a superstitious Lethargy, neglecting all farther Improvements of Knowledge, and despising Reason, Nature and the evidence of Sense.

Every one ought to attain to as high a degree of natural Knowledge as he can, for a deep Knowledge in Nature has detected many false Pretenders to Inspiration, Prophecy, and the like, while the Ignorant in Nature and her Laws have been deluded by the meanest and lowest Pretenders, such as diabolical Possessions, fantastical Apparitions, Dreams, good and bad, Omens, and the like.

As Arts have been brought by gradual Steps from one degree of Perfection to another, by joining the Knowledge of past Times left us in the Writings of those that are gone before, with the Discoveries and Experience of the present Times; so even the knowledge of Nature itself hath been multiply'd by the various degrees of Conception, and different Powers of Penetration that have been given by God through past Ages to Mankind, which have been handed down through the Records of Time to us. Without this Knowledge of other Men joined to our own, our Knowledge would be like that of savage People who live together in small Tribes or Families, and have nothing but meer mother Wit and pure natural Capacity, chiefly derived from the Senses, to direct them, they not knowing what any of their Ancestors said or thought before them for want of Characters to express Words; so that each Man's Knowledge is his own, or has little assistance from others: I do not mean that while we are searching into Nature's Works, we should neglect the curious Arts and Inventions of Men; for by being well skill'd in Arts we are enabled the better to make Discoveries in Nature. Besides, a fine Art lost may never be recover'd, but Nature, tho' at present unknown by searching, may at one time or other be found, because she always endureth and continueth the same. Art and Nature, like two Sisters, should always walk hand in hand, that so they may reciprocally aid and assist each other.

He who goes into foreign Parts, in order to improve himself in natural Knowledge or other Sciences, should first acquire all that may be learned in his own Country, lest he should expose himself, as many have done, by going abroad, telling us at their return many such things as were already
known,

known, or might have been easily discovered in our own Country. To produce an Instance of this, let any one knowing in Birds turn over Cornelius le Bruyn's *Travels into Muscovy, Persia, &c.* there he will find described the Spoon-bill, call'd in the Russian Language Calpetse, Vol. 1. P. 91. of the English Translation. The Bald Coot, call'd in the Persian, Paes-jelek, Vol. 1. P. 182. The Pelican, call'd by the Russians, Babbe or Water-Carrier, Vol. 2. P. 167. Now these Birds being all very well described by natural Historians, they need no farther Descriptions; but he did not mean to give us things before described, but, through Ignorance in that particular Part of natural History, supposed these Birds altogether unknown, since he has not given them their common European Names; it is surprizing he should not know the Spoon-bill, because those who have described it make it a Native of Holland, and tell the Place where it builds and breeds. It is still more strange he should go to Ispahan to figure and describe the Bald Coot, which abounds in every Canal and Dike round about the Hague the Place of his Birth: It shews a fond Inclination to discover the Rarities of foreign Countries, before a Person has attained the Knowledge of what is to be known in his native Country: which is to begin where one should end; so that all People who go abroad on any Discoveries should be qualified as above-mentioned, but more particularly all should inform themselves, as far as may be, at home, in those things they expressly go to make farther Discoveries of. For want of such Qualifications, and through dishonest Principles, Vice and Indolence, many who have been sent abroad at the Expence of others, have in no sort answered the Expectations of those who sent them, which hath discouraged Gentlemen of Curiosity and Fortune from advancing Money on such fruitless Expeditions.

Nevertheless some Men thus sent, have with great labour and honesty answer'd the Expectations of their Patrons. It would be very proper for all Travellers into foreign Parts, to take notice of what Birds and Beasts they find, and at what Seasons of the Year they find them, and at what Times they disappear, and when they appear again; that so we may in time give a tolerable account of the Places to which Birds and Beasts of Passage go that are found with us, and in other Countries only at certain Seasons of the Year. Many may think perhaps that there are

no Beasts of Passage, but I have been informed by a Person of Reputation, who now resides in one of the English Forts in Hudson's-Bay, that the Deer in that Country pass northward in the beginning of Summer, and return to the South at the approach of Winter, and that they pass in certain beaten Tracts well known to the Indians, as well as the English residing there, who lie in wait for them, and kill great Numbers for their Skins. They are said by the Natives to pass very far North in the Summer, and to return in the Winter far enough Southward to come to a temperate Climate. I have in my Searches after Birds discover'd some few that are found in England at certain Seasons, to be found also in Bengal; and some found in Europe, tho' not in England, are found also in Bengal: Whether they continue there all the Year, or are only Birds of Passage, as they are with us, I cannot tell; but it would be worth the Observation of any curious Englishman residing in that Country; therefore I shall set down their Names, viz.

The Greater Redstart,	Merula Saxatilis, Aldrov.
The Witwal,	Icterus, Plinii,
The Wheat-Ear,	Oenanthe or Vitiflora,
The Small-Green-Wren,	Regulus non cristatus,
The House-Swallow,	Hirundo domestica,
The Bee-eater,	Merops,
The Wry-neck,	Iynx or Torquilla.

Of this Number the Wheat-Ear, the Green Wren, the House-Swallow and Wry-neck, are found in England in Summer, and all of them in the Southern Parts of Europe, where I believe they are Birds of Passage also. All these I have met with in Parcels of Birds sent from Bengal; and if any Person of good Observation in India could discover that these Birds are absent there while present with us, and present there whilst absent here, it would answer the Question, whither and in what manner do these Birds pass?

It is indeed my Opinion, that all those Birds which are seen with us only some part of the Year, pass into other Countries when they are out of our sight. We are certain some of them must, because they do not breed while they continue with us; these are the Wood-cock, Snipes, Field-fare, Redwing and some others: These I believe, go into northern Countries

to breed. *The Summer Birds of Passage* also come from more southern Countries northward to us, and breed here: Seeing then Birds retire from more northern Parts to winter with us, why should not tender Birds who visit us in Summer and breed here, retire and shelter themselves in southern Countries, where they are secure from cold, which they cannot bear, and find such Food as is natural to them. But many would make Sleepers of them, and say they retire to holes under Ground, and in hollow Trees, &c. and that they are so fat that they cannot fly far at the Times they disappear, which Fatness I take rather for a providential Provision, to enable them to take a flight of many Days without being quite exhausted and spent. A farther Reason to me, that our Summer Birds who disappear are not Sleepers, is, that no such sleeping Birds have at any time been found, and all the reports of these things are so uncertain, that no sober Man can at all depend on them: Did they really creep into holes as is reported, it would be certainly known, and not remain, as it does, a very doubtful Matter; for why should they not be daily found sleeping, as are Dormice, by Wood-men and Country People, since many of the supposed Sleepers are found awake in much greater Numbers. I believe indeed that the Instinct of these Birds is not so absolutely certain, as to prevent them from being sometimes surpris'd by a very cold wet Autumn: In such a case I believe some Flocks of Swallows have lost their Passage, and have been constrain'd through Weakness to shelter themselves in holes where they have perished.

Natural History cannot in any degree be perfect without Figures; therefore I think we should promote Drawing, in all such young People who seem to have a liking to it; no one need think it an Amusement beneath his Dignity, since our present Royal Family and many of the young Nobility have been instructed in that Art. The World may perhaps think I say this in order to promote myself; because hitherto I have taught young Gentlemen and Ladies to draw; but to take away such Imputation, I purpose to decline any thing of that sort which may hereafter offer. Every one who consults antient Authors, is very sensible of their Deficiencies in the want of Figures; for many things are mention'd by a bare Name without any Description or Figure, and great physical Virtues and other Uses are attributed to some of these things;

but there being no certain Marks to shew what things in Nature were called by those Names, we have now wholly lost them, or take different things for them, or are in dispute about them; therefore Authors, Naturalists especially, should consult, first of all, the outward Forms of things in order farther to explain them by Descriptions and other Marks; and deliver them down to Posterity, so as to free them, so far as human Reason is capable of, from the Losses and Injuries they may sustain from Time. In describing natural Things nothing ought to be omitted, that is any way remarkable, and may fix and establish the Character of the thing described, so as plainly to distinguish it from all other things: This may be done without following the minute Steps of some Authors, who have wrote large Books on single Birds or Plants, for long Descriptions lead the Mind into Mazes and Confusion, and tire rather than instruct. On the other hand too brief Descriptions should be avoided; for very often these are found to consist only of such general Forms and Colourings that are common to many things of the same Genus, with the thing so briefly described, which makes the Description uncertain, or rather no natural Description at all. If Naturalists would observe this medium, and study a plain comprehensive Language, and well expressing the Things treated of, they might gradually, by making the Study both useful and pleasant, bring many into the love of Natural History, who now despise it.

I know there are some Gentlemen, that put the Terms of mean and little upon such Sciences or Studies that they themselves have no Taste for; and others would make them useless by calling them mere Speculations. Natural History has been particularly aspersed and treated in this manner by the Enemies to all Knowledge, but such as brings with it immediate Profit or sensual Pleasure: But if these Gentlemen will look back a little, they will find that Men as great, as wise and magnanimous, at least as themselves, in all Ages, have busied themselves in the Discoveries and Knowledge of Nature. King Soloman is a great Example in this matter, who was himself a natural Historian, and perhaps had penetrated farther into Nature than any one has done since. Alexander the Great was remarkable for encouraging all the fine Arts, as well natural History as other Literature, without which his Memory could not have subsisted till this Time. But to come nearer our own Times,

Lewis XIV. of France, tho' one of the greatest Princes of the Age he lived in, and engaged in several Wars for a considerable Part of his Life, yet found time to improve his Mind by the Study of the fine Arts, and established an Academy for the farther Improvement of Arts and new Discoveries in Nature: He was such a Lover of the Productions of Nature, that he made Gardens and built magnificent Stoves, &c. for the raising and reception of all Exotick Plants, and built at Versailles near his Palace, an elegant and curious Place called the Managery, with large Apartments and Conveniencies for the Reception of living Animals from all Parts of the World, and not only rare Pictures and Sculptures of the greatest Masters were collected in his Cabinets, but several extraordinary Productions of Nature. Augustus the late King of Poland was also a great Encourager of natural Knowledge, and had gather'd a large Collection of natural Productions from most Parts of the World.

They who draw after Nature, on account of Natural History, should represent things justly and according to Nature, and not strive to exalt or raise her above herself; for by so doing, instead of instructing, they will lead the World into Errors; nor can the Works of two Authors on the same Subject ever agree. The historical Painter, especially he that would represent the Fictions of the Poets, may take greater Liberties, and study by all Methods to elevate his Subject by adding the highest Strokes of Art, in order to please the Eye, and raise in the Mind Ideas equal to the Historian or Poet he would represent: Yet every one who reads Natural History, and sees Figures and Descriptions of things in Nature, supposes they are, or ought to have been immediately drawn and described from Nature. But no experienced Man, when he beholds an historical Piece, supposes the Figures there drawn, are like to those they are intended to represent either in Feature or Person, any farther than in general the Historian or Poet may have told us, that one Man was a graceful Person, another a little crooked or deformed, which Accidents a Painter has liberty to carry to what degree of Perfection or Imperfection he can conceive, provided alway he doth not contradict the Letter of his Historian. But in drawing after Nature a most religious and scrupulous Strictness is to be observed, and by this means only we can demonstrate, that Nature is or is not the same through all Times. If Natural
Historians,

Historians, or they who draw for them, would carefully observe these Rules, some of them might perhaps produce Figures that would be deemed perfect by the knowing Naturalists of these Times, and escape their Censure; then might they, like the celebrated Statues of the antient Greeks and Romans, pass down as Models to future Ages, as things justly and truly representing Nature; but these things are rather to be wished for than expected.

It is time to say something, by way of Apology, for the following Descriptions of Birds I have been collecting for more than Twenty Years, and have been for a good part of the Time employ'd by many curious Gentlemen in London to draw such rare foreign Birds as they were possess'd of, and never neglected to take Draughts of them with their Permission, for my own Collection; and having stored up some hundreds, I shewed them from time to time to curious Gentlemen who favour'd me with their Visits, and in looking them over several of them have told me, that there were many amongst them that had not been figured or described by any Author, and that it would be worth my while to publish them; but I was backward in resolving to do it, because I knew not so much of many of the Birds, as to know from what Country they came, which is very material in Natural History. They answer'd, that as I had taken the Draughts from Nature, and that it could be well attested, and the like Birds might perhaps never be met with again, it was better to preserve the Figures without knowing their Countries than not at all. I have not had the Advantage of being in the Countries out of Europe where any of the Birds I have described are found, as some present Writers of Natural History have; but I have taken all the pains in my Power to make my Descriptions as perfect as the nature of the thing will admit of. I have been particularly careful never to speak in the Affirmative, but where I was fully satisfied I was in the right. The far greater part of these Descriptions are from Birds never before described: There are indeed some few which have been described, but not figured, and some that have been very ill figured and described before; but I have not drawn or described any thing that was done before in any tolerable degree of Perfection; so that these Draughts and Descriptions may be looked on as new. I have not transcribed the Descriptions out of other Authors
without

without acknowledging from whence I had them, as a late Publisher of a great Number of coloured Birds has done; but always chose to have old Descriptions farthest from my Mind, when I described any thing, because I thought Nature herself the best Director. I have indeed, as I ought, consulted Men and Books, in order to gain all the Light I could to direct me in these Descriptions, and to make them as clear and intelligible as might be.

I was discouraged, upon first thinking of this Work, at the great Expence of graving, printing, and other things, which I knew would be a certain Cost attended with a very uncertain Profit, till my good Friend Mr. Catesby put me on etching my Plates myself, as he had done in his Works; and not only so, but invited me to see him work at Etching, and gave me all the necessary Hints and Instructions to proceed, which Favour I think myself obliged publickly to acknowledge. When I had practised a little while, I resolved to do such new and uncommon Birds, as I had in my Possession, since I saved Expences and only employed my Time.

In etching Plates which are afterwards to be coloured, I have discovered, that they should be done in a manner different from such things that are to continue Black and White; therefore I am willing to publish such Remarks on that Head, as may perhaps be of use to others that may hereafter publish any thing of that kind. He who would make a Print after any coloured Drawing, should make his Lights much lighter than they are in the Drawing, and the Shadows rather darker, which will indeed give your Print a somewhat shocking degree of Light and Shadow; but when you consider that by colouring, your Lights will become darker, and your very black Shadows, by being washed with Colours, which generally are lighter than Black, will become something lighter; in Prints for colouring it will be convenient to leave pretty broad clean white places that are a little dark in your colour'd Drawing: For Example, if a Part in your Drawing be of Blue or Red, or any fine Colour pretty deep; if you make your Print of so deep a Shade in those Parts, the Blackness will cast through the transparent Colours which you must use in washing Prints, and render them dead and dirty; and if you lay on too great a body of Colour, it will darken your Figure too much in the

Lights, and make it flat and heavy. On the contrary, if you leave Lights as broad and as clean as the thing will permit, your Colours laid on such light Parts will appear with more Lustre than with black Strokes under them; and when the Print is washed with a little Judgment, it will lose its too great Proportion of Light and Shadow, and become soft and agreeable, and deceive tolerable Judges so far as to pass for a Water-colour'd Drawing. Prints that are not worked with a direct Design for colouring, cannot so easily be brought to that Beauty; they must be labour'd and painted with body Colours to make them look tolerably.

I do not purpose to part with any of the Prints uncolour'd while I live, lest they should be afterwards colour'd by unskilful People, which might be a Blemish to the Work, by being seen and taken for my Colourings. A Copy carefully and exactly colour'd from the original Drawings, will be deposited in the Library of the College of Physicians, of London, which may serve as a Standard to refer to and compare with, to try the Truth of the Colouring, in case the Plates should outlive me, and any should question the Authority of the Colouring. I had thought when I first set out on this Work to have grav'd One hundred Plates of new Birds, but found I was under a necessity to leave off at Fifty, not being able to procure any more but such as have been described by many others. Seeing it is now known that I have done these, and am willing to go on, if I can procure any more of curious Gentlemen, I hope such Gentlemen of Taste this way, who have at any time Birds new and curious, will please to give me notice, that I may wait on them to take Drawings, which Favours I shall always gratefully acknowledge. It is now my duty to acknowledge, with all possible Gratitude, the Assistance I have received from many curious Gentlemen, and give my publick Thanks in general for the many and great Favours I have received from these my honourable and worthy Patrons and Friends, who from time to time have given me free Access to their Houses, and intrusted me in their Cabinets of Curiosities, and have oftentimes lent me very valuable and curious Things in order to forward me in my Pursuits: Yet in the course of these Descriptions I for my own Reputation (in order to prove the Being of the Birds here represented) have mentioned the Names in particular of my
Patrons,

Patrons, Friends, and others, who were the Possessors of these things, that I might have no opportunity to impose Falshood on the World, without being contradicted by living Witnesses.


I have made the Drawings of these Birds directly from Nature, and have, for variety's sake, given them as many different Turns and Attitudes as I could invent: This I chose the rather to do, because I know great Complaint hath been made, that a late Writer on Birds had given his Birds no variety of Posture, but that they were direct Profiles standing in the same Position, which sameness is disagreeable. I observed also in his Trees, Stumps, and Grounds, a poorness of Invention; therefore to amend that Part in mine, I have taken the Counsel and Assistance of some Painters my particular Friends, in order to make the Work not only as natural and agreeable as I could in the subject Matter, but to decorate the Birds with airy Grounds, having some little Invention in them: The better to set off the whole, I have in a few Plates, where the Birds were very small, added some foreign Insects to fill up the naked Spaces in the Plates; these I esteem no part of the proposed Work; nevertheless I have been equally careful to be exact in them both as to the Drawing and Colouring. Great part of the Birds, described in this Work, were living when I drew them; others were in Cases well preserved and dry, and some were kept in Spirits, which is the better way to preserve them, tho' they cannot be so well drawn in Spirits, by reason the Forms of the Glasses alter the apparent Shapes of the Birds; therefore I took such Birds out of the Spirits.

In the following Descriptions I had a View, particularly in describing the Colours, to express myself in such Terms as the Prints might be tolerably colour'd for the future by any curious observing Person from the Descriptions only; for in that respect I have been as careful as I could, always comparing the Colours I mention to some well-known thing when I could do it; and where I could not, I have used compound Terms, such as yellowish Brown, redish Brown, dirty Brown, and the like; and to other Colours I have added faint, dark, middling, inclining to this, that, or the other Colour: all which things are very necessary in Natural History; for the simple Terms Red, Blue, Yellow, &c. signify a vast Number of different Colours.

I shall

I shall presently conclude this Preface, and hope the Reader will excuse its Length. As I never till very lately had any design to appear in Print, I have neglected to study the Art of writing correctly, and am sensible of the many Faults that may be found in this Book; but hope the candid Reader will overlook them, since my chief Aim was rather to be understood, than to write correctly.

G. E.



A D D E N D A.

THE following Accounts are taken out of *Voyages*, and relate to the *King of the Vultures*, Page 2 of this Book; and they coming to hand after the Descriptions were printed, I have placed them here.


Navarette in his *Voyages in Spanish*, Page 300, mentions *Rey de les Zopilotes*, translated in *Churchill's Collection of Voyages*, Vol. 1. Page 235, where he says, "That at *Acapulco* he saw the *King of the Zopilotes*, " which are the same we call *Vultures*, it is one of the finest Birds " that may be seen. I have often heard it prais'd, and, as I thought, " they over-did it; but when I saw the Creature, I thought the De- " scription far short of it."

Navarette in another Place of the above Translation, Page 46. speaks thus: " But the gayest and finest Bird I have seen, is the *King of the* " *Copilotes*, which I saw several times in the Port of *Acapulco*, and never " had enough of looking at him, still more and more admiring his " Beauty, Stateliness and Grace." This *Spanish* Author has used *z* and *c* indifferently in the beginning of the Name, they sounding equally and meaning the same Bird.

Sir *Hans Sloane* favour'd me with these Remarks, and we think, that they can relate to no other Bird but the *King of the Vultures* described in Page 2. What is now mentioned may serve pretty certainly to fix his native Place, which before we did not know.



T H E
N A M E S
O F T H E
G E N E R O U S E N C O U R A G E R S
O F T H I S
W O R K .



A.

S I R Robert Abdy, *Bart. Member of Parliament for the County of Essex.*
Thomas Addams, *M. D.*
John Andree, *M. D.*

B.

T H E *Right Honourable the Earl of Burlington, &c.*
The Right Honourable the Countess Dowager of Burlington, &c.
John Bamber, *M. D.*
Robert Bankes, *M. D. three Books.*
William Battie, *M. D.*
William Bedford, *M. D.*
Mr. George Bell, Surgeon.
Mr. John Blackston, Apothecary.
Roger Bradshagh, *of Haigh, in Lancashire, Esq.*
Joh. Philippus Breynius, *M. D. of Dantzick.*
Mr. Brindley, Bookseller to his Royal Highness the Prince of Wales.

C.

T H E *Right Honourable the Lord Castlemain.*
Mr. Mark Catesby, F. R. S.
William Chambers, *M. D. of Hull.*

Charles Chauncy, *M. D.*
 James Chetham, *of Smedly, Esq.*
 Matthew Clarke, *M. D.*
Mr. Charles Collins, *Painter.*
Mr. Peter Collinson, *F. R. S.*
 Michael Connel, *M. D.*
 John Coningham, *M. D.*
 Charles Cotes, *M. D.*
 Thomas Crisp, *Esq. Bloomsbury-Square.*
 Thomas Crowe, *M. D.*

D.

M *R.* Joseph Dandridge.
 Ambrose Dawson, *M. D.*
 Peter Delme, *Esq.*
 Peirce Dod, *M. D.*
Mr. Francis Douce.
 John Draton, *of South-Carolina, Esq.*

E.

T *H E Right Honourable the Lord Edgcumb.*
Mr. George Denis Ehret, *Painter at Chelsea.*

F.

T *H E Honourable Major Fairfax.*
 Bryan Fairfax, *Esq.*
 Martin Folkes, *Esq. President of the Royal Society.*

G.

J *Ohn Godsalve, of Much Baddow, in Effex, Esq.*
 Charles Gore, *of Hoxtow, in Lincolnshire, Esq.*
Mr. Daniel Gwilt.

H.

T *H E Right Honourable the Countess of Hartford.*
The Right Honourable the Lady Gertrude Hotham.
The Lady of Sir John Heathcote, Bart.
 Abraham Hall, *M. D.*
 Gideon Harvey, *M. D. Med. Reg. ad Turrim.*
 Edward Hawker, *of Much Baddow, in Effex, Esq.*
 James Hawley, *M. D.*
Mr. Hays, *of the Exchequer.*
 Benjamin Hoadley, *M. D. Med. Reg. ad Familiam.*
 Robert Hopwood, *M. D.*

Samuel Horsman, *M. D.*
 Sir Edward Hulse, *Bart. Physician in Ordinary to his Majesty.*

I.

J Ames Jurin, *M. D.*

K.

M R. Thomas Knowlton, *of Landsburg, in Yorkshire.*

L.

A Twill Lake, *of Stepney, Esq.*
 Matthew Lee, *M. D. Physician to his Royal Highness the Prince.*
 Joseph Letherland, *M. D. two Books.*
 The Honourable Colonel Anthony Loucher.

M.

S I R Richard Maningham, *Knight.*
 Mr. Richard Manby, *Bookseller.*
 Peter Manwaring, *M. D.*
The Manchester Library.
 Richard-Middleton Maffey, *M. D. of Roftherne, Cheshire.*
 Mr. James Maffey, *of Manchester.*
 Richard Mead, *M. D. Physician in Ordinary to his Majesty.*
 James Mead, *Esq.*
 Richard Mead, *of Windsor, Esq.*
 Edward Milward, *M. D.*
 Rigby Mollyneux, *of Preston, in Lancashire, Esq.*
 James Monro, *M. D.*
 Mrs. Rhoda Morland.

N.

R Obert Nesbitt, *M. D.*
 John Newington, *M. D. of Greenwich, in Kent.*
 Frank Nicholls, *M. D.*

O.

M R. Philip Overton, *Print-Seller.*

P.

S I R Gregory Page, *Bart. of Greenwich, in Kent.*
 James Parsons, *M. D.*
 Charles Peters, *M. D.*
 George Pile, *M. D.*
 Henry Plumtre, *M. D. President of the College of Physicians, London.*
 Ruffel Plumtre, *M. D. Reg. Prof. Med. Cantab.*
 Mr. Samuel Pope, *of Ratcliff.*

Mr. John Priest.
Samuel Pye, *M. D.*

R.

John Ranby, *Esq. Serjeant-Surgeon to his Majesty.*
Thomas Reeve, *M. D.*
Thomas Reeve, *Esq. of St. Edmond's-Hall, Oxford.*
Thomas Reynal, *Esq.*
Francis Reynolds, *Esq.*
Richard Richardson, *of North Byerley, in the County of York, Esq.*
The Honourable Henry Rolle, of Bicton, Devon, Esq.

S:


John Sawbridge, *Esq.*
Peter Shaw, *M. D.*
William Shaw, *of Preston, in Lancashire, Esq.*
Richard Shepherd, *M. B. of Preston, Lancashire.*
Sir Hans Sloane, Bart. Physician in Ordinary to his Majesty, two Books.
Sir Hugh Smithson, Bart.
Sir Edward Smith, of Hill-Hall, in Essex, Bart.
The Spalden Society.
Thomas Stack, *M. D.*
Mr. Benjamin Stichall.
Mr. William Strutton, Merchant.
Mrs. Strutton.
William Stukely, *M. D.*


T.

James Theobald, *Esq.* }
Mr. Peter Theobald. } *of Lambeth.*
Mr. John Theobald. }
Benjamin Tilden, *Esq.*
Mr. Richard Turner Merchant.
Richard Tyfon, *M. D. Treasurer of the College of Physicians, London.*

W.

THE Honourable the Lady Wager.
The Honourable Horace Walpole, Esq.
Mr. John Warner, Merchant of Rotherhith.
William Wafey, *M. D.*
James West, *Esq. Treasurer of the Royal Society.*
William Whitaker, *M. D.*
Taylor White, *Esq.*
Edward Wilmot, *M. D. Physician in Ordinary to his Majesty.*
Mr. Richard Wright, }
Mr. Samuel Wright, } *Merchants, London.*





opit a wint

The white tailed Eagle from Hudsons Bay. Published September 1741. G. Edwards

The WHITE TAILED EAGLE.

THIS Bird not agreeing, in all Respects, with any of the Eagle-kind hitherto described, and coming from a Part of the World we know but little of, I have given it a Place here. It is of the common Size of *Eagles*, that is about the bigness of a *Cock-Turkey*. For Shape, it is flat-crown'd, short-neck'd, full-breasted, and brawny-thigh'd, having very long and broad Wings, in Proportion to the Body. The Bill is of a bluish, Horn-colour; the upper Mandible arch'd, and hanging over the lower, about an Inch, having an Angle or Tooth on each Side: The lower Mandible is shorter than the Upper, and received into it; the upper Mandible is covered about a third of its Length, from the Head, with a yellow Skin, called the *Cera*, from its resembling Wax, in which the Nostrils are situate: This yellow Skin reaches on both Sides, quite round the Corners of the Mouth. The Iris of the Eye is of a Hazel-colour; the Pupil, black, as it is in all Birds I have yet seen: Wherefore this Observation need not be repeated in the Sequel of this Work. Between the Bill and the Eyes, are Spaces of bare Skin, of a dirty Colour, thinly set with small, black Hairs: The Head and Neck are covered with narrow, brown Feathers, ending in sharp Points, like those on the Necks of *Cocks*; but not so long in Proportion: The whole Body is cover'd with dusky, brown Feathers, darker on the Back, and lighter on the under Side. The Breast is spotted with white, triangular Spots, having the sharpest Angles pointing upwards: These Spots are in the middle of each Feather. The covert Feathers of the Wings are of the Colour of the Body; the Quills, or Flag-feathers of the Wings, are black: A few of the Quills, and first Row of Coverts, next the Back, are variegated with transverse Lines, of a darker and lighter Colour. The Tail, which is of equal Length with the Wings, when closed, is white, both upper and under Surface, except the Tips of the Feathers, which are black or dark brown; and the covert Feathers under the Tail, are of a redish brown, or bay Colour; the Thighs are covered with dark, brown Feathers, of a very loose Texture, through which a white Down appears in some Places; the Legs are covered quite down to the Feet, with soft Feathers of a redish, brown Colour. It hath four Toes on each Foot, very thick and strong, covered with Scales of a yellow Colour, standing three forward, and one backward, after the usual Manner, armed with very strong Talons or Claws, of a black Colour, bending almost into semi-circular Figures, ending in very sharp Points.

This *Eagle* is a Native of *Hudson's-Bay*, in the northern Part of *America*, from whence it was brought by a Gentleman, employ'd in the *Hudson's-Bay* Company's Service, and by him presented to my very good Friend, Dr. R. M. *Masse*y, who obliged me with a Sight of it. He kept it many Years at his House at *Stepney*, near *London*, where I made the Drawing, from which this Print was taken.

The KING of the VULTURES.

THIS Bird is about the Bigness of a *Hen-Turkey*. I believe it is something less than the greater Sort of *Vultures*; nor has it such large Wings in Proportion. The Bill is pretty thick and strong, straight for a little way, then bends into a Hook, and over-hangs the lower Mandible; it is red at the Point, and black in the middle Part; the Base of the Bill, both upper and lower Mandibles, are cover'd with a Skin of an orange Colour, broad, and pointing to the Crown of the Head, on each Side above, in which Spaces are placed the Nostrils, of an oblong Shape: Between the Nostrils is a loose flap of Skin, scolloped, which falls indifferently on either Side of the Bill, when the Bird moves its Head. The Iris of the Eye is of a bright, pearly Whiteness; round the Eye, is an indifferent broad space of Scarlet Skin; the Head and Neck are cover'd with bare Skin; the Crown of a dirty, Flesh-colour, toward the Bill, and Scarlet in the hinder Part, behind which is a little Tuft of black Hairs: From this Tuft proceeds, on each Side, and parts the Head from the Neck, a sort of Stay of wrinkled Skin, of a brownish Colour, with a little Blue and Red in its hinder Part: The Sides of the Head are of a black or dirty Colour, with Spots of brownish Purple behind the Angles of the Mouth; the Sides of the Neck are red, which gradually becomes yellow in its fore Part; there runs a dirty yellow List down the hind Part of the Neck; and at the bottom of the Neck, a Ruff of loose, soft, ash-colour'd Feathers, quite round, in which, by Contraction, it can hide its whole Neck and Sides of the Head; the Breast, Belly, Thighs, and covert Feathers under the Tail are White, or a little inclining to Cream-colour; the back and upper Part of the Wings is of a light, redish brown, inclining to Buff-colour; the Rump and upper covert Feathers of the Tail are White; the Quill-feathers of the Wings, black; some of the middle-most Quills have their Shafts edged with white; the Row of Coverts, next above the Quills, is black, with light, brown Edges; the Tail is wholly black; tho' Mr. *Albin* makes it black only at the End; the Legs and Feet are of a dirty, white Colour; the forward Toes are joined a little way by a Membrane; the Claws are black, not so great nor crooked as in Eagles.

This Bird I drew at Sir *Hans Sloane's*, where it lived some Years. I have seen three or four of them; but could discover no such Craw of bare Skin, as *Albin* has figured. The People who made a Shew of this Bird in *London*, told me it was brought from the *East Indies*; tho' I believe it rather to come from the *West*. I have seen an old *Dutch* Print of this Bird, very incorrect, intitled, *Rex Warwouwarum, ex India Occidentali*. Mr. *Perry*, a great Dealer in foreign Birds and Beasts, has assured me these Birds are brought only from *America*. *Albin* supposes it to be like the *Brazilian Vulture*, called, *Urubu*, *Willoughby*, p. 68. tho' it differs widely from that which is no other than the *Turkey Buzard*, described in *Catesby's History of Carolina*. Had Mr. *Albin* been tolerably correct in his Figure of this Bird, I should not have published a second Draught.



Edwards delin

1739

The King of the Vultures.



from Hudsons Bay

The SPOTTED HAWK or FALCON.

THIS Bird is of the Bigness of a common *Crow*, as near as I could judge, and well shaped; the Head being pretty small and sharp; the Neck, short; the upper Part of the Body pretty round, and falls tapering to a Narrowness downward; the Train pretty long, and the Wings reaching almost to the End thereof; the Thighs, muscular and strong; the Legs of middling Length, the Toes connected by a Membrane a little way; the Bill is hooked, and bent downward, having an Angle in the upper Mandible, into which the lower or shorter is received: The Base of the upper Mandible is covered with a Skin, in which are placed the Nostrils. The Bill is of a Lead-colour, the Cera of a greenish Yellow; the Skin at the Corners of the Mouth of a redish Yellow; the Iris of the Eye is of a dark Colour; round the Eye is a bare Space of Lead-colour'd Skin; the Top of the Head, Neck, Back, and upper Side of the Wings, are of a middling brown Colour; the under Side from the Bill to the Tail, is white, spotted in the Throat with little dashes, of a dark Colour, tending downward, which gradually change their Shape into the Form of Crescents, finer on the Breast, more gross on the Belly: The Thighs are spotted with smaller Spots, which may be better conceived by the Figure than described in Words: The Quills, and the Row of Feathers immediately above them, are painted with transverse Lines of black or dusky; the upper Part of the Ridge of the Wing which cover the Breast is white; the covert Feathers within-side of the Wings are dusky, spotted with round Spots of white; from the corners of the Mouth under the Eyes, on each Side, is drawn a broad, black Mark, which tends downward as far as the beginning of the Neck: The Rump and upper Side of the Tail is of a dark Ash-colour, with transverse Lines of Black: The under Side of the Tail and Quill-feathers are of a lighter Ash-colour, and the Bars that cross them, fainter than in the upper; the Legs and Feet of a bright Yellow, covered with a scaly Skin; the Toes are armed with strong, sharp-pointed, black Claws, pretty much bent. I shall not, in the Course of this Work, trouble the Reader with the Number and Situation of the Toes, the Figures plainly expressing them; yet I shall describe all such as have not the usual Number, or whose Toes stand not in the ordinary Position.

This Bird was brought from *Hudson's-Bay*, and presented to Dr. *Masse* at *Stepney*, where it lived some short Time. This Draught was taken while the Bird was alive.

The BLACK HAWK or FALCON.

THIS *Falcon* or *Hawk* (for I take it, that these two Names should import the same thing, tho' it is usual to give the Name of *Falcon* to those of the greater Kind, and such only as are trained for Sport, the lesser Sort being generally call'd *Hawks*) is of the same Magnitude with that immediately foregoing, and in all Respects shaped like it, excepting that it is a little bigger-headed in proportion to the Body: The Bill is of a dark Lead-colour, a little inclining to Flesh-colour, the Skin covering it of the same Colour, but a little more inclining to Yellow; the Eye is of a dark Colour, with a bare Skin of a light Lead-colour round it, the Eyebrows overhang the Eyes, and are of a red Colour; the upper Side of the Head, Neck, Back, Wings and Tail, are of a black or very dark, dusky Colour: The Tips of the covert Feathers of the Wings and Tail are a little ruffet or redish; it is also a little redish in the hinder Part of the Neck: The Ridge of the Wing in the upper Part is white; the Quills within-side, are marked with transverse Bars of dusky and Clay-colour, as is the under Side of the Tail; the inner Coverts of the Wings are black, with round and irregular white Spots; the whole under Side is of a dirty Clay-colour, with black Spots at the Ends of the Feathers, in the Form expressed in the Figure. It hath black Marks from the Corners of the Mouth on each Side, extended backward in the form of Whiskers; round these black Marks is a small Mixture of dusky White; the Legs and Feet are of a dirty, greenish Lead-colour, but inclining more to Yellow, where the Legs and Feet join; the Soles of the Feet redish, the Claws black.

This Bird is a Native of *Hudson's-Bay*: It pitched on a Ship belonging to the *Hudson's-Bay* Company in *August* 1739, as the Ship was returning Home, after they had got a pretty Way through the Straits to Sea, and lived in *London* all the hard Winter, 1739. I was favour'd with a Sight of this Bird by *Taylor White*, Esq; who gave me Liberty to draw it. Whether this and the foregoing be Male and Female, I leave to the Judgment of those who understand Natural History.


The



The Black Hawk from Hudsons Bay

J. Edwards

1781-21. pubd





The black Parrot Published according to Act of Parliament May 11. 1742 George Edwards.

The BLACK PARROT *from* Madagascar.

THIS Bird is about the Bigness of the Ash-colour'd *Parrot* with a red Tail, or a *Tame Pigeon*. The Bill is short and thick at the Basis, bending downward as an Arch, the lower Mandible bending in the same manner upwards; the upper Mandible over-hangs the lower a little, but much less than I have observed it in some other *Parrots*: The Basis of the upper Mandible is covered with a bare Skin, in which are situate the Nostrils, pretty high and near each other; both the Bill and the Skin that covers it, were white, or light, yellowish, Flesh-colour; the Eyes had dark Irides, and a Space of bare white Skin round them: The Head and whole Body, both upper and under Side, is of a black or very dark, dirty, bluish Colour, like the Colour of *Pigeons*, which we call *Black Pigeons*, not like the Black of *Crows*: The upper Side of the Wings is lighter, being only of a dark, Ash-colour; amongst the Quill-feathers are intermixed three or four white Feathers in each Wing; the Feathers of the Wings are pretty long; the Tail is very long, for one whose Tail-feathers are of equal Length as this is, they having generally very short Tails; that kind of *Parrots*, whose Tail-feathers are of unequal Lengths, are as remarkable for very long Tails; the Legs are very short, and the Toes situate two backward and two forward, as in all the *Parrot*-kind; they are cover'd with a rough, scaley Skin, of a dirty Flesh-colour; the Claws are strong, crooked and black.

This Bird was first Sir *Charles Wager's*, and was presented by him to his Grace the Duke of *Richmond*, who employ'd me to make a Draught of it for him, and permitted me to take another for myself. It was a very gentle Bird, always choosing to be on the Hand, and when taken on the Hand, it would often repeat the Act of Treading, which makes me think it was a Cock-Bird. I believe it hath not yet been described.

The smallest GREEN and RED INDIAN PAROQUET.

IN this Plate, which was wrought from Nature, and not from a Drawing, the Bird is represented of its proper Size. It is less than the small red-headed *Paroquet*, commonly brought into *England*, which is pretty well figur'd and describ'd by *Albin* in his *History of Birds*, *Vol. 3. Page 15.* tho' his Drawing is something too small, seeing the Bird is a little bigger than what I have here represented, which is the least of the *Parrot-kind* I ever met with; the Bill is shaped like those in the greater Sort of *Parrots*, of a bright Orange-colour. I could perceive no Skin covering the Basis of the Bill; the Noftrils were near together in the upper Part of the Bill, very near the Feathers of the Forehead; the Eyes are surrounded with a narrow Space of Skin, of a light Flesh-colour; the Top of the Head is Red, or of the Colour of a *Sevil* Orange, which in the hinder Part of the Head gradually becomes Green, uniting itself with the Colour of the Back; the under Side of the Bird, middle of the Back, Wings, and Tail, are of a fine Green-colour, lighter on the Throat, Breast, Belly, and Thighs, and darker on the Back. Coverts of the Wing and Tail, darkest of all in the greater Wing-feathers; the lower Half of the Back and Rump, quite to the Tail, is covered with the same bright Red or Orange-colour with the Head, being intermixed with the Green, and losing itself in the middle of the Back; the Legs, Feet, and Claws, are of a Flesh-colour, the Toes standing as in other *Parrots*; the inside of the Quills, and the under-side of the Tail are Blue a very little inclining to Green.

This Bird was brought from *Holland*, in Spirits, by *Dr. Cromwell Mortimer*, Secretary to the *Royal Society*, who bought it there with other Things brought from some *Dutch* Settlement in the *East Indies*: He was pleased to lend it me, that I might draw it. This Bird was put in camphorated Spirits, and appeared of a brown Colour whilst in the Spirits, tho' the Glass was white Flint, and the Spirits clear; and when taken out, washed and dried, it became of the Colours above described. I believe no Author hath yet taken notice of this Bird.



The smallest red and green Parakeet natural sizes W. G. 1848



The T O U R A C O.

THIS Bird is about the Bigness of a *Magpye* or *Jay*; the Make of its Body is rather long than round; the Head of a moderate Size; the Neck of a middling Length; the Legs rather short than long; the Tail pretty long: It is a very elegant Bird, both for Shape and Colour; it is very active, flurting up its Tail, and raising its Crest; it swells its Throat, and utters a hoarse and disagreeable Sound; the Bill is short and compressed Side-ways; the upper Mandible a little arched, but not overhanging the lower; the under Side of the lower Mandible has a small Angle, as in the Bills of *Gulls*; the upper and lower Chaps are of a dirty Red or Brick Colour: I know not any Bird that has a Bill like this. The Eye is of a dark Hazel-colour, encompassed with a knotty Skin of a bright Scarlet-colour; from the Corner of the Mouth to the Eye, is a broad black Line, which grows narrower, and extends itself under and beyond the Eye; under this is a white Line, which extends a little farther back than the black Line, but doth not come forward so near the Bill; from the Corner of the Mouth is extended another white Line, which passes above the Eye, but not so far back as that beneath; the Head, Neck, Breast, and lesser Coverts of the Wings, are of a fine dark, Green-colour; on its Head it hath a Crest, which it raiseth at Pleasure; the very Tips of the Feathers on the Crest are Red; the Thighs, lower Belly, and Coverts under the Tail, are dusky or black; the Back, Wings, and Tail, are of a fine bluish Purple-colour; part of the greater Wing-feathers or Quills, next the Belly, are of a fine Crimson-colour, well expressed by pure Carmine; their Tips and Borders of the outer Webs are black; the Legs, Feet, and Claws, Ash-colour; the Toes are situate as in *Woodpeckers*, *Parrots*, and *Cuckows*: What Genus of Birds to range this with, I cannot positively say; it climes not as *Parrots* do, nor doth it agree with them in any respect, except in the Position of the Toes; nor is its Bill any thing like a *Woodpecker's*, so that I think it nearest the *Cuckow-kind*. *Albin* has figur'd this Bird, and calls it the *Crown Bird* from *Mexico*; tho' these Birds are indeed *Africans*, brought from *Guinea*, by the Way of the *West Indies*, to us; he hath not shaped his Bill right, nor described well the Marks about the Eye; he mentions White in the Wings, which I could not discover, tho' I have drawn after two different Birds of this Kind.


This Bird is now living at Colonel *Louther's* House in *St. James's Park*, where I have been permitted to make Drawings of it for several Persons of Distinction. The Texture of this Bird's Feathers are so fine, that no distinct Form of Feathers can be discovered, except in the Wings and Tail. See Mr. *Albin's* Figure, *Vol. 2, Page 18.* of his *Natural History of Birds*. His Bird was either a great deal less than mine, or one of us must be pretty much mistaken in the Size, since he makes it of the Size of the *Missel Bird*, which is not above half the Bigness of a *Jay* or *Magpye*, to which I have likened it for Size.

The GREAT KING-FISHER from the River Gambia.

FOR Bigness, this Bird equals, if not exceeds, the *Missel* Bird or *Greater Thrush*; it is great-headed, short-necked, the Body neither over-long or round, the Tail is long, the Wings pretty long, the Legs very short; the Bill is long and straight, pretty thick towards the Head, ending in a sharp Point, of a bright Scarlet-colour; the upper Mandible is channelled on each Side, in which Channels are placed the Nostrils, pretty near the Head; the Angles or Corners of the Mouth are deep cut, and fall directly under the Eyes; under each Eye is a narrow Border of white Feathers; the Head, Neck, whole under Side, and part of the Back, are cover'd with dirty Orange-colour'd Feathers; the Chin and Breast lighter than the Back; in the Middle of the Breast, some of the Tips of the Feathers are White; the Wings are Purple, in the upper Part the greater Feathers being Blue, yet the foremost of the prime Quills are Black; tho' the upper Part of the Wing be mostly Purple, yet there is a narrow Space of Blue runs round the Purple; the Ridge of the Wing is White; the lower Part of the Back and Rump is of a Blue-Green, changeable Colour; the Wing-feathers, which border on the Back, partake of the same changeable Colour; the Tail is of a fine Blue-colour, yet it in some Lights has a greenish Cast; the Legs and Feet are of a Red-colour, with black Claws; the middle and outer Toe joined together, as in our *King-fisher*. This Bird was preserv'd in the Collection of Mr. *Peter Colinson*, who on all Occasions has been my Friend, and helped me to many curious and uncommon Birds: He told me this Bird came from the River *Gambia*.

Albin has published a Bird something like this, which he calls the *Large King-fisher* from *Bengal*; but there is so much Difference, that they must be two different Species: I have seen both the Birds; *Albin's* is in Mr. *Dandridge's* Collection in *Moorfields*, which has convinced me they are specifically different, more than if I had seen only Drawings of these two Birds. See *Albin's* Figure and Description, *Vol. 3. p. 27.* of his *History of Birds*.







P. Edwards

The BLACK and WHITE KING-FISHER.

THIS Bird is of the Bigness of the *Song Thrush*, the Figure is of the natural Size; it hath a long straight Bill, flat Crown, long Head, and short Neck; the Head, I think, not so big in proportion to the Body, as in some others of this Genus; it hath pretty long Wings, and a long Tail; all of the *Kings-fisher*-kind are short-leg'd; the Bill is long and pretty thick at the Base, ending in a sharp Point, of a black Colour, having a Groove or Channel on each Side the upper Mandible, in which the Nostrils are placed near the Base; the Eyes are placed just over the Corners of the Mouth; the Crown of the Head and hinder Part of the Neck is black; from the Corners of the Mouth, under the Eyes, is a broad black Line, which falls into the same Colour behind the Neck; from the Nostrils are drawn white Lines above the Eyes, and continued the whole Length of the Head; the whole under Sides, from Bill to Tail, is of a dirty, yellowish White, except a little Bar of black Spots that crosses the Middle of the Breast; the whole Back is black, the Feathers having grey Tips; the Ridge of the Wing is White; all the Covert-feathers party-colour'd of Black and White; the bastard Wing Black; the first or largest Quill-feathers are white at their Bottoms, then black, having the very Tips white; the middle Quills have white Spots in their outer Webs, and white Tips; the remaining Quills next the Back, are black with white Tips; the Tail-feathers are white toward their Bottoms, with a Row of transverse black Spots; toward the Tips is a Bar of Black of an Inch broad, the Tips beyond the Bar being White; the Legs and Feet are of a dirty brown Colour, shap'd as in all others of this Kind. Mr. *Peter Colinson* lent me this Bird to draw; he received it with others from *Gamron* in *Persia*.

This Bird was preserv'd in Spirits, with many others, in a Glass to bring to *England*; the white Part appeared very dirty and yellow, which, I believe, was owing only to its being stained with the foul Spirits; for I have observ'd such Changes in Feathers which I knew otherwise to be purely White.

N. B. If any one would draw a Bird preserv'd in Spirits, let him take it out, wash it pretty well in warm Water, and rinse it in a good Quantity of cold, and let it dry gradually, and he will restore the true Colour of the Feathers, as far as can be; for some Feathers in the Glasses of Spirits, I have observed to appear of Colours very contrary to the true Colour they are of before they were put in.

The SWALLOW-TAIL'D KING-FISHER.

THIS Plate represents the Bird in its natural Size, which is nearly that of the *English King-fisher*, and it agrees also with ours in Shape, except the Wing being a little longer, and the Tail much longer, without regard to the two longest Feathers; the Bill is long, straight, and sharp-pointed, black of Colour, channeled on each Side in the upper Mandible, in which Channels are placed, the Nostrils pretty near the Head; the Corners of the Mouth fall deep into the Head, and the Eyes are placed just over them; the Head is of a dirty brown Colour, brighter towards the Bill, darker in the hinder Part; under the Bill is a pretty large white Spot an Inch broad, in the middle Part, but growing narrower on each Side toward the Neck; the whole Body is of a dirty Black, having a gloss of Blue, something lighter on the Breast, and darker on the Back; the Wings are of a fine, dark, shining Green, tho' lighter in the Covert-feathers than in the Quills; a single white Feather appear'd among the Covert-feathers of the Wing; the Tail had two long Feathers more than double the Length of the other Feathers; the upper Side of a dark glossy Green, on the under Side dusky, some of the shorter Feathers having white Tips; the Legs and Feet are Black, and made as in other *King-fishers*. This Bird, tho' of a dull Colour, hath all over it, when exposed to the Sun, a shining Lustre like a Mixture of Gold Threads with the Feathers, such as we see in most sorts of *Humming Birds*; it is more remarkably bright on the Covert-feathers of the Wings than in any other Part.

This Bird is in his Grace the Duke of *Richmond's* Collection; it was inclosed and pasted up in Glass, so that I could not handle it, nor could I certainly discover whether the two long Feathers in the Tail were the middle Feathers or the outer Feathers; tho' I think they are the middle Feathers. The Bird we call *Merops* in *Europe*, differs from the *King-fisher*, only in that it hath the Bill a little bent downward, and the two middle Feathers of the Tail being longer than the rest; the Bird above described, hath only one of these Marks of difference: It was brought from *Surinam* in *South America*, by the way of *Holland*. I cannot find that this Bird has been described or taken notice of by any Author.



The Kingfisher
from Surinam

Printed and Published by J. G. & J. S. at the Office of the Editor, No. 10, Pall Mall, London.



Small kingfishers from East India natural size published September 1742 G Edwards

The little INDIAN KING-FISHERS.

THESE Birds so nearly resemble the *King-fisher* we have in *England*, that the Description of the one will almost answer for the other, except in the Bigness, these being not half so big as ours in *England*; the Plate shews them in their natural Bigness, there being some small difference between these two Birds, it is like they may be Cock and Hen; the upper Bird hath a yellow Bill, inclining to Orange; the whole under Side is of an Orange-colour; the Top of the Head, Neck, Back, Rump, and Covert-feathers of the Wings are Blue, the Points of the Feathers being very light and bright; at the Base of the upper Mandible of the Bill, on each Side, is an Orange-colour'd Spot; behind each Ear likewise is a little Tuft of Orange-colour'd Feathers, which seem to stand a little way out; the Feathers of the Tail, and all the Quills of the Wing, are of a dirty, blackish Brown; the Legs and Feet are made as in other *King-fishers*, of a dirty Orange-colour.

The lower Bird hath a black Bill, darker towards the Point; the lower Chap for a little Space, next the Head, is Flesh-colour; the Throat is white; the Breast, Belly, and whole under Side, is Orange-colour, tho' the Sides of the Belly are a little intermixed with Green; from the Nostrils, through the Eyes, are drawn on each Side, Lines of Orange-colour, which reaches down the Sides of the Neck; below these, on each Side from the Angles of the Mouth, are drawn Lines of Blue-green; the upper Side, Head, Neck, Back, Wings, and Tail, are cover'd with Blue-green Feathers; the Top of the Head and the Mark on the Cheek, has transverse Lines of a darker Blue; the Tips of the Coverts of the Wings are lighter than the other Part of the Feathers; the Legs and Feet are of a dirty Red; the upper Bird differs from our *King-fisher*, in that it hath a yellow Bill, which in ours is black or dusky, and that this hath dirty brown Quill and Tail-feathers; ours are so far edged with Green, as to appear Green when the Feathers are closed. The lower Bird differs from ours, in not having very bright, blue Feathers on its Back and Rump, which in ours are remarkable for their bright Lustre: There came with one of these Birds from *India* a *King-fisher*, altogether like ours in *England*, both for Bigness, Shape, and Colour. Mr. *Peter Colinson* obliged me with the upper Bird, and Mr. *Dandridge* with the lower. They came from *Bengal* in the *East Indies*.

The ARABIAN BUSTARD.

THIS Bird is about the Bigness of a *Turkey*, it is longer leg'd and neck'd, and slenderer-body'd than the common *Bustard*: It hath a Bill longer than is common to the Poultry-kind, of which this is a Species: From the Point of the Bill to the Angles of the Mouth is three Inches and a Half; the Bill is of a light Horn-colour, a little darker at the Point; the Nostrils are long, and placed near the Forehead; the Eyes are of a dark Colour; the Fore-part of the Head is white; above the Eye is a Line of black, ending in a Point toward the Forehead backward; it increases in Breadth, and forms a sort of black Crest, from which Crest proceeds a short black Line, and reaches almost to the hinder Part of the Eye; the Neck, forward, is Ash-colour'd, with small transverse Lines of a darker Colour; the hinder Part of the Neck and Back are of a brown Colour, with fine transverse blackish Lines; the Coverts of the Wings of the same Colour with the Back, the Tips of the Feathers being white, form Spots like Half-moons; the Ridge of the Wing in the upper Part is White, from whence proceeds a broad white Bar, that separates the Covert from the Quill-feathers; this Bar is sprinkled with small black Spots, few or none in the upper Part, thickly strewed in the lower; the bastard Wing is black, the Feathers having white Tips; the foremost of the prime Quills are black, the middlemost are spotted black and white, being part of the above-mentioned Bar, drawn obliquely down the Wing; the inner Quills, next the Back, are of the same Colour with it; the Breast, Belly, Thighs, and whole under Side, are purely White; the Tail on the upper Side, is colour'd like the Back, tho' the outer Webs of the outside Feathers are partly White, the under Side of the Tail hath a Bar of Black across it, near the Tips of the Feathers; the Legs are pretty long; it has only three Toes, which are very short, all standing forward; the Legs are bare of Feathers for some Space above the Knees; both Legs and Feet are cover'd with a scaly Skin of a dirty white or light brownish Colour; the Claws of the same Colour.

This Bird was kept alive many Years by my honoured Patron Sir *Hans Sloane*, Bart. at his House in *London*, whose Goodness always gave me free Leave to draw any curious Thing he had in his Possession. This Bird was brought from *Mocha* in *Arabia Felix*, and presented to Sir *Hans Sloane*, by *Charles Dubois*, Esq; Treasurer to the *India* Company. It hath not yet been describ'd by any Author that I know of.



the Arabian Bustard

J. Edwards



the Brazilian Jacupema of Marggrave

The QUAN or GUAN, so called in the West Indies.

THIS Bird is a little bigger than a common *Hen*, near the Bigness of the larger Kind of Poultry; for Shape of Body, it pretty nearly resembles a *Turkey*, to which I take it to be near of Kin; the Bill straight, longer than a *Hen's* Bill, bending down a little at the Point, of a black Colour; the Nostrils placed pretty near the Head; the Sides of the Head are of a Blue-purple-colour'd Skin, bare of Feathers; in the middle of these bare Spaces are placed the Eyes, whose Irides are of a dark, dirty Orange-colour; under the Chin, and a little way down the Neck, there hangs a loose Skin, of a fine red Colour, thinly set with black Hairs; the Top of the Head is cover'd with black Feathers, which it can erect into a Crest; some have little or no Appearance of a Crest, I suppose they are Hens; the whole Body, downward from the Head, is cover'd with black Feathers, or very dark, rusty Brown; the fore-part of the Neck, Breast, and Belly, have white Spots and Dashes tending downward, intermixed with the dark Colour; the Coverts of the Wings have something of a green and purple Gloss, the Quills more inclining to Purple; the Back and Rump reflect a Copper-colour'd Gloss; but all these Glosses change to different Colours in different Positions of Light; yet in a bad Light, the Bird seems to be only of a rusty Black, having no Lustre at all; the Thighs and lower Belly are of a rusty Black, having no Gloss; the Tail is pretty long, shaped like a *Turkey's* Tail, of a dull Black; the Legs and Feet are of a bright Red; it hath four Toes standing after the usual manner: I could see no Spurs it had; the three forward Toes are join'd together a little way by a Membrane; the Claws are black.

I saw one of these Birds at Captain *Chandler's* at *Stepney*, who brought it with him from some one of the Sugar Islands in the *West Indies*, I have forgot directly which; but I suppose it may be found in most of them. The *Brasilian Jacupema* of *Margrave*, I believe, is the same with this Bird, tho' his Description differs something from mine.

The GREEN-WING'D DOVE.

THIS *Dove* is represented in the Plate of its natural Bigness: It is rather round than long-body'd; the Tail and Wings not so long as in most kind of *Doves*. I think it the most beautiful of all the *Dove*-kind I have hitherto seen. The Bill is near an Inch long and pretty slender, of a Scarlet-colour, from the Point to the Nostrils, both upper and under Chaps; from the Nostrils to the Head of a pale Blue, a little Rifing in the upper Part; the Eye is of a dark Colour; the Forehead is white, from which proceed two white Lines above the Eyes, towards the hinder Part of the Head; the Crown of the Head is of a bluish Colour; the Sides of the Head, Neck and Breast, are of a Rose-colour, tho' the hind Part of the Neck gradually changes to a more dirty Colour; the Belly is of a dirty Orange-colour, which insensibly softens into and unites with the Rose-colour of the Breast; the upper Side of the Wings are of a fine Green-colour in some Lights, which in other Positions to the Light, appear of a splendid Copper-colour, or a Colour more inclining to Gold; the greater Quills are of a dirty Black; the Shoulder or Ridge of the Wing is spotted with small white Spots; among the Covert-feathers of the Wing, on one Side only, was a single white Feather; the Sides, under the Wings, are of the same Colour with the Belly; the Covert-feathers, within-side of the Wings, are of a dark Cinnamon-colour; the inner Webs of the Quills from their Bottoms, for a good way towards their Tips, are also tinged of a Cinnamon-colour, otherwise they are of a dusky Black; the middle of the Back is of a dirty Brown; the lower Part of the Back, and the Feathers covering the Tail, are Ash-colour; the middle Feathers of the Tail are Black; the outer Feathers Ash-colour, with black Tips; the Legs and Feet are of a Red-colour, such as is common to most of the *Pigeon*-kind; the Claws are light Brown.

This *Dove* was presented to Mr. *John Warner*, Merchant in *Rotherhitb*, at whose House I took a Draught of it. He told me it was brought from the *East Indies*. I saw another of these Birds, kept some time in a Cage at Sir *Hans Sloane's*.



The green winged Dove from the East Indies 1741



0.071 - 01 207

G. Esmer

The LONG-TAIL'D DOVE.

THE Figure of this Bird shews it of its natural Bigness; it hath but a small Head in proportion to the Body; the Neck of a middling Length; the Body pretty long; the Tail longer than the whole Body; the Wings of middling Length; the Bill is straight, not very thick, a little bent downwards at the Point, of a Horn-colour, light about the Nostrils, and a little Rising, darker towards the Point; the Iris of the Eye is of a dark Colour; from the Corner of the Bill to the Eye, is drawn a white Line, which incircleth the Eye; the Fore-part of the Head, above and beneath the Bill, is of a yellowish or Clay-colour, the hinder Part is of a *Pigeon* Blue, pretty light; these Colours lose themselves in each other, where they unite; where these two Colours meet on the Sides of the Head, just under the Ear-holes, are situate on each Side a round black Spot of the bigness of a Tare; the Fore-part of the Neck and Breast are of a blush or Blossom-colour, more intense above, changing gradually towards the Belly into a Clay-colour; the lower Part of the Belly, Thighs, and Coverts under the Tail, being Clay-colour, with a little mixture of Cinerious; the upper Side of the Neck, Back, and upper Side of the Wings, is of a dark, dirty Brown, the Quills being darker than the Covert-feathers, though the Edges of the Webs of the Quill-feathers are a little lighter colour'd than the rest of the Wing; the Scapular-feathers between the Back and Wing, as also some of the Quills and Coverts next the Back, are marked at their Ends with oval black Spots of different Magnitudes, about 10 or 12 in Number on each Side; the Rump, and Feathers covering the Tail, are more inclining to Ash-colour than the Back and Wings; the middle Feathers of the Tail are very long and black, the side Feathers gradually grow shorter, so that the outer-most on each Side, little exceed half the Length of the middlemost; the outer Feathers are of a bluish or Ash-colour, having Bars of Black near their Tips, the Tips themselves being White; the Legs and Feet Red, as in others *Doves*; it hath four Toes standing after the usual Manner; the Claws are Brown. What is most singular in this Bird, is the Length of the Tail, which is shap'd like a *Magpye's*, no Bird of the *Dove* or *Pigeon-kind*, that I have met with, having the like. This Bird hardly differs at all from some others in the *West Indies*, save in the Tail.

I drew this Bird at Mr. *John Warner's* of *Rotherhitb*; who had it of a Person that brought it from the *West Indies*.

The TRANSVERSE STRIPED *or* BARED DOVE.


THIS Bird for Shape, agrees with most of the *Dove*-kind; for Magnitude it is one of the smaller Sort, being of the bigness of the Draught, or if any Difference, 'tis rather less; the Tail of a pretty good Length, in Proportion to the Body, the Feathers being of equal Length; the Bill is shap'd as in other *Doves*, of a light Horn-colour; from the Nostril to the Eye, and round the Eye, is a narrow white Stroke; the Iris of the Eye, Blue-grey; the Forehead, round the Eyes, Cheeks, and under the Bill, are light Blue; the Crown, and hinder Part of the Head, are Red or Ruffet; the Fore-part of the Neck, Breast, Belly and Thighs, are of a faded Rose or Blossom-colour; the Feathers under the Tail, White; the Sides of the Neck, and Sides of the Body under the Wings, which partly appear when the Wings are closed, are of a bluish Colour, thick set with very fine transverse Lines of a darker Blue or Black; the upper Side of the Neck, Back, Wings and Tail, are of a dirty, brownish Ash-colour; the hinder Part of the Neck, Back, and Covert-feathers of the Wings, are mark'd at little Distances with very distinct transverse Lines of Black, which are continued from Wing to Wing across the Back, with little Breaks or Interruptions; the greater Quills are something darker than the Coverts of the Wing: Though the Tail be of the Colour of the Body, yet the outside Feathers are darker, approaching to Black, having their Tips White about an Inch deep; the Legs and Feet are shap'd as in other *Doves*, of a paler Red than is common to most; the Claws brown. Though I have mention'd many different Colours in this Bird, you must not understand a sudden meeting of any two Colours, as in Patch-work, but such an Union and gradual Change from one Colour to another, as a skillful Painter expresses in his softest Shadows.

I took this Draught from the Bird alive, at Sir *Charles Wager's* House at *Parsons-Green*. I was told by Sir *Charles's* Lady it was brought from the *East Indies*.

The



a Dove from the East Indies natural bignes





The Myna or Mynar

W. Woodcut

The MINOR or MINO, Greater and Less.

I Suppose the above Name may be the *Indian* Name of this Bird, in the Country from whence it is brought. I take it to be near of Kin to the *Jacdaw*; the Greater, for Bigness, equals a *Jacdaw* or *Magpye*, the Lesser hardly exceeds a *Black-Bird*, so that the one is at least twice as big as the other; they have middling siz'd Heads, pretty plump round Bodies, and short Tails; the Legs of a middling Length; the Bill is pretty thick at the Basis, from upper to under Side, but something compressed Sideways, of a red Colour towards the Head, and a yellow Point in the lesser Bird, and all over Yellow in the Greater; the Bill ends in a Point not very suddenly or sharp; the Feathers on each Side point into the Bill as far as the Nostrils; the Eyes are Hazel-colour'd in both; in the hinder-part of the Head in both, are two little Flaps of yellow Skin in the form of Crescents with the Points upwards, one Corner of each being behind the Eyes, the other Corners uniting in the hinder-part of the Head; under the Eyes are other yellow bare Spots of Skin, which are joined to the before-mention'd, in a manner not easy to express; but by the Figure, I have been more full in this Particular, because Mr. *Albin* has published this Bird, and falsly describ'd these Marks, which are the Characteristicks, both in his Figure and Description. I have had opportunity to examine several of these Birds, tho' they are very rare: The Head, Neck, whole Body, Wings and Tail, are cover'd with black Feathers of a great Lustre, shining in different Lights with blue, green and purple Glosses; the Feathers on the hinder-part of the Head, that are encompass'd by the bare Flaps of Skin, resemble Hairs or Velvet for their Fineness; the Bottoms of some of the first of the Quills are white, which form a white Spot in the middle of the Wing; the Legs and Feet are of a yellow Colour inclining to Orange in the lesser Bird, more Yellow in the Greater; the Claws light Brown; the Number and Position of the Toes, as in the Figure.

The lesser Bird I saw at a Dealer's in curious Birds, in *White-Hart Yard* in the *Strand*, *London*. The Greater, belong'd to the late Dr. *George Wharton*, Treasurer of the *College of Physicians*, *London*, who employ'd me to draw it for his Lady, and gave me leave to take a Draught for myself. After it died, I open'd it and set up the Skin: I found it to be a Hen Bird. Whether these two Birds, so unequal in Size, tho' so exact in Likeness, be Male and Female of the same Species, I leave to the Judgment of the Curious. I find in *Willoughby* a very brief Account of a Bird, which I take to be this, it is *Bontius's Indian Stare*, P. 196. Tab. 38. For Whistling, Singing and Talking, it is accounted in the first Rank, expressing Words with an Accent nearer Human than *Parrots* or any other Birds usually taught to talk. They are said to come from the Island *Borneo*, and 'tis likely they came from thence and the adjacent Parts. They are brought to us by the *India* Company's Ships. See Mr. *Albin's* Figure, in his *History of Birds*, Vol. 2. Plate 38.


The SOLITARY SPARROW.

FOR Bigness, Shape of Body, and Proportion of Parts, it is like the *Black-Bird*; the Figure represents the Bird of its natural Size. The Bill is straight, the upper Mandible bending a little downwards at the Point, of a black Colour above and beneath; the Inside and Corners of the Mouth of a redish Yellow-colour; the Eye is of a dark Hazel-colour; the Eye-lids all round, of a yellow Colour; the Feathers of the whole Bird, except the Quills and Tail, are of a full Blue, darker on the Back, and lighter on the Breast; the Feathers on the Breast and Belly being bared across or fringed with a lighter Colour; the Quills and Tail-feathers are of dusky Brown or Black, yet have they on their outer Webs something of Blue; some of the first Row of Wing Coverts, next the Belly, are tip'd with White; the Legs and Feet are Black; it hath black Claws.

This Bird is describ'd by *Willoughby*, P. 191. but there being no good Figure of it, I thought it might be acceptable to the Curious. They are fam'd for the Sweetness of their Singing. My Description differs a little from that in *Willoughby*; but I always choose to describe from Nature itself, before I consult the Descriptions of others. The Hen is describ'd, together with the Cock, in the above Page of *Willoughby*. I drew and describ'd this from the live Bird at Sir *Charles Wager*'s. They are said to be found in the mountainous Parts of *Italy*, and breed in Rocks and old ruin'd Towers; but I have reason to believe they are scatter'd all over *Europe*, especially in the Southern Parts, since I have seen some of them that were shot at *Gibraltar*, and sent dry'd to *London*.



the Solitary Sparrow





The CHINESE STARLING or BLACK-BIRD.

THIS Bird is call'd by our Sailors, who bring it from *China*, a *Martin*; but it being not of Kin to that Genus, I have taken the Liberty to change its Name, it being nearer of Kin to the *Starling*, than to any other *European* Bird; tho' it comes nearer to the *Minor* before describ'd, and is about the Bigness of the lesser Sort of *Minor*; the Bill is pretty thick towards the Head, straight, grows gradually more slender, and ends in a Point, of a yellow Colour; yet the lower Mandible, towards the Head, inclines more to Red; the Nostrils are low on each Side, pretty near the Slit of the Mouth; the Eye is of a fine Gold or Orange-colour; it hath on the Forehead, just at the Basis of the Bill, a remarkable Tuft of Feathers, which it can erect at Pleasure in form of a Crest; the Crown of the Head is flat; the Head, Neck, whole Body, Wings and Tail, are of a black Colour, not glossy and shining with splendid Colours, as in the *Minor*, nor quite so dark as our common *Black-Bird*, but seems to incline a little to a dirty Blue; the Bottoms of some of the first Quills, next the Belly, are White, which form a white Spot in each Wing; tho' the Tail is Black, yet the side Feathers are tip'd with White; the Legs and Feet are of a dull Yellow; the Claws of a light Colour.

This Bird being newly dead, the Iris of the Eye retaining its Lustre, was given to me by a Gentleman who brought it from *China*. I have since seen some of them alive in Bird-Merchants Hands, from whom I drew out Lines to improve my first Draught. They are brought to us with much Difficulty, many dying for one that escapes in the Voyage. They take to Whistling and Talking pretty well. This Plate represents the natural Bigness of the Bird. We see it frequently drawn in Pictures brought to us from *China*; but no Natural Historian, that I know of, hath given us any Draught or Description of it.

The ROSE or CARNATION-COLOUR'D OUZEL of Aldrov. Lib. 16. Cap. 15.

THE Print here represents the Bird of its natural Bigness; it is shap'd pretty much like a *Starling*, tho' the Tail is something longer, yet not so long as the *Black-Bird's*; it hath on its Head a Crest, here drawn as it appeared in the dead Bird preserv'd dry, which Crest erected in the living Bird must, doubtless, appear very beautiful: The Bill is of a middling Length and Thickness, bowed a little downward and ending in a Point; the Point is of a black or dusky Colour, which gradually changes into a dirty Flesh-colour towards the Head; the Angles of the Mouth are pretty deep, reaching almost under the Eyes; the whole Head, Neck, Wings and Tail, are Black, with a bright shining Gloss of Blue, Purple and Green, changing Colour as it is differently turned to the Light; the Covert-feathers within-side of the Wings are Black, with dirty white Edges; the Quills within-side are of a dirty, blackish Brown; the Breast, Belly, Back, Rump, and lesser Coverts of the Wings, are of a Rose or Blossom-colour, seeming to be a Mixture of lighter and darker Parts; there are sprinkled on the Belly, Coverts of the Wings, and Rump, a few black Spots; the Thighs, lower Belly, and Coverts under the Tail, are of a dusky dull Black; the Legs and Feet are made after the usual form, the outer and middle Toe join'd a little way; both Legs and Feet are of a dirty Orange-colour; the Claws Black.

I take this Bird to be a Cock, because *Willoughby's* Description, P. 194. translated from *Aldrovandus*, says the Hen hath not so bright a Black as the Cock; it is said to frequent Dung-heaps. *Willoughby's* Description seems to be too brief, therefore I choose strictly to describe this Bird from Nature, having the Advantage of seeing it, which Mr. *Willoughby* had not: But whoever will take the trouble to compare this Description with that of *Aldrovandus*, I believe will agree with me that this must be the same Bird he has describ'd. You may see this Bird very perfect, curiously stuffed and set on a Perch at *Salter's* Coffee-house in *Chelfea*, where I had Liberty to draw it. Tho' this Bird is not a Native of *England*, yet it was shot at *Norwood*, near *London*; for it often happens that Birds, not Natives of our Island, are, through Storms or other accidental Causes unknown to us, brought over hither. The *Upupa* or *Hoopoe*, being also a foreign Bird, was shot at *Norwood*, and is likewise preserv'd at *Salter's* Coffee house with this.

The



to the ... of the ...
near ...

APR - 8 1742

Published May 1742 by George Edwards








from Surinam

the Manakin

The blue Creeper
Published according to Act of Parliament June 1742 by Geo Edwards

The BLUE CREEPER.

THE Figure shews the natural Bigness of this Bird: It hath a small Head, and a short Tail; the Bill agreeing in Shape with the *Certhia* or *Creeper*. I have given it that Name, tho' the Bill is a little longer, it being about an Inch long, slender, and bowed downward, of a blackish Colour; at the Base of the upper Mandible the Feathers are Black, which join with a black Line drawn from the Corners of the Mouth to the Eyes; under the Bill also is a black Mark, drawn a pretty way down the Throat, as in the *Cock Sparrow*; the whole Head and Body is of a fine deep Blue; the lesser Covert-feathers of the Wings are also Blue; the prime Feathers, and the Row next above them, are Black; the Tail is short, very little exceeding the Length of the Wings, of a black Colour; the Legs, Feet, and Claws, are of a light yellow Brown.



The GOLDEN-HEADED BLACK TIT-MOUSE.

THERE is no Genus of *European* Birds to which I can liken this Bird: It is pretty big-headed, round-body'd, short-tail'd and leg'd; it hath the Feet form'd directly as in the *King-fisher*, and wanteth only a long Bill to make it a perfect *King-fisher*. I believe by its Feet and short Legs, it is of that Tribe, and may perhaps live and feed on Insects in Cane Swamps, as the *King-fisher* does on Fish, on the Borders of Rivers; but this is Conjecture. This Figure shews the Bird of its natural Size. I have seen *Dutch* Drawings of these Birds, entitled, *Manakins*, which is a Name the *Hollanders* give to some *European* Birds also; it hath a short Bill, not thick or very slender, but shap'd like the Bills of *Tit-mice*, of a white Colour; the Crown, hinder Part of the Head and Cheeks under the Eyes, are of a bright Orange or Golden-colour; the Throat, whole Body, Wings and Tail, are Black, yet shining with a blue or purplish Gloss when expos'd to a good Light; the Feathers covering each Knee are of an Orange-colour; the Legs very short; the Toes as in *King-fishers*, with small Claws; the Legs, Feet, and Claws, are all of a Flesh-colour.

These two curious Birds, above describ'd, were lent me by his Grace the Duke of *Richmond*. They are neatly set up, with many others, in Glass-Cases: they were sent to the Duke from *Holland*, who told me they came from *Surinam*, a *Dutch* Settlement on the Continent of *South America*, which lies in a very warm Latitude. I have called it a *Tit-mouse*, because it hath a Bill like that Tribe of Birds, and is of the same Size; but I do not think it a Species belonging to that Genus. I have seen Drawings of both these Birds in the Collections of the Curious; but no Figures of them have been publish'd with Descriptions, that I know of.

The RED-BELLY'D BLUE-BIRD.

THIS Plate shews the Bird of the bigness of Life; it is of that Tribe which *Willoughby* has call'd *Slender-bill'd Birds*, whose Tails are all of one Colour, of which Number is the *Nightingale*, *Robin Red-breast*, *Redstart*, and many other *English* Small Birds; it hath a slender sharp-pointed Bill, of a middling Length, of a dark Lead-colour; the Head, Neck, Breast, Wings, Tail, and upper Part of the Back, are of a purplish blue Colour, partly very bright, partly obscure; the Sides of the Head, the Breast, and the Coverts of the Wings, are the brighter Parts; the upper Part of the Neck and Back, of a dull dirty Blue, partaking a little of Green; from the under Part of the Bill, a little way down the Throat, is of a dirty Blue or dark Colour; the Quills and Tail-feathers are of a black or dusky Colour, the Edges of the Feathers being Blue; the lower Part of the Back is of a light Colour, with a faint Mixture of Rose; the Covert-feathers of the Tail of a fine blue purple Colour; the Thighs, lower Belly, and Coverts under the Tail, are of a dirty redish Orange-colour; the Legs, Feet, and Claws, of a dark Lead-colour.

I was favour'd with a Draught of this Bird by his Grace the Duke of *Richmond*: It was brought from *Surinam*. I believe this Bird hath not before been describ'd.

The SCARLET LOCUST.

THE Figure presents you the natural Bigness of this Insect: The Head and Horns are of a dull Red; the Scale or Shell, which covers the middle of the Body, of a bright Red, and rough like Shagreen; the Wings of a dull Red; the hinder Part was composed of black and scarlet Rings quite round; the under Side of the middle of the Body of a dirty Red; the Legs of a bright Scarlet, except the Joints, which were black.

This Insect came accidentally alive from the *West Indies* in a Basket of Pine-Apples. It was given me by Dr. *R. M. Masséy*: It fed on Vine-Leaves, and lived a whole Summer in *England*.

The



The blue flycatcher from Surinam Published according to Act of Parliament May 1742 Geo Edwards



The red headed finch from Surinam published according to Act of Parliament May 1742

The RED-HEADED GREEN-FINCH.

THIS is of the Number of very beautiful Birds; it is here figur'd of the bigness of Life: I take it rather to be of the thick and hard-bill'd Kind, than of slender-bill'd Birds, who live mostly on Insects, yet the Bill is not so big in Proportion as in most small Birds, call'd *Hard-bill'd Birds*; but many *American* Birds differ so much in little Circumstances, that one cannot easily conclude what *European* Birds to range them with: The Bill is of a light brownish or Horn-colour; its Shape is very well express'd in the Figure; the Head is of a red Colour, not bright Scarlet, but something dull, and inclining to a high-colour'd Orange; round the Neck is a yellow Ring, which points upwards a little under the Bill; the Neck, Back, Wings and Tail, are of a fine Parrot-green; the greater Quills towards their Pips, are dusky; on the upper Part of the Wing near the Joint or Bend, is a roundish yellow Spot, near half an Inch in Breadth; the Breast and Belly, as low as the Thighs, are of a pleasant light blue Colour; the upper Part of the Thighs, lower Belly, and under the Tail, are Green; part of the Thighs next the Legs are Yellow; the Legs, Feet, and Claws, of a light brown Colour.

This Bird is in the Duke of *Richmond's* Cabinet; it came from *Surinam*. Where my Subjects have been Birds out of Spirits, or otherwise preserv'd, I have made no mention of the Colour of their Eyes, not knowing what Colour they have been of; though a Brother Author that has lately published some hundreds of Birds, was not pleas'd to do so, for he has given Irides of very beautiful and shining Colours, both in Description and Colouring, to many Birds which he never saw alive, or newly dead, or any Person who could inform him. Mr. *Dandridge* in *Morefields* is possess'd of many of the Birds, from which his Descriptions were taken, who has told me, that he himself never knew what Colour the Eyes of these Birds were of, so could not pretend to tell it to another. I cannot find that the above-describ'd Bird has been before taken notice of by any one.

The BLUE RED-BREAST.

THIS Bird seems to be of that Tribe or Family of slender-bill'd Birds who feed on Insects: The Print gives its natural Size, or if there be any Difference, the Bird is rather bigger than the Figure, if I, contrary to Custom, may be allow'd to point out my own Mistakes: It is shap'd like a *Redstart*; the Bill is sharp-pointed, slender, of a moderate Length and dusky Colour; the whole upper Side, Head, Neck, Back, Wings and Tail, are of a fine full blue Colour, except the Ends of the greater Quills, which are Black with brown Tips; the whole under Side, from the Bill to the Covert-feathers under the Tail, is of a redish Colour; just under the Bill, White, or very light Russet; on the Breast the Colour gradually heightens to a full Orange, or the Colour of a *Robin's* Breast; towards the Belly the Colour dies again into a faint Red, and so continues to the Covert-feathers of the Tail; the Thighs are of the same faint or light Red; the Legs and Feet, which are form'd and stand after the usual manner, are of a brown Colour; it hath dusky Claws.

I had this Bird of Mr. *Peter Colinson*, who, I think, told me it came from *Bermudas*. Mr. *Catesby* has, in his History of *Carolina*, Vol. 1. p. 47. describ'd and figur'd a Bird nearly resembling this, which he calls simply the *Blue-Bird*; but as this differs something from his Bird, I thought it would not be amiss to figure and describe it under the above Name. The only difference between this Bird and his, is, that the red Colour in mine was continued quite to the Bill; his was Blue on the under Side of the Neck, from the Bill to the beginning of the Breast, and by his Description mine seems to be of a brighter Red on the Breast, yet I believe them to be the same or near of Kin. I should not have presumed to re-publish any thing that was directly the same with what has been published by Mr. *Catesby*, because I know myself not capable to add any Amendments to what he has done. Mr. *Catesby* has call'd his Bird *Rubecula Americana*, which is a proper Name enough, since both his Bird and mine are certainly of that Genus, of which the *Robin Red-breast* is a Species.



The blue-red-breast Published according to act of Parliament Anno 1741 G. E. Edwards



The Great fly-catchers from Surinam Published according to act of Parliament May 1742 Geo E. Edwards.

The GREEN BLACK-CAP FLY-CATCHER.

THIS Bird is figur'd of its natural Bigness ; for shape of Body it's like a *Robin Red-breast* ; the Bill is slender, of a middling Length, bowed downward a very little towards the Point, which is sharp, of a dusky or Horn-colour above, the lower Mandible lighter, both a little Yellow next the Head ; the Crown, Sides, and hinder Parts of the Head, are cover'd as it were with a Cap of black Feathers, having a Point or Corner under each Eye ; the Eyes are placed on each Side the Head in the middle of the black Part ; the Throat, quite to the Bill, and the whole remaining Part of the Bird, is of an equal blue-green Colour ; the Quills are something darker than the other Parts, especially the greater or outer Quills, which lose their Greenness by degrees, and become blackish at their Tips ; the Legs and Feet, which conform to the usual Shape, in small Birds, are of a dark Lead-colour.

*The* BLUE-HEADED GREEN FLY-CATCHER.


THIS Bird, in Figure and Magnitude, is equal to the above-describ'd, or if there be any Difference on comparing the Birds themselves, I thought this rather the least ; the Shape of the Bill is the same with the above ; it is of a light Ash-colour or White, in the upper Part lightest at the Base ; the lower Mandible is of a darker Ash-colour ; the Top and Sides of the Head are of a light Blue-colour ; the Throat, just under the Bill, is White, for a small Space ; the Neck, whole Body, and Tail, are of a very yellowish Green ; the Wing on the Shoulder, or Part next the Head, hath a roundish Spot of Blue ; the Covert-feathers and Quills, except the Greater, are Yellow-green, like the Body ; the greater Quills are of a dark Brown, or black Colour ; the under Side of the Tail is dusky ; the Legs and Feet of a faint yellow Colour.

These two Birds are preserved in the Cabinet of his Grace the Duke of *Richmond* ; they are Natives of *Surinam*. They being so like in Shape and Colour, I am inclined to believe them Male and Female of the same Species ; but it is hard to determine any thing absolutely, unless one had been in the Country, where they are Natives, and made particular Observations of them. These Birds may be ranged with slender-bill'd Small Birds, whose Tails are all of one Colour. I believe these Birds have not before been figur'd or describ'd.

The little BROWN and WHITE CREEPER.

THIS Bird I have call'd the *Creeper*, from the Conformity of all its Parts with the *European Certhia*, tho' it is not above half the Bigness, nor hath it the beautiful Spots and Marks which our *Creeper* hath, yet the general Colour, Shape of the Body and Bill, are the same; it is here represented of its natural Bigness; the Bill is about three-fourths of an Inch long, of a middling Thickness at its Base, bowed downwards, ending in a sharp Point, of a dark brown Colour; the upper Sides of the Head, Neck, Back and Wings, are of a brown inclining to Copper-colour; the whole under Side, from Bill to Tail, is White; it hath a Bar of dark Brown, passing from the Corners of the Mouth to the Eyes; from the Sides of the upper Mandible of the Bill passes white Lines above the Eyes; on each Side the Covert-feathers, within-side the Wings are White; the greater Quills are of a darker Brown than the rest of the Body, the Edges of the Feathers being something light; the Tail is dark Brown or Black; the outermost Feathers on each Side, having white Tips; the Legs, Feet, and Claws, Brown.

This Bird preserv'd in Spirits, was lent me by Dr. *Cromwell Mortimer*; he brought it from *Holland*, and was informed it came from the *East Indies*. I took it out of the Spirits in order to draw it. The Glass which contain'd it was titled with a *Dutch* Name, which in *English* signifies the *Honey Thief*. I believe this Bird hath not been till now either figur'd or describ'd.



I Do not pretend to have any Skill in the Description of Insects, not having at all study'd them; nor do I know the Terms by which their Parts are distinguished: But they being no Part of my Design, I have added them only as Decorations to fill up some void Spaces in the Plates where the Birds were small; so that if my Descriptions are obscure, I hope the Justness of the Figures will help to clear them. The Head and Body of this Fly is Black on the upper Side; the upper Wing mostly Black, having two redish Spots near the Body, then a broad, and after it a narrow brown Mark; toward the Ends are two Eyes of Blue, surrounded with Red, and across each End a Mark like Beads of a light Brown; under the greater Eyes of Blue, toward the lower Wing, is a Spot of Blue; the lower Wings are blue in the Middle, black at their Roots, border'd with Stripes of Black and light Brown, having in each Wing two pretty large Eyes, blue in the Middle, red without that, and black Rings without the Red. On the under Side of the Fly the Head is redish, the Body light Brown; the upper Wing barred across with Orange-colour and Black, having a pretty large Eye of Black, encompass'd by Orange; the under Wing of a dark purplish Colour, with Spots and transverse Lines of Black.

This Fly, with many others, were presented me by Capt. *Isaac Worth*, now in the *India Company's* Service. It came from *China*.

The



☆
The Creeper from the East Indies. published according to act of Parliament by George Edwards. 1741



The greatest Martin or Swift
Geo Edwards 1741

The Greatest MARTIN or SWIFT.

THIS Bird in Shape is like the common *Black Martin* or *Swift*; but I believe twice the Bigness; the Head something flat, and pretty broad, the Bill small, the Slit of the Mouth deep, reaching under the Eyes; the Neck short, the Wings very long, the Tail of a moderate Length. This Plate shews the Bird of its natural Bigness, or rather less, if it differs from the Truth, the Bird being dry'd with the Body remaining in the Skin; the Bill is black, a little hooked at the Point; the upper Side of the Head, Neck, Back, Wings, and Tail, are of a dirty brown Colour; the Back and Rump however, are something lighter, tho' of the same brown Colour; the outer or first Quills are of a darker Brown than the other Parts, which happens in most Birds; the inside of the Quills, and under-side of the Tail, are of a fainter Brown inclining to Ash-colour; from the Bill, downward, the Throat is white; on the lower Part of the Neck it hath a Bar of Brown spotted with Black, in form of a Collar; the Breast and Belly are white; the Thighs, lower Belly, and Covert-feathers under the Tail, are of a light Brown, or rather dirty White; the Sides of the Breast and Belly, near the Wings, are mixed a little with brown Marks, the Edges of some of the Feathers being Brown; the Legs are short, and cover'd with fine downy Feathers of a light Colour; the Toes, four in Number, seem'd to stand all forward, of a black Colour, as are the Claws. This Bird so nearly resembles the *Lesser Martin*, call'd the *Sand* or *Bank Martin*, that the Description of the one might almost serve for the other, save that this is as large as a *Black-Bird*, or very near it, and that very little bigger than a *Wren*.

I had this Bird of Mr. *Catesby*, who has oblig'd me with many new and curious Birds to draw after. It was shot on the Rocks of *Gibraltar*, by a Brother of Mr. *Catesby's*, who resided some time there. *Gibraltar* being so near to *Africa*, 'tis probable the Birds of Passage may pass in Flocks from *Europe* to *Barbary*, and from thence to *Europe* at certain Seasons. It would be worthy the Observation of *English* Gentlemen who reside there, to take particular Notice if there be any such Passages there, and what Birds they are that pass, and at what Seasons they go *Southward*, and at what Times they return *Northward*, which might give some Light to the passing of Birds, which at present we know very little of. It is hardly to be thought that Land Birds should choose wide Seas to pass over, when so short a Cut is to be found.

The BLUE-THROAT REDSTART.

THIS Bird is bigger than the common *Redstart*; it's of the Size here express'd; for Shape, like other small Birds of this Kind. I have seen a Drawing of it from *Holland* or *Germany*, which was named *Blau-keble*, which is *Blue-throat*, and it being so near of Kin to the *Redstart*, I have given it the above Name. The Bill is straight, moderately long and slender, of a black Colour; the upper-side of the Head, Neck, Back and Wings, is of a dark dirty Brown, the Edges of the Feathers being lighter; above the Eye passes a Line of dirty Orange-colour; from the Corner of the Mouth under the Eye, passes another Line of the same Colour; beneath this passes a narrow Line of faint Blue; the Throat, from the Bill downward, is white; on the lower Part of the Neck is a Spot of Blue like a Half-moon, the Corners pointing upwards; the beginning of the Breast, for a small Space, is of an Orange-colour, narrower in the Middle, reaching a little farther down on the Sides; the remainder of the Breast, Belly, Thighs, and Covert-feathers under the Tail is white; the two middle Feathers of the Tail are dark Brown, the other Feathers on each Side are Orange-colour with blackish Tips half an Inch deep; the Covert-feathers on the upper Side of the Tail are of a dirty Orange-colour; the Legs, Feet, and Claws are brown.

I had this Bird of Mr. *Catesby*; it was sent from *Gibraltar* to him.



Blau Kehle

P. Edwards



The Redstart from Gibraltar Published according to act of Parliament 1741 Geo Edwards


The GREY REDSTART.

THE Figure here gives you the natural Size of the Bird ; it is near the Size and Shape of the common *Redstart* ; the Bill is slender, straight, of a moderate Length, and dark brown Colour ; the Forehead, for a little Space above the Bill, and the Sides of the Head and Throat are black ; on the fore-part of the Head behind the Black, is a narrow Space of White, which extends itself backward above the Eyes on each Side ; the Top of the Head, Neck, Back, Breast and Covert-feathers of the Wings, are of a bluish Grey or Ash-colour ; the Quill-feathers are a little more inclining to Brown ; the outer Webs of the middlemost Quills are White, except just at the Tips, which Whiteness forms a longish white Spot on the Wing when the Feathers are closed ; the Rump and Covert-feathers of the Tail, both above and beneath, are of a bright Orange-colour ; the two middle Feathers of the Tail are Brown, the Feathers next them Orange-colour, having small brown Tips ; the outermost Feathers on each Side wholly Orange-colour ; the lower Belly and Thighs of a white Colour ; the Legs, Feet and Claws of a dusky or brownish Colour.

I had this Bird of Mr. *Catesby* ; it was sent to him from *Gibraltar* in *Old Spain*. I believe this Bird hath not yet been figur'd or describ'd.

The Cock C O L D F I N C H.

THIS is the *Baccasgo* or *Ficedula Tertia* of *Aldrovand*. The Bird is of the Shape and Bigness of the uppermost Figure in the Plate; the Bill is slender, straight, and of a black Colour; the Eye is Hazel-colour'd; on the Forehead, a little above the Bill, is a white Spot; the Crown, Sides of the Head, upper-part of the Neck and Back, are Black; the Rump and Coverts of the Tail are black and white mixed; the whole under-side is pure White; the Covert-feathers of the Wings are Brown, as are the outermost Quills; the inner Quills next the Body, have their exterior Webs White, the interior Black; the Tips of the Covert-feathers next above the Quills, are White; which, together with the White on the Quills, form a large white Spot; the Edges of the outer Quills are of a lighter Brown than the other Parts of the Feathers; the middle Part of the Tail is Black, but the outermost Feathers on each Side have the outer Shafts White, the next Feathers to them are White only toward their Bottoms; the Legs, Feet, and Claws, are Black.



The Hen C O L D F I N C H.

THE Bill, Eyes, Legs, Feet, and whole under-side of the Body, agree with that above; the Top of the Head, Neck, Back, Rump, and lesser Coverts of the Wings, are of a dirty greenish Brown; the greater Quills are Brown; the lesser, or those next the Back, have the outer Webs yellowish White, the inner Dusky; the first Row of Coverts above the Quills is Black, with white Tips; which, with the White in the Quills, make a white Spot in the Wing; the Sides under the Wings, and the Covert-feathers within-side of the Wings in both Birds are White; the middle Feathers of the Tail are Dusky, the outer edg'd with White. I take this to be the Hen of the Bird above describ'd; tho' *Willoughby's* Description mentions the Testicles, which might proceed from this Cause, that the Cocks and Hens, in some Birds, in their first Feathers differ hardly at all; tho' when they have moulted, there is a great Difference as in these, the Head and Back in the one is Black, in the other a brownish Green or Olive; in other things they agree pretty well.

I could find no Figures of these scarce Birds, tho' we have Descriptions, therefore I thought they might be acceptable to the Curious: They are something otherwise described in *Willoughby* than I have done them; but I do not choose to repeat the Descriptions of others, (though better than mine) when I have Nature before me. These Birds were lent me by *Taylor White*, Esq; who procur'd them from the *Peak* in *Derbyshire*.

This last Bird is describ'd in *Willoughby*, p. 236. by the Name of *Cold Finch*; but as his Description differs something from mine: I suspect that his was taken from the *Cock-Bird*, before it had moulted its first Feathers. These Birds were shot together.

The



the Gold-finch Cock and hen G. Edwards 1741



Edwards

of kin to the Wheat ear. published according to Act of Parliament May 1741

The RED or RUSSET-COLOUR'D WHEAT-EAR.


THESSE Birds seem'd to be about the Bigness of *Sparrows*; I have figur'd them of the natural Bigness as near as I could. The Cock, which I suppose to be that with the black Throat, has a straight, slender, black or dark Lead-colour'd Bill; a little Space at the Base of the upper Mandible, the Cheeks, under the Eyes and Throat, from the Bill about an Inch downwards, are Black; there pass'es round this black Space, a whitish Line, broader on the Forehead and above the Eyes, narrower downwards on the Throat; the Top of the Head, Neck, Back and Breast, are of a dirty faint Orange-colour, inclining to Buff, deeper on the Back, fainter on the Breast; the lower Part of the Back is spotted with semi-lunar Spots of Black; the Rump, lower Part of the Belly, Thighs, and Covert-feathers under the Tail are White; the whole Wing Black or very dark dusky Brown; the Tips and Edges of the Feathers next above the Quills, and of some of the Quills next the Back, are of a lightish Brown; the Legs, Feet, and Claws, dark Brown or Black; the middle Feathers of the Tail are black or dusky, the side Feathers are white with black Tips, of a small Depth.

THE other Bird, which I believe to be the Hen of the above-describ'd, hath a little Black at the Root of the upper Part of the Bill, which pass'es from the Corners of the Bill through the Eyes, and becomes pretty broad behind the Eyes; the Chin, beneath the Bill, is White; the whole Body, Wings, Tail, and Legs, agree with the above-describ'd; this Bird being very near of Kin to the *Oenanthe* or *Wheat Ear*, describ'd in *Willoughby*, p. 233. I knew not what Name to give it better than the above, with the Distinction join'd to it.

These Birds, which agree with no Figures or Descriptions I can find, came from *Gibraltar*, where they were shot by a Gentleman residing there, who sent them to Mr. *Catesby* in *London*, who favour'd me with a Sight of them, from which I made these Draughts and Descriptions.

The LONG-TAIL'D RED HUMING-BIRD.

THIS Bird is one of the largest of the Kind I have met with, as well as the most beautiful; it is here sign'd of its natural Bigness: I believe it had lost one of the long Feathers of the Tail, because I never observ'd any Bird to have an odd or single Feather in its Tail, that had not its like or fellow. The Bill of this Bird is long, slender, and bowed down toward the Point, of a black Colour; the Head, and upper Part of the Neck are Black, with a shining Lustre; the Throat is of the most splendid Colour one can conceive, being Green shining with the Lustre of polish'd Gold; below this Green is a black semi-lunar Line parting it from the Breast, which is of a Rose-colour; the Back and Covert-feathers of the Wings are Red, but more inclining to Orange than the Breast; the Quills and Row of Coverts next above them, are of a dull Purple-colour; the Tail hath two long Feathers in the middle, of the same Purple with the Wings; the Side-feathers of the Tail are redish Orange like the Back; the lower Part of the Back, Rump, and Coverts of the Tail, are of a fine Green-colour; the Legs and Feet are Black; it hath very short Legs, and four Toes, standing three forward and one backward, as all of this Kind have.

*The* Little BROWN HUMING-BIRD.

THIS is one of the least of the *Huming-Bird* Kind I have met with, being no bigger than the upper Figure in this Plate represents it; the Bill is long, slender, a little bowed or bent downward; the upper Mandible longer than the nether, of a dark or black Colour; the lower Mandible is Flesh-colour'd toward the Head, black at the Point; the Top of the Head is dirty Brown, spotted with bright Brown; the Throat, Sides of the Head, all round the Neck, Breast and Belly, are of a bright Bay or dirty Orange-colour; under the Eye is a stroke of dark Brown or Black, and some dark Spots in the middle of the Breast; the Back, and upper Part of the Wings, are of a dirty brown Colour, intermixed with brighter yellowish Brown; the Quills and Tail-feathers, (except the middle Feathers, which are brown) are of a dirty Purple-colour; the Legs, Feet, and Claws, black.

I think this is the only Bird of this Genus that hath no Green nor shining Gold-like Lustre mixed in its Feathers. These Birds are preserved in the Cabinet of his Grace the Duke of *Richmond*. They were brought from *Surinam*.



Humming Birds from Surinam Published according to act of Parliament 1742 by Geo Edwards



The long tailed humming bird Published according to act of Parliament May 1742 by Geo. Edwards

The LONG-TAIL'D GREEN HUMING BIRD.

THE Figure of this Bird is of the natural Bigness; it hath a very long and broad Tail, in proportion to the Body, the Feathers being very firm and stiff, not easily put in Disorder; the Bill is slender, straight, pretty long, and of a black Colour; the Crown of the Head is Blue, or else the Bird is mostly Green; the Quills are of a dirty purplish Colour, except three Green ones next the Body; the Coverts of the Wings are Green; the lower Belly, and Coverts under the Tail, are White, the Thighs dusky; the Tail-feathers are of the most shining Beauty that can be imagined, appearing sometimes of a shining Blue-colour, and upon a little turn will change Greenish, then again into a Colour mixed with a bright golden Splendor; the Feathers, all over the Body, have something of a shining golden Lustre, but nothing in comparison with the Beauty of the Tail; the Legs, Feet, and Claws, are black.

This Bird was brought from *Jamaica* by Capt. *Chandler* at *Stepney*, of whom I procur'd leave to take a Drawing of it.


THE upper Side of this *Butter-Fly* is black, having in the upper Wings two white Spots in each; the lower Wings have each one large white Spot, and a small round red Spot, besides little faint white Marks between the Scolops of the Wings; the under Side of the Body is white; the lower Wings have each a large roundish white Spot, border'd on the upper Sides with Red; the Extremes of the Wings of a dirty Colour, spotted with Purple; within these purple Spots is a Bar of Black, with a Row of scarlet Spots in it; the upper Wings have three white Spots, that nearest the Body border'd with a bent Bar of Red, the Spaces between the white Spots, Black, the Extremity of the Wing dusky, with purple Spots, and within them scarlet Spots on Black.

I was told by Mr. *William Goupey*, who lent me this *Fly*, that it came from the *East Indies*; but he could not tell from what particular Part.

The LONG-TAIL'D BLAK-CAP HUMING BIRD.

THIS Bird is engraved of its natural Bigness; it hath a longer Tail than the last described; the two long Feathers being of a loose, soft Texture, easily ruffled and flowing with the least Breath of Air; what is remarkable in the Tail is, that these two fine Feathers are the outermost but one on each Side, having a lesser stiff Feather under them, as well as above, the better to support them, which is singular. So far as my Observation reaches, all Birds, whose Tail-feathers differ in Length, have either the two middlemost or the two outermost the longest, as in the *Swallow* and *Magpye*; the Bill is thicker at the Basis than in most of this Kind, pretty long, ending in a Point, a little bowed downward, of a yellow Colour, with a black Point; the Crown of the Head, and beginning of the Neck behind, is of a black Colour, with something of a bluish Gloss; the Throat, Breast, and Belly, are cover'd with Green Feathers, inclining to Blue, of a firm Substance, lying close and regular like the Scales of Fishes, and of so fine a Surface, that they reflect the Light as doth burnished Gold; the Feathers on the Back are of a looser Make, of a yellower Green, not having the bright Lustre of the Breast; the Wings are of a brownish Purple, having, in some Lights, a brighter bluish purple Cast; the Ridge of the Wing from the Shoulder, a good way down, is white; the Tail is black or dusky, the Feathers increasing in Length from the middlemost to the outermost save one, which is about five Times longer than any of the rest; the Legs, Feet, and Claws, are black.

Mr. *P. Colinson* obliged me with a Sight of this Bird. I saw another that came with it, in the Repository of the *Royal Society*, which differ'd only a little in Size from this. They were brought from *Jamaica*. I never could find above ten Feathers in the Tail of any Bird of this Genus.



The dusky and yellow Swallow-tail'd BUTTER-FLY.

THIS Fly was given me by Dr. *R. M. Masséy*, who told me he had it from *Maryland*. The Ground of the Body and Wings are of a dirty dark Brown, barred and spotted (as the Print will direct better than the Description) with Yellow, or rather Brimstone-colour; all the Spots and Marks on the whole Fly being yellowish, except two Half-moon-like Spots nearest the Point of the Tail, which are bright Red.

The



The longest tailed Humming Bird
published according to act of Parliament May 1742 by George Edwards




J. Edwards

The Humming Birds Published September 1792

The WHITE-BELLY'D HUMING BIRD.

THIS Bird, and the Bird describ'd under it, are figur'd in the Plate, of their natural Bigness; the Bill is pretty long, straight, and slender, the Points of the upper and lower Mandibles a little bending towards each other, of a black Colour; the whole Head and Neck, above and beneath, of a fine Blue; the Back, Rump, and lesser Covert-feathers of the Wings of a fine Green; at the bottom of the Neck behind, is a white Mark, in the form of a Crescent, the Horns pointing upwards; the Belly is white; the Wings are Copper-colour, inclining to Purple; the middle Feathers of the Tail are Green, the side Feathers White, and something longer than the middle Feathers; the Legs and Feet of a dark or blackish Colour; the Colours in this Bird, as in most of this Kind, seem to be mixed with fine golden Threads, which make the whole Bird appear very splendid, when expos'd to the Sun-beams.



The GREEN and BLUE HUMING BIRD.

AS this Bird was brought over with the other, and they agreeing in Shape, Size, Form of the Bill and Feet, I have conjectur'd they may be Male and Female; but I leave that to the Determination of the Curious, or future Discovery; the Bill is altogether like that above described; the whole Head and Neck Green; the Breast and upper Part of the Back, Blue; the Thighs and lower Belly of a dirty brown Colour; the lesser Covert-feathers of the Wings, the lower Part of the Back and Rump Green; but the Rump is of an orient Cast, shining with a golden Gloss, as do the Colours on the Throat and Breast; the Quills and first Row of Coverts, are of a dirty Copper-colour, a little inclining to Purple, the Tail of the same purplish Colour, the Legs and Feet, Black.

These Birds came together from *Surinam*, and are both preserved in the Cabinet of his Grace the Duke of *Richmond*.




The Brown and White-spotted BUTTER-FLY from China.

THE Print shews its full Magnitude; the upper Wings are dark Brown, streaked and spotted with White; the extreme Borders, both of the upper and under Wings, are White; the under Wings are White, except a Border of Brown near their extreme Edges, plain outwards, and indented inwards; the Body is White, with black Spots; the Head is Orange-colour, as is the Tail for three Joints or Rings from the Tip.

The


The BLACK-BELLY'D GREEN HUMING BIRD.

THESE Birds are figur'd of their natural Size; they are of the larger Sort of *Huming Birds*; the Bills in both are long, slender, and a little bent downward, not very sharp-pointed, of a black Colour; the Head, Neck, Back, and lesser Coverts of the Wings, in the upper Bird, are of a bluish Green-colour; the scapular Feathers, or those between the Back and Wings, have something of Red mixed with the Green; the Breast and Covert-feathers of the Tail, both above and beneath, are Blue; the middle of the Belly is Black, which part is cover'd by the Wing in the Posture it is drawn; behind the black Part of the Belly is a white Mark across the Vent; the Quill-feathers, and the Row of Coverts next above them, are of a dirty purplish Colour in both Birds, as they are in most of this Kind; the Tails in both Birds are Black above, and Blue beneath; the Legs and Feet also in both are Black.



THE second Bird, which I believe to be the Hen of the above describ'd, differs from that in the Colour of the Green, on the Head, Neck, and Coverts of the Wing, which are of a much yellower Green; the Top of the Head, upper Part of the Neck and Back, being intermixed with a red Colour; it wants the white Bar across the lower Belly or Vent; in all other Particulars the above Description will answer to this.

The first Bird was lent me by *James Theobald*, Esq; the other by *Taylor White*, Esq; From what particular Part they came, I could not be informed; but we know that *America* only produces these Birds, and chiefly between the Tropicks, they being rarely met with far without the Tropicks, and not at all in Winter. Near the Equinoctial they continue all the Year, as I have been informed.



THIS *Fly* is Yellow, spotted with Black; the Eyes are redish; the Wings are transparent; the greater Wings a little thick toward their setting on, and of a browner Colour, which parts are distinguished by cross Hatching between the Veins of the Wings; there are two dark Spots in the Ends of each of the larger Wings; the lesser Wings are of an equal Clearness without Spots.

This *Fly* came from *Ambonia*, and was lent me by Mr. *Dandridge*. I need not mention the Size of the Insects here figur'd, because they will all be just of the natural Size.



Humming Birds Published September 1742 George Edwards




The crested Humming bird G Edwards 1741 —

The CRESTED HUMING BIRD.

THIS Bird, with its Nest, is represented of its natural Bigness; the Bill is slender, sharp-pointed, and not so long as in most of this Kind, of a black Colour, and very little bowed downward; the Top of the Head, from the Bill to the hinder Part, which ends in a Crest, is first Green, and toward the hinder Part, dark Blue; both these Colours shine with a Lustre far exceeding the brightest polish'd Metals, the green Part especially, which is the lightest in some Lights, changes from Green to Gold-colour, so beautiful as not to be expressed by Colours, or hardly conceiv'd in the Absence of the Object; the Feathers of the upper Part of the Body and Wings are dark Green, intermixed with Gold-colour; just beneath the Bill is a Spot of dirty White; the Breast and Belly are of a dark, dirty, grissled or mixed Gray-colour; the Quills are of a Purple-colour, the Tail is of a bluish Black, something glossy on the upper Side, the under Side more glossy than the upper, which is not common; the Legs and Feet are very small, and black of Colour. The Nest is compos'd of a very fine soft cotton or silky Substance, I could not tell which; there is in it a Mixture of two Sorts, the one Red, the other of a yellowish White; it is hung between two little Twigs, as express'd, The young Leaves and Rudiments of the Fruit were on the Branch, which by Comparison with the Description, seems to be the *Sweet Sop-tree*. Sloan's *Natural History of Jamaica*, Vol. 2. Page 168. Tab. 227. The Fruit, when Ripe, is of the Bigness of a *Turkey's Egg*.

Mr. *John Warner* obliged me with a Sight of this Bird and Nest. He had it of a Captain who brought it from the *West Indies*.




THESE *Flies*, which I take to be Male and Female, were brought from *China*; the Bodies in both are Brown; the Wings in the first *Fly* are border'd all round with Black; the upper Wings have each one large irregular Spot of Orange-colour, and a few small ones at their Extremities; the lower Wings have also a pretty large Spot of Orange-colour in each Wing, and near the Body a large Spot of Blue, encompass'd with Black, which appears partly cover'd by the upper Wings; beside these, there are two Half-moon-like Spots, and some dirty Marks of Orange-colour in the Black round their Borders. In the second *Fly*, the Wings are border'd with dirty Brown or Black; the middle Parts of both upper and under Wings are of a faint Yellow-colour; there are blue Spots surrounded with Black near the Body, in the lower Wings; in each Wing, both upper and under, are two Eyes, whose Middles are Blue, circled round with Black; the three little transverse Bars which border on the outer Part of the outer Wings are very Black; the lower Wings are border'd with two Rows of brown Scolops.

The RED-THROATED HUMING BIRD.

THESE Birds, which I am pretty well assured are Cock and Hen, together with the Nest and Eggs, are represented of their natural Size; the first or Cock-bird has already been very well done by Mr. *Catesby*, in his History of *Carolina*, yet I did not care to leave him out of this Plate, since I have the Hen, Nest and Eggs; the Bills are long, slender, straight, and of a black Colour in both; the upper Part of the Head, Neck, Back, and lesser Coverts of the Wings in both, are of a fine silky-looking dark Green, which seems to be intermixed with very fine golden Threads; the prime Feathers in the Wings of both are of a dirty Purple-colour, as they are in all or most *Huming Birds*; in the Cock the Tail is Purple, except the middle Feathers, which are Green; the middle of the Belly and Covert-feathers under the Tail are White, the Sides under the Wings Green, like the Back; but what chiefly distinguishes the Cock from the Hen, is a most beautiful shining Scarlet-colour under the Chin, which reaches to the Breast, changing its Colour in different Positions to the Light, sometimes into a deep Sable-colour, then again to the Colour of shining Gold; the Feathers in this red Part are firm and regularly placed, like the Scales of Fish; the Hen differs from the Cock, in that her whole under Side is white from Bill to Tail, and the Purple Feathers of her Tail are tip'd with White, the middle Feathers being Green; the Legs and Feet in both, are very small and of a black Colour; the Nest, which was fastened on the upper Side of a Branch, was compos'd of a woolly Substance and Moss, the inside being Wooll or some soft Substance, of a light yellowish brown Colour; the outside is cover'd with Moss very firmly and closely laid together, which is not easily ruffled with slight handling; the Eggs are small and white, seeming to be no sharper at one End than the other, as is common to most Eggs.

Mr. *Peter Colinson*, F. R. S. oblig'd me with a Sight of this curious Pair of Birds and Nest. They are found in *Carolina*, and as far North as *New England* in the Summer Season, but retire Southward, or disappear in Winter. I have been informed that no Bird of this Genus, except this one, ever visits the *Englifo* Colonies in *North America*.



THIS *Fly* is of a black or dark Sable-colour, having a pretty large scarlet Spot across each of the upper Wings, beside some Streaks of the same Colour near the Body; the lower Wings have each four little round red Spots near the Body. I know not from what Part this *Fly* came. I had it of Mr. *William Goupey*.



The Red throated Huming Birds published September 1742 George Edwards



The Red bird from Surinam Published according to Act of Parliament May 1. 1742.
Geo Edwards.

The RED BIRD from Surinam.

IT is of the Size here figur'd, and of the Tribe or Family of that I have describ'd under the Name of the *Golden-headed Black Tit-mouse*; the Feet in both agreeing with the *King-fisher's*; the Bill is of a middling Length and Thickness, not slender as in *Larks*, nor thick at its Basis, as in the *Finch-kind*, the Top of it a little arched, of a dirty red Colour, the Corners of the Mouth deep cleft; the Eyes are placed just over the Slits of the Mouth; the Top of the Head, lower Part of the Belly, Thighs, Rump, Tail and its Covert-feathers, are of a beautiful Red or Scarlet-colour; the Sides of the Head, Neck, Breast, Back, and Wings, are of a dull dirty Red-colour, very dark all round the bright Red on the Crown, lighter on the Sides of the Head and Breast, the Red on the hinder Part of the Neck and Back is very dark, almost dusky; the Reds vary in Shades also in the Wings, the Tips of the Coverts being darkish, and the Quills toward their Tips gradually becoming almost Black, the Tail-feathers at their Tips are Black for about half an Inch in Breadth; the Legs, Feet, and Claws, are of a dirty yellow Colour; the hinder Part of the Legs have small Feathers or Hairs down to the Feet.

This Bird is in the Duke of *Richmond's* Cabinet. By the Make of its Feet, I take it to be a Bird frequenting watery Places: At first Sight it seems not unlike the *Cardinal Crested Red Gross-beck*, or as we call it, the *Virginia Nightingale*, tho' it differs very much from that in the Bigness and Shape of the Bill, which in that is *Finch-like*, and of a very large Size in Proportion; the Bill in this is rather small than large; this wants the Crest, tho' I believe it can raise the Feathers on the Crown, they being pretty long and loose, that hath a manifest Crest, which appears hanging backward when not erected; for Magnitude, they are pretty equal. I could name this Bird only from its Colour and Country, not knowing what Genus of *European* Birds to range it with. Were it not for the Structure of the Feet, this Bird might be ranged with the *Garrulus Bohemicus*, or *Silk-tail*, it being much of the same Bigness and Make of Body, and the Bill very like it. This Bird being something doubtful as to its Genus, I have said the more concerning it, that the Learned and Curious may hereafter be able to fix it more certainly.

The GOWRY BIRD.

THIS Bird is of the *Groos-beck* or *Finch*-kind, of the Size here represented. *Albin* has figur'd a Bird something like this, and makes it the Hen of another Bird he has placed it with; he calls it a *Chinese Sparrow* in his *History of Birds*, Vol. 2. Tab. 53. I do not think it the Hen of the Bird he has figur'd with it. I have seen several of these Birds at Dr. *Monroe's*, and at other Gentlemen's Houses, and I find they vary pretty much, as do the little *Indian* Birds call'd *Amadebats*: So that every Bird would require a separate Description. The Bird here under-describ'd, was one of the finest I have met with; the Bill is of the Shape and Bigness of our *Green-Finch's* Bill, of a Lead-colour, yet the Bird exceedeth not half the Size of the *Green-Finch*; the Eyes are of a dark Hazel-colour; the Head, Neck, beginning of the Breast, Back, Wings, and Tail, are of a dark redish Brown; the fore Part of the Neck hath something of a purplish Cast, the greater Quills are of a dirtier Brown than the rest of the Wing, the Rump is of a lighter greenish Brown; the Breast, quite across, and the Belly on the Sides, is black, thickly sprinkled with small round white Spots, of the Size of Rape-feed, some a little bigger, others a little less; the middle of the Belly, Thighs, lower Belly, and Covert-feathers under the Tail, are light Brown, or dirty White; the Legs and Feet are of a bluish or Lead-colour, shaped as in other small Birds.

Charles du Bois, Esq; Treasurer to the *India* Company, invited me to his House to draw this Bird. He told me it came from the *East Indies*, and was called a *Gowry* or *Coury Bird*, they being sold for a small Shell apiece, call'd a *Gowry*; so that I believe it doth not come from *China*, *Gowrys* not passing there as Money.

THE *Beetle* is of its natural Size, and all over of a bright shining brownish Black; it came from the *East Indies*, and was given me by my good Friend Mr. *Pope*, of *Ratcliff*, a Gentleman well known for many curious and useful Inventions, particularly for Marbling Paper with a Margent, to prevent Frauds in the publick Offices; for the sole doing of which, his Majesty has given him Licence under his Broad Seal. I am oblig'd to this Gentleman for many curious Things.



Gowra Bird from East India published according to act of Parliament by Geo. Edwards Anno 1741



from China

Opri. s. pub.

Edwards

The COCK PADDA or RICE-BIRD.

THIS Bird is figur'd of its natural Bigness; it is about the Size of a *Green-Finch*, or rather bigger; it hath a very thick Bill for the bigness of the Bird, ending in a Point, of a fine red Colour above and beneath in the thick Part toward the Head, the Point for a little Space is White; the Eye is of a dark Colour; the Eyelids or Border of Skin round the Eye is of a bright Red; the Head is Black, except a white Spot on each Cheek, of the Shape of a Kidney-bean; the Neck, Breast, Back, and Covert-feathers of the Wings are of a fine bluish Ash-colour, the Rump of a lighter Ash-colour than the Back; the Ash-colour on the Breast changes gradually toward the Belly, into a faint Rose or Blossom-colour; beyond this Colour the lower Belly and Covert-feathers under the Tail, are dirty White; the greater Quill-feathers, and the whole Tail, are of a black Colour; the Legs and Feet of a faint Red, the Claws of a dirty White-colour. Tho' this Bird has but little gay Colouring in it, yet is it a Bird of much Beauty, the Feathers all over, except the Wings, appear to have a fine soft Bloom on them, like that on Plumbs, and fall on one another in such Order that no Feather can be distinguished, but the whole appears with a Surface smooth and even. I saw one of these Birds alive at Sir *Hans Sloane's*: They came from *China*.

As there are Figures join'd with all these Descriptions, in which great Care has been taken justly to express the extreme Parts, such as the Bills and Feet, and other Parts which distinguish the Genus or Species of the different Birds, I thought it not proper to trouble the Reader with long and perplexed Descriptions of those Parts, since he can, by casting his Eye on the Figure, convey to his Sense a much perfecter Idea, than a laborious and just Description in Words could give.

The Hen PADDA or RICE-BIRD.

THIS Bird is altogether of the same Magnitude and Shape with the last describ'd, to which I suppose it to be the Hen. It is by the People who bring them from *China*, call'd the *Padda Bird*, because they are fed with that Grain; *Padda* being the Name by which Rice is call'd, while the Grain continues in the Husks; so that I think the *Rice Bird* not a very improper Name. They are said very much to annoy the Plantations of Rice; but tho' I have given it this Name, yet I must take notice these Birds are of that Tribe or Family of small Birds we in *England* call *Finches*, tho' their Bills are larger in Proportion than any of that Genus we have with us. I not having Opportunity of seeing this Bird alive, the Description may be less perfect than the other. It was preserv'd in Spirits at Sir *Hans Sloane's*.

The Bill is of a Flesh-colour, it hath also the Eyelids or Skin round the Eye of a Flesh-colour; the Head is wholly Black, wanting the white Spots in the Cheeks, which is the principal Difference between this and the last describ'd Bird; the Neck, Back, Breast, and Wings, are of an Ash-colour, not so bright as in the former, the Belly gradually changing into a faint dirtyish Blossom-colour, the Quills something darker than the Covert-feathers of the Wings; on the Ridge of the Wing next the Breast, is a white Spot; the lower Belly, and Coverts under the Tail, are White, the Tail is Black, the Legs and Feet of a Flesh-colour; the Edges of the Feathers, as in the other, intermix so equally, as to appear more like fine Hair than Feathers.

Some People using the *India* Trade, who have seen these Birds, call them *Java Sparrows*, and others, *Indian Sparrows*, and affirm they are found in *Java*; if so, it is like they are found in most of the Countries to which our *India* Company trade; but I rather believe the Trade between *China* and *Java*, may have made them as Plenty as Cage-Birds in *Java*, from which some may have supposed them Natives of that Country. I have observ'd Figures of these Birds very frequently in *Chinese* Pictures, which is a pretty convincing Argument they are Natives of *China*.



Published according to Act of Parliament May the 1. 1741. G. Edwards.





Edwards


published by authority May 1741

Indian Sparrows Cock & hen

in opes 1741

The CHINESE SPARROWS.

THESE Birds are figur'd of their Natural Bigness; they are of the *Finch*-kind, tho' they have Bills of a larger Size; the Bills in both are very large, just of the same Shape and Bigness, of a light bluish Ash-colour; the Head, in the first Bird, which I suppose to be the Cock, is Black; in the fore Part of the Neck, the Black reaches down to the Breast; the Eye is of a dark Colour; the whole Body, Wings, and Tail, are of an equal Red-brown or dark Cinnamon-colour; the Legs and Feet of an Ash-colour.



THE second Bird, which I suppose to be the Hen, hath a dark-colour'd Eye; the Sides of the Head, round the Eye, the under-side of the Neck, Breast, Belly, and Covert-feathers under the Tail, are of a dirty White, a little inclining to a faded Blossom-colour; the Top of the Head, hinder Part of the Neck, Back, and Wings, are of a dirty brownish Ash-colour; the upper Covert-feathers of the Tail, White; the Tail and greater Quill-feathers, are of a Black or Dusky-colour; the Legs and Feet are of a Flesh-colour.

I drew these Birds at a Bird-Merchant's in *White-Hart Yard* in the *Strand*, who call'd them *Indian Sparrows*. They were in a Cage together, and seem'd to agree like Cock and Hen. Though *Albin* has figur'd this with a black Head, and a Bird different to what I have here placed with it, which he says is the Hen; I should not have repeated *Albin's* Bird, had not this I call the Hen, been a Bird not yet describ'd. *Albin's* Cock differs from mine, in that it hath a broad black Stroke drawn from the Breast downward, through the whole Length of the Belly, which I could not discover; though I have, since I made this Draught, had one of these Birds myself, and examin'd it narrowly to find this Mark, but found the Belly wholly of the red Ruffet-colour. I have been told these Birds are brought from *China*. I have given it Mr. *Albin's* Name, which I think not improper; besides, a multiplicity of Names for the same Thing, causes much Confusion in Natural History. See *Albin's* Figure in *Vol. 2. Plate 53.* of his *History of Birds*.

The YELLOW-HEADED LINNET.

THIS Bird being of Kin to *Linnet*s or *Canary-Birds*, I choose to call it by this Name: I have heard them call'd *Mexican Sparrows*; but I think it more of the *Linnet*-kind; the Bill is moderately big, like the Bills of most of our hard-bill'd Birds who crack Seeds, of a whitish or pale Flesh-colour; the Eye is of a Hazel-colour; the Head and Throat are of a yellow Colour; from behind the Eyes, down the Sides of the Neck, are drawn brown Marks, growing wider towards their lower Parts, and falling into the Back; the hinder Part of the Head, upper Side of the Neck, Back, Wings, and Tail, are of a dirty Brown-colour, spotted on the Neck and Back with dirty Spots, drawn downward; the greater or outer Quills, and the Feathers of the Tail darker than the Back, and upper Part of the Wings; the Breast, Belly, Thighs, and Covert-feathers under the Tail, are of a light Clay-colour, the Breast and Belly spotted, with dark brown Spots, drawn downward, which Spots begin on the lower Part of the Yellow on the Throat; the Legs and Feet are Brown, or of a dirty Flesh-colour.

I drew this Bird at Sir *Charles Wager's* House at *Parsons-Green*. The Print shews the Bird of its natural Bigness.

A Cage of these Birds was found on board a *Spanish* Prize, taken by an *English* Ship in the *West Indies*; they are Natives of *Mexico*, the Ship in which they were found being bound from *Vera Cruz* to *Old Spain*.



the yellow headed vireo from north America 1840



The greater indian Crane 1739

G. Edwards

The GREATER INDIAN CRANE.

THIS is a very large and stately Bird, I believe bigger than the common *Crane*, and hath a longer Bill in Proportion; it walks with a very grave and solemn Air; its Height, as it stands or walks, without extending the Neck greatly, is about five Feet. Mr. *Willughby* has describ'd an *Indian Crane* which seems to be much less than this, and a quite different Bird; so I thought the *Greater Indian Crane* might be a Name proper enough for this Bird; it fed on Barley and other Grain, but by reason of the Length and Sharpness of the Bill, it could not gather the Grain into its Mouth without jerking back its Head pretty quick, and catching the Grain into its Mouth after it had taken it in the Point of its Bill; the Bill is long and pretty thick toward the Head, ending in a sharp Point, of a greenish Yellow-colour, dusky at the Tip, having on each Side an oblong Nostril pretty near the Middle, tho' nearer the Head than the Point; the Eyes are of a bright hazel or redish Colour; the Head, and a small Part of the Neck, are cover'd with a bare Skin, of a fine red Colour; about the Base of the Bill, under the Chin, and all round the beginning of the Neck, or hinder Part of the Head, it is thin set with fine black hair-like Feathers, a small Space of the Neck remaining quite bare below it; the Crown of the Head, and two Spots by the Ears are White, and bare of Feathers; the Neck is very long, cover'd in the upper Part with white Feathers, which gradually become Ash-colour towards its Bottom; the Neck feathers are not so long and loose as in *Hérons*; the whole Body, Wings and Tail, except the greater or outer Quills of the Wings, are Ash-colour, something lighter on the Breast than on the Back and Wings; the Quills are Black, and extend themselves, when the Wings are closed, of almost equal Length with the Tail; the Legs are very long and bare of Feathers for a good Space above the Knees; it hath three Toes standing forward, of a moderate Length, and a small back Toe; both Legs and Feet are of a red Colour like those of *Pigeons*, the Claws black.

This Bird I drew from the Life at Sir *Charles Wager's*, who afterwards presented it to Dr. *Mead*. It was brought from the *East Indies*.

The COOT-FOOTED TRINGA.


THIS Bird is here figur'd of the natural Bigness; it is for Shape, Size, and general Colouring, like the *Lesser Tringa*, or the *Stint*, describ'd in *Willughby*, the chief Difference being in the Feet, which are border'd with scollop'd Fins, as in the *Bald Coot*; the Bill is long, pretty slender, and of a black Colour, a little bowed downward at the Point of the upper Mandible; the Eyes are placed pretty far from the Bill, as they are in most of this Kind; the Crown of the Head is Black; the Sides of the Head, all round the Eyes, round the Base of the Bill and Chin, are White; the whole Neck is of a faint Ash-colour, a very little inclining to Blossom-colour; the Breast, Belly, Thighs, and Covert-feathers under the Tail are White; the lower Part of the Neck behind, the whole Back, Wings, and Tail, are of a dark dirty Brown-colour, tho' the very Borders of the Feathers are fringed with a lighter Colour; the greater or outer Quills are almost black, having white Shefts or Stems, the middle Quills have white Tips and Borders pretty narrow, the inner or those next the Back, of the same Colour with it; the Covert-feathers next above the Quills, are tip'd with White pretty deep, which form a broad white Bar across the Wing, the under Side of the Tail is Ash-colour; the Legs are of a middling Length, bare above the Knees for a good Space; it hath four Toes standing after the usual Manner, the three forward Toes have scollop'd Fins on each Side, according to the number of Joints in each Toe, the Indentures falling in upon every Joint, so that the Fins are not disturbed or ruffled by the bending of the Joints, the back Toe is small; both Legs and Feet are of a Lead-colour; it hath black Claws. I look on this Bird's Feet to be very singular, no Bird of the *Snipe* or *Tringa*-kind having any thing like them.

It was given me by Mr. *Alexander Light*, a curious Person, now residing in *Hudson's Bay*, whither he was sent by the *Hudson's Bay Company*. He told me it came on board a Ship sailing on the Coast of *Maryland*, a good Distance from Shore, in an Off-land Wind.



the Coot footed Tringa published according to Act of Parliament 1741
Geo Edwards







The Plover from Bengall

The BLACK-BREASTED INDIAN PLOVER.

THIS Bird is something bigger than the *Lapwing*, it agrees pretty near in Size with our *English Grey* and *Green Plovers*, being shap'd like them, except in its Legs, which are a pretty deal longer; it is here drawn of its natural Bigness; its Bill is of a middling Length, of a pretty equal Thickness, black of Colour, ending in a Point, the Middle of the Bill is not quite so thick as it is at its Basis and near the Point; it hath on each Side an oblong Nostril; the Crown of the Head is Black with a green Gloss, these black Feathers reach an Inch beyond the Head behind, and form a Crest; the Cheeks, hinder Part of the Head, and two broad Lines down on each Side the Neck are White; between the black Crown and the White in the Sides of the Head, are placed the Eyes; the lower Part of the Neck behind, the whole Back and Covert-feathers of the Wings, are of a brown Colour; the Tips of the Rows of Coverts next above the Quills are White, the greater Quills Black, the lesser next the Back, Brown; the Ridge of the Wing, from the Bend downward, hath black and white Feathers intermixed; from the Bill downward, on the Throat, and beginning of the Breast, is drawn a black Mark, which falls into the Black on the Breast; the Breast and part of the Belly are Black, having a fine purple Gloss on the Breast; the Thighs, lower Belly, and Covert-feathers under the Tail are White; the Feathers of the Tail are of equal Length, White at their Bottoms, and Black across the End, for the breadth of an Inch and a half; the Legs are longer than common in this kind of Birds; it hath only three Toes of a moderate Length all standing forward; the Legs are bare of Feathers a little way above the Knees; both Legs, Feet and Claws, are of a dirty dark Brown, inclining to Black.

I drew this from a Bird lent me by Mr. *Peter Colinson*, which was sent in Spirits with other Birds from *Gamron* in *Persia*. I wrote it from *Bengal* on the Plate, through a Mistake.

The SPUR-WINGED WATER HEN.


THIS Bird is of the *Water Hen*-kind; *Willughby* has describ'd something like it as to Shape, but of other Colours; the Print shews the Bird of its natural Bigness; the Bill is near an Inch and a half long, of a yellow Colour, the Nostrils situate on each Side about the middle of the Bill; it hath at the Basis of the upper Mandible a bald Skin, as in other *Water Hens*, but different, in that it is a loose Flap, scollop'd with three Scollops on the Top, join'd to the Head at the Bottom, of a yellowish Colour; I suppose it was Red when the Bird was living, since that Part is describ'd to be so in the Birds *Margrave* saw in *Brazil*; the Crown of the Head is Brown, intermixed with some dusky Spots; from the Corners of the Mouth, through the Eyes, to the hind Part of the Neck on each Side, is drawn a black Line, above the Eyes are white Lines; the under Side of the Head, Neck, Breast, Belly, Thighs, and under Coverts of the Tail are White, on the Sides of the Belly and Thighs, are sprinkled a few red Marks; the hinder Part of the Neck is Black, which by degrees becomes Brown in the beginning of the Back, the lower Part of the Back, Rump, and upper Side of the Tail, are of a purplish inclining to a red Rose-colour; the Feathers about the Shoulders, or setting on of the Wings, are of a light Brown, the Quills of the Wings are of a fine Green-colour tip'd with Black, except a few of the smaller next the Back, which are Brown; the first Coverts above the Quills are Black, next above is a Row of Brown, the rest of the Coverts are of a Rose or purplish Colour; the Covert-feathers within-side the Wings, are of a redish Brown; what is most extraordinary in this Bird, is a Pair of strong, thick, short, yellow Spurs on the Joints of the Wings turning inward, so that they point toward each other; the Legs are very long, and bare of Feathers above the Knees; the middle Toe for Length, equals the Leg, the side Toes a little shorter, the back Toe is pretty long, having a Claw or Nail straight like a Needle, and longer than the Toe, which together equal the Length of the Leg, the back Toe is only one Joint, the inner two, the middle three, and the outer Toe four. I have been the more particular in describing the Joints of the Toes in this Bird, because this Kind is said in the Descriptions I find in *Willughby* to have four Joints in each Toe; the three forward Toes have long slender Claws, pretty straight; both Legs, Feet and Claws of a Lead or bluish Ash-colour.

This Bird had been preserv'd a good while in Spirits by Sir *Hans Sloane*, who lent it me that I might make a Drawing of it: I was told it was brought from *Carthagena* in *South America*.



the Spur winged Water hen

J. G. Swards





The Penguin

The PENGUIN.

THIS Bird is about the Bigness of a common tame *Goose*, and is suppos'd when it cometh to Land to walk in this erect Posture, by reason of the backward Situation of the Legs. Voyagers who have seen this Bird, report it to walk erect; the Bill is not very long nor deprefs'd like a *Goose's*, but rather comprefs'd side-ways; the Corners of the Mouth are pretty deep and reach almost under the Eyes; in the upper Mandible on each Side, is a Cleft or Groove, the Feathers of the Head pointing on each Side of the Bill, and cover the Noftrils; the Bill is of a red Colour; the fore part of the Head, all round the Bill, and as far as the Eyes, is of a dirty Brown; the back Part of the Head, upper Part of the Neck and Back are of a dark dirty purplish Colour, cover'd with very small stiff Feathers, not easily ruffled or disorder'd, appearing more like the Scales of Serpents than Feathers; the under Side of the Neck, Breast, Belly, and Sides under the Wings are white, compos'd of Feathers more agreeing with the common Make and Appearance of Feathers, yet lying pretty close and firm; the Wings are small and flat, like little Boards or Paddles, of a brown Colour; both above and beneath, they are cover'd with Feathers so stiff and small, that a slight Observer might take them for Shagreen, that Part which answers the Tips of the Quills in other Wings, is white; it hath no appearance of a Tail, except a few short black Bristles on the Rump; the Legs are short; it hath three Toes standing forward, and webed together as in Geese, the inner of these Toes having a Fin or lateral Membrane within-side; a very small fourth Toe loose from the other three, standing forward and within the innermost of the other three, contrary to any thing in the Feet of Birds I have yet seen; the Legs and Feet are of a dirty red Colour, armed with pretty long sharp brown Claws; the hind Part of the Legs and Bottoms of the Feet, are Black.

This Bird was lent me by Mr. *Peter Colinson*; he could not tell from whence it came. I find them mention'd chiefly by Voyagers to the Straights of *Magellan*, and the *Cape of Good Hope*.

In Sir *Tho. Roe's* Voyage to *India*, I find this Account: "On the Isle of *Penguin* is a sort of Fowl of that Name, that goes upright; his Wings without Feathers, hanging down like Sleeves, faced with White, they do not fly, but only walk in Parcels, keeping regularly their own Quarters." *Churchill's Collect. of Voyages, Vol. 1. p. 767.*

The above-mention'd *Penguin* Isle is near the *Cape of Good Hope*. I have examin'd some of the Voyages to the Straights of *Magellan*, and find very little Account of the *Penguins* there, more than that they go upright, and burrow under the Shores: So that I cannot determine the above-describ'd to be a Native of any certain Part of the World. Had these Voyagers given slight Descriptions of the Things they mention, we might from thence probably have fixed its native Place.

The SPOTTED GREENLAND DOVE.

THIS Bird is here figur'd of its natural Bigness, by comparing it with the *Greenland Dove* of *Willughby*, I find it agrees exactly in Shape and Size with that, the Bill and Legs being the very same as to Make, tho' different in Colour, therefore I believe it to be a young Bird, before it has molted its first Feathers, the old ones being Black, except a large white Spot in each Wing, and the Legs and Feet of a fine Red. The flying Bird, in this Plate, shews the *Black Greenland Dove*, at a Distance, by way of comparing it with this; the Bill is pretty long, of a dark or black Colour, a little bowed or hooked toward the Point; the whole under-side, from Bill to Tail, is white, having very faint transverse Bars of Ash-colour; the Top of the Head, upper Side of the Neck, Back and Tail, are of a dusky Black, with transverse Bars of a deep Black, the Quills are wholly Black, the Coverts above them tip'd with White; then succeeds a Row of Black, the lesser Coverts form a large Spot of White in the upper Part of the Wing, sprinkled with Black, the Ridge and upper Part of the Wing is border'd round with Black, the Legs and Feet are of a dirty Flesh-colour; it hath three Toes only, all standing forward, armed with small Claws and webed together; it hath also Fins bordering on the insides of the inner Toes. *Albin* has figur'd a Bird in his Second *Vol. p. 73.* which he calls the *Cock Greenland Dove*, and another in *Vol. 1. p. 81.* which he calls the *Hen*; I believe he may have met with something like this *Hen*, there being such a sort of Bird, but not the *Hen* of the *Greenland Dove*. Now I suppose he wanting a *Cock* to his *Hen*, and seeing in *Willughby* the Colours were few and simple, thought he might easily make it out without seeing the Bird; so he made a Plate for the *Cock*, which is only the direct reverse of his *Hen*, and has colour'd it by *Willughby's* Description, and having never seen the *Cock*, he supposed it to have a Bill like that he calls the *Hen*; whereas the *Greenland Dove* is a bigger Bird, and hath a pretty long slender Bill, more than double the Length of his in Proportion. I thought it not amiss to rectify this Mistake in Mr. *Albin's* Works.

I had this Bird of Sir *Hans Sloane*, who kept it some time alive: It was presented to him by Captain *Craycott*, who brought it directly from *Greenland*.

If it be true, that this Bird changes White in Winter, as *Willughby's* Description mentions, this might perhaps be taken in the Time it was changing from Black to White, or from White to Black. See this Bird in *Willughby, P. 326. Tab. 78.* tho' to me there seems no good Proof of its changing from one Colour to another.



The Greenland Dove

1740

Conard



The GREENLAND BUCK.

THIS Deer, in comparison with ours in *England*, is very thick and clumsy, being for Proportion of its Parts more like a well grown Calf than a Deer; from the Ground to the top of the Shoulders, it is about three Feet high *English* measure; it hath a much shorter Neck, and thicker Legs than is common in the Deer-kind; in Summer-time it is cover'd with smooth short Hair of a Mouse-colour, against Winter there springs from beneath this a second Coat of long rough white Hair, tho' it is a little Brown on the Back, and the lower Part of the Face; this long Hair gives it a thick clumsy Appearance; in the Spring again this rough winter Clothing is, as it were, thrust off by the succeeding Summer's Coat, which is smooth and short, and so it continues to change its Coverings; what is most remarkable in this Kind is the Nose, which is wholly cover'd with Hair in that Part, which in other Deer is bare Skin and moist: I suppose had it been naked, it must necessarily have froze in those cold Countries, so Nature has given it this Covering to defend it; the Eyes are pretty large, standing a little out of the Head; both Male and Female have Horns which is not common; its Hoofs are not pointed, they part pretty much in the Cleft, and are broad at the Bottom, in order, I suppose, to keep them from sinking too far into the Snow; it hath two small Hoofs or Claws behind the greater on each Foot, placed pretty high; the Hoofs are of a dark Horn-colour; the Horns in this were not perfect, it being young; they were cover'd with a Plush-like Skin, of a brown Colour, and shap'd as in the Figure.

I saw a Head of perfect Horns brought over with these Deer, which had two large palmed Branches over the Eyes, conveniently placed as Shovels, to remove the Snow from the Grass; a little above these were two other Palms, but less, standing outward; above these each Horn spread itself into five round Branches not at all palmed. A Male and Female of these Deer were presented to Sir *Hans Sloane*, Anno 1738, by Captain *Craycott*, who brought them over. Sir *Hans* afterwards presented them to his Grace the Duke of *Richmond*, who sent them to his Park in *Suffex*. I hear they are since dead, without any Increase. This is by some supposed to be the Rain-Deer of the *Laplanners* and *Russians*; but I cannot pretend to assert it is, or is not. The Figure shews it in its winter Clothing.

The PORCUPINE *from* Hudson's Bay.

FOR Shape and Bigness it much resembles a Castor or Beaver, or to compare it to some well known thing for Size of Body, it is equal to a Fox, tho' unlike it in Shape; the Head is like a Rabbit's; it hath a flat Nose intirely cover'd with short Hair; the Teeth before, two above and two beneath, are very strong, of a yellow Colour, and seem to be made for gnawing or biting of Grass; it hath very small Ears hardly appearing beyond the Fur; the Legs are short, the Claws long, four on each Foot forwards, and five on each hinder Foot, all hollowed within like Scoops; the Tail is of a middling Length, thicker toward the Body than at the End, the under-side of the Tail towards the End is White; it is clothed all over the Body with pretty soft Fur about four Inches long, tho' shorter about the Head and near the Paws, and a little longer on the hinder Part of the Head; beneath the Hair on the upper Part of the Head, Body and Tail, it is thick set with very sharp stiff Quills, the longest being hardly three Inches long, which gradually shortens towards the Nose, and on the Sides towards the Belly, the Quills cannot be seen through the Fur, except a little on the Rump where the Hair was thin; it had besides the soft Fur which was all the Body over of a dark Brown or Sable-colour, some long stiff straggling Hairs thinly set, three Inches longer than the under Fur, the Ends of which being of a dirty White, made the Fur appear a little grised in some Places, the Quills are very sharp, several of them having stuck faster in my Fingers than in the Skin on a slight touch; they are bearded, and not easily drawn out when enter'd the Skin: There came over with this, a young one about the Bigness of a Rat; it had a blacker Fur than the old one, and the Quills were plainly seen and felt among the Hair.

These were brought from *Hudson's Bay*, and presented to Dr. *R. M. Masséy*, and are now in Sir *Hans Sloane's* Collection at *Chelsea*. I believe this Creature has not before been describ'd. The Quills are white with black Points. See in the Plate a Quill of its natural Shape and Size, and the Point of a Quill magnified.

A Friend of mine residing at *Hudson's Bay*, at my Request has resolved me some Queries I sent him relating to this Creature.

Extract from his Letter, dated Albany, August 10, 1742.

“ **T**HE Porcupine in this Country, is a Beast which makes its Nest or Den under
 “ the Roots of great Trees, and sleeps much; it feeds on the Bark of Juniper
 “ and other Trees, but chiefly on Juniper; in Winter it eats Snow instead of drinking,
 “ and laps Water in Summer like a Cat or Dog, but carefully avoids going into it.
 “ His Hair and Quills remain all Summer without alteration of Colour; but as the
 “ Weather grows warmer in the Spring, the Fur grows thinner, as in all Creatures in
 “ this Country. But you may depend on better Information next Year, for they are
 “ very plentiful on the East Main, several of my trading *Indians* depending on them
 “ for Food at some Seasons of the Year.

Your most humble Servant,
 ALEXANDER LIGHT.



The Porcupine from
Hudsons Bay

Published according to act of Parliament May 1742 Geo Edwards

cols. 2

7 volumes
collected complete
7p 1/2 @ 1/2
RG 17.12.72

NQ 133
E L S J D

